

TREVOS

Hinnad alates 01.05.2018

Price-list in EUR

EXW Turnov

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75xxx	FUTURA	PC body, PC translucent (TL) diffuser, AI coolers	IP 66			
	basic version - non-dimmable					
75010	FUTURA 2.2ft PC AI 2600/840	Non-dimmable - plastic clips	IP 66	18W	2300	43,66
75020	FUTURA 2.2ft PC AI 3200/840	Non-dimmable - plastic clips	IP 66	22W	2850	44,72
75030	FUTURA 2.2ft PC AI 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	46,65
75040	FUTURA 2.4ft PC AI 5200/840	Non-dimmable - plastic clips	IP 66	35W	4570	62,07
75050	FUTURA 2.4ft PC AI 6400/840	Non-dimmable - plastic clips	IP 66	42W	5620	63,65
75060	FUTURA 2.4ft PC AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7860	68,04
75070	FUTURA 2.5ft PC AI 6500/840	Non-dimmable - plastic clips	IP 66	44W	5750	73,17
75080	FUTURA 2.5ft PC AI 8000/840	Non-dimmable - plastic clips	IP 66	53W	7030	74,26
75090	FUTURA 2.5ft PC AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9620	78,53
75210	FUTURA 2.2ft PCc AI 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	45,05
75220	FUTURA 2.2ft PCc AI 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	46,12
75230	FUTURA 2.2ft PCc AI 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	48,04
75240	FUTURA 2.4ft PCc AI 5200/840	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	64,41
75250	FUTURA 2.4ft PCc AI 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	66,04
75260	FUTURA 2.4ft PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	70,39
75270	FUTURA 2.5ft PCc AI 6500/840	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	75,96
75280	FUTURA 2.5ft PCc AI 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	77,05
75290	FUTURA 2.5ft PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	81,30
75013	FUTURA 2.2ft PC AI 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2300	68,04
	FUTURA DALI dimmerdatavad					
75023	FUTURA 2.2ft PC AI 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2850	69,11
75033	FUTURA 2.2ft PC AI 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	68,59
75043	FUTURA 2.4ft PC AI 5200/840 DALI	DALI Dimmable - plastic clips	IP 66	35W	4570	84,41
75053	FUTURA 2.4ft PC AI 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	42W	5620	86,36
75063	FUTURA 2.4ft PC AI 8800/840 DALI	DALI Dimmable - plastic clips	IP 66	58W	7860	90,73
75073	FUTURA 2.5ft PC AI 6500/840 DALI	DALI Dimmable - plastic clips	IP 66	44W	5750	95,55
75083	FUTURA 2.5ft PC AI 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	53W	7030	96,95

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75093	FUTURA 2.5ft PC AI 11000/840 DALI	DALI Dimmable - plastic clips	IP 66	71W	9620	101,22
75213	FUTURA 2.2ft PCc AI 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	69,43
75223	FUTURA 2.2ft PCc AI 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	70,50
75233	FUTURA 2.2ft PCc AI 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	69,99
75243	FUTURA 2.4ft PCc AI 5200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	86,76
75253	FUTURA 2.4ft PCc AI 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	88,70
75263	FUTURA 2.4ft PCc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	93,09
75273	FUTURA 2.5ft PCc AI 6500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	98,34
75283	FUTURA 2.5ft PCc AI 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	99,73
75293	FUTURA 2.5ft PCc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	104,01
	FUTURA ABS					
77010	FUTURA 2.2ft ABS AI 2600/840	Non-dimmable - plastic clips	IP 66	18W	2300	42,70
77020	FUTURA 2.2ft ABS AI 3200/840	Non-dimmable - plastic clips	IP 66	22W	2850	43,77
77030	FUTURA 2.2ft ABS AI 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	45,70
77040	FUTURA 2.4ft ABS AI 5200/840	Non-dimmable - plastic clips	IP 66	35W	4570	60,58
77050	FUTURA 2.4ft ABS AI 6400/840	Non-dimmable - plastic clips	IP 66	42W	5620	62,16
77060	FUTURA 2.4ft ABS AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7860	66,55
77070	FUTURA 2.5ft ABS AI 6500/840	Non-dimmable - plastic clips	IP 66	44W	5750	70,82
77080	FUTURA 2.5ft ABS AI 8000/840	Non-dimmable - plastic clips	IP 66	53W	7030	71,89
77090	FUTURA 2.5ft ABS AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9620	76,19
77210	FUTURA 2.2ft ABS AI 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	44,09
77220	FUTURA 2.2ft ABS AI 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	45,16
77230	FUTURA 2.2ft ABS AI 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	47,07
77240	FUTURA 2.4ft ABS AI 5200/840	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	62,93
77250	FUTURA 2.4ft ABS AI 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	64,53
77260	FUTURA 2.4ft ABS AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	68,90
77270	FUTURA 2.5ft ABS AI 6500/840	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	73,61
77280	FUTURA 2.5ft ABS AI 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	74,68
77290	FUTURA 2.5ft ABS AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	78,95
77013	FUTURA 2.2ft ABS AI 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2300	67,09
77023	FUTURA 2.2ft ABS AI 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2850	68,15
77033	FUTURA 2.2ft ABS AI 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	67,62
77043	FUTURA 2.4ft ABS AI 5200/840 DALI	DALI Dimmable - plastic clips	IP 66	35W	4570	82,92
77053	FUTURA 2.4ft ABS AI 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	42W	5620	84,85
77063	FUTURA 2.4ft ABS AI 8800/840 DALI	DALI Dimmable - plastic clips	IP 66	58W	7860	89,26
77073	FUTURA 2.5ft ABS AI 6500/840 DALI	DALI Dimmable - plastic clips	IP 66	44W	5750	93,21
77083	FUTURA 2.5ft ABS AI 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	53W	7030	94,60

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77093	FUTURA 2.5ft ABS AI 11000/840 DALI	DALI Dimmable - plastic clips	IP 66	71W	9620	98,87
77213	FUTURA 2.2ft ABS AI 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	68,48
77223	FUTURA 2.2ft ABS AI 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	69,55
77233	FUTURA 2.2ft ABS AI 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	68,99
77243	FUTURA 2.4ft ABS AI 5200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	85,27
77253	FUTURA 2.4ft ABS AI 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	87,20
77263	FUTURA 2.4ft ABS AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	91,60
77273	FUTURA 2.5ft ABS AI 6500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	95,99
77283	FUTURA 2.5ft ABS AI 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	97,38
77293	FUTURA 2.5ft ABS AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	101,64
	FUTURA ventilatsiooniklapiga					
76010	FUTURA 2.2ft VP AI 2600/840	Non-dimmable - plastic clips	IP 66	18W	2300	46,97
76020	FUTURA 2.2ft VP AI 3200/840	Non-dimmable - plastic clips	IP 66	22W	2850	48,04
76030	FUTURA 2.2ft VP AI 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	49,95
76040	FUTURA 2.4ft VP AI 5200/840	Non-dimmable - plastic clips	IP 66	35W	4570	65,37
76050	FUTURA 2.4ft VP AI 6400/840	Non-dimmable - plastic clips	IP 66	42W	5620	66,99
76060	FUTURA 2.4ft VP AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7860	71,38
76070	FUTURA 2.5ft VP AI 6500/840	Non-dimmable - plastic clips	IP 66	44W	5750	76,51
76080	FUTURA 2.5ft VP AI 8000/840	Non-dimmable - plastic clips	IP 66	53W	7030	77,56
76090	FUTURA 2.5ft VP AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9620	81,85
76210	FUTURA 2.2ft VPc AI 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	48,37
76220	FUTURA 2.2ft VPc AI 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	49,44
76230	FUTURA 2.2ft VPc AI 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	51,34
76240	FUTURA 2.4ft VPc AI 5200/840	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	67,71
76250	FUTURA 2.4ft VPc AI 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	69,34
76260	FUTURA 2.4ft VPc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	73,73
76270	FUTURA 2.5ft VPc AI 6500/840	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	79,30
76280	FUTURA 2.5ft VPc AI 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	80,35
76290	FUTURA 2.5ft VPc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	84,64
76013	FUTURA 2.2ft VP AI 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2300	71,38
76023	FUTURA 2.2ft VP AI 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2850	72,45
76033	FUTURA 2.2ft VP AI 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	71,89
76043	FUTURA 2.4ft VP AI 5200/840 DALI	DALI Dimmable - plastic clips	IP 66	35W	4570	87,75
76053	FUTURA 2.4ft VP AI 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	42W	5620	89,66
76063	FUTURA 2.4ft VP AI 8800/840 DALI	DALI Dimmable - plastic clips	IP 66	58W	7860	94,05
76073	FUTURA 2.5ft VP AI 6500/840 DALI	DALI Dimmable - plastic clips	IP 66	44W	5750	98,87
76083	FUTURA 2.5ft VP AI 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	53W	7030	100,27

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76093	FUTURA 2.5ft VP AI 11000/840 DALI	DALI Dimmable - plastic clips	IP 66	71W	9620	104,52
76213	FUTURA 2.2ft VPc AI 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	72,77
76223	FUTURA 2.2ft VPc AI 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	73,84
76233	FUTURA 2.2ft VPc AI 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	73,29
76243	FUTURA 2.4ft VPc AI 5200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	90,10
76253	FUTURA 2.4ft VPc AI 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	92,02
76263	FUTURA 2.4ft VPc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	96,39
76273	FUTURA 2.5ft VPc AI 6500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	101,64
76283	FUTURA 2.5ft VPc AI 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	103,03
76293	FUTURA 2.5ft VPc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	107,31
	FUTURA KITSA VALGUSVIHUGA, 10-15M LAGEDELE					
78060	FUTURA 2.4ft NB PC AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7460	89,20
78090	FUTURA 2.5ft NB PC AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9130	104,04
78260	FUTURA 2.4ft NB PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	91,58
78290	FUTURA 2.5ft NB PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	106,87
78063	FUTURA 2.4ft NB PC AI 8800/840 DALI	DALI Dimmable - plastic clips	IP 66	58W	7460	112,19
78093	FUTURA 2.5ft NB PC AI 11000/840 DALI	DALI Dimmable - plastic clips	IP 66	71W	9130	126,71
78263	FUTURA 2.4ft NB PCc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	114,56
78293	FUTURA 2.5ft NB PCc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	129,53
	FUTURA SENSORIGA					
79010	FUTURA 2.2ft SNS PC AI 2600/840	Non-dimmable - plastic clips	IP 66	18W	2300	91,89
79020	FUTURA 2.2ft SNS PC AI 3200/840	Non-dimmable - plastic clips	IP 66	22W	2850	93,02
79030	FUTURA 2.2ft SNS PC AI 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	95,06
79040	FUTURA 2.4ft SNS PC AI 5200/840	Non-dimmable - plastic clips	IP 66	35W	4570	111,22
79050	FUTURA 2.4ft SNS PC AI 6400/840	Non-dimmable - plastic clips	IP 66	42W	5620	112,90
79060	FUTURA 2.4ft SNS PC AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7860	117,51
79070	FUTURA 2.5ft SNS PC AI 6500/840	Non-dimmable - plastic clips	IP 66	44W	5750	122,91
79080	FUTURA 2.5ft SNS PC AI 8000/840	Non-dimmable - plastic clips	IP 66	53W	7030	124,04
79090	FUTURA 2.5ft SNS PC AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9620	128,54
79210	FUTURA 2.2ft SNS PCc AI 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	93,36
79220	FUTURA 2.2ft SNS PCc AI 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	94,48
79230	FUTURA 2.2ft SNS PCc AI 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	96,51
79240	FUTURA 2.4ft SNS PCc AI 5200/840	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	113,70
79250	FUTURA 2.4ft SNS PCc AI 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	115,38
79260	FUTURA 2.4ft SNS PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	119,99
79270	FUTURA 2.5ft SNS PCc AI 6500/840	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	125,83
79280	FUTURA 2.5ft SNS PCc AI 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	126,96

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79290	FUTURA 2.5ft SNS PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	131,46
79043	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	35W	4570	134,70
79053	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	42W	5620	136,73
79063	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	58W	7860	141,33
79073	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	44W	5750	146,38
79083	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	53W	7030	147,85
79093	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	71W	9620	152,35
79243	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	137,19
79253	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	139,21
79263	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	143,83
79273	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	149,30
79283	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	150,77
79293	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	155,27
	FUTURA AKUVALGUSTID 1h					
75014	FUTURA 2.2ft PC AI 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2300	86,09
75024	FUTURA 2.2ft PC AI 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2850	87,94
75034	FUTURA 2.2ft PC AI 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	89,92
75044	FUTURA 2.4ft PC AI 5200/840 M1h	Non-dimmable - plastic clips	IP 66	35W	4570	111,22
75054	FUTURA 2.4ft PC AI 6400/840 M1h	Non-dimmable - plastic clips	IP 66	42W	5620	112,84
75064	FUTURA 2.4ft PC AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7860	117,38
75074	FUTURA 2.5ft PC AI 6500/840 M1h	Non-dimmable - plastic clips	IP 66	44W	5750	123,87
75084	FUTURA 2.5ft PC AI 8000/840 M1h	Non-dimmable - plastic clips	IP 66	53W	7030	124,95
75094	FUTURA 2.5ft PC AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9620	129,38
75214	FUTURA 2.2ft PCc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	87,50
75224	FUTURA 2.2ft PCc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	89,39
75234	FUTURA 2.2ft PCc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	91,37
75244	FUTURA 2.4ft PCc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	113,62
75254	FUTURA 2.4ft PCc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	115,28
75264	FUTURA 2.4ft PCc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	119,80
75274	FUTURA 2.5ft PCc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	126,73
75284	FUTURA 2.5ft PCc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	127,84
75294	FUTURA 2.5ft PCc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	132,24
75017	FUTURA 2.2ft PC AI 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2300	111,87
75027	FUTURA 2.2ft PC AI 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2850	113,72
75037	FUTURA 2.2ft PC AI 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	113,18
75047	FUTURA 2.4ft PC AI 5200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	135,01

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75057	FUTURA 2.4ft PC AI 6400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	136,99
#####	FUTURA 2.4ft PC AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	141,50
75077	FUTURA 2.5ft PC AI 6500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	147,79
75087	FUTURA 2.5ft PC AI 8000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	149,22
75097	FUTURA 2.5ft PC AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	153,63
75217	FUTURA 2.2ft PCc AI 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	113,28
75227	FUTURA 2.2ft PCc AI 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	115,17
75237	FUTURA 2.2ft PCc AI 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	114,61
75247	FUTURA 2.4ft PCc AI 5200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	137,43
75257	FUTURA 2.4ft PCc AI 6400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	139,42
75267	FUTURA 2.4ft PCc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	143,92
75277	FUTURA 2.5ft PCc AI 6500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	150,66
75287	FUTURA 2.5ft PCc AI 8000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	152,09
75297	FUTURA 2.5ft PCc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	156,49
77014	FUTURA 2.2ft ABS AI 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2300	85,08
77024	FUTURA 2.2ft ABS AI 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2850	86,95
77034	FUTURA 2.2ft ABS AI 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	88,95
77044	FUTURA 2.4ft ABS AI 5200/840 M1h	Non-dimmable - plastic clips	IP 66	35W	4570	109,65
77054	FUTURA 2.4ft ABS AI 6400/840 M1h	Non-dimmable - plastic clips	IP 66	42W	5620	111,31
77064	FUTURA 2.4ft ABS AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7860	115,82
77074	FUTURA 2.5ft ABS AI 6500/840 M1h	Non-dimmable - plastic clips	IP 66	44W	5750	121,44
77084	FUTURA 2.5ft ABS AI 8000/840 M1h	Non-dimmable - plastic clips	IP 66	53W	7030	122,57
77094	FUTURA 2.5ft ABS AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9620	126,96
77214	FUTURA 2.2ft ABSc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	86,53
77224	FUTURA 2.2ft ABSc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	88,38
77234	FUTURA 2.2ft ABSc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	90,36
77244	FUTURA 2.4ft ABSc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	112,08
77254	FUTURA 2.4ft ABSc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	113,72
77264	FUTURA 2.4ft ABSc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	118,26
77274	FUTURA 2.5ft ABSc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	124,31
77284	FUTURA 2.5ft ABSc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	125,43
77294	FUTURA 2.5ft ABSc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	129,82
77017	FUTURA 2.2ft ABS AI 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2300	110,85
77027	FUTURA 2.2ft ABS AI 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2850	112,74
77037	FUTURA 2.2ft ABS AI 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	112,19
77047	FUTURA 2.4ft ABS AI 5200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	133,45
77057	FUTURA 2.4ft ABS AI 6400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	135,45

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77067	FUTURA 2.4ft ABS AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	139,97
77077	FUTURA 2.5ft ABS AI 6500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	145,37
77087	FUTURA 2.5ft ABS AI 8000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	146,78
77097	FUTURA 2.5ft ABS AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	151,21
77217	FUTURA 2.2ft ABSc AI 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	112,30
77227	FUTURA 2.2ft ABSc AI 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	114,19
77237	FUTURA 2.2ft ABSc AI 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	113,62
77247	FUTURA 2.4ft ABSc AI 5200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	135,87
77257	FUTURA 2.4ft ABSc AI 6400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	137,87
77267	FUTURA 2.4ft ABSc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	142,39
77277	FUTURA 2.5ft ABSc AI 6500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	148,23
77287	FUTURA 2.5ft ABSc AI 8000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	149,66
77297	FUTURA 2.5ft ABSc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	154,07
76014	FUTURA 2.2ft VP AI 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2300	89,49
76024	FUTURA 2.2ft VP AI 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2850	91,37
76034	FUTURA 2.2ft VP AI 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	93,34
76044	FUTURA 2.4ft VP AI 5200/840 M1h	Non-dimmable - plastic clips	IP 66	35W	4570	114,61
76054	FUTURA 2.4ft VP AI 6400/840 M1h	Non-dimmable - plastic clips	IP 66	42W	5620	116,25
76064	FUTURA 2.4ft VP AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7860	120,80
76074	FUTURA 2.5ft VP AI 6500/840 M1h	Non-dimmable - plastic clips	IP 66	44W	5750	127,28
76084	FUTURA 2.5ft VP AI 8000/840 M1h	Non-dimmable - plastic clips	IP 66	53W	7030	128,41
76094	FUTURA 2.5ft VP AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9620	132,80
76214	FUTURA 2.2ft VPc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	90,92
76224	FUTURA 2.2ft VPc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	92,79
76234	FUTURA 2.2ft VPc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	94,79
76244	FUTURA 2.4ft VPc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	117,06
76254	FUTURA 2.4ft VPc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	118,70
76264	FUTURA 2.4ft VPc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	123,22
76274	FUTURA 2.5ft VPc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	130,14
76284	FUTURA 2.5ft VPc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	131,27
76294	FUTURA 2.5ft VPc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	135,66
76017	FUTURA 2.2ft VP AI 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2300	115,28
76027	FUTURA 2.2ft VP AI 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2850	117,15
76037	FUTURA 2.2ft VP AI 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	116,58
76047	FUTURA 2.4ft VP AI 5200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	138,41
76057	FUTURA 2.4ft VP AI 6400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	42W	5620,00	140,41
76067	FUTURA 2.4ft VP AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	144,93

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76077	FUTURA 2.5ft VP AI 6500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	151,21
76087	FUTURA 2.5ft VP AI 8000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	152,62
76097	FUTURA 2.5ft VP AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	157,05
76217	FUTURA 2.2ft VPc AI 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	116,73
76227	FUTURA 2.2ft VPc AI 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	118,58
76237	FUTURA 2.2ft VPc AI 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	118,03
76247	FUTURA 2.4ft VPc AI 5200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	140,85
76257	FUTURA 2.4ft VPc AI 6400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	142,83
76267	FUTURA 2.4ft VPc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	147,34
76277	FUTURA 2.5ft VPc AI 6500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	154,07
76287	FUTURA 2.5ft VPc AI 8000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	155,50
76297	FUTURA 2.5ft VPc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	159,91
78064	FUTURA 2.4ft NB PC AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7460	139,80
78094	FUTURA 2.5ft NB PC AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9130	156,34
78264	FUTURA 2.4ft NB PCc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	142,26
78294	FUTURA 2.5ft NB PCc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	159,24
78067	FUTURA 2.4ft NB PC AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	58W	7460	164,28
78097	FUTURA 2.5ft NB PC AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	71W	9130	180,57
78267	FUTURA 2.4ft NB PCc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	166,74
78297	FUTURA 2.5ft NB PCc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	183,47
79014	FUTURA 2.2ft SNS PC AI 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2300	139,09
79024	FUTURA 2.2ft SNS PC AI 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2850	141,00
79034	FUTURA 2.2ft SNS PC AI 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	143,02
79044	FUTURA 2.4ft SNS PC AI 5200/840 M1h	Non-dimmable - plastic clips	IP 66	35W	4570	159,41
79054	FUTURA 2.4ft SNS PC AI 6400/840 M1h	Non-dimmable - plastic clips	IP 66	42W	5620	161,11
79064	FUTURA 2.4ft SNS PC AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7860	165,73
79074	FUTURA 2.5ft SNS PC AI 6500/840 M1h	Non-dimmable - plastic clips	IP 66	44W	5750	172,33
79084	FUTURA 2.5ft SNS PC AI 8000/840 M1h	Non-dimmable - plastic clips	IP 66	53W	7030	173,48
79094	FUTURA 2.5ft SNS PC AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9620	177,94
79214	FUTURA 2.2ft SNS PCc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	140,54
79224	FUTURA 2.2ft SNS PCc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	142,45
79234	FUTURA 2.2ft SNS PCc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	144,47
79244	FUTURA 2.4ft SNS PCc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	161,91
79254	FUTURA 2.4ft SNS PCc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	163,57
79264	FUTURA 2.4ft SNS PCc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	168,19
79274	FUTURA 2.5ft SNS PCc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	175,27
79284	FUTURA 2.5ft SNS PCc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	176,39

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79294	FUTURA 2.5ft SNS PCc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	180,86
79047	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	183,68
79057	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	185,71
79067	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	190,30
79077	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	196,71
79087	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	198,20
79097	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	202,67
79247	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	186,16
79257	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	188,19
79267	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	192,78
79277	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	199,63
79287	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	201,12
79297	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	205,59
	FUTURA AKUVALGUSTID 3h					
75015	FUTURA 2.2ft PC AI 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2300	101,51
75025	FUTURA 2.2ft PC AI 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2850	103,38
75035	FUTURA 2.2ft PC AI 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	105,34
75045	FUTURA 2.4ft PC AI 5200/840 M3h	Non-dimmable - plastic clips	IP 66	35W	4570	127,97
75055	FUTURA 2.4ft PC AI 6400/840 M3h	Non-dimmable - plastic clips	IP 66	42W	5620	129,61
75065	FUTURA 2.4ft PC AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	7860	134,13
75075	FUTURA 2.5ft PC AI 6500/840 M3h	Non-dimmable - plastic clips	IP 66	44W	5750	140,62
75085	FUTURA 2.5ft PC AI 8000/840 M3h	Non-dimmable - plastic clips	IP 66	53W	7030	141,71
75095	FUTURA 2.5ft PC AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9620	146,13
75215	FUTURA 2.2ft PCc AI 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	102,94
75225	FUTURA 2.2ft PCc AI 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	104,81
75235	FUTURA 2.2ft PCc AI 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	106,79
75245	FUTURA 2.4ft PCc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	130,37
75255	FUTURA 2.4ft PCc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	132,03
75265	FUTURA 2.4ft PCc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	136,56
75275	FUTURA 2.5ft PCc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	143,48
75285	FUTURA 2.5ft PCc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	144,59
75295	FUTURA 2.5ft PCc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	149,00
75019	FUTURA 2.2ft PC AI 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2300	127,49
75029	FUTURA 2.2ft PC AI 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2850	129,38
#####	FUTURA 2.2ft PC AI 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	128,83
75049	FUTURA 2.4ft PC AI 5200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	151,76
75059	FUTURA 2.4ft PC AI 6400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	153,75

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75069	FUTURA 2.4ft PC AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	158,25
75079	FUTURA 2.5ft PC AI 6500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	164,55
75089	FUTURA 2.5ft PC AI 8000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	165,98
75099	FUTURA 2.5ft PC AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	170,38
75219	FUTURA 2.2ft PCc AI 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	128,94
75229	FUTURA 2.2ft PCc AI 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	130,83
75239	FUTURA 2.2ft PCc AI 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	130,26
75249	FUTURA 2.4ft PCc AI 5200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	154,19
75259	FUTURA 2.4ft PCc AI 6400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	156,17
75269	FUTURA 2.4ft PCc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	160,67
75279	FUTURA 2.5ft PCc AI 6500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	167,41
75289	FUTURA 2.5ft PCc AI 8000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	168,84
75299	FUTURA 2.5ft PCc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	173,27
77015	FUTURA 2.2ft ABS AI 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2300	100,51
77025	FUTURA 2.2ft ABS AI 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2850	102,36
77035	FUTURA 2.2ft ABS AI 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	104,37
77045	FUTURA 2.4ft ABS AI 5200/840 M3h	Non-dimmable - plastic clips	IP 66	35W	4570	126,41
77055	FUTURA 2.4ft ABS AI 6400/840 M3h	Non-dimmable - plastic clips	IP 66	42W	5620	128,06
77065	FUTURA 2.4ft ABS AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	7860	132,57
77075	FUTURA 2.5ft ABS AI 6500/840 M3h	Non-dimmable - plastic clips	IP 66	44W	5750	138,20
77085	FUTURA 2.5ft ABS AI 8000/840 M3h	Non-dimmable - plastic clips	IP 66	53W	7030	139,32
77095	FUTURA 2.5ft ABS AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9620	143,71
77215	FUTURA 2.2ft ABS AI 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	101,93
77225	FUTURA 2.2ft ABS AI 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	103,81
77235	FUTURA 2.2ft ABS AI 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	105,82
77245	FUTURA 2.4ft ABS AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	128,83
77255	FUTURA 2.4ft ABS AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	130,47
77265	FUTURA 2.4ft ABS AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	135,01
77275	FUTURA 2.5ft ABS AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	141,06
77285	FUTURA 2.5ft ABS AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	142,18
77295	FUTURA 2.5ft ABS AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	146,57
77019	FUTURA 2.2ft ABS AI 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2300	126,52
77029	FUTURA 2.2ft ABS AI 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2850	128,41
77039	FUTURA 2.2ft ABS AI 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	127,84
77049	FUTURA 2.4ft ABS AI 5200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	150,20
77059	FUTURA 2.4ft ABS AI 6400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	152,20
77069	FUTURA 2.4ft ABS AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	156,72

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77079	FUTURA 2.5ft ABS AI 6500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	162,12
77089	FUTURA 2.5ft ABS AI 8000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	163,53
77099	FUTURA 2.5ft ABS AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	167,96
77219	FUTURA 2.2ft ABSc AI 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	127,97
77229	FUTURA 2.2ft ABSc AI 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	129,82
77239	FUTURA 2.2ft ABSc AI 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	129,27
77249	FUTURA 2.4ft ABSc AI 5200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	152,62
77259	FUTURA 2.4ft ABSc AI 6400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	154,62
77269	FUTURA 2.4ft ABSc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	159,15
77279	FUTURA 2.5ft ABSc AI 6500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	164,98
77289	FUTURA 2.5ft ABSc AI 8000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	166,42
77299	FUTURA 2.5ft ABSc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	170,82
76015	FUTURA 2.2ft VP AI 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2300	104,90
76025	FUTURA 2.2ft VP AI 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2850	106,79
76035	FUTURA 2.2ft VP AI 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	108,78
76045	FUTURA 2.4ft VP AI 5200/840 M3h	Non-dimmable - plastic clips	IP 66	35W	4570	131,37
76055	FUTURA 2.4ft VP AI 6400/840 M3h	Non-dimmable - plastic clips	IP 66	42W	5620	133,01
76065	FUTURA 2.4ft VP AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	7860	137,55
76075	FUTURA 2.5ft VP AI 6500/840 M3h	Non-dimmable - plastic clips	IP 66	44W	5750	144,03
76085	FUTURA 2.5ft VP AI 8000/840 M3h	Non-dimmable - plastic clips	IP 66	53W	7030	145,16
76095	FUTURA 2.5ft VP AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9620	149,55
76215	FUTURA 2.2ft VPc AI 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	106,35
76225	FUTURA 2.2ft VPc AI 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	108,24
76235	FUTURA 2.2ft VPc AI 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	110,21
76245	FUTURA 2.4ft VPc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	133,81
76255	FUTURA 2.4ft VPc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	135,45
76265	FUTURA 2.4ft VPc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	139,97
76275	FUTURA 2.5ft VPc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	146,90
76285	FUTURA 2.5ft VPc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	148,02
76295	FUTURA 2.5ft VPc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	152,41
76019	FUTURA 2.2ft VP AI 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2300	130,95
76029	FUTURA 2.2ft VP AI 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2850	132,80
76039	FUTURA 2.2ft VP AI 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	132,24
76049	FUTURA 2.4ft VP AI 5200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	155,16
76059	FUTURA 2.4ft VP AI 6400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	157,16
76069	FUTURA 2.4ft VP AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	161,68
76079	FUTURA 2.5ft VP AI 6500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	167,96

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76089	FUTURA 2.5ft VP AI 8000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	169,37
76099	FUTURA 2.5ft VP AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	173,80
76219	FUTURA 2.2ft VPc AI 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	132,36
76229	FUTURA 2.2ft VPc AI 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	134,25
76239	FUTURA 2.2ft VPc AI 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	133,69
76249	FUTURA 2.4ft VPc AI 5200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	157,60
76259	FUTURA 2.4ft VPc AI 6400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	159,59
76269	FUTURA 2.4ft VPc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	164,09
76279	FUTURA 2.5ft VPc AI 6500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	170,82
76289	FUTURA 2.5ft VPc AI 8000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	172,25
76299	FUTURA 2.5ft VPc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	176,66
78065	FUTURA 2.4ft NB PC AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	7460	156,78
78095	FUTURA 2.5ft NB PC AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9130	173,32
78265	FUTURA 2.4ft NB PCc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	159,24
78295	FUTURA 2.5ft NB PCc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	176,24
78069	FUTURA 2.4ft NB PC AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	58W	7460	181,26
78099	FUTURA 2.5ft NB PC AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	71W	9130	197,55
78269	FUTURA 2.4ft NB PCc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	183,70
78299	FUTURA 2.5ft NB PCc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	200,47
79045	FUTURA 2.4ft SNS PC AI 5200/840 M3h	Non-dimmable - plastic clips	IP 66	35W	4720	176,51
79055	FUTURA 2.4ft SNS PC AI 6400/840 M3h	Non-dimmable - plastic clips	IP 66	42W	5790	178,19
79065	FUTURA 2.4ft SNS PC AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	8000	182,79
79075	FUTURA 2.5ft SNS PC AI 6500/840 M3h	Non-dimmable - plastic clips	IP 66	44W	6010	189,41
79085	FUTURA 2.5ft SNS PC AI 8000/840 M3h	Non-dimmable - plastic clips	IP 66	53W	7250	190,55
79095	FUTURA 2.5ft SNS PC AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9760	195,04
79245	FUTURA 2.4ft SNS PCc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4720	178,95
79255	FUTURA 2.4ft SNS PCc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5790	180,65
79265	FUTURA 2.4ft SNS PCc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	8000	185,27
79275	FUTURA 2.5ft SNS PCc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	6010	192,33
79285	FUTURA 2.5ft SNS PCc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7250	193,47
79295	FUTURA 2.5ft SNS PCc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9760	197,96
79049	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	35W	4720	200,76
79059	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	42W	5790	202,78
79069	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	58W	8000	207,38
79079	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	44W	6010	213,79
79089	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	53W	7250	215,24
79099	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	71W	9760	219,74

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79249	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR M	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4720	203,24
79259	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR M	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5790	205,26
79269	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR M	DALI Dimmable - stainless steel clips (c)	IP 66	58W	8000	209,88
79279	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR M	DALI Dimmable - stainless steel clips (c)	IP 66	44W	6010	216,71
79289	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR M	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7250	218,16
79299	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR M	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9760	222,66
	FUTURA MAX					
79800	FUTURA MAX 2.4ft PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	55W	8050	160,62
79810	FUTURA MAX 2.5ft PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	68W	10070	189,24
	PRIMA LED					
65010	Prima LED 1.2ft PC 1300/840	Non-dimmable - plastic clips	IP 66	10W	1260	36,81
65020	Prima LED 1.2ft PC 1600/840	Non-dimmable - plastic clips	IP 66	12W	1510	37,24
65030	Prima LED 1.2ft PC 2200/840	Non-dimmable - plastic clips	IP 66	15W	1950	38,08
65040	Prima LED 1.4ft PC 2600/840	Non-dimmable - plastic clips	IP 66	18W	2320	44,61
65050	Prima LED 1.4ft PC 3200/840	Non-dimmable - plastic clips	IP 66	22W	2860	45,37
65060	Prima LED 1.4ft PC 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	47,60
65070	Prima LED 1.5ft PC 3250/840	Non-dimmable - plastic clips	IP 66	22W	2810	51,46
65080	Prima LED 1.5ft PC 4000/840	Non-dimmable - plastic clips	IP 66	27W	3530	52,97
65090	Prima LED 1.5ft PC 5500/840	Non-dimmable - plastic clips	IP 66	37W	4940	54,68
65460	Prima LED 1.4ft PC 6400/840	Non-dimmable - plastic clips	IP 66	43W	5650	52,03
65490	Prima LED 1.5ft PC 8000/840	Non-dimmable - plastic clips	IP 66	54W	7090	60,62
	PRIMA LED Metallklambirga					
65210	Prima LED 1.2ft PCc 1300/840	Non-dimmable - stainless steel clips (c)	IP 66	10W	1260	38,20
65220	Prima LED 1.2ft PCc 1600/840	Non-dimmable - stainless steel clips (c)	IP 66	12W	1510	38,64
65230	Prima LED 1.2ft PCc 2200/840	Non-dimmable - stainless steel clips (c)	IP 66	15W	1950	39,48
65240	Prima LED 1.4ft PCc 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	46,97
65250	Prima LED 1.4ft PCc 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	47,72
65260	Prima LED 1.4ft PCc 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	49,95
65270	Prima LED 1.5ft PCc 3250/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	54,24
65280	Prima LED 1.5ft PCc 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	55,73
65290	Prima LED 1.5ft PCc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	57,47
65760	Prima LED 1.4ft PCc 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	54,44
65790	Prima LED 1.5ft PCc 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	63,50
	PRIMA LED Dali					
65013	Prima LED 1.2ft PC 1300/840 DALI	DALI Dimmable - plastic clips	IP 66	10W	1260	61,09
65023	Prima LED 1.2ft PC 1600/840 DALI	DALI Dimmable - plastic clips	IP 66	12W	1510	61,53
65033	Prima LED 1.2ft PC 2200/840 DALI	DALI Dimmable - plastic clips	IP 66	15W	1950	62,37

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
65043	Prima LED 1.4ft PC 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2320	68,90
65053	Prima LED 1.4ft PC 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2860	67,71
65063	Prima LED 1.4ft PC 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	69,99
65073	Prima LED 1.5ft PC 3250/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2810	73,84
65083	Prima LED 1.5ft PC 4000/840 DALI	DALI Dimmable - plastic clips	IP 66	27W	3530	75,33
65093	Prima LED 1.5ft PC 5500/840 DALI	DALI Dimmable - plastic clips	IP 66	37W	4940	77,05
65860	Prima LED 1.4ft PC 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	43W	5650	75,18
65890	Prima LED 1.5ft PC 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	54W	7090	83,76
65213	Prima LED 1.2ft PCc 1300/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	10W	1260	62,49
65223	Prima LED 1.2ft PCc 1600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	12W	1510	62,93
65233	Prima LED 1.2ft PCc 2200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	15W	1950	63,77
65243	Prima LED 1.4ft PCc 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	71,26
65253	Prima LED 1.4ft PCc 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	70,10
65263	Prima LED 1.4ft PCc 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	72,33
65273	Prima LED 1.5ft PCc 3250/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	76,61
65283	Prima LED 1.5ft PCc 4000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	78,11
65293	Prima LED 1.5ft PCc 5500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	79,81
65960	Prima LED 1.4ft PCc 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	77,60
65990	Prima LED 1.5ft PCc 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	86,62
	ABS PRIMA LED					
67010	Prima LED 1.2ft ABS 1300/840	Non-dimmable - plastic clips	IP 66	10W	1260	36,37
67020	Prima LED 1.2ft ABS 1600/840	Non-dimmable - plastic clips	IP 66	12W	1510	36,81
67030	Prima LED 1.2ft ABS 2200/840	Non-dimmable - plastic clips	IP 66	15W	1950	37,64
67040	Prima LED 1.4ft ABS 2600/840	Non-dimmable - plastic clips	IP 66	18W	2320	43,66
67050	Prima LED 1.4ft ABS 3200/840	Non-dimmable - plastic clips	IP 66	22W	2860	44,40
67060	Prima LED 1.4ft ABS 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	46,65
67070	Prima LED 1.5ft ABS 3250/840	Non-dimmable - plastic clips	IP 66	22W	2810	50,39
67080	Prima LED 1.5ft ABS 4000/840	Non-dimmable - plastic clips	IP 66	27W	3530	51,90
67090	Prima LED 1.5ft ABS 5500/840	Non-dimmable - plastic clips	IP 66	37W	4940	53,61
67460	Prima LED 1.4ft ABS 6400/840	Non-dimmable - plastic clips	IP 66	43W	5650	51,02
67490	Prima LED 1.5ft ABS 8000/840	Non-dimmable - plastic clips	IP 66	54W	7090	59,95
	ABS PRIMA LED metallklambriga					
67210	Prima LED 1.2ft ABSc 1300/840	Non-dimmable - stainless steel clips (c)	IP 66	10W	1260	37,76
67220	Prima LED 1.2ft ABSc 1600/840	Non-dimmable - stainless steel clips (c)	IP 66	12W	1510	38,20
67230	Prima LED 1.2ft ABSc 2200/840	Non-dimmable - stainless steel clips (c)	IP 66	15W	1950	39,04
67240	Prima LED 1.4ft ABSc 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	46,00
67250	Prima LED 1.4ft ABSc 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	46,77

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
67260	Prima LED 1.4ft ABSc 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	49,00
67270	Prima LED 1.5ft ABSc 3250/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	53,18
67280	Prima LED 1.5ft ABSc 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	54,68
67290	Prima LED 1.5ft ABSc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	56,40
67760	Prima LED 1.4ft ABSc 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	53,44
67790	Prima LED 1.5ft ABSc 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	62,81
	ABS PRIMA LED DALI					
67013	Prima LED 1.2ft ABS 1300/840 DALI	DALI Dimmable - plastic clips	IP 66	10W	1260	60,67
67023	Prima LED 1.2ft ABS 1600/840 DALI	DALI Dimmable - plastic clips	IP 66	12W	1510	61,09
67033	Prima LED 1.2ft ABS 2200/840 DALI	DALI Dimmable - plastic clips	IP 66	15W	1950	61,97
67043	Prima LED 1.4ft ABS 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2320	67,94
67053	Prima LED 1.4ft ABS 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2860	66,76
67063	Prima LED 1.4ft ABS 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	68,99
67073	Prima LED 1.5ft ABS 3250/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2810	72,77
67083	Prima LED 1.5ft ABS 4000/840 DALI	DALI Dimmable - plastic clips	IP 66	27W	3530	74,26
67093	Prima LED 1.5ft ABS 5500/840 DALI	DALI Dimmable - plastic clips	IP 66	37W	4940	75,96
67860	Prima LED 1.4ft ABS 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	43W	5650	74,16
67890	Prima LED 1.5ft ABS 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	54W	7090	83,11
	PRIMA ABS DALI METALLKLAMBRIGA					
67213	Prima LED 1.2ft ABSc 1300/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	10W	1260	62,07
67223	Prima LED 1.2ft ABSc 1600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	12W	1510	62,49
67233	Prima LED 1.2ft ABSc 2200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	15W	1950	63,35
67243	Prima LED 1.4ft ABSc 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	70,29
67253	Prima LED 1.4ft ABSc 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	69,11
67263	Prima LED 1.4ft ABSc 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	71,38
67273	Prima LED 1.5ft ABSc 3250/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	75,56
67283	Prima LED 1.5ft ABSc 4000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	77,05
67293	Prima LED 1.5ft ABSc 5500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	78,74
67960	Prima LED 1.4ft ABSc 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	76,59
67990	Prima LED 1.5ft ABSc 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	85,97
	PRIMA LED VENTILATSIOONIKLAPIGA					
66010	Prima LED 1.2ft VP 1300/840	Non-dimmable - plastic clips	IP 66	10W	1260	40,14
66020	Prima LED 1.2ft VP 1600/840	Non-dimmable - plastic clips	IP 66	12W	1510	40,55
66030	Prima LED 1.2ft VP 2200/840	Non-dimmable - plastic clips	IP 66	15W	1950	41,42
66040	Prima LED 1.4ft VP 2600/840	Non-dimmable - plastic clips	IP 66	18W	2320	47,95
66050	Prima LED 1.4ft VP 3200/840	Non-dimmable - plastic clips	IP 66	22W	2860	48,67
66060	Prima LED 1.4ft VP 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	50,94

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
66070	Prima LED 1.5ft VP 3250/840	Non-dimmable - plastic clips	IP 66	22W	2810	54,78
66080	Prima LED 1.5ft VP 4000/840	Non-dimmable - plastic clips	IP 66	27W	3530	56,29
66090	Prima LED 1.5ft VP 5500/840	Non-dimmable - plastic clips	IP 66	37W	4940	57,68
66460	Prima LED 1.4ft VP 6400/840	Non-dimmable - plastic clips	IP 66	43W	5650	55,45
66490	Prima LED 1.5ft VP 8000/840	Non-dimmable - plastic clips	IP 66	54W	7090	64,03
	PRIMA LED VENTILATSIOONIKLAPIGA METALLKLAMBRIGA					
66210	Prima LED 1.2ft VPc 1300/840	Non-dimmable - stainless steel clips (c)	IP 66	10W	1260	41,52
66220	Prima LED 1.2ft VPc 1600/840	Non-dimmable - stainless steel clips (c)	IP 66	12W	1510	41,94
66230	Prima LED 1.2ft VPc 2200/840	Non-dimmable - stainless steel clips (c)	IP 66	15W	1950	42,82
66240	Prima LED 1.4ft VPc 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	50,28
66250	Prima LED 1.4ft VPc 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	51,06
66260	Prima LED 1.4ft VPc 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	53,29
66270	Prima LED 1.5ft VPc 3250/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	57,56
66280	Prima LED 1.5ft VPc 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	59,07
66290	Prima LED 1.5ft VPc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	60,46
66760	Prima LED 1.4ft VPc 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	57,87
66790	Prima LED 1.5ft VPc 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	66,89
	PRIMA LED VENTILATSIOONIKLAPIGA DALI					
66013	Prima LED 1.2ft VP 1300/840 DALI	DALI Dimmable - plastic clips	IP 66	10W	1260	64,41
66023	Prima LED 1.2ft VP 1600/840 DALI	DALI Dimmable - plastic clips	IP 66	12W	1510	64,83
66033	Prima LED 1.2ft VP 2200/840 DALI	DALI Dimmable - plastic clips	IP 66	15W	1950	65,69
66043	Prima LED 1.4ft VP 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2320	72,22
66053	Prima LED 1.4ft VP 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2860	71,05
66063	Prima LED 1.4ft VP 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	73,29
66073	Prima LED 1.5ft VP 3250/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2810	77,14
66083	Prima LED 1.5ft VP 4000/840 DALI	DALI Dimmable - plastic clips	IP 66	27W	3530	78,63
66093	Prima LED 1.5ft VP 5500/840 DALI	DALI Dimmable - plastic clips	IP 66	37W	4940	80,02
66860	Prima LED 1.4ft VP 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	43W	5650	78,57
66890	Prima LED 1.5ft VP 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	54W	7090	87,18
	PRIMA LED VENTILATSIOONIKLAPIGA DALI METALLKLAMBRIGA					
66213	Prima LED 1.2ft VPc 1300/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	10W	1260	65,81
66223	Prima LED 1.2ft VPc 1600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	12W	1510	66,23
66233	Prima LED 1.2ft VPc 2200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	15W	1950	67,09
66243	Prima LED 1.4ft VPc 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	74,56
66253	Prima LED 1.4ft VPc 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	73,40
66263	Prima LED 1.4ft VPc 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	75,65
66273	Prima LED 1.5ft VPc 3250/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	79,91

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
66283	Prima LED 1.5ft VPc 4000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	81,41
66293	Prima LED 1.5ft VPc 5500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	82,81
66960	Prima LED 1.4ft VPc 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	81,01
66990	Prima LED 1.5ft VPc 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	90,04
	PRIMA LED SENSORIGA					
64010	Prima LED 1.2ft SNS PC 1300/840	Non-dimmable - plastic clips	IP 66	10W	1260	84,72
64020	Prima LED 1.2ft SNS PC 1600/840	Non-dimmable - plastic clips	IP 66	12W	1510	85,15
64030	Prima LED 1.2ft SNS PC 2200/840	Non-dimmable - plastic clips	IP 66	15W	1950	86,05
64040	Prima LED 1.4ft SNS PC 2600/840	Non-dimmable - plastic clips	IP 66	18W	2320	92,90
64050	Prima LED 1.4ft SNS PC 3200/840	Non-dimmable - plastic clips	IP 66	22W	2860	93,70
64060	Prima LED 1.4ft SNS PC 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	96,07
64070	Prima LED 1.5ft SNS PC 3250/840	Non-dimmable - plastic clips	IP 66	22W	2810	100,11
64080	Prima LED 1.5ft SNS PC 4000/840	Non-dimmable - plastic clips	IP 66	27W	3530	101,66
64090	Prima LED 1.5ft SNS PC 5500/840	Non-dimmable - plastic clips	IP 66	37W	4940	103,47
64460	Prima LED 1.4ft SNS PC 6400/840	Non-dimmable - plastic clips	IP 66	43W	5650	102,08
64490	Prima LED 1.5ft SNS PC 8000/840	Non-dimmable - plastic clips	IP 66	54W	4090	111,10
	PRIMA LED SENSORIGA METALLKLAMBRIGA					
64210	Prima LED 1.2ft SNS PCc 1300/840	Non-dimmable - stainless steel clips (c)	IP 66	10W	1260	86,17
64220	Prima LED 1.2ft SNS PCc 1600/840	Non-dimmable - stainless steel clips (c)	IP 66	12W	1510	86,62
64230	Prima LED 1.2ft SNS PCc 2200/840	Non-dimmable - stainless steel clips (c)	IP 66	15W	1950	87,52
64240	Prima LED 1.4ft SNS PCc 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	95,38
64250	Prima LED 1.4ft SNS PCc 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	96,18
64260	Prima LED 1.4ft SNS PCc 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	98,53
64270	Prima LED 1.5ft SNS PCc 3250/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	103,03
64280	Prima LED 1.5ft SNS PCc 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	104,62
64290	Prima LED 1.5ft SNS PCc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	106,39
64760	Prima LED 1.4ft SNS PCc 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	104,62
64790	Prima LED 1.5ft SNS PCc 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	114,10
	PRIMA LED CORRIDOR SENSORIGA					
64043	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	18W	2320	118,41
64053	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	22W	2860	117,19
64063	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	30W	3920	119,54
64073	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	22W	2810	123,56
64083	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	27W	3530	125,15
64093	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	37W	4940	126,96
64243	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	120,89
64253	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	119,65

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
64263	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	122,02
64273	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	126,48
64283	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	128,06
64293	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	129,88
	PRIMA AKUVALGUSTID					
65044	Prima LED 1.4ft PC 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2320	93,13
65054	Prima LED 1.4ft PC 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2860	93,89
65064	Prima LED 1.4ft PC 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	96,20
65074	Prima LED 1.5ft PC 3250/840 M1h	Non-dimmable - plastic clips	IP 66	43W	2810	103,49
65084	Prima LED 1.5ft PC 4000/840 M1h	Non-dimmable - plastic clips	IP 66	22W	3530	105,02
65094	Prima LED 1.5ft PC 5500/840 M1h	Non-dimmable - plastic clips	IP 66	27W	4940	106,79
65244	Prima LED 1.4ft PCc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	95,55
65254	Prima LED 1.4ft PCc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	96,32
65264	Prima LED 1.4ft PCc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	98,62
65274	Prima LED 1.5ft PCc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	43W	2810	106,35
65284	Prima LED 1.5ft PCc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	3530	107,88
65294	Prima LED 1.5ft PCc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	4940	109,65
65047	Prima LED 1.4ft PC 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	120,68
65057	Prima LED 1.4ft PC 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	119,48
65067	Prima LED 1.4ft PC 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	121,77
65077	Prima LED 1.5ft PC 3250/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	43W	2810	128,18
65087	Prima LED 1.5ft PC 4000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	3530	129,71
65097	Prima LED 1.5ft PC 5500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	27W	4940	131,48
65247	Prima LED 1.4ft PCc 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	123,10
65257	Prima LED 1.4ft PCc 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	121,88
65267	Prima LED 1.4ft PCc 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	124,19
65277	Prima LED 1.5ft PCc 3250/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	43W	2810	131,04
65287	Prima LED 1.5ft PCc 4000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	3530	132,57
65297	Prima LED 1.5ft PCc 5500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	4940	134,34
67044	Prima LED 1.4ft ABS 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2320	92,14
67054	Prima LED 1.4ft ABS 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2860	92,90
67064	Prima LED 1.4ft ABS 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	95,23
67074	Prima LED 1.5ft ABS 3250/840 M1h	Non-dimmable - plastic clips	IP 66	43W	2810	102,36
67084	Prima LED 1.5ft ABS 4000/840 M1h	Non-dimmable - plastic clips	IP 66	22W	3530	103,93
67094	Prima LED 1.5ft ABS 5500/840 M1h	Non-dimmable - plastic clips	IP 66	27W	4940	105,70
67244	Prima LED 1.4ft ABSc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	94,56
67254	Prima LED 1.4ft ABSc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	95,32

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
67264	Prima LED 1.4ft ABSc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	97,65
67274	Prima LED 1.5ft ABSc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	43W	2810	105,25
67284	Prima LED 1.5ft ABSc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	3530	106,79
67294	Prima LED 1.5ft ABSc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	4940	108,57
67047	Prima LED 1.4ft ABS 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	119,69
67057	Prima LED 1.4ft ABS 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	118,47
67067	Prima LED 1.4ft ABS 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	120,80
67077	Prima LED 1.5ft ABS 3250/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	43W	2810	127,07
67087	Prima LED 1.5ft ABS 4000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	3530	128,62
67097	Prima LED 1.5ft ABS 5500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	27W	4940	130,37
67247	Prima LED 1.4ft ABSc 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	122,09
67257	Prima LED 1.4ft ABSc 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	120,89
67267	Prima LED 1.4ft ABSc 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	123,22
67277	Prima LED 1.5ft ABSc 3250/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	43W	2810	129,93
67287	Prima LED 1.5ft ABSc 4000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	3530	131,48
67297	Prima LED 1.5ft ABSc 5500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	4940	133,24
66044	Prima LED 1.4ft VP 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2320	96,53
66054	Prima LED 1.4ft VP 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2860	97,33
66064	Prima LED 1.4ft VP 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	99,62
66074	Prima LED 1.5ft VP 3250/840 M1h	Non-dimmable - plastic clips	IP 66	43W	2810	106,91
66084	Prima LED 1.5ft VP 4000/840 M1h	Non-dimmable - plastic clips	IP 66	22W	3530	108,45
66094	Prima LED 1.5ft VP 5500/840 M1h	Non-dimmable - plastic clips	IP 66	27W	4940	109,88
#####	Prima LED 1.4ft VPc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	98,97
#####	Prima LED 1.4ft VPc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	99,73
66264	Prima LED 1.4ft VPc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	102,04
66274	Prima LED 1.5ft VPc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	43W	2810	109,77
66284	Prima LED 1.5ft VPc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	3530	111,31
66294	Prima LED 1.5ft VPc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	4940	112,74
66047	Prima LED 1.4ft VP 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	124,10
66057	Prima LED 1.4ft VP 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	122,89
66067	Prima LED 1.4ft VP 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	125,20
66077	Prima LED 1.5ft VP 3250/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	43W	2810	131,59
66087	Prima LED 1.5ft VP 4000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	3530	133,12
66097	Prima LED 1.5ft VP 5500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	27W	4940	134,57
66247	Prima LED 1.4ft VPc 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	126,52
66257	Prima LED 1.4ft VPc 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	125,32
66267	Prima LED 1.4ft VPc 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	127,61

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
66277	Prima LED 1.5ft VPc 3250/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	43W	2810	134,46
66287	Prima LED 1.5ft VPc 4000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	3530	135,98
66297	Prima LED 1.5ft VPc 5500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	4940	137,43
64044	Prima LED 1.4ft SNS PC 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2320	141,00
64054	Prima LED 1.4ft SNS PC 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2860	141,76
64064	Prima LED 1.4ft SNS PC 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	144,15
64074	Prima LED 1.5ft SNS PC 3250/840 M1h	Non-dimmable - plastic clips	IP 66	43W	2810	151,57
64084	Prima LED 1.5ft SNS PC 4000/840 M1h	Non-dimmable - plastic clips	IP 66	22W	3530	153,12
64094	Prima LED 1.5ft SNS PC 5500/840 M1h	Non-dimmable - plastic clips	IP 66	27W	4940	154,93
64244	Prima LED 1.4ft SNS PCc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	143,46
64254	Prima LED 1.4ft SNS PCc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	144,24
64264	Prima LED 1.4ft SNS PCc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	146,63
64274	Prima LED 1.5ft SNS PCc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	43W	2810	154,49
64284	Prima LED 1.5ft SNS PCc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	3530	156,04
64294	Prima LED 1.5ft SNS PCc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	4940	157,85
64047	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	169,09
64057	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	167,85
64067	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	170,19
64077	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	43W	2810	176,72
64087	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	22W	3530	178,30
64097	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	27W	4940	180,10
64247	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	171,57
64257	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	170,31
64267	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	172,67
64277	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	43W	2810	179,64
64287	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	3530	181,22
64297	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	4940	183,02
	PRIMA AKUVALGUSTID 3H					
65045	Prima LED 1.4ft PC 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2320	109,88
65055	Prima LED 1.4ft PC 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2860	110,64
65065	Prima LED 1.4ft PC 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	112,95
65075	Prima LED 1.5ft PC 3250/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2930	120,24
65085	Prima LED 1.5ft PC 4000/840 M3h	Non-dimmable - plastic clips	IP 66	27W	3650	121,77
65095	Prima LED 1.5ft PC 5500/840 M3h	Non-dimmable - plastic clips	IP 66	37W	5040	123,54
65245	Prima LED 1.4ft PCc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	112,30
65255	Prima LED 1.4ft PCc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	113,07
65265	Prima LED 1.4ft PCc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	115,38

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
65275	Prima LED 1.5ft Pcc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2930	123,10
65285	Prima LED 1.5ft Pcc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3650	124,63
65295	Prima LED 1.5ft Pcc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	5040	126,41
65078	Prima LED 1.5ft PC 3250/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2930	146,13
65088	Prima LED 1.5ft PC 4000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	27W	3650	147,70
65098	Prima LED 1.5ft PC 5500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	37W	5040	149,43
65248	Prima LED 1.4ft Pcc 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	140,18
65258	Prima LED 1.4ft Pcc 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	138,96
65268	Prima LED 1.4ft Pcc 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	141,29
65278	Prima LED 1.5ft Pcc 3250/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2930	149,00
65288	Prima LED 1.5ft Pcc 4000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3650	150,56
65298	Prima LED 1.5ft Pcc 5500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	5040	152,30
67045	Prima LED 1.4ft ABS 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2320	108,89
67055	Prima LED 1.4ft ABS 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2860	109,65
67065	Prima LED 1.4ft ABS 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	111,98
67075	Prima LED 1.5ft ABS 3250/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2930	119,12
67085	Prima LED 1.5ft ABS 4000/840 M3h	Non-dimmable - plastic clips	IP 66	27W	3650	120,68
67095	Prima LED 1.5ft ABS 5500/840 M3h	Non-dimmable - plastic clips	IP 66	37W	5040	122,46
67245	Prima LED 1.4ft ABSc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	111,31
67255	Prima LED 1.4ft ABSc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	112,08
67265	Prima LED 1.4ft ABSc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	114,40
67275	Prima LED 1.5ft ABSc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2930	122,00
67285	Prima LED 1.5ft ABSc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3650	123,54
67295	Prima LED 1.5ft ABSc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	5040	125,32
67048	Prima LED 1.4ft ABS 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	136,78
67058	Prima LED 1.4ft ABS 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	135,54
67068	Prima LED 1.4ft ABS 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	137,87
67078	Prima LED 1.5ft ABS 3250/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2930	145,05
67088	Prima LED 1.5ft ABS 4000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	27W	3650	146,57
67098	Prima LED 1.5ft ABS 5500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	37W	5040	148,35
67248	Prima LED 1.4ft ABSc 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	139,21
67258	Prima LED 1.4ft ABSc 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	137,99
67268	Prima LED 1.4ft ABSc 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	140,30
67278	Prima LED 1.5ft ABSc 3250/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2930	147,91
67288	Prima LED 1.5ft ABSc 4000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3650	149,43
67298	Prima LED 1.5ft ABSc 5500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	5040	151,21
66045	Prima LED 1.4ft VP 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2320	113,28

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
66055	Prima LED 1.4ft VP 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2860	114,08
66065	Prima LED 1.4ft VP 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	116,37
66075	Prima LED 1.5ft VP 3250/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2930	123,66
66085	Prima LED 1.5ft VP 4000/840 M3h	Non-dimmable - plastic clips	IP 66	27W	3650	125,20
66095	Prima LED 1.5ft VP 5500/840 M3h	Non-dimmable - plastic clips	IP 66	37W	5040	126,63
66245	Prima LED 1.4ft VPc 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2320	115,72
66255	Prima LED 1.4ft VPc 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2860	116,48
66265	Prima LED 1.4ft VPc 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	118,79
66275	Prima LED 1.5ft VPc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2930	126,52
66285	Prima LED 1.5ft VPc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3650	128,06
66295	Prima LED 1.5ft VPc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	5040	129,50
66048	Prima LED 1.4ft VP 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	141,17
66058	Prima LED 1.4ft VP 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	139,97
66068	Prima LED 1.4ft VP 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	142,28
66078	Prima LED 1.5ft VP 3250/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2930	149,55
66088	Prima LED 1.5ft VP 4000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	27W	3650	151,09
66098	Prima LED 1.5ft VP 5500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	37W	5040	152,53
66248	Prima LED 1.4ft VPc 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	143,60
66258	Prima LED 1.4ft VPc 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	142,39
66268	Prima LED 1.4ft VPc 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	144,68
66278	Prima LED 1.5ft VPc 3250/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2930	152,41
66288	Prima LED 1.5ft VPc 4000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3650	153,96
66298	Prima LED 1.5ft VPc 5500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	5040	155,39
64045	Prima LED 1.4ft SNS PC 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2320	158,08
64055	Prima LED 1.4ft SNS PC 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2860	158,84
64065	Prima LED 1.4ft SNS PC 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	161,23
64075	Prima LED 1.5ft SNS PC 3250/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2930	168,65
64085	Prima LED 1.5ft SNS PC 4000/840 M3h	Non-dimmable - plastic clips	IP 66	27W	3650	170,19
64095	Prima LED 1.5ft SNS PC 5500/840 M3h	Non-dimmable - plastic clips	IP 66	37W	5040	172,01
64245	Prima LED 1.4ft SNS Pcc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	160,54
64255	Prima LED 1.4ft SNS Pcc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	161,34
64265	Prima LED 1.4ft SNS Pcc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	163,69

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
64275	Prima LED 1.5ft SNS PCc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2930	171,57
64285	Prima LED 1.5ft SNS PCc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3650	173,11
64295	Prima LED 1.5ft SNS PCc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	5040	174,93
64048	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	186,49
64058	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	185,27
64068	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	187,61
64078	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	22W	2930	195,04
64088	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	27W	3650	196,62
64098	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	37W	5040	198,41
64248	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	188,97
64258	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	187,75
64268	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	190,09
64278	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2930	197,96
64288	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3650	199,54
64298	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	5040	201,33
	PRIMA LED MAX					
79900	PRIMA LED MAX 1.5ft PCc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	36W	5090	134,23
	PRIMA LED EX - PLAHVATUSKINDLAD					-
14810	PRIMA LED Ex 1.4ft PCc 3200/840	Non-dimmable - stainless steel clips (c)	IP 65	24W	2770	71,30
14820	PRIMA LED Ex 1.4ft PCc 4400/840	Non-dimmable - stainless steel clips (c)	IP 65	31W	3730	91,26
14830	PRIMA LED Ex 1.5ft PCc 4000/840	Non-dimmable - stainless steel clips (c)	IP 65	30W	3430	81,24
14840	PRIMA LED Ex 1.5ft PCc 5500/840	Non-dimmable - stainless steel clips (c)	IP 65	40W	4790	104,84
14850	PRIMA LED Ex 2.4ft PCc 6400/840	Non-dimmable - stainless steel clips (c)	IP 65	43W	5200	83,02
14860	PRIMA LED Ex 2.4ft PCc 8800/840	Non-dimmable - stainless steel clips (c)	IP 65	60W	7260	119,00
14870	PRIMA LED Ex 2.5ft PCc 8000/840	Non-dimmable - stainless steel clips (c)	IP 65	54W	6490	103,34
14880	PRIMA LED Ex 2.5ft PCc 11000/840	Non-dimmable - stainless steel clips (c)	IP 65	73W	8710	145,22
	LINEA					
63140	LINEA 1.4ft 2600/840	Diffuser made of translucent polycarbonate	IP 54	18W	2200	42,55
63150	LINEA 1.4ft 3200/840	Diffuser made of translucent polycarbonate	IP 54	22W	2720	44,34
63160	LINEA 1.4ft 4400/840	Diffuser made of translucent polycarbonate	IP 54	30W	3690	44,90

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
63240	LINEA 2.4ft 5200/840	Diffuser made of translucent polycarbonate	IP 54	35W	4300	55,39
63250	LINEA 2.4ft 6400/840	Diffuser made of translucent polycarbonate	IP 54	42W	5270	57,89
63260	LINEA 2.4ft 8800/840	Diffuser made of translucent polycarbonate	IP 54	58W	7290	61,27
	LINEA 1h AKUGA					
63144	LINEA 1.4ft 2600/840 M1h	Diffuser made of translucent polycarbonate	IP 54	18W	2200	146,82
63154	LINEA 1.4ft 3200/840 M1h	Diffuser made of translucent polycarbonate	IP 54	22W	2720	148,65
63164	LINEA 1.4ft 4400/840 M1h	Diffuser made of translucent polycarbonate	IP 54	30W	3690	149,22
63244	LINEA 2.4ft 5200/840 M1h	Diffuser made of translucent polycarbonate	IP 54	35W	4300	160,00
63254	LINEA 2.4ft 6400/840 M1h	Diffuser made of translucent polycarbonate	IP 54	42W	5270	162,62
63264	LINEA 2.4ft 8800/840 M1h	Diffuser made of translucent polycarbonate	IP 54	58W	7290	166,09
	LINEA DALI					
63143	LINEA 1.4ft 2600/840 Dali	Diffuser made of translucent polycarbonate	IP 54	18W	2200	63,80
63153	LINEA 1.4ft 3200/840 Dali	Diffuser made of translucent polycarbonate	IP 54	22W	2720	63,52
63163	LINEA 1.4ft 4400/840 Dali	Diffuser made of translucent polycarbonate	IP 54	30W	3690	64,07
63243	LINEA 2.4ft 5200/840 Dali	Diffuser made of translucent polycarbonate	IP 54	35W	4300	76,89
63253	LINEA 2.4ft 6400/840 Dali	Diffuser made of translucent polycarbonate	IP 54	42W	5270	79,39
63263	LINEA 2.4ft 8800/840 Dali	Diffuser made of translucent polycarbonate	IP 54	58W	7290	82,79
63147	LINEA 1.4ft 2600/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	18W	2200	168,69
63157	LINEA 1.4ft 3200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	22W	2720	168,40
63167	LINEA 1.4ft 4400/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	30W	3690	168,97
63247	LINEA 2.4ft 5200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	35W	4300	182,18
63257	LINEA 2.4ft 6400/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	42W	5270	184,77
63267	LINEA 2.4ft 8800/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	58W	7290	188,24
	LINEA SENSOR					
63241	LINEA 2.4ft 5200/840 Sensor	Diffuser made of translucent polycarbonate	IP 54	35W	4300	98,41
63251	LINEA 2.4ft 6400/840 Sensor	Diffuser made of translucent polycarbonate	IP 54	42W	5270	101,05
63261	LINEA 2.4ft 8800/840 Sensor	Diffuser made of translucent polycarbonate	IP 54	58W	7290	104,58
63248	LINEA 2.4ft 5200/840 DALI Sensor	Diffuser made of translucent polycarbonate	IP 54	35W	4300	120,99
63258	LINEA 2.4ft 6400/840 DALI Sensor	Diffuser made of translucent polycarbonate	IP 54	42W	5270	123,64
63268	LINEA 2.4ft 8800/840 DALI Sensor	Diffuser made of translucent polycarbonate	IP 54	58W	7290	127,17
	LINEA ROUND					
63611	LINEA_ROUND 1200/840 Sensor	Diffuser made of translucent polycarbonate	IP 54			94,98
63621	LINEA_ROUND 1800/840 Sensor	Diffuser made of translucent polycarbonate	IP 54			94,98
63616	LINEA_ROUND 1200/840 Sensor M1h	Diffuser made of translucent polycarbonate	IP 54			176,87
63626	LINEA_ROUND 1800/840 Sensor M1h	Diffuser made of translucent polycarbonate	IP 54			176,87
	LINEA SQUARE					-
63510	LINEA_SQUARE 1200/840	Diffuser made of translucent polycarbonate	IP 54			52,18

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
63520	LINEA_SQUARE 1800/840	Diffuser made of translucent polycarbonate	IP 54			52,18
63540	LINEA_SQUARE 2400/840	Diffuser made of translucent polycarbonate	IP 54			52,18
63560	LINEA_SQUARE 3600/840	Diffuser made of translucent polycarbonate	IP 54			52,18
63514	LINEA_SQUARE 1200/840 M1h	Diffuser made of translucent polycarbonate	IP 54			158,08
63524	LINEA_SQUARE 1800/840 M1h	Diffuser made of translucent polycarbonate	IP 54			158,08
63544	LINEA_SQUARE 2400/840 M1h	Diffuser made of translucent polycarbonate	IP 54			158,08
63564	LINEA_SQUARE 3600/840 M1h	Diffuser made of translucent polycarbonate	IP 54			158,08
63513	LINEA_SQUARE 1200/840 Dali	Diffuser made of translucent polycarbonate	IP 54			72,77
63523	LINEA_SQUARE 1800/840 Dali	Diffuser made of translucent polycarbonate	IP 54			72,77
63543	LINEA_SQUARE 2400/840 Dali	Diffuser made of translucent polycarbonate	IP 54			72,77
63563	LINEA_SQUARE 3600/840 Dali	Diffuser made of translucent polycarbonate	IP 54			72,77
63517	LINEA_SQUARE 1200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54			179,28
63527	LINEA_SQUARE 1800/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54			179,28
63547	LINEA_SQUARE 2400/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54			179,28
63567	LINEA_SQUARE 3600/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54			179,28
63515	LINEA_SQUARE 1200/840 M3h	Diffuser made of translucent polycarbonate	IP 54			183,44
63525	LINEA_SQUARE 1800/840 M3h	Diffuser made of translucent polycarbonate	IP 54			183,44
63545	LINEA_SQUARE 2400/840 M3h	Diffuser made of translucent polycarbonate	IP 54			183,44
63565	LINEA_SQUARE 3600/840 M3h	Diffuser made of translucent polycarbonate	IP 54			183,44
	PERUN LED					
68010	PERUN LED 1.2ft 1300/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	10W	1070	90,36
68020	PERUN LED 1.2ft 1600/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	12W	1290	90,76
68030	PERUN LED 1.2ft 2200/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	15W	1650	91,76
68040	PERUN LED 1.4ft 2600/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	18W	1990	126,14
68050	PERUN LED 1.4ft 3200/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	22W	2460	126,33
68060	PERUN LED 1.4ft 4400/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	30W	3340	127,32
68070	PERUN LED 1.5ft 3250/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	22W	2450	145,47
68080	PERUN LED 1.5ft 4000/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	27W	3050	146,29
68090	PERUN LED 1.5ft 5500/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	37W	4210	147,97
69010	PERUN LED 2.2ft 2600/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	18W	1990	104,29
69020	PERUN LED 2.2ft 3200/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	22W	2470	105,47
69030	PERUN LED 2.2ft 4400/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	30W	3340	107,46
69040	PERUN LED 2.4ft 5200/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	35W	3980	147,16
69050	PERUN LED 2.4ft 6400/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	42W	4890	149,93
69060	PERUN LED 2.4ft 8800/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	58W	6760	153,88
69070	PERUN LED 2.5ft 6500/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	44W	5070	167,90
69080	PERUN LED 2.5ft 8000/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	53W	6120	169,87

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
69090	PERUN LED 2.5ft 11000/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	71W	8240	173,53
68013	PERUN LED 1.2ft 1300/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	10W	1070	112,71
68023	PERUN LED 1.2ft 1600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	12W	1290	113,09
68033	PERUN LED 1.2ft 2200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	15W	1650	114,06
68043	PERUN LED 1.4ft 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	18W	1990	152,39
68053	PERUN LED 1.4ft 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	22W	2460	152,60
68063	PERUN LED 1.4ft 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	30W	3340	153,57
68073	PERUN LED 1.5ft 3250/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	22W	2450	171,26
68083	PERUN LED 1.5ft 4000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	27W	3050	172,04
68093	PERUN LED 1.5ft 5500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	37W	4210	173,72
69013	PERUN LED 2.2ft 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	18W	1990	130,56
69023	PERUN LED 2.2ft 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	22W	2470	131,75
69033	PERUN LED 2.2ft 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	30W	3340	133,73
69043	PERUN LED 2.4ft 5200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	35W	3980	173,44
69053	PERUN LED 2.4ft 6400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	42W	4890	176,20
69063	PERUN LED 2.4ft 8800/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	58W	6760	180,15
69073	PERUN LED 2.5ft 6500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	44W	5070	193,68
69083	PERUN LED 2.5ft 8000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	53W	6120	195,67
69093	PERUN LED 2.5ft 11000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered	IP 65	71W	8240	199,31
68210	PERUN LED 1.2ft SF 1300/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	10W	1000	102,63
68220	PERUN LED 1.2ft SF 1600/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	12W	1210	103,01
68230	PERUN LED 1.2ft SF 2200/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	15W	1540	103,99
68240	PERUN LED 1.4ft SF 2600/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	18W	1860	141,04
68250	PERUN LED 1.4ft SF 3200/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	22W	2300	141,25
68260	PERUN LED 1.4ft SF 4400/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	30W	3120	142,22
68270	PERUN LED 1.5ft SF 3250/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	22W	2290	163,08
68280	PERUN LED 1.5ft SF 4000/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	27W	2850	163,86
68290	PERUN LED 1.5ft SF 5500/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	37W	3930	165,54
69210	PERUN LED 2.2ft SF 2600/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	18W	1860	120,39
69220	PERUN LED 2.2ft SF 3200/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	22W	2310	121,58
69230	PERUN LED 2.2ft SF 4400/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	30W	3120	123,56
69240	PERUN LED 2.4ft SF 5200/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	35W	3720	166,02
69250	PERUN LED 2.4ft SF 6400/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	42W	4560	168,80
69260	PERUN LED 2.4ft SF 8800/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	58W	6310	172,75
69270	PERUN LED 2.5ft SF 6500/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	44W	4740	190,53
69280	PERUN LED 2.5ft SF 8000/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	53W	5720	192,50
69290	PERUN LED 2.5ft SF 11000/840	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	71W	7700	196,14

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
68213	PERUN LED 1.2ft SF 1300/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	10W	1000	124,95
68223	PERUN LED 1.2ft SF 1600/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	12W	1210	125,32
68233	PERUN LED 1.2ft SF 2200/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	15W	1540	126,33
68243	PERUN LED 1.4ft SF 2600/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	18W	1860	167,31
68253	PERUN LED 1.4ft SF 3200/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	22W	2300	167,50
68263	PERUN LED 1.4ft SF 4400/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	30W	3120	168,50
68273	PERUN LED 1.5ft SF 3250/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	22W	2290	188,83
68283	PERUN LED 1.5ft SF 4000/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	27W	2850	189,62
68293	PERUN LED 1.5ft SF 5500/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	37W	3930	191,32
69213	PERUN LED 2.2ft SF 2600/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	18W	1860	146,69
69223	PERUN LED 2.2ft SF 3200/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	22W	2310	147,87
69233	PERUN LED 2.2ft SF 4400/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	30W	3120	149,84
69243	PERUN LED 2.4ft SF 5200/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	35W	3720	192,29
69253	PERUN LED 2.4ft SF 6400/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	42W	4560	195,05
69263	PERUN LED 2.4ft SF 8800/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	58W	6310	199,02
69273	PERUN LED 2.5ft SF 6500/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	44W	4740	216,29
69283	PERUN LED 2.5ft SF 8000/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	53W	5720	218,28
69293	PERUN LED 2.5ft SF 11000/840 DALI	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	71W	7700	221,94
	PERUN LED 1h					
68044	PERUN LED 1.4ft 2600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	18W	1990	185,67
68054	PERUN LED 1.4ft 3200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	22W	2460	185,88
68074	PERUN LED 1.5ft 3250/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	22W	2450	210,78
68084	PERUN LED 1.5ft 4000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	27W	3050	211,62
69044	PERUN LED 2.4ft 5200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	35W	3980	204,48
69054	PERUN LED 2.4ft 6400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	42W	4890	207,32
69074	PERUN LED 2.5ft 6500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	44W	5070	226,96
69084	PERUN LED 2.5ft 8000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	53W	6120	228,98
68047	PERUN LED 1.4ft 2600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 65	18W	1990	213,43
68057	PERUN LED 1.4ft 3200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 65	22W	2460	213,62
68077	PERUN LED 1.5ft 3250/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 65	22W	2450	234,07
68087	PERUN LED 1.5ft 4000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 65	27W	3050	234,91
69047	PERUN LED 2.4ft 5200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 65	35W	3980	232,26
69057	PERUN LED 2.4ft 6400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 65	42W	4890	235,10
69077	PERUN LED 2.5ft 6500/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 65	44W	5070	254,32
69087	PERUN LED 2.5ft 8000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 65	53W	6120	256,36
68244	PERUN LED 1.4ft SF 2600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	18W	1860	201,01
68254	PERUN LED 1.4ft SF 3200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 65	22W	2300	201,24

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
68274	PERUN LED 1.5ft SF 3250/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	22W	2290	228,88
68284	PERUN LED 1.5ft SF 4000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	27W	2850	229,72
69244	PERUN LED 2.4ft SF 5200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	35W	3720	223,90
69254	PERUN LED 2.4ft SF 6400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	42W	4560	226,75
69274	PERUN LED 2.5ft SF 6500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	44W	4740	250,25
69284	PERUN LED 2.5ft SF 8000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	53W	5720	252,28
68247	PERUN LED 1.4ft SF 2600/840 DALI M1h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	18W	1860	228,79
68257	PERUN LED 1.4ft SF 3200/840 DALI M1h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	22W	2300	228,98
68277	PERUN LED 1.5ft SF 3250/840 DALI M1h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	22W	2290	252,18
68287	PERUN LED 1.5ft SF 4000/840 DALI M1h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	27W	2850	253,02
69247	PERUN LED 2.4ft SF 5200/840 DALI M1h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	35W	3720	251,68
69257	PERUN LED 2.4ft SF 6400/840 DALI M1h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	42W	4560	254,53
69277	PERUN LED 2.5ft SF 6500/840 DALI M1h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	44W	4740	277,61
69287	PERUN LED 2.5ft SF 8000/840 DALI M1h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	53W	5720	279,66
	PERUN LED 3h					
68075	PERUN LED 1.5ft 3250/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	22W	2450	291,66
68085	PERUN LED 1.5ft 4000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	27W	3050	292,48
69045	PERUN LED 2.4ft 5200/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	35W	3980	227,07
69055	PERUN LED 2.4ft 6400/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	42W	4890	229,91
69075	PERUN LED 2.5ft 6500/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	44W	5070	249,55
69085	PERUN LED 2.5ft 8000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	53W	6120	251,57
68079	PERUN LED 1.5ft 3250/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 65	22W	2450	319,02
68089	PERUN LED 1.5ft 4000/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 65	27W	3050	319,84
69049	PERUN LED 2.4ft 5200/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 65	35W	3980	254,83
69059	PERUN LED 2.4ft 6400/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 65	42W	4890	257,68
69079	PERUN LED 2.5ft 6500/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 65	44W	5070	276,81
69089	PERUN LED 2.5ft 8000/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 65	53W	6120	278,84
68275	PERUN LED 1.5ft SF 3250/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	22W	2290	309,76
68285	PERUN LED 1.5ft SF 4000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	27W	2850	310,58
69245	PERUN LED 2.4ft SF 5200/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	35W	3720	246,49
69255	PERUN LED 2.4ft SF 6400/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	42W	4560	249,34
69275	PERUN LED 2.5ft SF 6500/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	44W	4740	272,84
69285	PERUN LED 2.5ft SF 8000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 65	53W	5720	274,87
68279	PERUN LED 1.5ft SF 3250/840 DALI M3h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	22W	2290	337,14
68289	PERUN LED 1.5ft SF 4000/840 DALI M3h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	27W	2850	337,94
69249	PERUN LED 2.4ft SF 5200/840 DALI M3h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	35W	3720	274,28
69259	PERUN LED 2.4ft SF 6400/840 DALI M3h	Digital dimmable driver DALI, diffuser made of translucent tem	IP 65	42W	4560	277,12

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
69279	PERUN LED 2.5ft SF 6500/840 DALI M3h	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	44W	4740	300,11
69289	PERUN LED 2.5ft SF 8000/840 DALI M3h	Digital dimmable driver DALI, diffuser made of translucent tempered glass	IP 65	53W	5720	302,13
	ALUMAX LED					
50410	ALUMAX LED 1.2ft 1300/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	10W	1070	76,87
50420	ALUMAX LED 1.2ft 1600/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	12W	1290	77,08
50430	ALUMAX LED 1.2ft 2200/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	15W	1650	78,06
50440	ALUMAX LED 1.4ft 2600/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	106,64
50450	ALUMAX LED 1.4ft 3200/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2460	106,85
50460	ALUMAX LED 1.4ft 4400/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3340	108,53
50470	ALUMAX LED 1.5ft 3250/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	116,71
50480	ALUMAX LED 1.5ft 4000/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3050	117,53
50490	ALUMAX LED 1.5ft 5500/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4210	119,33
50510	ALUMAX LED 2.2ft 2600/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1970	81,93
50520	ALUMAX LED 2.2ft 3200/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2440	82,22
50530	ALUMAX LED 2.2ft 4400/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3300	84,01
50540	ALUMAX LED 2.4ft 5200/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3930	113,66
50550	ALUMAX LED 2.4ft 6400/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4820	114,71
50560	ALUMAX LED 2.4ft 8800/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	58W	6670	119,00
50570	ALUMAX LED 2.5ft 6500/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	5010	131,04
50580	ALUMAX LED 2.5ft 8000/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	6040	131,88
50590	ALUMAX LED 2.5ft 11000/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	71W	8130	136,29
	ALUMAX DALI					
50610	ALUMAX LED 1.2ft 1300/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	10W	1070	100,86
50620	ALUMAX LED 1.2ft 1600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	12W	1290	101,09
50630	ALUMAX LED 1.2ft 2200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	15W	1650	102,04
50640	ALUMAX LED 1.4ft 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	130,62
50650	ALUMAX LED 1.4ft 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2460	133,88
50660	ALUMAX LED 1.4ft 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3340	135,56
50670	ALUMAX LED 1.5ft 3250/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	143,71
50680	ALUMAX LED 1.5ft 4000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3050	144,57
50690	ALUMAX LED 1.5ft 5500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4210	146,32
50710	ALUMAX LED 2.2ft 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1970	108,93
50720	ALUMAX LED 2.2ft 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2440	109,25
50730	ALUMAX LED 2.2ft 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3300	111,05
50740	ALUMAX LED 2.4ft 5200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3930	140,70
50750	ALUMAX LED 2.4ft 6400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4820	141,73
50760	ALUMAX LED 2.4ft 8800/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	58W	6670	146,04

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
50770	ALUMAX LED 2.5ft 6500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	44W	5010	158,08
50780	ALUMAX LED 2.5ft 8000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	53W	6040	158,92
50790	ALUMAX LED 2.5ft 11000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	71W	8130	163,32
	AUMAX 1h AKU					
50444	ALUMAX LED 1.4ft 2600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	18W	1990	227,13
50454	ALUMAX LED 1.4ft 3200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	22W	2460	227,34
50464	ALUMAX LED 1.4ft 4400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	30W	3340	229,06
50474	ALUMAX LED 1.5ft 3250/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	22W	2450	238,67
50484	ALUMAX LED 1.5ft 4000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	27W	3050	239,53
50494	ALUMAX LED 1.5ft 5500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	37W	4210	241,36
50544	ALUMAX LED 2.4ft 5200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	35W	3930	234,34
50554	ALUMAX LED 2.4ft 6400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	42W	4820	235,75
50574	ALUMAX LED 2.5ft 6500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	44W	5010	253,44
50584	ALUMAX LED 2.5ft 8000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	53W	6040	254,30
50644	ALUMAX LED 1.4ft 2600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	18W	1990	251,84
50654	ALUMAX LED 1.4ft 3200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	22W	2460	255,18
50664	ALUMAX LED 1.4ft 4400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	30W	3340	256,89
50674	ALUMAX LED 1.5ft 3250/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	22W	2450	266,51
50684	ALUMAX LED 1.5ft 4000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	27W	3050	267,37
50694	ALUMAX LED 1.5ft 5500/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	37W	4210	269,20
50744	ALUMAX LED 2.4ft 5200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	35W	3930	262,18
50754	ALUMAX LED 2.4ft 6400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	42W	4820	263,59
50774	ALUMAX LED 2.5ft 6500/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	44W	5010	281,28
50784	ALUMAX LED 2.5ft 8000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	53W	6040	282,16
	ALUMAX 3h AKU					
50445	ALUMAX LED 1.4ft 2600/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	18W	1990	254,76
50455	ALUMAX LED 1.4ft 3200/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	22W	2460	254,97
50465	ALUMAX LED 1.4ft 4400/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	30W	3340	256,68
50475	ALUMAX LED 1.5ft 3250/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	22W	2450	266,30
50485	ALUMAX LED 1.5ft 4000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	27W	3050	267,14
50495	ALUMAX LED 1.5ft 5500/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	37W	4210	268,99
50545	ALUMAX LED 2.4ft 5200/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	35W	3930	261,97
50555	ALUMAX LED 2.4ft 6400/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	42W	4820	263,06
50575	ALUMAX LED 2.5ft 6500/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	44W	5010	281,07
50585	ALUMAX LED 2.5ft 8000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered g	IP 66	53W	6040	281,93
50645	ALUMAX LED 1.4ft 2600/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	18W	1990	279,46
50655	ALUMAX LED 1.4ft 3200/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered g	IP 66	22W	2460	282,80

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
50665	ALUMAX LED 1.4ft 4400/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 66	30W	3340	284,50
50675	ALUMAX LED 1.5ft 3250/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 66	22W	2450	294,12
50685	ALUMAX LED 1.5ft 4000/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 66	27W	3050	294,98
50695	ALUMAX LED 1.5ft 5500/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 66	37W	4210	296,83
50745	ALUMAX LED 2.4ft 5200/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 66	35W	3930	289,81
50755	ALUMAX LED 2.4ft 6400/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 66	42W	4820	290,89
50775	ALUMAX LED 2.5ft 6500/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 66	44W	5010	308,91
50785	ALUMAX LED 2.5ft 8000/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered	IP 66	53W	6040	309,78
	ALUMAX LED MAX					
79700	ALUMAX LED MAX 1.5ft 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	36W	4250	214,02
79710	ALUMAX LED MAX 2.4ft 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	55W	6710	230,77
79720	ALUMAX LED MAX 2.5ft 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	68W	8390	262,08
	BELTR LED					
54110	BELTR LED 1.2ft 1300/840	Diffuser made of translucent polycarbonate	IP 40	10W	1030	36,40
54120	BELTR LED 1.2ft 1600/840	Diffuser made of translucent polycarbonate	IP 40	12W	1240	36,77
54180	BELTR LED 1.4ft 2600/840	Diffuser made of translucent polycarbonate	IP 40	18W	1910	49,99
54140	BELTR LED 1.4ft 3200/840	Diffuser made of translucent polycarbonate	IP 40	22W	2360	50,45
54190	BELTR LED 1.5ft 3250/840	Diffuser made of translucent polycarbonate	IP 40	22W	2350	53,82
54150	BELTR LED 1.5ft 4000/840	Diffuser made of translucent polycarbonate	IP 40	27W	2930	55,10
54210	BELTR LED 2.2ft 2600/840	Diffuser made of translucent polycarbonate	IP 40	18W	1890	44,42
54220	BELTR LED 2.2ft 3200/840	Diffuser made of translucent polycarbonate	IP 40	22W	2340	45,11
54280	BELTR LED 2.4ft 5200/840	Diffuser made of translucent polycarbonate	IP 40	35W	3770	62,64
54240	BELTR LED 2.4ft 6400/840	Diffuser made of translucent polycarbonate	IP 40	42W	4630	64,95
54290	BELTR LED 2.5ft 6500/840	Diffuser made of translucent polycarbonate	IP 40	44W	4810	73,19
54250	BELTR LED 2.5ft 8000/840	Diffuser made of translucent polycarbonate	IP 40	53W	5800	75,39
	BELTR LED DALI					
54113	BELTR LED 1.2ft 1300/840 DALI	Diffuser made of translucent polycarbonate	IP 40	10W	1030	62,85
54123	BELTR LED 1.2ft 1600/840 DALI	Diffuser made of translucent polycarbonate	IP 40	12W	1240	63,19
54183	BELTR LED 1.4ft 2600/840 DALI	Diffuser made of translucent polycarbonate	IP 40	18W	1910	76,42
54143	BELTR LED 1.4ft 3200/840 DALI	Diffuser made of translucent polycarbonate	IP 40	22W	2360	74,24
54193	BELTR LED 1.5ft 3250/840 DALI	Diffuser made of translucent polycarbonate	IP 40	22W	2350	77,60
54153	BELTR LED 1.5ft 4000/840 DALI	Diffuser made of translucent polycarbonate	IP 40	27W	2930	78,88
54213	BELTR LED 2.2ft 2600/840 DALI	Diffuser made of translucent polycarbonate	IP 40	18W	1890	70,86
54223	BELTR LED 2.2ft 3200/840 DALI	Diffuser made of translucent polycarbonate	IP 40	22W	2340	68,88
54283	BELTR LED 2.4ft 5200/840 DALI	Diffuser made of translucent polycarbonate	IP 40	35W	3770	86,41
54243	BELTR LED 2.4ft 6400/840 DALI	Diffuser made of translucent polycarbonate	IP 40	42W	4630	88,72
54293	BELTR LED 2.5ft 6500/840 DALI	Diffuser made of translucent polycarbonate	IP 40	44W	4810	97,31

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
54253	BELTR LED 2.5ft 8000/840 DALI	Diffuser made of translucent polycarbonate	IP 40	53W	5800	99,52
	BELTR LED 1h AKU					
54184	BELTR LED 1.4ft 2600/840 M1h	Diffuser made of translucent polycarbonate	IP 40	18W	1910	176,09
54144	BELTR LED 1.4ft 3200/840 M1h	Diffuser made of translucent polycarbonate	IP 40	22W	2360	176,57
54194	BELTR LED 1.5ft 3250/840 M1h	Diffuser made of translucent polycarbonate	IP 40	22W	2350	180,95
54154	BELTR LED 1.5ft 4000/840 M1h	Diffuser made of translucent polycarbonate	IP 40	27W	2930	182,29
54284	BELTR LED 2.4ft 5200/840 M1h	Diffuser made of translucent polycarbonate	IP 40	35W	3770	192,92
54244	BELTR LED 2.4ft 6400/840 M1h	Diffuser made of translucent polycarbonate	IP 40	42W	4630	195,30
54294	BELTR LED 2.5ft 6500/840 M1h	Diffuser made of translucent polycarbonate	IP 40	44W	4810	204,75
54254	BELTR LED 2.5ft 8000/840 M1h	Diffuser made of translucent polycarbonate	IP 40	53W	5800	207,02
54187	BELTR LED 1.4ft 2600/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	18W	1910	203,32
54147	BELTR LED 1.4ft 3200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	22W	2360	201,05
54197	BELTR LED 1.5ft 3250/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	22W	2350	205,45
54157	BELTR LED 1.5ft 4000/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	27W	2930	206,79
54287	BELTR LED 2.4ft 5200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	35W	3770	217,40
54247	BELTR LED 2.4ft 6400/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	42W	4630	219,80
54297	BELTR LED 2.5ft 6500/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	44W	4810	229,59
54257	BELTR LED 2.5ft 8000/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	53W	5800	231,86
	NAOS					
95010	NAOS 1.2ft 1300/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	64,40
95020	NAOS 1.2ft 1600/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	64,59
95040	NAOS 1.4ft 2600/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	86,66
95050	NAOS 1.4ft 3200/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	86,87
95070	NAOS 1.5ft 3250/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2610	94,35
95080	NAOS 1.5ft 4000/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3250	95,23
95100	NAOS 2.2ft 2600/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2200	74,32
95110	NAOS 2.2ft 3200/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2730	74,72
95130	NAOS 2.4ft 5200/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4400	101,85
95140	NAOS 2.4ft 6400/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5400	103,20
95160	NAOS 2.5ft 6500/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5610	112,17
95170	NAOS 2.5ft 8000/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6760	114,29
	NAOS 1h AKUGA					
95013	NAOS 1.2ft 1300/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	175,25
95023	NAOS 1.2ft 1600/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	175,44
95043	NAOS 1.4ft 2600/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	199,98
95053	NAOS 1.4ft 3200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	200,17
95073	NAOS 1.5ft 3250/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2610	209,40

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
95083	NAOS 1.5ft 4000/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3250	210,28
95103	NAOS 2.2ft 2600/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2200	186,45
95113	NAOS 2.2ft 3200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2730	186,85
95133	NAOS 2.4ft 5200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4400	215,93
95143	NAOS 2.4ft 6400/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5400	217,30
95163	NAOS 2.5ft 6500/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5610	228,03
95173	NAOS 2.5ft 8000/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6760	230,24
95016	NAOS 1.2ft 1300/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	198,09
95026	NAOS 1.2ft 1600/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	198,28
95046	NAOS 1.4ft 2600/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	222,82
95056	NAOS 1.4ft 3200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	220,70
95076	NAOS 1.5ft 3250/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2610	229,93
95086	NAOS 1.5ft 4000/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3250	230,83
95106	NAOS 2.2ft 2600/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2200	209,29
95116	NAOS 2.2ft 3200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2730	207,38
95136	NAOS 2.4ft 5200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4400	236,46
95146	NAOS 2.4ft 6400/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5400	237,85
95166	NAOS 2.5ft 6500/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5610	248,86
95176	NAOS 2.5ft 8000/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6760	251,07
	NAOS DALI					
95015	NAOS 1.2ft 1300/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	86,57
95025	NAOS 1.2ft 1600/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	86,76
95045	NAOS 1.4ft 2600/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	108,83
95055	NAOS 1.4ft 3200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	106,81
95075	NAOS 1.5ft 3250/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2610	114,29
95085	NAOS 1.5ft 4000/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3250	115,17
95105	NAOS 2.2ft 2600/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2200	96,49
95115	NAOS 2.2ft 3200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2730	94,66
95135	NAOS 2.4ft 5200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4400	121,79
95145	NAOS 2.4ft 6400/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5400	123,16
95165	NAOS 2.5ft 6500/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5610	132,38
95175	NAOS 2.5ft 8000/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6760	134,53
	NAOS HÖBEDANE					
95310	NAOS 1.2ft 1300/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	11W	1090	70,21
95320	NAOS 1.2ft 1600/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	13W	1410	70,42
95340	NAOS 1.4ft 2600/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2200	94,45
95350	NAOS 1.4ft 3200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2820	94,66

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
95370	NAOS 1.5ft 3250/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2650	104,08
95380	NAOS 1.5ft 4000/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	29W	3240	104,94
95400	NAOS 2.2ft 2600/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2290	81,51
95410	NAOS 2.2ft 3200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2920	81,91
95430	NAOS 2.4ft 5200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	39W	4370	111,01
95440	NAOS 2.4ft 6400/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	48W	5440	112,34
95460	NAOS 2.5ft 6500/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	52W	5520	123,26
95470	NAOS 2.5ft 8000/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	59W	6820	125,39
	NAOS HÖBEDANE DALI					
95315	NAOS 1.2ft 1300/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	11W	1090	92,40
95325	NAOS 1.2ft 1600/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	13W	1410	92,60
95345	NAOS 1.4ft 2600/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2200	116,64
95355	NAOS 1.4ft 3200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2820	114,59
95375	NAOS 1.5ft 3250/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2650	124,02
95385	NAOS 1.5ft 4000/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	29W	3240	124,90
95405	NAOS 2.2ft 2600/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2290	103,68
95415	NAOS 2.2ft 3200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2920	101,85
95435	NAOS 2.4ft 5200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	39W	4370	130,91
95445	NAOS 2.4ft 6400/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	48W	5440	132,28
95465	NAOS 2.5ft 6500/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	52W	5520	143,46
95475	NAOS 2.5ft 8000/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	59W	6820	145,62
95316	NAOS 1.2ft 1300/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	11W	1090	204,08
95326	NAOS 1.2ft 1600/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	13W	1410	204,29
95346	NAOS 1.4ft 2600/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2200	230,83
95356	NAOS 1.4ft 3200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2820	228,75
95376	NAOS 1.5ft 3250/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2650	239,95
95386	NAOS 1.5ft 4000/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	29W	3240	240,85
95406	NAOS 2.2ft 2600/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2290	216,71
95416	NAOS 2.2ft 3200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2920	214,80
95436	NAOS 2.4ft 5200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	39W	4370	245,86
95446	NAOS 2.4ft 6400/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	48W	5440	247,28
95466	NAOS 2.5ft 6500/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	52W	5520	260,29
95476	NAOS 2.5ft 8000/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	59W	6820	262,50
	NAOS HÖBEDANE 1h AKUGA					
95313	NAOS 1.2ft 1300/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	11W	1090	181,24
95323	NAOS 1.2ft 1600/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	13W	1410	181,45
95343	NAOS 1.4ft 2600/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2200	207,99

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
95353	NAOS 1.4ft 3200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2820	208,18
95373	NAOS 1.5ft 3250/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2650	219,42
95383	NAOS 1.5ft 4000/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	29W	3240	220,32
95403	NAOS 2.2ft 2600/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2290	193,87
95413	NAOS 2.2ft 3200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	25W	2920	194,27
95433	NAOS 2.4ft 5200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	39W	4370	225,32
95443	NAOS 2.4ft 6400/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	48W	5440	226,73
95463	NAOS 2.5ft 6500/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	52W	5520	239,45
95473	NAOS 2.5ft 8000/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	59W	6820	241,67
	NAOS MIKROPRISMAGA					
95510	NAOS MPR 2.4ft 5200/840	Diffusor with multilayer micropyrmaid optics, white colour	IP 20	34W	4120	122,17
95520	NAOS MPR 2.5ft 6500/840	Diffusor with multilayer micropyrmaid optics, white colour	IP 20	41W	5155	137,34
95513	NAOS MPR 2.4ft 5200/840 M1h	Diffusor with multilayer micropyrmaid optics, white colour	IP 20	34W	4120	234,74
95523	NAOS MPR 2.5ft 6500/840 M1h	Diffusor with multilayer micropyrmaid optics, white colour	IP 20	41W	5155	250,37
95515	NAOS MPR 2.4ft 5200/840 DALI	Diffusor with multilayer micropyrmaid optics, white colour	IP 20	34W	4120	143,10
95525	NAOS MPR 2.5ft 6500/840 DALI	Diffusor with multilayer micropyrmaid optics, white colour	IP 20	41W	5155	158,55
95516	NAOS MPR 2.4ft 5200/840 DALI M1h	Diffusor with multilayer micropyrmaid optics, white colour	IP 20	34W	4120	256,28
95526	NAOS MPR 2.5ft 6500/840 DALI M1h	Diffusor with multilayer micropyrmaid optics, white colour	IP 20	41W	5155	272,23
95610	NAOS MPR 2.4ft 5200/840 s	Diffusor with multilayer micropyrmaid optics, silver colour (s)	IP 20	34W	4120	131,90
95620	NAOS MPR 2.5ft 6500/840 s	Diffusor with multilayer micropyrmaid optics, silver colour (s)	IP 20	41W	5155	148,23
95613	NAOS MPR 2.4ft 5200/840 s M1h	Diffusor with multilayer micropyrmaid optics, silver colour (s)	IP 20	34W	4120	244,76
95623	NAOS MPR 2.5ft 6500/840 s M1h	Diffusor with multilayer micropyrmaid optics, silver colour (s)	IP 20	41W	5155	261,59
95615	NAOS MPR 2.4ft 5200/840 s DALI	Diffusor with multilayer micropyrmaid optics, silver colour (s)	IP 20	34W	4120	152,81
95625	NAOS MPR 2.5ft 6500/840 s DALI	Diffusor with multilayer micropyrmaid optics, silver colour (s)	IP 20	41W	5155	169,43
95616	NAOS MPR 2.4ft 5200/840 s DALI M1h	Diffusor with multilayer micropyrmaid optics, silver colour (s)	IP 20	34W	4120	266,30
95626	NAOS MPR 2.5ft 6500/840 s DALI M1h	Diffusor with multilayer micropyrmaid optics, silver colour (s)	IP 20	41W	5155	283,43
	NAOS RIPUTID					
	NAOS 1 - S3	Cord suspension, with 3-wire cable (1.2ft, 1.4ft, 1.5ft)	x	x	x	42,51
95920	NAOS 1 - S5	Cord suspension, with 5-wire cable (1.2ft, 1.4ft, 1.5ft)	x	x	x	43,88
	NAOS 2 - S3	Cord suspension, with 3-wire cable (2.2ft, 2.4ft, 2.5ft)	x	x	x	41,25
95940	NAOS 2 - S5	Cord suspension, with 5-wire cable (2.2ft, 2.4ft, 2.5ft)	x	x	x	42,61
11989	MNB 2.4	Antiglare louvre for Futura 2.4ft NB				16,37
11990	MNB 2.5	Antiglare louvre for Futura 2.5ft NB				18,76
	CANOPUS					
74010	CANOPUS 10.2ft 22000/840	Non-dimmable, satinized glass	IP 65	138W	17830	251,99
74110	CANOPUS 10.2ft NB 22000/840	Non-dimmable, satinized glass, narrow beam	IP 65	138W	17630	296,56
74016	CANOPUS 10.2ft 22000/840 DALI	DALI dimmable, satinized glass	IP 65	138W	17830	301,56

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
74116	CANOPUS 10.2ft NB 22000/840 DALI	DALI dimmable, satinized glass, narrow beam	IP 65	138W	17630	346,15
74020	CANOPUS 10.2ft 26000/840	Non-dimmable, satinized glass	IP 65	171W	21850	267,02
74120	CANOPUS 10.2ft NB 26000/840	Non-dimmable, satinized glass, narrow beam	IP 65	171W	21610	311,60
74026	CANOPUS 10.2ft 26000/840 DALI	DALI dimmable, satinized glass	IP 65	171W	21850	341,74
74126	CANOPUS 10.2ft NB 26000/840 DALI	DALI dimmable, satinized glass, narrow beam	IP 65	171W	21610	386,33
74030	CANOPUS 10.2ft 30000/840	Non-dimmable, satinized glass	IP 65	198W	24500	267,02
74130	CANOPUS 10.2ft NB 30000/840	Non-dimmable, satinized glass, narrow beam	IP 65	198W	24240	311,60
74036	CANOPUS 10.2ft 30000/840 DALI	DALI dimmable, satinized glass	IP 65	198W	24500	341,74
74136	CANOPUS 10.2ft NB 30000/840 DALI	DALI dimmable, satinized glass, narrow beam	IP 65	198W	24240	386,33
74310	CANOPUS 10.2ft SF 22000/840	Non-dimmable, satinized glass, safety film	IP 65	138W	16750	270,80
74410	CANOPUS 10.2ft NB SF 22000/840	Non-dimmable, satinized glass, narrow beam, safety film	IP 65	138W	16550	315,39
74316	CANOPUS 10.2ft SF 22000/840 DALI	DALI dimmable, satinized glass, safety film	IP 65	138W	16750	320,39
74416	CANOPUS 10.2ft NB SF 22000/840 DALI	DALI dimmable, satinized glass, narrow beam, safety film	IP 65	138W	16550	365,00
74320	CANOPUS 10.2ft SF 26000/840	Non-dimmable, satinized glass, safety film	IP 65	171W	20530	285,84
74420	CANOPUS 10.2ft NB SF 26000/840	Non-dimmable, satinized glass, narrow beam, safety film	IP 65	171W	20280	330,41
74326	CANOPUS 10.2ft SF 26000/840 DALI	DALI dimmable, satinized glass, safety film	IP 65	171W	20530	360,57
74426	CANOPUS 10.2ft NB SF 26000/840 DALI	DALI dimmable, satinized glass, narrow beam, safety film	IP 65	171W	20280	405,18
74330	CANOPUS 10.2ft SF 30000/840	Non-dimmable, satinized glass, safety film	IP 65	198W	23030	285,84
74430	CANOPUS 10.2ft NB SF 30000/840	Non-dimmable, satinized glass, narrow beam, safety film	IP 65	198W	22760	330,41
74336	CANOPUS 10.2ft SF 30000/840 DALI	DALI dimmable, satinized glass, safety film	IP 65	198W	23030	360,57
74436	CANOPUS 10.2ft NB SF 30000/840 DALI	DALI dimmable, satinized glass, narrow beam, safety film	IP 65	198W	22760	405,18
74210	CANOPUS 10.2ft NB TR 22000/840	Non-dimmable, transparent glass, narrow beam	IP 65	138W	19400	286,54
74216	CANOPUS 10.2ft NB TR 22000/840 DALI	DALI dimmable, transparent glass, narrow beam	IP 65	138W	19400	336,15
74220	CANOPUS 10.2ft NB TR 26000/840	Non-dimmable, transparent glass, narrow beam	IP 65	171W	23780	301,46
74226	CANOPUS 10.2ft NB TR 26000/840 DALI	DALI dimmable, transparent glass, narrow beam	IP 65	171W	23780	376,20
74230	CANOPUS 10.2ft NB TR 30000/840	Non-dimmable, transparent glass, narrow beam	IP 65	198W	26680	301,46
74236	CANOPUS 10.2ft NB TR 30000/840 DALI	DALI dimmable, transparent glass, narrow beam	IP 65	198W	26680	376,20
74510	CANOPUS 10.2ft NB TR SF 22000/840	Non-dimmable, transparent glass, narrow beam, safety film	IP 65	138W	18320	305,39
74516	CANOPUS 10.2ft NB TR SF 22000/840 DALI	DALI dimmable, transparent glass, narrow beam, safety film	IP 65	138W	18320	354,96
74520	CANOPUS 10.2ft NB TR SF 26000/840	Non-dimmable, transparent glass, narrow beam, safety film	IP 65	171W	22460	320,30
74526	CANOPUS 10.2ft NB TR SF 26000/840 DALI	DALI dimmable, transparent glass, narrow beam, safety film	IP 65	171W	22460	395,05
74530	CANOPUS 10.2ft NB TR SF 30000/840	Non-dimmable, transparent glass, narrow beam, safety film	IP 65	198W	25200	320,30
74536	CANOPUS 10.2ft NB TR SF 30000/840 DALI	DALI dimmable, transparent glass, narrow beam, safety film	IP 65	198W	25200	395,05
	CANOPUS KINNITUSED					
50080	CANOPUS holder 1	Ceiling holder				28,10
50081	CANOPUS holder 2	Adjustable ceiling and wall holder				33,07
50082	CANOPUS suspender	Chain suspender				9,25

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
50083	CANOPUS	Protecting grid - Canopus				46,69
	INNOVA					
72111	INNOVA 1.4ft PC 2600/840 1x3P	Non-dimmable, standard optics	IP66	18W	2340	42,53
72121	INNOVA 1.4ft PC 3200/840 1x3P	Non-dimmable, standard optics	IP66	22W	2890	44,07
72131	INNOVA 1.4ft PC 4400/840 1x3P	Non-dimmable, standard optics	IP66	30W	3960	45,87
72151	INNOVA 1.5ft PC 3250/840 1x3P	Non-dimmable, standard optics	IP66	22W	2840	48,71
72161	INNOVA 1.5ft PC 4000/840 1x3P	Non-dimmable, standard optics	IP66	27W	3570	49,84
72171	INNOVA 1.5ft PC 5500/840 1x3P	Non-dimmable, standard optics	IP66	37W	4990	52,05
72112	INNOVA 1.4ft PC 2600/840 1x5P	Non-dimmable, standard optics	IP66	18W	2340	44,61
72122	INNOVA 1.4ft PC 3200/840 1x5P	Non-dimmable, standard optics	IP66	22W	2890	46,17
72132	INNOVA 1.4ft PC 4400/840 1x5P	Non-dimmable, standard optics	IP66	30W	3960	47,95
72152	INNOVA 1.5ft PC 3250/840 1x5P	Non-dimmable, standard optics	IP66	22W	2840	50,83
72162	INNOVA 1.5ft PC 4000/840 1x5P	Non-dimmable, standard optics	IP66	27W	3570	
72172	INNOVA 1.5ft PC 5500/840 1x5P	Non-dimmable, standard optics	IP66	37W	4990	51,94
	INNOVA DALI					
72113	INNOVA 1.4ft PC 2600/840 1x5P DALI	Dimmable, standard optics	IP66	18W	2340	69,89
72123	INNOVA 1.4ft PC 3200/840 1x5P DALI	Dimmable, standard optics	IP66	22W	2890	66,34
72133	INNOVA 1.4ft PC 4400/840 1x5P DALI	Dimmable, standard optics	IP66	30W	3960	68,12
72153	INNOVA 1.5ft PC 3250/840 1x5P DALI	Dimmable, standard optics	IP66	22W	2840	71,00
72163	INNOVA 1.5ft PC 4000/840 1x5P DALI	Dimmable, standard optics	IP66	27W	3570	72,08
72173	INNOVA 1.5ft PC 5500/840 1x5P DALI	Dimmable, standard optics	IP66	37W	4990	74,30
72114	INNOVA 1.4ft PC 2600/840 1x7P DALI	Dimmable, standard optics	IP66	18W	2340	84,26
72124	INNOVA 1.4ft PC 3200/840 1x7P DALI	Dimmable, standard optics	IP66	22W	2890	80,73
72134	INNOVA 1.4ft PC 4400/840 1x7P DALI	Dimmable, standard optics	IP66	30W	3960	82,52
72154	INNOVA 1.5ft PC 3250/840 1x7P DALI	Dimmable, standard optics	IP66	22W	2840	85,40
72164	INNOVA 1.5ft PC 4000/840 1x7P DALI	Dimmable, standard optics	IP66	27W	3570	86,49
72174	INNOVA 1.5ft PC 5500/840 1x7P DALI	Dimmable, standard optics	IP66	37W	4990	88,70
	INNOVA KITSA VALGUSVIHUGA					
72211	INNOVA 1.4ft NB PC 4400/840 1x3P	Non-dimmable, narrow beam	IP66	30W	3850	50,71
72231	INNOVA 1.5ft NB PC 5500/840 1x3P	Non-dimmable, narrow beam	IP66	37W	4850	58,02
72212	INNOVA 1.4ft NB PC 4400/840 1x5P	Non-dimmable, narrow beam	IP66	30W	3850	52,83
72232	INNOVA 1.5ft NB PC 5500/840 1x5P	Non-dimmable, narrow beam	IP66	37W	4850	60,12
72213	INNOVA 1.4ft NB PC 4400/840 1x5P DALI	Dimmable, narrow beam	IP66	30W	3850	72,96
72233	INNOVA 1.5ft NB PC 5500/840 1x5P DALI	Dimmable, narrow beam	IP66	37W	4850	80,29
72214	INNOVA 1.4ft NB PC 4400/840 1x7P DALI	Dimmable, narrow beam	IP66	30W	3850	87,37
72234	INNOVA 1.5ft NB PC 5500/840 1x7P DALI	Dimmable, narrow beam	IP66	37W	4850	94,67
	INNOVA LAIA VALGUSVIHUGA					

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72311	INNOVA 1.4ft WB PC 2600/840 1x3P	Non-dimmable, wide beam	IP66	18W	2270	47,60
72321	INNOVA 1.4ft WB PC 3200/840 1x3P	Non-dimmable, wide beam	IP66	22W	2810	49,17
72331	INNOVA 1.4ft WB PC 4400/840 1x3P	Non-dimmable, wide beam	IP66	30W	3850	50,94
72351	INNOVA 1.5ft WB PC 3250/840 1x3P	Non-dimmable, wide beam	IP66	22W	2750	54,82
72361	INNOVA 1.5ft WB PC 4000/840 1x3P	Non-dimmable, wide beam	IP66	27W	3470	55,90
72371	INNOVA 1.5ft WB PC 5500/840 1x3P	Non-dimmable, wide beam	IP66	37W	4850	58,14
72312	INNOVA 1.4ft WB PC 2600/840 1x5P	Non-dimmable, wide beam	IP66	18W	2270	49,72
72322	INNOVA 1.4ft WB PC 3200/840 1x5P	Non-dimmable, wide beam	IP66	22W	2810	51,29
72332	INNOVA 1.4ft WB PC 4400/840 1x5P	Non-dimmable, wide beam	IP66	30W	3850	53,02
72352	INNOVA 1.5ft WB PC 3250/840 1x5P	Non-dimmable, wide beam	IP66	22W	2750	56,93
72362	INNOVA 1.5ft WB PC 4000/840 1x5P	Non-dimmable, wide beam	IP66	27W	3470	58,02
72372	INNOVA 1.5ft WB PC 5500/840 1x5P	Non-dimmable, wide beam	IP66	37W	4850	60,24
72313	INNOVA 1.4ft WB PC 2600/840 1x5P DALI	Dimmable, wide beam	IP66	18W	2270	74,97
72323	INNOVA 1.4ft WB PC 3200/840 1x5P DALI	Dimmable, wide beam	IP66	22W	2810	71,42
72333	INNOVA 1.4ft WB PC 4400/840 1x5P DALI	Dimmable, wide beam	IP66	30W	3850	73,19
72353	INNOVA 1.5ft WB PC 3250/840 1x5P DALI	Dimmable, wide beam	IP66	22W	2750	77,06
72363	INNOVA 1.5ft WB PC 4000/840 1x5P DALI	Dimmable, wide beam	IP66	27W	3470	78,19
72373	INNOVA 1.5ft WB PC 5500/840 1x5P DALI	Dimmable, wide beam	IP66	37W	4850	80,40
72314	INNOVA 1.4ft WB PC 2600/840 1x7P DALI	Dimmable, wide beam	IP66	18W	2270	89,37
72324	INNOVA 1.4ft WB PC 3200/840 1x7P DALI	Dimmable, wide beam	IP66	22W	2810	85,82
72334	INNOVA 1.4ft WB PC 4400/840 1x7P DALI	Dimmable, wide beam	IP66	30W	3850	87,60
72354	INNOVA 1.5ft WB PC 3250/840 1x7P DALI	Dimmable, wide beam	IP66	22W	2750	91,47
72364	INNOVA 1.5ft WB PC 4000/840 1x7P DALI	Dimmable, wide beam	IP66	27W	3470	92,56
72374	INNOVA 1.5ft WB PC 5500/840 1x7P DALI	Dimmable, wide beam	IP66	37W	4850	94,79
	INNOVA ABS					
72411	INNOVA 1.4ft ABS 2600/840 1x3P	Non-dimmable, standard optics	IP66	18W	2340	39,19
72421	INNOVA 1.4ft ABS 3200/840 1x3P	Non-dimmable, standard optics	IP66	22W	2890	40,96
72431	INNOVA 1.4ft ABS 4400/840 1x3P	Non-dimmable, standard optics	IP66	30W	3960	42,87
72451	INNOVA 1.5ft ABS 3250/840 1x3P	Non-dimmable, standard optics	IP66	22W	2840	45,94
72461	INNOVA 1.5ft ABS 4000/840 1x3P	Non-dimmable, standard optics	IP66	27W	3570	47,07
72471	INNOVA 1.5ft ABS 5500/840 1x3P	Non-dimmable, standard optics	IP66	37W	4990	49,40
72412	INNOVA 1.4ft ABS 2600/840 1x5P	Non-dimmable, standard optics	IP66	18W	2340	41,31
72422	INNOVA 1.4ft ABS 3200/840 1x5P	Non-dimmable, standard optics	IP66	22W	2890	43,06
72432	INNOVA 1.4ft ABS 4400/840 1x5P	Non-dimmable, standard optics	IP66	30W	3960	44,95
72452	INNOVA 1.5ft ABS 3250/840 1x5P	Non-dimmable, standard optics	IP66	22W	2840	48,06
72462	INNOVA 1.5ft ABS 4000/840 1x5P	Non-dimmable, standard optics	IP66	27W	3570	49,17
72472	INNOVA 1.5ft ABS 5500/840 1x5P	Non-dimmable, standard optics	IP66	37W	4990	51,52

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72413	INNOVA 1.4ft ABS 2600/840 1x5P DALI	Dimmable, standard optics	IP66	18W	2340	66,55
72423	INNOVA 1.4ft ABS 3200/840 1x5P DALI	Dimmable, standard optics	IP66	22W	2890	63,23
72433	INNOVA 1.4ft ABS 4400/840 1x5P DALI	Dimmable, standard optics	IP66	30W	3960	65,12
72453	INNOVA 1.5ft ABS 3250/840 1x5P DALI	Dimmable, standard optics	IP66	22W	2840	68,23
72463	INNOVA 1.5ft ABS 4000/840 1x5P DALI	Dimmable, standard optics	IP66	27W	3570	69,32
72473	INNOVA 1.5ft ABS 5500/840 1x5P DALI	Dimmable, standard optics	IP66	37W	4990	71,65
72414	INNOVA 1.4ft ABS 2600/840 1x7P DALI	Dimmable, standard optics	IP66	18W	2340	80,96
72424	INNOVA 1.4ft ABS 3200/840 1x7P DALI	Dimmable, standard optics	IP66	22W	2890	77,64
72434	INNOVA 1.4ft ABS 4400/840 1x7P DALI	Dimmable, standard optics	IP66	30W	3960	79,53
72454	INNOVA 1.5ft ABS 3250/840 1x7P DALI	Dimmable, standard optics	IP66	22W	2840	82,60
72464	INNOVA 1.5ft ABS 4000/840 1x7P DALI	Dimmable, standard optics	IP66	27W	3570	83,72
72474	INNOVA 1.5ft ABS 5500/840 1x7P DALI	Dimmable, standard optics	IP66	37W	4990	86,05
72511	INNOVA 1.4ft NB ABS 4400/840 1x3P	Non-dimmable, narrow beam	IP66	30W	3850	47,83
72531	INNOVA 1.5ft NB ABS 5500/840 1x3P	Non-dimmable, narrow beam	IP66	37W	4850	55,14
72512	INNOVA 1.4ft NB ABS 4400/840 1x5P	Non-dimmable, narrow beam	IP66	30W	3850	49,95
72532	INNOVA 1.5ft NB ABS 5500/840 1x5P	Non-dimmable, narrow beam	IP66	37W	4850	57,24
72513	INNOVA 1.4ft NB ABS 4400/840 1x5P DALI	Dimmable, narrow beam	IP66	30W	3850	70,08
72533	INNOVA 1.5ft NB ABS 5500/840 1x5P DALI	Dimmable, narrow beam	IP66	37W	4850	77,41
72514	INNOVA 1.4ft NB ABS 4400/840 1x7P DALI	Dimmable, narrow beam	IP66	30W	3850	84,49
72534	INNOVA 1.5ft NB ABS 5500/840 1x7P DALI	Dimmable, narrow beam	IP66	37W	4850	91,79
72611	INNOVA 1.4ft WB ABS 2600/840 1x3P	Non-dimmable, wide beam	IP66	18W	2270	44,61
72621	INNOVA 1.4ft WB ABS 3200/840 1x3P	Non-dimmable, wide beam	IP66	22W	2810	46,17
72631	INNOVA 1.4ft WB ABS 4400/840 1x3P	Non-dimmable, wide beam	IP66	30W	3850	47,95
72651	INNOVA 1.5ft WB ABS 3250/840 1x3P	Non-dimmable, wide beam	IP66	22W	2750	52,05
72661	INNOVA 1.5ft WB ABS 4000/840 1x3P	Non-dimmable, wide beam	IP66	27W	3470	53,14
72671	INNOVA 1.5ft WB ABS 5500/840 1x3P	Non-dimmable, wide beam	IP66	37W	4850	55,37
72612	INNOVA 1.4ft WB ABS 2600/840 1x5P	Non-dimmable, wide beam	IP66	18W	2270	46,73
72622	INNOVA 1.4ft WB ABS 3200/840 1x5P	Non-dimmable, wide beam	IP66	22W	2810	48,29
72632	INNOVA 1.4ft WB ABS 4400/840 1x5P	Non-dimmable, wide beam	IP66	30W	3850	50,07
72652	INNOVA 1.5ft WB ABS 3250/840 1x5P	Non-dimmable, wide beam	IP66	22W	2750	54,17
72662	INNOVA 1.5ft WB ABS 4000/840 1x5P	Non-dimmable, wide beam	IP66	27W	3470	55,26
72672	INNOVA 1.5ft WB ABS 5500/840 1x5P	Non-dimmable, wide beam	IP66	37W	4850	57,47
72613	INNOVA 1.4ft WB ABS 2600/840 1x5P DALI	Dimmable, wide beam	IP66	18W	2270	71,99
72623	INNOVA 1.4ft WB ABS 3200/840 1x5P DALI	Dimmable, wide beam	IP66	22W	2810	68,46
72633	INNOVA 1.4ft WB ABS 4400/840 1x5P DALI	Dimmable, wide beam	IP66	30W	3850	70,20
72653	INNOVA 1.5ft WB ABS 3250/840 1x5P DALI	Dimmable, wide beam	IP66	22W	2750	74,30
72663	INNOVA 1.5ft WB ABS 4000/840 1x5P DALI	Dimmable, wide beam	IP66	27W	3470	75,42

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72673	INNOVA 1.5ft WB ABS 5500/840 1x5P DALI	Dimmable, wide beam	IP66	37W	4850	77,64
72614	INNOVA 1.4ft WB ABS 2600/840 1x7P DALI	Dimmable, wide beam	IP66	18W	2270	86,38
72624	INNOVA 1.4ft WB ABS 3200/840 1x7P DALI	Dimmable, wide beam	IP66	22W	2810	82,83
72634	INNOVA 1.4ft WB ABS 4400/840 1x7P DALI	Dimmable, wide beam	IP66	30W	3850	84,60
72654	INNOVA 1.5ft WB ABS 3250/840 1x7P DALI	Dimmable, wide beam	IP66	22W	2750	88,70
72664	INNOVA 1.5ft WB ABS 4000/840 1x7P DALI	Dimmable, wide beam	IP66	27W	3470	89,79
72674	INNOVA 1.5ft WB ABS 5500/840 1x7P DALI	Dimmable, wide beam	IP66	37W	4850	92,02
	INNOVA ÜHENDUSKAABLID					
72901	FrF-1x3P-1,5-1m	Connection cable 3x1,5mm2 - Free end/Female				4,03
72902	FrF-1x3P-1,5-3m	Connection cable 3x1,5mm2 - Free end/Female				6,11
72903	FrF-1x3P-2,5-1m	Connection cable 3x2,5mm2 - Free end/Female				4,67
72904	FrF-1x3P-2,5-3m	Connection cable 3x2,5mm2 - Free end/Female				7,63
72905	FrF-1x5P-1,5-1m	Connection cable 3x1,5mm2 - Free end/Female				7,44
72906	FrF-1x5P-1,5-3m	Connection cable 3x1,5mm2 - Free end/Female				10,68
72907	FrF-1x5P-2,5-1m	Connection cable 3x2,5mm2 - Free end/Female				8,45
72908	FrF-1x5P-2,5-3m	Connection cable 3x2,5mm2 - Free end/Female				13,18
72909	FrF-1x7P-1,5-1m	Connection cable 3x1,5mm2 - Free end/Female				20,74
72910	FrF-1x7P-1,5-3m	Connection cable 3x1,5mm2 - Free end/Female				25,32
72911	FrF-1x7P-2,5-1m	Connection cable 3x2,5mm2 - Free end/Female				22,00
72912	FrF-1x7P-2,5-3m	Connection cable 3x2,5mm2 - Free end/Female				19,39
72901	FrF-1x3P-1,5-1m	Connection cable 3x1,5mm2 - Free end/Female				7,29
72902	FrF-1x3P-1,5-3m	Connection cable 3x1,5mm2 - Free end/Female				9,25
72905	FrF-1x5P-1,5-1m	Connection cable 3x1,5mm2 - Free end/Female				8,61
72906	FrF-1x5P-1,5-3m	Connection cable 3x1,5mm2 - Free end/Female				11,87
72990	M 1x3P	Connector for cable 3x1,5 - 2,5mm2 - Male				1,72
72991	M 1x5P	Connector for cable 5x1,5 - 2,5mm2 - Male				3,68
72992	M 1x7P	Connector for cable 7x1,5 - 2,5mm2 - Male				15,99
72980	F 1x3P	Connector for cable 3x1,5 - 2,5mm2 - Female				1,72
72981	F 1x5P	Connector for cable 5x1,5 - 2,5mm2 - Female				4,31
72982	F 1x7P	Connector for cable 7x1,5 - 2,5mm2 - Female				15,99
72993	M 1x3P	Connector for cable 3x1,5 - 2,5mm2 - Male				4,77
72994	M 1x5P	Connector for cable 5x1,5 - 2,5mm2 - Male				5,48
72986	F 1x3P	Connector for cable 3x1,5 - 2,5mm2 - Female				4,77
72987	F 1x5P	Connector for cable 5x1,5 - 2,5mm2 - Female				5,48