

# TREVOS

Hinnad alates 14.01.2019

Price-list in EUR

EXW Turnov

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75xxx	FUTURA	PC body, PC translucent (TL) diffuser, AI coolers	IP 66			
75010	FUTURA 2.2ft PC AI 2600/840	Non-dimmable - plastic clips	IP 66	18W	2300	42,07
75020	FUTURA 2.2ft PC AI 3200/840	Non-dimmable - plastic clips	IP 66	22W	2850	42,07
75030	FUTURA 2.2ft PC AI 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	43,67
75040	FUTURA 2.4ft PC AI 5200/840	Non-dimmable - plastic clips	IP 66	35W	4570	57,10
75050	FUTURA 2.4ft PC AI 6400/840	Non-dimmable - plastic clips	IP 66	42W	5620	57,10
75060	FUTURA 2.4ft PC AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7860	63,97
75410	FUTURA 2.4ft PC AI 12800/840	Non-dimmable - plastic clips	IP 66	85W	11660	86,64
75070	FUTURA 2.5ft PC AI 6500/840	Non-dimmable - plastic clips	IP 66	44W	5750	69,55
75080	FUTURA 2.5ft PC AI 8000/840	Non-dimmable - plastic clips	IP 66	53W	7030	69,55
75090	FUTURA 2.5ft PC AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9620	72,24
75420	FUTURA 2.5ft PC AI 16000/840	Non-dimmable - plastic clips	IP 66	106W	14580	104,64
	<b>Metallklambriga FUTURAD</b>					
75210	FUTURA 2.2ft PCc AI 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	43,56
75220	FUTURA 2.2ft PCc AI 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	43,56
75230	FUTURA 2.2ft PCc AI 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	45,13
75240	FUTURA 2.4ft PCc AI 5200/840	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	59,64
75250	FUTURA 2.4ft PCc AI 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	59,64
75260	FUTURA 2.4ft PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	66,54
75430	FUTURA 2.4ft PCc AI 12800/840	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	89,14
75270	FUTURA 2.5ft PCc AI 6500/840	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	72,58
75280	FUTURA 2.5ft PCc AI 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	72,58
75290	FUTURA 2.5ft PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	75,27
75440	FUTURA 2.5ft PCc AI 16000/840	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	107,59
	<b>Plastikust klambriga DALI seadmega FUTURAD</b>					
75013	FUTURA 2.2ft PC AI 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2300	64,82
75023	FUTURA 2.2ft PC AI 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2850	64,82
75033	FUTURA 2.2ft PC AI 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	66,40
75043	FUTURA 2.4ft PC AI 5200/840 DALI	DALI Dimmable - plastic clips	IP 66	35W	4570	82,60

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75053	FUTURA 2.4ft PC AI 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	42W	5620	82,60
75063	FUTURA 2.4ft PC AI 8800/840 DALI	DALI Dimmable - plastic clips	IP 66	58W	7860	89,49
75450	FUTURA 2.4ft PC AI 12800/840 DALI	DALI Dimmable - plastic clips	IP 66	85W	11660	110,87
75073	FUTURA 2.5ft PC AI 6500/840 DALI	DALI Dimmable - plastic clips	IP 66	44W	5750	95,08
75083	FUTURA 2.5ft PC AI 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	53W	7030	95,08
75093	FUTURA 2.5ft PC AI 11000/840 DALI	DALI Dimmable - plastic clips	IP 66	71W	9620	97,39
75460	FUTURA 2.5ft PC AI 16000/840 DALI	DALI Dimmable - plastic clips	IP 66	106W	14580	128,85
	<b>Metalklambriga DALI seadmega FUTURAD</b>					
75213	FUTURA 2.2ft PCc AI 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	66,28
75223	FUTURA 2.2ft PCc AI 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	66,28
75233	FUTURA 2.2ft PCc AI 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	67,89
75243	FUTURA 2.4ft PCc AI 5200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	85,17
75253	FUTURA 2.4ft PCc AI 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	85,17
75263	FUTURA 2.4ft PCc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	92,04
75470	FUTURA 2.4ft PCc AI 12800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11660	113,34
75273	FUTURA 2.5ft PCc AI 6500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	98,11
75283	FUTURA 2.5ft PCc AI 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	98,11
75293	FUTURA 2.5ft PCc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	100,43
75480	FUTURA 2.5ft PCc AI 16000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	106W	14580	131,79
	<b>ABS korpusega plastikust klambriga FUTURAD</b>					
77010	FUTURA 2.2ft ABS AI 2600/840	Non-dimmable - plastic clips	IP 66	18W	2300	41,07
77020	FUTURA 2.2ft ABS AI 3200/840	Non-dimmable - plastic clips	IP 66	22W	2850	41,07
77030	FUTURA 2.2ft ABS AI 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	42,64
77040	FUTURA 2.4ft ABS AI 5200/840	Non-dimmable - plastic clips	IP 66	35W	4570	55,58
77050	FUTURA 2.4ft ABS AI 6400/840	Non-dimmable - plastic clips	IP 66	42W	5620	55,58
77060	FUTURA 2.4ft ABS AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7860	62,45
77410	FUTURA 2.4ft ABS AI 12800/840	Non-dimmable - plastic clips	IP 66	85W	11660	85,30
77070	FUTURA 2.5ft ABS AI 6500/840	Non-dimmable - plastic clips	IP 66	44W	5750	67,11
77080	FUTURA 2.5ft ABS AI 8000/840	Non-dimmable - plastic clips	IP 66	53W	7030	67,11
77090	FUTURA 2.5ft ABS AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9620	69,69
77420	FUTURA 2.5ft ABS AI 16000/840	Non-dimmable - plastic clips	IP 66	106W	14580	102,73
	<b>ABS korpusega metallklambriga FUTURAD</b>					
77210	FUTURA 2.2ft ABSc AI 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	42,53
77220	FUTURA 2.2ft ABSc AI 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	42,53
77230	FUTURA 2.2ft ABSc AI 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	44,13
77240	FUTURA 2.4ft ABSc AI 5200/840	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	58,16
77250	FUTURA 2.4ft ABSc AI 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	58,16

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77260	FUTURA 2.4ft ABSc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	65,02
77430	FUTURA 2.4ft ABSc AI 12800/840	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	87,78
77270	FUTURA 2.5ft ABSc AI 6500/840	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	70,15
77280	FUTURA 2.5ft ABSc AI 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	70,15
77290	FUTURA 2.5ft ABSc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	72,69
77440	FUTURA 2.5ft ABSc AI 16000/840	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	105,64
	<b>ABS korpusega plasatikust klambritega DALI seadmega FUTURAD</b>					
77013	FUTURA 2.2ft ABS AI 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2300	63,79
77023	FUTURA 2.2ft ABS AI 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2850	63,79
77033	FUTURA 2.2ft ABS AI 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	65,40
77043	FUTURA 2.4ft ABS AI 5200/840 DALI	DALI Dimmable - plastic clips	IP 66	35W	4570	81,11
77053	FUTURA 2.4ft ABS AI 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	42W	5620	81,11
77063	FUTURA 2.4ft ABS AI 8800/840 DALI	DALI Dimmable - plastic clips	IP 66	58W	7860	87,98
77450	FUTURA 2.4ft ABS AI 12800/840 DALI	DALI Dimmable - plastic clips	IP 66	85W	11660	109,51
77073	FUTURA 2.5ft ABS AI 6500/840 DALI	DALI Dimmable - plastic clips	IP 66	44W	5750	92,64
77083	FUTURA 2.5ft ABS AI 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	53W	7030	92,64
77093	FUTURA 2.5ft ABS AI 11000/840 DALI	DALI Dimmable - plastic clips	IP 66	71W	9620	94,85
77460	FUTURA 2.5ft ABS AI 16000/840 DALI	DALI Dimmable - plastic clips	IP 66	106W	14580	126,93
	<b>ABS korpusega metallklambritega DALI seadmega FUTURAD</b>					
77213	FUTURA 2.2ft ABSc AI 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	65,28
77223	FUTURA 2.2ft ABSc AI 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	65,28
77233	FUTURA 2.2ft ABSc AI 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	66,86
77243	FUTURA 2.4ft ABSc AI 5200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	83,66
77253	FUTURA 2.4ft ABSc AI 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	83,66
77263	FUTURA 2.4ft ABSc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	90,53
77470	FUTURA 2.4ft ABSc AI 12800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11660	111,98
77273	FUTURA 2.5ft ABSc AI 6500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	95,65
77283	FUTURA 2.5ft ABSc AI 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	95,65
77293	FUTURA 2.5ft ABSc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	97,88
77480	FUTURA 2.5ft ABSc AI 16000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	106W	14580	129,87
	<b>Plastikust klambritega ventilatsiooniklapiga FUTURA</b>					
76010	FUTURA 2.2ft VP AI 2600/840	Non-dimmable - plastic clips	IP 66	18W	2300	45,59
76020	FUTURA 2.2ft VP AI 3200/840	Non-dimmable - plastic clips	IP 66	22W	2850	45,59
76030	FUTURA 2.2ft VP AI 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	47,17
76040	FUTURA 2.4ft VP AI 5200/840	Non-dimmable - plastic clips	IP 66	35W	4570	60,70
76050	FUTURA 2.4ft VP AI 6400/840	Non-dimmable - plastic clips	IP 66	42W	5620	60,70

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76060	FUTURA 2.4ft VP AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7860	67,57
76410	FUTURA 2.4ft VP AI 12800/840	Non-dimmable - plastic clips	IP 66	85W	11660	90,17
76070	FUTURA 2.5ft VP AI 6500/840	Non-dimmable - plastic clips	IP 66	44W	5750	73,18
76080	FUTURA 2.5ft VP AI 8000/840	Non-dimmable - plastic clips	IP 66	53W	7030	73,18
76090	FUTURA 2.5ft VP AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9620	75,73
76420	FUTURA 2.5ft VP AI 16000/840	Non-dimmable - plastic clips	IP 66	106W	14580	108,14
	<b>Metallklambritega ventilatsiooniklapiga FUTURA</b>					
76210	FUTURA 2.2ft VPc AI 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	47,05
76220	FUTURA 2.2ft VPc AI 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	47,05
76230	FUTURA 2.2ft VPc AI 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	48,65
76240	FUTURA 2.4ft VPc AI 5200/840	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	63,28
76250	FUTURA 2.4ft VPc AI 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	63,28
76260	FUTURA 2.4ft VPc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	70,15
76430	FUTURA 2.4ft VPc AI 12800/840	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	92,64
76270	FUTURA 2.5ft VPc AI 6500/840	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	76,22
76280	FUTURA 2.5ft VPc AI 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	76,22
76290	FUTURA 2.5ft VPc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	78,76
76440	FUTURA 2.5ft VPc AI 16000/840	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	111,09
	<b>Plastklambritega ventilatsiooniklapiga DALI seadmega FUTURA</b>					
76013	FUTURA 2.2ft VP AI 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2300	68,32
76023	FUTURA 2.2ft VP AI 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2850	68,32
76033	FUTURA 2.2ft VP AI 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	69,92
76043	FUTURA 2.4ft VP AI 5200/840 DALI	DALI Dimmable - plastic clips	IP 66	35W	4570	86,23
76053	FUTURA 2.4ft VP AI 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	42W	5620	86,23
76063	FUTURA 2.4ft VP AI 8800/840 DALI	DALI Dimmable - plastic clips	IP 66	58W	7860	93,10
76450	FUTURA 2.4ft VP AI 12800/840 DALI	DALI Dimmable - plastic clips	IP 66	85W	11660	114,37
76073	FUTURA 2.5ft VP AI 6500/840 DALI	DALI Dimmable - plastic clips	IP 66	44W	5750	98,68
76083	FUTURA 2.5ft VP AI 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	53W	7030	98,68
76093	FUTURA 2.5ft VP AI 11000/840 DALI	DALI Dimmable - plastic clips	IP 66	71W	9620	100,91
76460	FUTURA 2.5ft VP AI 16000/840 DALI	DALI Dimmable - plastic clips	IP 66	106W	14580	132,35
	<b>Metallklambritega ventilatsiooniklapiga DALI seadmega FUTURA</b>					
76213	FUTURA 2.2ft VPc AI 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	69,80
76223	FUTURA 2.2ft VPc AI 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	69,80
76233	FUTURA 2.2ft VPc AI 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	71,38
76243	FUTURA 2.4ft VPc AI 5200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	88,78
76253	FUTURA 2.4ft VPc AI 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	88,78
76263	FUTURA 2.4ft VPc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	95,65

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76470	FUTURA 2.4ft VPc AI 12800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11660	116,84
76273	FUTURA 2.5ft VPc AI 6500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	101,72
76283	FUTURA 2.5ft VPc AI 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	101,72
76293	FUTURA 2.5ft VPc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	103,92
76480	FUTURA 2.5ft VPc AI 16000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	106W	14580	135,29
	<b>10-15M kõrgusele mõeldud kitsa valgusvihuga FUTURA</b>					
78060	FUTURA 2.4ft NB PC AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7460	79,12
78070	FUTURA 2.4ft NB PC AI 12800/840	Non-dimmable - plastic clips	IP 66	85W	11070	116,01
78090	FUTURA 2.5ft NB PC AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9130	89,73
78080	FUTURA 2.5ft NB PC AI 16000/840	Non-dimmable - plastic clips	IP 66	106W	13840	133,66
78260	FUTURA 2.4ft NB PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	81,70
78270	FUTURA 2.4ft NB PCc AI 12800/840	Non-dimmable - stainless steel clips (c)	IP 66	85W	11070	118,54
78290	FUTURA 2.5ft NB PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	92,81
78280	FUTURA 2.5ft NB PCc AI 16000/840	Non-dimmable - stainless steel clips (c)	IP 66	106W	13840	136,65
78063	FUTURA 2.4ft NB PC AI 8800/840 DALI	DALI Dimmable - plastic clips	IP 66	58W	7460	104,96
78073	FUTURA 2.4ft NB PC AI 12800/840 DALI	DALI Dimmable - plastic clips	IP 66	85W	11070	140,53
78093	FUTURA 2.5ft NB PC AI 11000/840 DALI	DALI Dimmable - plastic clips	IP 66	71W	9130	115,22
78083	FUTURA 2.5ft NB PC AI 16000/840 DALI	DALI Dimmable - plastic clips	IP 66	106W	13840	158,19
78263	FUTURA 2.4ft NB PCc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	107,57
78273	FUTURA 2.4ft NB PCc AI 12800/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11070	143,07
78293	FUTURA 2.5ft NB PCc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	118,30
78283	FUTURA 2.5ft NB PCc AI 16000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	106W	13840	161,17
	<b>EREDUSE VASTANE KATE NB FUTURALE</b>					
11989	MNB 2.4	Antigliare louvre for Futura 2.4ft NB				17,31
11990	MNB 2.5	Antigliare louvre for Futura 2.5ft NB				19,84
	<b>Liikumisanduriga FUTURA</b>					
79010	FUTURA 2.2ft SNS PC AI 2600/840	Non-dimmable - plastic clips	IP 66	18W	2300	59,04
79020	FUTURA 2.2ft SNS PC AI 3200/840	Non-dimmable - plastic clips	IP 66	22W	2850	59,04
79030	FUTURA 2.2ft SNS PC AI 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	60,70
79040	FUTURA 2.4ft SNS PC AI 5200/840	Non-dimmable - plastic clips	IP 66	35W	4570	75,24
79050	FUTURA 2.4ft SNS PC AI 6400/840	Non-dimmable - plastic clips	IP 66	42W	5620	75,24
79060	FUTURA 2.4ft SNS PC AI 8800/840	Non-dimmable - plastic clips	IP 66	58W	7860	82,45
79410	FUTURA 2.4ft SNS PC AI 12800/840	Non-dimmable - plastic clips	IP 66	85W	11660	105,84
79070	FUTURA 2.5ft SNS PC AI 6500/840	Non-dimmable - plastic clips	IP 66	44W	5750	88,32
79080	FUTURA 2.5ft SNS PC AI 8000/840	Non-dimmable - plastic clips	IP 66	53W	7030	88,32
79090	FUTURA 2.5ft SNS PC AI 11000/840	Non-dimmable - plastic clips	IP 66	71W	9620	93,36
79420	FUTURA 2.5ft SNS PC AI 16000/840	Non-dimmable - plastic clips	IP 66	106W	14580	124,71

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79210	FUTURA 2.2ft SNS PCc AI 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	60,59
79220	FUTURA 2.2ft SNS PCc AI 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	60,59
79230	FUTURA 2.2ft SNS PCc AI 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	62,25
79240	FUTURA 2.4ft SNS PCc AI 5200/840	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	77,93
79250	FUTURA 2.4ft SNS PCc AI 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	77,93
79260	FUTURA 2.4ft SNS PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	85,14
79430	FUTURA 2.4ft SNS PCc AI 12800/840	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	108,45
79270	FUTURA 2.5ft SNS PCc AI 6500/840	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	91,50
79280	FUTURA 2.5ft SNS PCc AI 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	91,50
79290	FUTURA 2.5ft SNS PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	96,54
79440	FUTURA 2.5ft SNS PCc AI 16000/840	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	127,82
79043	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	35W	4570	104,06
79053	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	42W	5620	106,07
79063	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	58W	7860	109,39
79073	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	44W	5750	116,77
79083	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	53W	7030	116,77
79093	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	71W	9620	125,30
79243	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	106,67
79253	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	108,67
79263	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	112,02
79273	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	119,86
79283	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	119,86
79293	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	128,39
	<b>FUTURA 1 faas läbiva juhtmestusega</b>					
75140	FUTURA 2.4ft PC AI 5200/840 1F	Non-dimmable - plastic clips	IP 66	35W	4570	59,64
75150	FUTURA 2.4ft PC AI 6400/840 1F	Non-dimmable - plastic clips	IP 66	42W	5620	59,64
75160	FUTURA 2.4ft PC AI 8800/840 1F	Non-dimmable - plastic clips	IP 66	58W	7860	66,54
75411	FUTURA 2.4ft PC AI 12800/840 1F	Non-dimmable - plastic clips	IP 66	85W	11660	89,14
75170	FUTURA 2.5ft PC AI 6500/840 1F	Non-dimmable - plastic clips	IP 66	44W	5750	72,58
75180	FUTURA 2.5ft PC AI 8000/840 1F	Non-dimmable - plastic clips	IP 66	53W	7030	72,58
75190	FUTURA 2.5ft PC AI 11000/840 1F	Non-dimmable - plastic clips	IP 66	71W	9620	75,27
75421	FUTURA 2.5ft PC AI 16000/840 1F	Non-dimmable - plastic clips	IP 66	106W	14580	107,59
75540	FUTURA 2.4ft PCc AI 5200/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	62,22
75550	FUTURA 2.4ft PCc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	62,22
75560	FUTURA 2.4ft PCc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	69,09
75431	FUTURA 2.4ft PCc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	91,64
75570	FUTURA 2.5ft PCc AI 6500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	75,61

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75580	FUTURA 2.5ft PCc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	75,61
75590	FUTURA 2.5ft PCc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	78,30
75441	FUTURA 2.5ft PCc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	110,53
75143	FUTURA 2.4ft PC AI 5200/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	35W	4570	87,15
75153	FUTURA 2.4ft PC AI 6400/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	42W	5620	87,15
75163	FUTURA 2.4ft PC AI 8800/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	58W	7860	94,02
75451	FUTURA 2.4ft PC AI 12800/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	85W	11660	115,26
75173	FUTURA 2.5ft PC AI 6500/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	44W	5750	100,91
75183	FUTURA 2.5ft PC AI 8000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	53W	7030	100,91
75193	FUTURA 2.5ft PC AI 11000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	71W	9620	103,23
75461	FUTURA 2.5ft PC AI 16000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	106W	14580	134,51
75543	FUTURA 2.4ft PCc AI 5200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	89,61
75553	FUTURA 2.4ft PCc AI 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	89,61
75563	FUTURA 2.4ft PCc AI 8800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	96,48
75471	FUTURA 2.4ft PCc AI 12800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11660	117,65
75573	FUTURA 2.5ft PCc AI 6500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	103,92
75583	FUTURA 2.5ft PCc AI 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	103,92
75593	FUTURA 2.5ft PCc AI 11000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	106,27
75481	FUTURA 2.5ft PCc AI 16000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	106W	14580	137,43
77140	FUTURA 2.4ft ABS AI 5200/840 1F	Non-dimmable - plastic clips	IP 66	35W	4570	58,16
77150	FUTURA 2.4ft ABS AI 6400/840 1F	Non-dimmable - plastic clips	IP 66	42W	5620	58,16
77160	FUTURA 2.4ft ABS AI 8800/840 1F	Non-dimmable - plastic clips	IP 66	58W	7860	65,02
77411	FUTURA 2.4ft ABS AI 12800/840 1F	Non-dimmable - plastic clips	IP 66	85W	11660	87,78
77170	FUTURA 2.5ft ABS AI 6500/840 1F	Non-dimmable - plastic clips	IP 66	44W	5750	70,15
77180	FUTURA 2.5ft ABS AI 8000/840 1F	Non-dimmable - plastic clips	IP 66	53W	7030	70,15
77190	FUTURA 2.5ft ABS AI 11000/840 1F	Non-dimmable - plastic clips	IP 66	71W	9620	72,69
77421	FUTURA 2.5ft ABS AI 16000/840 1F	Non-dimmable - plastic clips	IP 66	106W	14580	105,64
77540	FUTURA 2.4ft ABSc AI 5200/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	60,70
77550	FUTURA 2.4ft ABSc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	60,70
77560	FUTURA 2.4ft ABSc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	67,57
77431	FUTURA 2.4ft ABSc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	90,28
77570	FUTURA 2.5ft ABSc AI 6500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	73,18
77580	FUTURA 2.5ft ABSc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	73,18
77590	FUTURA 2.5ft ABSc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	75,73
77441	FUTURA 2.5ft ABSc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	108,59
77143	FUTURA 2.4ft ABS AI 5200/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	35W	4570	85,63
77153	FUTURA 2.4ft ABS AI 6400/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	42W	5620	85,63

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77163	FUTURA 2.4ft ABS AI 8800/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	58W	7860	92,50
77451	FUTURA 2.4ft ABS AI 12800/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	85W	11660	113,92
77173	FUTURA 2.5ft ABS AI 6500/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	44W	5750	98,45
77183	FUTURA 2.5ft ABS AI 8000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	53W	7030	98,45
77193	FUTURA 2.5ft ABS AI 11000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	71W	9620	100,66
77461	FUTURA 2.5ft ABS AI 16000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	106W	14580	132,57
77543	FUTURA 2.4ft ABSc AI 5200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	88,09
77553	FUTURA 2.4ft ABSc AI 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	88,09
77563	FUTURA 2.4ft ABSc AI 8800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	94,96
77471	FUTURA 2.4ft ABSc AI 12800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11660	116,29
77573	FUTURA 2.5ft ABSc AI 6500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	101,49
77583	FUTURA 2.5ft ABSc AI 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	101,49
77593	FUTURA 2.5ft ABSc AI 11000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	103,69
77481	FUTURA 2.5ft ABSc AI 16000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	106W	14580	135,51
76140	FUTURA 2.4ft VP AI 5200/840 1F	Non-dimmable - plastic clips	IP 66	35W	4570	63,28
76150	FUTURA 2.4ft VP AI 6400/840 1F	Non-dimmable - plastic clips	IP 66	42W	5620	63,28
76160	FUTURA 2.4ft VP AI 8800/840 1F	Non-dimmable - plastic clips	IP 66	58W	7860	70,15
76411	FUTURA 2.4ft VP AI 12800/840 1F	Non-dimmable - plastic clips	IP 66	85W	11660	92,64
76170	FUTURA 2.5ft VP AI 6500/840 1F	Non-dimmable - plastic clips	IP 66	44W	5750	76,22
76180	FUTURA 2.5ft VP AI 8000/840 1F	Non-dimmable - plastic clips	IP 66	53W	7030	76,22
76190	FUTURA 2.5ft VP AI 11000/840 1F	Non-dimmable - plastic clips	IP 66	71W	9620	78,76
76421	FUTURA 2.5ft VP AI 16000/840 1F	Non-dimmable - plastic clips	IP 66	106W	14580	111,09
76540	FUTURA 2.4ft VPc AI 5200/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	65,83
76550	FUTURA 2.4ft VPc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	65,83
76560	FUTURA 2.4ft VPc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	72,69
76431	FUTURA 2.4ft VPc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	95,14
76570	FUTURA 2.5ft VPc AI 6500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	79,22
76580	FUTURA 2.5ft VPc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	79,22
76590	FUTURA 2.5ft VPc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	81,80
76441	FUTURA 2.5ft VPc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	114,04
76143	FUTURA 2.4ft VP AI 5200/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	35W	4570	90,75
76153	FUTURA 2.4ft VP AI 6400/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	42W	5620	90,75
76163	FUTURA 2.4ft VP AI 8800/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	58W	7860	97,65
76451	FUTURA 2.4ft VP AI 12800/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	85W	11660	118,79
76173	FUTURA 2.5ft VP AI 6500/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	44W	5750	104,52
76183	FUTURA 2.5ft VP AI 8000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	53W	7030	104,52
76193	FUTURA 2.5ft VP AI 11000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	71W	9620	106,72



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76461	FUTURA 2.5ft VP AI 16000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	106W	14580	138,02
76543	FUTURA 2.4ft VPc AI 5200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	93,22
76553	FUTURA 2.4ft VPc AI 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	93,22
76563	FUTURA 2.4ft VPc AI 8800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	100,08
76471	FUTURA 2.4ft VPc AI 12800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11660	121,15
76573	FUTURA 2.5ft VPc AI 6500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	107,55
76583	FUTURA 2.5ft VPc AI 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	107,55
76593	FUTURA 2.5ft VPc AI 11000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	109,76
76481	FUTURA 2.5ft VPc AI 16000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	106W	14580	140,96
78160	FUTURA 2.4ft NB PC AI 8800/840 1F	Non-dimmable - plastic clips	IP 66	58W	7460	81,70
78170	FUTURA 2.4ft NB PC AI 12800/840 1F	Non-dimmable - plastic clips	IP 66	85W	11070	118,54
78190	FUTURA 2.5ft NB PC AI 11000/840 1F	Non-dimmable - plastic clips	IP 66	71W	9130	92,81
78180	FUTURA 2.5ft NB PC AI 16000/840 1F	Non-dimmable - plastic clips	IP 66	106W	13840	136,65
78560	FUTURA 2.4ft NB PCc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	84,31
78570	FUTURA 2.4ft NB PCc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11070	121,05
78590	FUTURA 2.5ft NB PCc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	95,88
78580	FUTURA 2.5ft NB PCc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	106W	13840	139,63
78163	FUTURA 2.4ft NB PC AI 8800/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	58W	7460	109,57
78173	FUTURA 2.4ft NB PC AI 12800/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	85W	11070	145,01
78193	FUTURA 2.5ft NB PC AI 11000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	71W	9130	121,14
78183	FUTURA 2.5ft NB PC AI 16000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	106W	13840	163,93
78563	FUTURA 2.4ft NB PCc AI 8800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	112,00
78573	FUTURA 2.4ft NB PCc AI 11800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11070	147,40
78593	FUTURA 2.5ft NB PCc AI 11000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	124,21
78583	FUTURA 2.5ft NB PCc AI 16000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	106W	13840	166,91
79140	FUTURA 2.4ft SNS PC AI 5200/840 1F	Non-dimmable - plastic clips	IP 66	35W	4570	77,93
79150	FUTURA 2.4ft SNS PC AI 6400/840 1F	Non-dimmable - plastic clips	IP 66	42W	5620	77,93
79160	FUTURA 2.4ft SNS PC AI 8800/840 1F	Non-dimmable - plastic clips	IP 66	58W	7860	85,14
79411	FUTURA 2.4ft SNS PC AI 12800/840 1F	Non-dimmable - plastic clips	IP 66	85W	11660	108,45
79170	FUTURA 2.5ft SNS PC AI 6500/840 1F	Non-dimmable - plastic clips	IP 66	44W	5750	91,50
79180	FUTURA 2.5ft SNS PC AI 8000/840 1F	Non-dimmable - plastic clips	IP 66	53W	7030	91,50
79190	FUTURA 2.5ft SNS PC AI 11000/840 1F	Non-dimmable - plastic clips	IP 66	71W	9620	96,54
79421	FUTURA 2.5ft SNS PC AI 16000/840 1F	Non-dimmable - plastic clips	IP 66	106W	14580	127,82
79540	FUTURA 2.4ft SNS PCc AI 5200/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	80,62
79550	FUTURA 2.4ft SNS PCc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	80,62
79560	FUTURA 2.4ft SNS PCc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	87,83
79431	FUTURA 2.4ft SNS PCc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	111,06

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79570	FUTURA 2.5ft SNS PCc AI 6500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	94,70
79580	FUTURA 2.5ft SNS PCc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	94,70
79590	FUTURA 2.5ft SNS PCc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	99,71
79441	FUTURA 2.5ft SNS PCc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	130,90
79143	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	35W	4570	108,67
79153	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	42W	5620	110,70
79163	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	58W	7860	114,02
79173	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	44W	5750	122,69
79183	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	53W	7030	122,69
79193	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	71W	9620	131,25
79543	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	111,19
79553	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	113,19
79563	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	116,51
79573	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	125,78
79583	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	125,78
79593	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	134,34
	<b>FUTURA 3faasi läbiva juhtmestusega</b>					
75340	FUTURA 2.4ft PC AI 5200/840 3F	Non-dimmable - plastic clips	IP 66	35W	4570	61,88
75350	FUTURA 2.4ft PC AI 6400/840 3F	Non-dimmable - plastic clips	IP 66	42W	5620	61,88
75360	FUTURA 2.4ft PC AI 8800/840 3F	Non-dimmable - plastic clips	IP 66	58W	7860	68,75
75412	FUTURA 2.4ft PC AI 12800/840 3F	Non-dimmable - plastic clips	IP 66	85W	11660	91,28
75370	FUTURA 2.5ft PC AI 6500/840 3F	Non-dimmable - plastic clips	IP 66	44W	5750	75,61
75380	FUTURA 2.5ft PC AI 8000/840 3F	Non-dimmable - plastic clips	IP 66	53W	7030	75,61
75390	FUTURA 2.5ft PC AI 11000/840 3F	Non-dimmable - plastic clips	IP 66	71W	9620	78,30
75422	FUTURA 2.5ft PC AI 16000/840 3F	Non-dimmable - plastic clips	IP 66	106W	14580	110,53
75640	FUTURA 2.4ft PCc AI 5200/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	64,42
75650	FUTURA 2.4ft PCc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	64,42
75660	FUTURA 2.4ft PCc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	71,32
75432	FUTURA 2.4ft PCc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	93,78
75670	FUTURA 2.5ft PCc AI 6500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	78,65
75680	FUTURA 2.5ft PCc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	78,65
75690	FUTURA 2.5ft PCc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	81,34
75442	FUTURA 2.5ft PCc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	113,45
75343	FUTURA 2.4ft PC AI 5200/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	35W	4570	89,95
75353	FUTURA 2.4ft PC AI 6400/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	42W	5620	89,95
75363	FUTURA 2.4ft PC AI 8800/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	58W	7860	96,82
75452	FUTURA 2.4ft PC AI 12800/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	85W	11660	117,98

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75373	FUTURA 2.5ft PC AI 6500/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	44W	5750	104,29
75383	FUTURA 2.5ft PC AI 8000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	53W	7030	104,29
75393	FUTURA 2.5ft PC AI 11000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	71W	9620	106,61
75462	FUTURA 2.5ft PC AI 16000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	106W	14580	137,79
75643	FUTURA 2.4ft PCc AI 5200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	92,50
75653	FUTURA 2.4ft PCc AI 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	92,50
75663	FUTURA 2.4ft PCc AI 8800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	99,40
75472	FUTURA 2.4ft PCc AI 12800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11660	120,48
75673	FUTURA 2.5ft PCc AI 6500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	107,33
75683	FUTURA 2.5ft PCc AI 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	107,33
75693	FUTURA 2.5ft PCc AI 11000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	109,64
75482	FUTURA 2.5ft PCc AI 16000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	106W	14580	140,74
77340	FUTURA 2.4ft ABS AI 5200/840 3F	Non-dimmable - plastic clips	IP 66	35W	4570	60,36
77350	FUTURA 2.4ft ABS AI 6400/840 3F	Non-dimmable - plastic clips	IP 66	42W	5620	60,36
77360	FUTURA 2.4ft ABS AI 8800/840 3F	Non-dimmable - plastic clips	IP 66	58W	7860	67,23
77412	FUTURA 2.4ft ABS AI 12800/840 3F	Non-dimmable - plastic clips	IP 66	85W	11660	89,94
77370	FUTURA 2.5ft ABS AI 6500/840 3F	Non-dimmable - plastic clips	IP 66	44W	5750	73,18
77380	FUTURA 2.5ft ABS AI 8000/840 3F	Non-dimmable - plastic clips	IP 66	53W	7030	73,18
77390	FUTURA 2.5ft ABS AI 11000/840 3F	Non-dimmable - plastic clips	IP 66	71W	9620	75,73
77422	FUTURA 2.5ft ABS AI 16000/840 3F	Non-dimmable - plastic clips	IP 66	106W	14580	108,59
77640	FUTURA 2.4ft ABSc AI 5200/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	62,91
77650	FUTURA 2.4ft ABSc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	62,91
77660	FUTURA 2.4ft ABSc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860,00	69,80
77432	FUTURA 2.4ft ABSc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	92,42
77670	FUTURA 2.5ft ABSc AI 6500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	76,22
77680	FUTURA 2.5ft ABSc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	76,22
77690	FUTURA 2.5ft ABSc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	78,76
77442	FUTURA 2.5ft ABSc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	111,53
77343	FUTURA 2.4ft ABS AI 5200/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	35W	4570	88,44
77353	FUTURA 2.4ft ABS AI 6400/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	42W	5620	88,44
77363	FUTURA 2.4ft ABS AI 8800/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	58W	7860	95,30
77452	FUTURA 2.4ft ABS AI 12800/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	85W	11660	116,62
77373	FUTURA 2.5ft ABS AI 6500/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	44W	5750	101,83
77383	FUTURA 2.5ft ABS AI 8000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	53W	7030	101,83
77393	FUTURA 2.5ft ABS AI 11000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	71W	9620	104,06
77462	FUTURA 2.5ft ABS AI 16000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	106W	14580	135,85
77643	FUTURA 2.4ft ABSc AI 5200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	88,09

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77653	FUTURA 2.4ft ABSc AI 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	88,09
77663	FUTURA 2.4ft ABSc AI 8800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	94,96
77472	FUTURA 2.4ft ABSc AI 12800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11660	116,29
77673	FUTURA 2.5ft ABSc AI 6500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	101,49
77683	FUTURA 2.5ft ABSc AI 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	101,49
77693	FUTURA 2.5ft ABSc AI 11000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	103,69
77482	FUTURA 2.5ft ABSc AI 16000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	106W	14580	138,79
76340	FUTURA 2.4ft VP AI 5200/840 3F	Non-dimmable - plastic clips	IP 66	35W	4570	65,48
76350	FUTURA 2.4ft VP AI 6400/840 3F	Non-dimmable - plastic clips	IP 66	42W	5620	65,48
76360	FUTURA 2.4ft VP AI 8800/840 3F	Non-dimmable - plastic clips	IP 66	58W	7860	72,35
76412	FUTURA 2.4ft VP AI 12800/840 3F	Non-dimmable - plastic clips	IP 66	85W	11660	94,81
76370	FUTURA 2.5ft VP AI 6500/840 3F	Non-dimmable - plastic clips	IP 66	44W	5750	79,22
76380	FUTURA 2.5ft VP AI 8000/840 3F	Non-dimmable - plastic clips	IP 66	53W	7030	79,22
76390	FUTURA 2.5ft VP AI 11000/840 3F	Non-dimmable - plastic clips	IP 66	71W	9620	81,80
76422	FUTURA 2.5ft VP AI 16000/840 3F	Non-dimmable - plastic clips	IP 66	106W	14580	114,04
76640	FUTURA 2.4ft VPc AI 5200/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	68,06
76650	FUTURA 2.4ft VPc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	68,06
76660	FUTURA 2.4ft VPc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	74,93
76432	FUTURA 2.4ft VPc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	97,28
76670	FUTURA 2.5ft VPc AI 6500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	82,25
76680	FUTURA 2.5ft VPc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	82,25
76690	FUTURA 2.5ft VPc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	84,83
76442	FUTURA 2.5ft VPc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	116,98
76343	FUTURA 2.4ft VP AI 5200/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	35W	4570	93,56
76353	FUTURA 2.4ft VP AI 6400/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	42W	5620	93,56
76363	FUTURA 2.4ft VP AI 8800/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	58W	7860	100,43
76452	FUTURA 2.4ft VP AI 12800/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	85W	11660	121,48
76373	FUTURA 2.5ft VP AI 6500/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	44W	5750	107,90
76383	FUTURA 2.5ft VP AI 8000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	53W	7030	107,90
76393	FUTURA 2.5ft VP AI 11000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	71W	9620	110,10
76462	FUTURA 2.5ft VP AI 16000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	106W	14580	141,29
76643	FUTURA 2.4ft VPc AI 5200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	96,13
76653	FUTURA 2.4ft VPc AI 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	96,13
76663	FUTURA 2.4ft VPc AI 8800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	103,00
76472	FUTURA 2.4ft VPc AI 12800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11660	123,98
76673	FUTURA 2.5ft VPc AI 6500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	110,93
76683	FUTURA 2.5ft VPc AI 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	110,93

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76693	FUTURA 2.5ft VPc AI 11000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	113,13
76482	FUTURA 2.5ft VPc AI 16000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	106W	14580	144,24
78360	FUTURA 2.4ft NB PC AI 8800/840 3F	Non-dimmable - plastic clips	IP 66	58W	7460	83,96
78370	FUTURA 2.4ft NB PC AI 12800/840 3F	Non-dimmable - plastic clips	IP 66	85W	11070	120,71
78390	FUTURA 2.5ft NB PC AI 11000/840 3F	Non-dimmable - plastic clips	IP 66	71W	9130	95,88
78380	FUTURA 2.5ft NB PC AI 16000/840 3F	Non-dimmable - plastic clips	IP 66	106W	13840	139,63
78660	FUTURA 2.4ft NB PCc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	86,54
78670	FUTURA 2.4ft NB PCc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11070	123,21
78690	FUTURA 2.5ft NB PCc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	98,95
78680	FUTURA 2.5ft NB PCc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	106W	13840	142,61
78363	FUTURA 2.4ft NB PC AI 8800/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	58W	7460	109,57
78373	FUTURA 2.4ft NB PC AI 12800/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	85W	11070	145,01
78393	FUTURA 2.5ft NB PC AI 11000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	71W	9130	121,14
78383	FUTURA 2.5ft NB PC AI 16000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	106W	13840	167,25
78663	FUTURA 2.4ft NB PCc AI 8800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	114,85
78673	FUTURA 2.4ft NB PCc AI 12800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	85W	11070	150,27
78693	FUTURA 2.5ft NB PCc AI 11000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	127,64
78683	FUTURA 2.5ft NB PCc AI 16000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	106W	13840	170,24
79340	FUTURA 2.4ft SNS PC AI 5200/840 3F	Non-dimmable - plastic clips	IP 66	35W	4570	80,25
79350	FUTURA 2.4ft SNS PC AI 6400/840 3F	Non-dimmable - plastic clips	IP 66	42W	5620	80,25
79360	FUTURA 2.4ft SNS PC AI 8800/840 3F	Non-dimmable - plastic clips	IP 66	58W	7860	87,46
#####	FUTURA 2.4ft SNS PC AI 12800/840 3F	Non-dimmable - plastic clips	IP 66	85W	11660	110,70
79370	FUTURA 2.5ft SNS PC AI 6500/840 3F	Non-dimmable - plastic clips	IP 66	44W	5750	94,70
79380	FUTURA 2.5ft SNS PC AI 8000/840 3F	Non-dimmable - plastic clips	IP 66	53W	7030	94,70
79390	FUTURA 2.5ft SNS PC AI 11000/840 3F	Non-dimmable - plastic clips	IP 66	71W	9620	99,71
79422	FUTURA 2.5ft SNS PC AI 16000/840 3F	Non-dimmable - plastic clips	IP 66	106W	14580	130,90
79640	FUTURA 2.4ft SNS PCc AI 5200/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	82,94
79650	FUTURA 2.4ft SNS PCc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	82,94
79660	FUTURA 2.4ft SNS PCc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	90,15
79432	FUTURA 2.4ft SNS PCc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	85W	11660	113,31
79670	FUTURA 2.5ft SNS PCc AI 6500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	97,88
79680	FUTURA 2.5ft SNS PCc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	97,88
79690	FUTURA 2.5ft SNS PCc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	102,89
79442	FUTURA 2.5ft SNS PCc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	106W	14580	133,99
79343	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	35W	4570	111,53
79353	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	42W	5620	113,56
79363	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	58W	7860	116,88

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79373	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	44W	5750	126,16
79383	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	53W	7030	126,16
79393	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	71W	9620	134,69
79643	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	114,14
79653	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	116,17
79663	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	119,49
79673	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	129,22
79683	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	129,22
79693	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	137,78
	<b>FUTURA 1H akuvalgusti</b>					
75014	FUTURA 2.2ft PC AI 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2300	87,63
75024	FUTURA 2.2ft PC AI 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2850	87,63
75034	FUTURA 2.2ft PC AI 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	89,24
75044	FUTURA 2.4ft PC AI 5200/840 M1h	Non-dimmable - plastic clips	IP 66	35W	4570	110,30
75054	FUTURA 2.4ft PC AI 6400/840 M1h	Non-dimmable - plastic clips	IP 66	42W	5620	110,30
75064	FUTURA 2.4ft PC AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7860	117,37
75074	FUTURA 2.5ft PC AI 6500/840 M1h	Non-dimmable - plastic clips	IP 66	44W	5750	123,61
75084	FUTURA 2.5ft PC AI 8000/840 M1h	Non-dimmable - plastic clips	IP 66	53W	7030	124,44
75094	FUTURA 2.5ft PC AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9620	127,22
75214	FUTURA 2.2ft PCc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	89,12
75224	FUTURA 2.2ft PCc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	89,12
75234	FUTURA 2.2ft PCc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	90,75
75244	FUTURA 2.4ft PCc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	112,93
75254	FUTURA 2.4ft PCc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	112,93
75264	FUTURA 2.4ft PCc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	120,00
75274	FUTURA 2.5ft PCc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	126,64
75284	FUTURA 2.5ft PCc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	127,56
75294	FUTURA 2.5ft PCc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	130,34
75017	FUTURA 2.2ft PC AI 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2300	111,73
75027	FUTURA 2.2ft PC AI 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2850	111,73
75037	FUTURA 2.2ft PC AI 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	113,36
75047	FUTURA 2.4ft PC AI 5200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	137,40
75057	FUTURA 2.4ft PC AI 6400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	137,40
75067	FUTURA 2.4ft PC AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	143,56
75077	FUTURA 2.5ft PC AI 6500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	151,69
75087	FUTURA 2.5ft PC AI 8000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	151,69
75097	FUTURA 2.5ft PC AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	154,09

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75217	FUTURA 2.2ft PCc AI 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	113,25
75227	FUTURA 2.2ft PCc AI 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	113,25
75237	FUTURA 2.2ft PCc AI 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	114,88
75247	FUTURA 2.4ft PCc AI 5200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	140,07
75257	FUTURA 2.4ft PCc AI 6400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	140,07
75267	FUTURA 2.4ft PCc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	146,11
75277	FUTURA 2.5ft PCc AI 6500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	154,81
75287	FUTURA 2.5ft PCc AI 8000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	154,81
75297	FUTURA 2.5ft PCc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	157,21
77014	FUTURA 2.2ft ABS AI 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2300	86,58
77024	FUTURA 2.2ft ABS AI 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2850	86,58
77034	FUTURA 2.2ft ABS AI 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	88,21
77044	FUTURA 2.4ft ABS AI 5200/840 M1h	Non-dimmable - plastic clips	IP 66	35W	4570	108,73
77054	FUTURA 2.4ft ABS AI 6400/840 M1h	Non-dimmable - plastic clips	IP 66	42W	5620	108,73
77064	FUTURA 2.4ft ABS AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7860	115,83
77074	FUTURA 2.5ft ABS AI 6500/840 M1h	Non-dimmable - plastic clips	IP 66	44W	5750	121,18
77084	FUTURA 2.5ft ABS AI 8000/840 M1h	Non-dimmable - plastic clips	IP 66	53W	7030	121,92
77094	FUTURA 2.5ft ABS AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9620	124,58
77214	FUTURA 2.2ft ABSc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	88,09
77224	FUTURA 2.2ft ABSc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	88,09
77234	FUTURA 2.2ft ABSc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	89,72
77244	FUTURA 2.4ft ABSc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	111,36
77254	FUTURA 2.4ft ABSc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	111,36
77264	FUTURA 2.4ft ABSc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	118,46
77274	FUTURA 2.5ft ABSc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	124,21
77284	FUTURA 2.5ft ABSc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	125,04
77294	FUTURA 2.5ft ABSc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	127,70
77017	FUTURA 2.2ft ABS AI 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2300	110,70
77027	FUTURA 2.2ft ABS AI 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2850	110,70
77037	FUTURA 2.2ft ABS AI 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	112,33
77047	FUTURA 2.4ft ABS AI 5200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	135,86
77057	FUTURA 2.4ft ABS AI 6400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	135,86
77067	FUTURA 2.4ft ABS AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	142,04
77077	FUTURA 2.5ft ABS AI 6500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	149,17
77087	FUTURA 2.5ft ABS AI 8000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	149,17
77097	FUTURA 2.5ft ABS AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	151,46
77217	FUTURA 2.2ft ABSc AI 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	112,22

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77227	FUTURA 2.2ft ABSc AI 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	112,22
77237	FUTURA 2.2ft ABSc AI 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	113,85
77247	FUTURA 2.4ft ABSc AI 5200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	138,49
77257	FUTURA 2.4ft ABSc AI 6400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	138,49
77267	FUTURA 2.4ft ABSc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	144,59
77277	FUTURA 2.5ft ABSc AI 6500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	152,29
77287	FUTURA 2.5ft ABSc AI 8000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	152,29
77297	FUTURA 2.5ft ABSc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	154,58
76014	FUTURA 2.2ft VP AI 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2300	91,24
76024	FUTURA 2.2ft VP AI 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2850	91,24
76034	FUTURA 2.2ft VP AI 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	92,87
76044	FUTURA 2.4ft VP AI 5200/840 M1h	Non-dimmable - plastic clips	IP 66	35W	4570	114,02
76054	FUTURA 2.4ft VP AI 6400/840 M1h	Non-dimmable - plastic clips	IP 66	42W	5620	114,02
76064	FUTURA 2.4ft VP AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7860	121,09
76074	FUTURA 2.5ft VP AI 6500/840 M1h	Non-dimmable - plastic clips	IP 66	44W	5750	127,24
76084	FUTURA 2.5ft VP AI 8000/840 M1h	Non-dimmable - plastic clips	IP 66	53W	7030	128,16
76094	FUTURA 2.5ft VP AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9620	130,82
76214	FUTURA 2.2ft VPc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	92,76
76224	FUTURA 2.2ft VPc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	92,76
76234	FUTURA 2.2ft VPc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	94,39
76244	FUTURA 2.4ft VPc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	116,66
76254	FUTURA 2.4ft VPc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	116,66
76264	FUTURA 2.4ft VPc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	123,72
76274	FUTURA 2.5ft VPc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	130,28
76284	FUTURA 2.5ft VPc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	131,28
76294	FUTURA 2.5ft VPc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	133,94
76017	FUTURA 2.2ft VP AI 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2300	115,34
76027	FUTURA 2.2ft VP AI 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2850	115,34
76037	FUTURA 2.2ft VP AI 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	116,97
76047	FUTURA 2.4ft VP AI 5200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	141,13
76057	FUTURA 2.4ft VP AI 6400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	141,13
76067	FUTURA 2.4ft VP AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	147,16
76077	FUTURA 2.5ft VP AI 6500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	155,41
76087	FUTURA 2.5ft VP AI 8000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	155,41
76097	FUTURA 2.5ft VP AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	157,70
76217	FUTURA 2.2ft VPc AI 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	116,86
76227	FUTURA 2.2ft VPc AI 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	116,86



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76237	FUTURA 2.2ft VPc AI 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	118,49
76247	FUTURA 2.4ft VPc AI 5200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	143,79
76257	FUTURA 2.4ft VPc AI 6400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	143,79
76267	FUTURA 2.4ft VPc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	149,71
76277	FUTURA 2.5ft VPc AI 6500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	158,53
76287	FUTURA 2.5ft VPc AI 8000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	158,53
76297	FUTURA 2.5ft VPc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	160,82
78064	FUTURA 2.4ft NB PC AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7460	133,64
78094	FUTURA 2.5ft NB PC AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9130	145,94
78264	FUTURA 2.4ft NB PCc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	136,34
78294	FUTURA 2.5ft NB PCc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	149,10
78067	FUTURA 2.4ft NB PC AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	58W	7460	159,74
78097	FUTURA 2.5ft NB PC AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	71W	9130	173,17
78267	FUTURA 2.4ft NB PCc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	162,35
78297	FUTURA 2.5ft NB PCc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	176,33
79014	FUTURA 2.2ft SNS PC AI 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2300	109,76
79024	FUTURA 2.2ft SNS PC AI 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2850	109,76
79034	FUTURA 2.2ft SNS PC AI 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	111,42
79044	FUTURA 2.4ft SNS PC AI 5200/840 M1h	Non-dimmable - plastic clips	IP 66	35W	4570	127,73
79054	FUTURA 2.4ft SNS PC AI 6400/840 M1h	Non-dimmable - plastic clips	IP 66	42W	5620	127,73
79064	FUTURA 2.4ft SNS PC AI 8800/840 M1h	Non-dimmable - plastic clips	IP 66	58W	7860	134,94
79074	FUTURA 2.5ft SNS PC AI 6500/840 M1h	Non-dimmable - plastic clips	IP 66	44W	5750	140,87
79084	FUTURA 2.5ft SNS PC AI 8000/840 M1h	Non-dimmable - plastic clips	IP 66	53W	7030	142,16
79094	FUTURA 2.5ft SNS PC AI 11000/840 M1h	Non-dimmable - plastic clips	IP 66	71W	9620	147,16
79214	FUTURA 2.2ft SNS PCc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	111,30
79224	FUTURA 2.2ft SNS PCc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	111,30
79234	FUTURA 2.2ft SNS PCc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	112,96
79244	FUTURA 2.4ft SNS PCc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	130,42
79254	FUTURA 2.4ft SNS PCc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	130,42
79264	FUTURA 2.4ft SNS PCc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	137,63
79274	FUTURA 2.5ft SNS PCc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	143,96
79284	FUTURA 2.5ft SNS PCc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	145,33
79294	FUTURA 2.5ft SNS PCc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	150,37
79047	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	155,84
79057	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	157,87
79067	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	161,19
79077	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	169,97

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79087	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	169,97
79097	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	178,53
79247	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	158,44
79257	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	160,47
79267	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	163,79
79277	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	173,07
79287	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	173,07
79297	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	181,62
	<b>FUTURA 3h akuseadmega</b>					
75015	FUTURA 2.2ft PC AI 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2300	103,92
75025	FUTURA 2.2ft PC AI 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2850	103,92
75035	FUTURA 2.2ft PC AI 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	105,55
75045	FUTURA 2.4ft PC AI 5200/840 M3h	Non-dimmable - plastic clips	IP 66	35W	4570	128,53
75055	FUTURA 2.4ft PC AI 6400/840 M3h	Non-dimmable - plastic clips	IP 66	42W	5620	128,53
75065	FUTURA 2.4ft PC AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	7860	135,60
75075	FUTURA 2.5ft PC AI 6500/840 M3h	Non-dimmable - plastic clips	IP 66	44W	5750	141,33
75085	FUTURA 2.5ft PC AI 8000/840 M3h	Non-dimmable - plastic clips	IP 66	53W	7030	142,70
75095	FUTURA 2.5ft PC AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9620	145,45
75215	FUTURA 2.2ft PCc AI 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	105,44
75225	FUTURA 2.2ft PCc AI 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	105,44
75235	FUTURA 2.2ft PCc AI 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	107,07
75245	FUTURA 2.4ft PCc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	131,17
75255	FUTURA 2.4ft PCc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	131,17
75265	FUTURA 2.4ft PCc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	138,26
75275	FUTURA 2.5ft PCc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	144,36
75285	FUTURA 2.5ft PCc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	145,82
75295	FUTURA 2.5ft PCc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	148,57
75019	FUTURA 2.2ft PC AI 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2300	128,27
75029	FUTURA 2.2ft PC AI 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2850	128,27
75039	FUTURA 2.2ft PC AI 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	129,91
75049	FUTURA 2.4ft PC AI 5200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	155,66
75059	FUTURA 2.4ft PC AI 6400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	155,66
75069	FUTURA 2.4ft PC AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	161,25
75079	FUTURA 2.5ft PC AI 6500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	169,89
75089	FUTURA 2.5ft PC AI 8000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	169,89
75099	FUTURA 2.5ft PC AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	172,35
75219	FUTURA 2.2ft PCc AI 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	129,79

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
75229	FUTURA 2.2ft PCc AI 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	129,79
75239	FUTURA 2.2ft PCc AI 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	131,42
75249	FUTURA 2.4ft PCc AI 5200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	158,30
75259	FUTURA 2.4ft PCc AI 6400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	158,30
75269	FUTURA 2.4ft PCc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	163,82
75279	FUTURA 2.5ft PCc AI 6500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	172,92
75289	FUTURA 2.5ft PCc AI 8000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	172,92
75299	FUTURA 2.5ft PCc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	175,47
77015	FUTURA 2.2ft ABS AI 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2300	102,89
77025	FUTURA 2.2ft ABS AI 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2850	102,89
77035	FUTURA 2.2ft ABS AI 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	104,52
77045	FUTURA 2.4ft ABS AI 5200/840 M3h	Non-dimmable - plastic clips	IP 66	35W	4570	126,96
77055	FUTURA 2.4ft ABS AI 6400/840 M3h	Non-dimmable - plastic clips	IP 66	42W	5620	126,96
77065	FUTURA 2.4ft ABS AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	7860	134,06
77075	FUTURA 2.5ft ABS AI 6500/840 M3h	Non-dimmable - plastic clips	IP 66	44W	5750	138,89
77085	FUTURA 2.5ft ABS AI 8000/840 M3h	Non-dimmable - plastic clips	IP 66	53W	7030	140,18
77095	FUTURA 2.5ft ABS AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9620	142,81
77215	FUTURA 2.2ft ABSc AI 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	104,41
77225	FUTURA 2.2ft ABSc AI 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	104,41
77235	FUTURA 2.2ft ABSc AI 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	106,04
77245	FUTURA 2.4ft ABSc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	129,62
77255	FUTURA 2.4ft ABSc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	129,62
77265	FUTURA 2.4ft ABSc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	136,69
77275	FUTURA 2.5ft ABSc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	141,93
77285	FUTURA 2.5ft ABSc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	143,30
77295	FUTURA 2.5ft ABSc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	145,93
77019	FUTURA 2.2ft ABS AI 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2300	127,24
77029	FUTURA 2.2ft ABS AI 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2850	127,24
77039	FUTURA 2.2ft ABS AI 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	128,88
77049	FUTURA 2.4ft ABS AI 5200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	154,09
77059	FUTURA 2.4ft ABS AI 6400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	154,09
77069	FUTURA 2.4ft ABS AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	159,76
77079	FUTURA 2.5ft ABS AI 6500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	167,43
77089	FUTURA 2.5ft ABS AI 8000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	167,43
77099	FUTURA 2.5ft ABS AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	169,69
77219	FUTURA 2.2ft ABSc AI 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	128,76
77229	FUTURA 2.2ft ABSc AI 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	128,76

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77239	FUTURA 2.2ft ABSc AI 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	130,39
77249	FUTURA 2.4ft ABSc AI 5200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	156,72
77259	FUTURA 2.4ft ABSc AI 6400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	156,72
77269	FUTURA 2.4ft ABSc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	162,30
77279	FUTURA 2.5ft ABSc AI 6500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	170,46
77289	FUTURA 2.5ft ABSc AI 8000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	170,46
77299	FUTURA 2.5ft ABSc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	172,81
76015	FUTURA 2.4ft VP AI 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2300	107,55
76025	FUTURA 2.4ft VP AI 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2850	107,55
76035	FUTURA 2.4ft VP AI 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	109,19
76045	FUTURA 2.4ft VP AI 5200/840 M3h	Non-dimmable - plastic clips	IP 66	35W	4570	132,25
76055	FUTURA 2.4ft VP AI 6400/840 M3h	Non-dimmable - plastic clips	IP 66	42W	5620	132,25
76065	FUTURA 2.4ft VP AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	7860	139,32
76075	FUTURA 2.5ft VP AI 6500/840 M3h	Non-dimmable - plastic clips	IP 66	44W	5750	144,96
76085	FUTURA 2.5ft VP AI 8000/840 M3h	Non-dimmable - plastic clips	IP 66	53W	7030	146,42
76095	FUTURA 2.5ft VP AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9620	149,05
76215	FUTURA 2.4ft VPc AI 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2300	109,07
76225	FUTURA 2.4ft VPc AI 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2850	109,07
76235	FUTURA 2.4ft VPc AI 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	110,70
76245	FUTURA 2.4ft VPc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	134,89
76255	FUTURA 2.4ft VPc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	134,89
76265	FUTURA 2.4ft VPc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	141,98
76275	FUTURA 2.5ft VPc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	147,97
76285	FUTURA 2.5ft VPc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	149,54
76295	FUTURA 2.5ft VPc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	152,17
76019	FUTURA 2.2ft VP AI 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2300	131,91
76029	FUTURA 2.2ft VP AI 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2850	131,91
76039	FUTURA 2.2ft VP AI 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	133,54
76049	FUTURA 2.4ft VP AI 5200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	159,38
76059	FUTURA 2.4ft VP AI 6400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	159,38
76069	FUTURA 2.4ft VP AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	164,88
76079	FUTURA 2.5ft VP AI 6500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	173,49
76089	FUTURA 2.5ft VP AI 8000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	173,49
76099	FUTURA 2.5ft VP AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	175,93
76219	FUTURA 2.2ft VPc AI 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2300	133,40
76229	FUTURA 2.2ft VPc AI 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2850	133,40
76239	FUTURA 2.2ft VPc AI 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	135,03

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76249	FUTURA 2.4ft VPc AI 5200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	162,02
76259	FUTURA 2.4ft VPc AI 6400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	162,02
76269	FUTURA 2.4ft VPc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	167,43
76279	FUTURA 2.5ft VPc AI 6500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	176,53
76289	FUTURA 2.5ft VPc AI 8000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	176,53
76299	FUTURA 2.5ft VPc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	179,05
78065	FUTURA 2.4ft NB PC AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	7460	152,14
78095	FUTURA 2.5ft NB PC AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9130	164,41
78265	FUTURA 2.4ft NB PCc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	154,81
78295	FUTURA 2.5ft NB PCc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	167,57
78069	FUTURA 2.4ft NB PC AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	58W	7460	177,69
78099	FUTURA 2.5ft NB PC AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	71W	9130	191,67
78269	FUTURA 2.4ft NB PCc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	180,30
78299	FUTURA 2.5ft NB PCc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	194,83
79045	FUTURA 2.4ft SNS PC AI 5200/840 M3h	Non-dimmable - plastic clips	IP 66	35W	4570	146,33
79055	FUTURA 2.4ft SNS PC AI 6400/840 M3h	Non-dimmable - plastic clips	IP 66	42W	5620	146,33
79065	FUTURA 2.4ft SNS PC AI 8800/840 M3h	Non-dimmable - plastic clips	IP 66	58W	7860	153,55
79075	FUTURA 2.5ft SNS PC AI 6500/840 M3h	Non-dimmable - plastic clips	IP 66	44W	5750	158,93
79085	FUTURA 2.5ft SNS PC AI 8000/840 M3h	Non-dimmable - plastic clips	IP 66	53W	7030	160,76
79095	FUTURA 2.5ft SNS PC AI 11000/840 M3h	Non-dimmable - plastic clips	IP 66	71W	9620	165,77
79245	FUTURA 2.4ft SNS PCc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	149,02
79255	FUTURA 2.4ft SNS PCc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	149,02
79265	FUTURA 2.4ft SNS PCc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	156,24
79275	FUTURA 2.5ft SNS PCc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	162,02
79285	FUTURA 2.5ft SNS PCc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	163,94
79295	FUTURA 2.5ft SNS PCc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	168,94
79049	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	173,90
79059	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	175,90
79069	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	179,25
79079	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	188,03
79089	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	188,03
79099	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	196,59

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79249	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	176,50
79259	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	178,53
79269	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	181,85
79279	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	191,12
79289	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	191,12
79299	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	199,65
	<b>FUTURA 3faasi läbiva juhtmestusega 1h akuseadmega</b>					
75344	FUTURA 2.4ft PC AI 5200/840 3F M1h	Non-dimmable - plastic clips	IP 66	35W	4570	115,22
75354	FUTURA 2.4ft PC AI 6400/840 3F M1h	Non-dimmable - plastic clips	IP 66	42W	5620	115,22
75364	FUTURA 2.4ft PC AI 8800/840 3F M1h	Non-dimmable - plastic clips	IP 66	58W	7860	122,29
75374	FUTURA 2.5ft PC AI 6500/840 3F M1h	Non-dimmable - plastic clips	IP 66	44W	5750	129,68
75384	FUTURA 2.5ft PC AI 8000/840 3F M1h	Non-dimmable - plastic clips	IP 66	53W	7030	130,68
75394	FUTURA 2.5ft PC AI 11000/840 3F M1h	Non-dimmable - plastic clips	IP 66	71W	9620	133,46
75644	FUTURA 2.4ft PCc AI 5200/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	117,86
75654	FUTURA 2.4ft PCc AI 6400/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	117,86
75664	FUTURA 2.4ft PCc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	124,93
75674	FUTURA 2.5ft PCc AI 6500/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	132,71
75684	FUTURA 2.5ft PCc AI 8000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	133,83
75694	FUTURA 2.5ft PCc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	136,57
75347	FUTURA 2.4ft PC AI 5200/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	144,96
75357	FUTURA 2.4ft PC AI 6400/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	144,96
75367	FUTURA 2.4ft PC AI 8800/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	150,88
75377	FUTURA 2.5ft PC AI 6500/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	161,19
75387	FUTURA 2.5ft PC AI 8000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	161,19
75397	FUTURA 2.5ft PC AI 11000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	163,56
75647	FUTURA 2.4ft PCc AI 5200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	147,62
75657	FUTURA 2.4ft PCc AI 6400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	147,62
75667	FUTURA 2.4ft PCc AI 8800/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	153,46
75677	FUTURA 2.5ft PCc AI 6500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	164,31
75687	FUTURA 2.5ft PCc AI 8000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	164,31
75697	FUTURA 2.5ft PCc AI 11000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	166,68

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77344	FUTURA 2.4ft ABS AI 5200/840 3F M1h	Non-dimmable - plastic clips	IP 66	35W	4570	113,65
77354	FUTURA 2.4ft ABS AI 6400/840 3F M1h	Non-dimmable - plastic clips	IP 66	42W	5620	113,65
77364	FUTURA 2.4ft ABS AI 8800/840 3F M1h	Non-dimmable - plastic clips	IP 66	58W	7860	120,72
77374	FUTURA 2.5ft ABS AI 6500/840 3F M1h	Non-dimmable - plastic clips	IP 66	44W	5750	127,24
77384	FUTURA 2.5ft ABS AI 8000/840 3F M1h	Non-dimmable - plastic clips	IP 66	53W	7030	128,16
77394	FUTURA 2.5ft ABS AI 11000/840 3F M1h	Non-dimmable - plastic clips	IP 66	71W	9620	130,82
77644	FUTURA 2.4ft ABSc AI 5200/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	116,28
77654	FUTURA 2.4ft ABSc AI 6400/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	116,28
77664	FUTURA 2.4ft ABSc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	123,38
77674	FUTURA 2.5ft ABSc AI 6500/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	130,28
77684	FUTURA 2.5ft ABSc AI 8000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	131,28
77694	FUTURA 2.5ft ABSc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	133,94
77347	FUTURA 2.4ft ABS AI 5200/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	143,41
77357	FUTURA 2.4ft ABS AI 6400/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	143,41
77367	FUTURA 2.4ft ABS AI 8800/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	149,37
77377	FUTURA 2.5ft ABS AI 6500/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	158,67
77387	FUTURA 2.5ft ABS AI 8000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	158,67
77397	FUTURA 2.5ft ABS AI 11000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	160,93
77647	FUTURA 2.4ft ABSc AI 5200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	146,05
77657	FUTURA 2.4ft ABSc AI 6400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	146,05
77667	FUTURA 2.4ft ABSc AI 8800/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	151,94
77677	FUTURA 2.5ft ABSc AI 6500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	161,79
77687	FUTURA 2.5ft ABSc AI 8000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	161,79
77697	FUTURA 2.5ft ABSc AI 11000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	164,05
76344	FUTURA 2.4ft VP AI 5200/840 3F M1h	Non-dimmable - plastic clips	IP 66	35W	4570	118,94
76354	FUTURA 2.4ft VP AI 6400/840 3F M1h	Non-dimmable - plastic clips	IP 66	42W	5620	118,94
76364	FUTURA 2.4ft VP AI 8800/840 3F M1h	Non-dimmable - plastic clips	IP 66	58W	7860	126,01
76374	FUTURA 2.5ft VP AI 6500/840 3F M1h	Non-dimmable - plastic clips	IP 66	44W	5750	133,28
76384	FUTURA 2.5ft VP AI 8000/840 3F M1h	Non-dimmable - plastic clips	IP 66	53W	7030	134,40
76394	FUTURA 2.5ft VP AI 11000/840 3F M1h	Non-dimmable - plastic clips	IP 66	71W	9620	137,06
76644	FUTURA 2.4ft VPc AI 5200/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	121,58
76654	FUTURA 2.4ft VPc AI 6400/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	121,58
76664	FUTURA 2.4ft VPc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	128,65
76674	FUTURA 2.5ft VPc AI 6500/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	136,32
76684	FUTURA 2.5ft VPc AI 8000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	137,52
76694	FUTURA 2.5ft VPc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	140,18

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76347	FUTURA 2.4ft VP AI 5200/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	148,68
76357	FUTURA 2.4ft VP AI 6400/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	148,68
76367	FUTURA 2.4ft VP AI 8800/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	154,49
76377	FUTURA 2.5ft VP AI 6500/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	164,91
76387	FUTURA 2.5ft VP AI 8000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	164,91
76397	FUTURA 2.5ft VP AI 11000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	167,17
76647	FUTURA 2.4ft VPc AI 5200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	151,34
76657	FUTURA 2.4ft VPc AI 6400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	151,34
76667	FUTURA 2.4ft VPc AI 8800/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	157,07
76677	FUTURA 2.5ft VPc AI 6500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	168,03
76687	FUTURA 2.5ft VPc AI 8000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	168,03
76697	FUTURA 2.5ft VPc AI 11000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	170,29
78364	FUTURA 2.4ft NB PC AI 8800/840 3F M1h	Non-dimmable - plastic clips	IP 66	58W	7460	138,63
78394	FUTURA 2.5ft NB PC AI 11000/840 3F M1h	Non-dimmable - plastic clips	IP 66	71W	9130	152,26
78664	FUTURA 2.4ft NB PCc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	141,32
78694	FUTURA 2.5ft NB PCc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	155,42
78367	FUTURA 2.4ft NB PC AI 8800/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	58W	7460	167,19
78397	FUTURA 2.5ft NB PC AI 11000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	71W	9130	182,80
78667	FUTURA 2.4ft NB PCc AI 8800/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	169,78
78697	FUTURA 2.5ft NB PCc AI 11000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	185,96
79344	FUTURA 2.4ft SNS PC AI 5200/840 3F M1h	Non-dimmable - plastic clips	IP 66	35W	4570	132,74
79354	FUTURA 2.4ft SNS PC AI 6400/840 3F M1h	Non-dimmable - plastic clips	IP 66	42W	5620	132,74
79364	FUTURA 2.4ft SNS PC AI 8800/840 3F M1h	Non-dimmable - plastic clips	IP 66	58W	7860	139,95
79374	FUTURA 2.5ft SNS PC AI 6500/840 3F M1h	Non-dimmable - plastic clips	IP 66	44W	5750	147,05
79384	FUTURA 2.5ft SNS PC AI 8000/840 3F M1h	Non-dimmable - plastic clips	IP 66	53W	7030	148,51
79394	FUTURA 2.5ft SNS PC AI 11000/840 3F M1h	Non-dimmable - plastic clips	IP 66	71W	9620	153,55
79644	FUTURA 2.4ft SNS PCc AI 5200/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	135,43
79654	FUTURA 2.4ft SNS PCc AI 6400/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	135,43
79664	FUTURA 2.4ft SNS PCc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	142,64
79674	FUTURA 2.5ft SNS PCc AI 6500/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	150,14
79684	FUTURA 2.5ft SNS PCc AI 8000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	151,71
79694	FUTURA 2.5ft SNS PCc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	156,72
79347	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	35W	4570	163,33
79357	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	42W	5620	165,34
79367	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	58W	7860	168,66
79377	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	44W	5750	179,36



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79387	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	53W	7030	179,36
79397	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	71W	9620	187,92
79647	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	165,94
79657	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	167,94
79667	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	171,29
79677	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	182,45
79687	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	182,45
79697	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	191,01
	<b>FUTURA 3faasi läbi 3h akuseadmega</b>					
75345	FUTURA 2.4ft PC AI 5200/840 3F M3h	Non-dimmable - plastic clips	IP 66	35W	4570	133,46
75355	FUTURA 2.4ft PC AI 6400/840 3F M3h	Non-dimmable - plastic clips	IP 66	42W	5620	133,46
75365	FUTURA 2.4ft PC AI 8800/840 3F M3h	Non-dimmable - plastic clips	IP 66	58W	7860	140,52
75375	FUTURA 2.5ft PC AI 6500/840 3F M3h	Non-dimmable - plastic clips	IP 66	44W	5750	147,39
75385	FUTURA 2.5ft PC AI 8000/840 3F M3h	Non-dimmable - plastic clips	IP 66	53W	7030	148,94
75395	FUTURA 2.5ft PC AI 11000/840 3F M3h	Non-dimmable - plastic clips	IP 66	71W	9620	151,69
75645	FUTURA 2.4ft PCc AI 5200/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	136,09
75655	FUTURA 2.4ft PCc AI 6400/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	136,09
75665	FUTURA 2.4ft PCc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	143,19
75675	FUTURA 2.5ft PCc AI 6500/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	150,43
75685	FUTURA 2.5ft PCc AI 8000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	152,06
75695	FUTURA 2.5ft PCc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	154,81
75349	FUTURA 2.4ft PC AI 5200/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	163,22
75359	FUTURA 2.4ft PC AI 6400/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	163,22
75369	FUTURA 2.4ft PC AI 8800/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	168,60
75379	FUTURA 2.5ft PC AI 6500/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	179,08
75389	FUTURA 2.5ft PC AI 8000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	179,08
75399	FUTURA 2.5ft PC AI 11000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	181,82
75649	FUTURA 2.4ft PCc AI 5200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	165,85
75659	FUTURA 2.4ft PCc AI 6400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	165,85
75669	FUTURA 2.4ft PCc AI 8800/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	171,18
75679	FUTURA 2.5ft PCc AI 6500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	182,11
75689	FUTURA 2.5ft PCc AI 8000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	182,11
75699	FUTURA 2.5ft PCc AI 11000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	184,94
77345	FUTURA 2.4ft ABS AI 5200/840 3F M3h	Non-dimmable - plastic clips	IP 66	35W	4570	131,88
77355	FUTURA 2.4ft ABS AI 6400/840 3F M3h	Non-dimmable - plastic clips	IP 66	42W	5620	131,88
77365	FUTURA 2.4ft ABS AI 8800/840 3F M3h	Non-dimmable - plastic clips	IP 66	58W	7860	138,98
77375	FUTURA 2.5ft ABS AI 6500/840 3F M3h	Non-dimmable - plastic clips	IP 66	44W	5750	144,96

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
77385	FUTURA 2.5ft ABS AI 8000/840 3F M3h	Non-dimmable - plastic clips	IP 66	53W	7030	146,42
77395	FUTURA 2.5ft ABS AI 11000/840 3F M3h	Non-dimmable - plastic clips	IP 66	71W	9620	149,05
77645	FUTURA 2.4ft ABSc AI 5200/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	134,54
77655	FUTURA 2.4ft ABSc AI 6400/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	134,54
77665	FUTURA 2.4ft ABSc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	141,61
77675	FUTURA 2.5ft ABSc AI 6500/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	147,97
77685	FUTURA 2.5ft ABSc AI 8000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	149,54
77695	FUTURA 2.5ft ABSc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	152,17
77349	FUTURA 2.4ft ABS AI 5200/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	161,65
77359	FUTURA 2.4ft ABS AI 6400/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	161,65
77369	FUTURA 2.4ft ABS AI 8800/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	167,08
77379	FUTURA 2.5ft ABS AI 6500/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	176,64
77389	FUTURA 2.5ft ABS AI 8000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	176,64
77399	FUTURA 2.5ft ABS AI 11000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	179,19
77649	FUTURA 2.4ft ABSc AI 5200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	168,83
77659	FUTURA 2.4ft ABSc AI 6400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	168,86
77669	FUTURA 2.4ft ABSc AI 8800/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	174,07
77679	FUTURA 2.5ft ABSc AI 6500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	185,49
77689	FUTURA 2.5ft ABSc AI 8000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	185,49
77699	FUTURA 2.5ft ABSc AI 11000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	188,29
76345	FUTURA 2.4ft VP AI 5200/840 3F M3h	Non-dimmable - plastic clips	IP 66	35W	4570	137,18
76355	FUTURA 2.4ft VP AI 6400/840 3F M3h	Non-dimmable - plastic clips	IP 66	42W	5620	137,18
76365	FUTURA 2.4ft VP AI 8800/840 3F M3h	Non-dimmable - plastic clips	IP 66	58W	7860	144,24
76375	FUTURA 2.5ft VP AI 6500/840 3F M3h	Non-dimmable - plastic clips	IP 66	44W	5750	151,00
76385	FUTURA 2.5ft VP AI 8000/840 3F M3h	Non-dimmable - plastic clips	IP 66	53W	7030	152,66
76395	FUTURA 2.5ft VP AI 11000/840 3F M3h	Non-dimmable - plastic clips	IP 66	71W	9620	155,29
76645	FUTURA 2.4ft VPc AI 5200/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	139,81
76655	FUTURA 2.4ft VPc AI 6400/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	139,81
76665	FUTURA 2.4ft VPc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	146,91
76675	FUTURA 2.5ft VPc AI 6500/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	154,03
76685	FUTURA 2.5ft VPc AI 8000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	155,78
76695	FUTURA 2.5ft VPc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	158,41
76349	FUTURA 2.4ft VP AI 5200/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	166,94
76359	FUTURA 2.4ft VP AI 6400/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	166,94
76369	FUTURA 2.4ft VP AI 8800/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	172,21
76379	FUTURA 2.5ft VP AI 6500/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	182,71
76389	FUTURA 2.5ft VP AI 8000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	182,71

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
76399	FUTURA 2.5ft VP AI 11000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	185,43
76649	FUTURA 2.4ft VPc AI 5200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	169,54
76659	FUTURA 2.4ft VPc AI 6400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	169,57
76669	FUTURA 2.4ft VPc AI 8800/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	174,78
76679	FUTURA 2.5ft VPc AI 6500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	185,72
76689	FUTURA 2.5ft VPc AI 8000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	185,72
76699	FUTURA 2.5ft VPc AI 11000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	188,55
78365	FUTURA 2.4ft NB PC AI 8800/840 3F M3h	Non-dimmable - plastic clips	IP 66	58W	7460	157,13
78395	FUTURA 2.5ft NB PC AI 11000/840 3F M3h	Non-dimmable - plastic clips	IP 66	71W	9130	170,73
78665	FUTURA 2.4ft NB PCc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7460	159,80
78695	FUTURA 2.5ft NB PCc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9130	173,89
78369	FUTURA 2.4ft NB PC AI 8800/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	58W	7460	185,15
78399	FUTURA 2.5ft NB PC AI 11000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	71W	9130	201,27
78669	FUTURA 2.4ft NB PCc AI 8800/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7460	187,73
78699	FUTURA 2.5ft NB PCc AI 11000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9130	204,43
79345	FUTURA 2.4ft SNS PC AI 5200/840 3F M3h	Non-dimmable - plastic clips	IP 66	35W	4570	151,34
79355	FUTURA 2.4ft SNS PC AI 6400/840 3F M3h	Non-dimmable - plastic clips	IP 66	42W	5620	151,34
79365	FUTURA 2.4ft SNS PC AI 8800/840 3F M3h	Non-dimmable - plastic clips	IP 66	58W	7860	158,55
79375	FUTURA 2.5ft SNS PC AI 6500/840 3F M3h	Non-dimmable - plastic clips	IP 66	44W	5750	165,11
79385	FUTURA 2.5ft SNS PC AI 8000/840 3F M3h	Non-dimmable - plastic clips	IP 66	53W	7030	167,11
79395	FUTURA 2.5ft SNS PC AI 11000/840 3F M3h	Non-dimmable - plastic clips	IP 66	71W	9620	172,15
79645	FUTURA 2.4ft SNS PCc AI 5200/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	35W	4570	154,03
79655	FUTURA 2.4ft SNS PCc AI 6400/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	42W	5620	154,03
79665	FUTURA 2.4ft SNS PCc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	58W	7860	161,25
79675	FUTURA 2.5ft SNS PCc AI 6500/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	44W	5750	168,20
79685	FUTURA 2.5ft SNS PCc AI 8000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	53W	7030	170,29
79695	FUTURA 2.5ft SNS PCc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	71W	9620	175,33
79349	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	35W	4570	181,36
79359	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	42W	5620	183,40
79369	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	58W	7860	186,72
79379	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	44W	5750	197,42
79389	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	53W	7030	197,42
79399	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	71W	9620	205,95
79649	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	35W	4570	184,00
79659	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	42W	5620	186,00
79669	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	58W	7860	189,32
79679	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	44W	5750	200,51

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79689	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	53W	7030	200,51
79699	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	71W	9620	209,04
	<b>FUTURA hädaolukorra valgustid</b>					
62410	FUTURA 2.2ft PC NM1h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	65,60
62411	FUTURA 2.2ft PC 3F NM1h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	69,20
62413	FUTURA 2.2ft PC NM3h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	80,05
62414	FUTURA 2.2ft PC 3F NM3h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	83,66
62420	FUTURA 2.2ft PC NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	84,83
62421	FUTURA 2.2ft PC 3F NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	88,44
62423	FUTURA 2.2ft PC NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	102,66
62424	FUTURA 2.2ft PC 3F NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	106,27
62430	FUTURA 2.2ft PCc NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	67,11
62431	FUTURA 2.2ft PCc 3F NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	70,72
62433	FUTURA 2.2ft PCc NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	81,57
62434	FUTURA 2.2ft PCc 3F NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	85,17
62440	FUTURA 2.2ft PCc NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	86,35
62441	FUTURA 2.2ft PCc 3F NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	89,95
62443	FUTURA 2.2ft PCc NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	104,18
62444	FUTURA 2.2ft PCc 3F NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	107,78
62510	FUTURA 2.2ft ABS NM1h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	65,60
62511	FUTURA 2.2ft ABS 3F NM1h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	69,20
62513	FUTURA 2.2ft ABS NM3h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	80,05
62514	FUTURA 2.2ft ABS 3F NM3h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	83,66
62520	FUTURA 2.2ft ABS NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	84,83
62521	FUTURA 2.2ft ABS 3F NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	88,44
62523	FUTURA 2.2ft ABS NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	102,66
62524	FUTURA 2.2ft ABS 3F NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	106,27
62530	FUTURA 2.2ft ABSc NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	67,11
62531	FUTURA 2.2ft ABSc 3F NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	70,72
62533	FUTURA 2.2ft ABSc NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	81,57
62534	FUTURA 2.2ft ABSc 3F NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	85,17
62540	FUTURA 2.2ft ABSc NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	86,35
62541	FUTURA 2.2ft ABSc 3F NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	89,95
62543	FUTURA 2.2ft ABSc NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	104,18
62544	FUTURA 2.2ft ABSc 3F NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	107,78
	<b>PRIMA LED plastklambirga</b>					
65010	Prima LED 1.2ft PC 1300/840	Non-dimmable - plastic clips	IP 66	10W	1260	32,57

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
65020	Prima LED 1.2ft PC 1600/840	Non-dimmable - plastic clips	IP 66	12W	1510	32,57
65030	Prima LED 1.2ft PC 2200/840	Non-dimmable - plastic clips	IP 66	15W	1950	33,91
65040	Prima LED 1.4ft PC 2600/840	Non-dimmable - plastic clips	IP 66	18W	2320	41,13
65050	Prima LED 1.4ft PC 3200/840	Non-dimmable - plastic clips	IP 66	22W	2860	41,13
65060	Prima LED 1.4ft PC 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	43,45
65460	Prima LED 1.4ft PC 6400/840	Non-dimmable - plastic clips	IP 66	43W	5650	46,48
65070	Prima LED 1.5ft PC 3250/840	Non-dimmable - plastic clips	IP 66	22W	2810	48,08
65080	Prima LED 1.5ft PC 4000/840	Non-dimmable - plastic clips	IP 66	27W	3530	48,08
65090	Prima LED 1.5ft PC 5500/840	Non-dimmable - plastic clips	IP 66	37W	4940	50,00
65490	Prima LED 1.5ft PC 8000/840	Non-dimmable - plastic clips	IP 66	54W	7090	53,72
	<b>PRIMA LED metallklambriga</b>					
65210	Prima LED 1.2ft PCc 1300/840	Non-dimmable - stainless steel clips (c)	IP 66	10W	1260	34,06
65220	Prima LED 1.2ft PCc 1600/840	Non-dimmable - stainless steel clips (c)	IP 66	12W	1510	34,06
65230	Prima LED 1.2ft PCc 2200/840	Non-dimmable - stainless steel clips (c)	IP 66	15W	1950	35,43
65240	Prima LED 1.4ft PCc 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	43,70
65250	Prima LED 1.4ft PCc 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	43,70
65260	Prima LED 1.4ft PCc 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	45,94
65760	Prima LED 1.4ft PCc 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	49,05
65270	Prima LED 1.5ft PCc 3250/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	51,03
65280	Prima LED 1.5ft PCc 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	51,03
65290	Prima LED 1.5ft PCc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	53,00
65790	Prima LED 1.5ft PCc 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	56,75
	<b>PRIMA LED DALI seadmega</b>					
65013	Prima LED 1.2ft PC 1300/840 DALI	DALI Dimmable - plastic clips	IP 66	10W	1260	63,02
65023	Prima LED 1.2ft PC 1600/840 DALI	DALI Dimmable - plastic clips	IP 66	12W	1510	63,02
65033	Prima LED 1.2ft PC 2200/840 DALI	DALI Dimmable - plastic clips	IP 66	15W	1950	63,79
65043	Prima LED 1.4ft PC 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2320	65,51
65053	Prima LED 1.4ft PC 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2860	65,51
65063	Prima LED 1.4ft PC 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	67,09
65860	Prima LED 1.4ft PC 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	43W	5650	72,01
65073	Prima LED 1.5ft PC 3250/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2810	71,72
65083	Prima LED 1.5ft PC 4000/840 DALI	DALI Dimmable - plastic clips	IP 66	27W	3530	71,72
65093	Prima LED 1.5ft PC 5500/840 DALI	DALI Dimmable - plastic clips	IP 66	37W	4940	73,75
65890	Prima LED 1.5ft PC 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	54W	7090	79,22
65213	Prima LED 1.2ft PCc 1300/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	10W	1260	64,48
65223	Prima LED 1.2ft PCc 1600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	12W	1510	64,48
65233	Prima LED 1.2ft PCc 2200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	15W	1950	65,28

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
65243	Prima LED 1.4ft PCc 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	67,97
65253	Prima LED 1.4ft PCc 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	67,97
65263	Prima LED 1.4ft PCc 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	69,58
65960	Prima LED 1.4ft PCc 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	74,58
65273	Prima LED 1.5ft PCc 3250/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	74,67
65283	Prima LED 1.5ft PCc 4000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	74,67
65293	Prima LED 1.5ft PCc 5500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	76,70
65990	Prima LED 1.5ft PCc 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	82,25
	<b>PRIMA LED ABS korpusega</b>					
67010	Prima LED 1.2ft ABS 1300/840	Non-dimmable - plastic clips	IP 66	10W	1260	32,34
67020	Prima LED 1.2ft ABS 1600/840	Non-dimmable - plastic clips	IP 66	12W	1510	32,34
67030	Prima LED 1.2ft ABS 2200/840	Non-dimmable - plastic clips	IP 66	15W	1950	33,69
67040	Prima LED 1.4ft ABS 2600/840	Non-dimmable - plastic clips	IP 66	18W	2320	41,24
67050	Prima LED 1.4ft ABS 3200/840	Non-dimmable - plastic clips	IP 66	22W	2860	41,24
67060	Prima LED 1.4ft ABS 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	43,56
67460	Prima LED 1.4ft ABS 6400/840	Non-dimmable - plastic clips	IP 66	43W	5650	46,59
67070	Prima LED 1.5ft ABS 3250/840	Non-dimmable - plastic clips	IP 66	22W	2810	48,31
67080	Prima LED 1.5ft ABS 4000/840	Non-dimmable - plastic clips	IP 66	27W	3530	48,31
67090	Prima LED 1.5ft ABS 5500/840	Non-dimmable - plastic clips	IP 66	37W	4940	50,23
67490	Prima LED 1.5ft ABS 8000/840	Non-dimmable - plastic clips	IP 66	54W	7090	53,95
67210	Prima LED 1.2ft ABSc 1300/840	Non-dimmable - stainless steel clips (c)	IP 66	10W	1260	33,83
67220	Prima LED 1.2ft ABSc 1600/840	Non-dimmable - stainless steel clips (c)	IP 66	12W	1510	33,83
67230	Prima LED 1.2ft ABSc 2200/840	Non-dimmable - stainless steel clips (c)	IP 66	15W	1950	35,17
67240	Prima LED 1.4ft ABSc 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	43,82
67250	Prima LED 1.4ft ABSc 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	43,82
67260	Prima LED 1.4ft ABSc 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	46,05
67760	Prima LED 1.4ft ABSc 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	49,17
67270	Prima LED 1.5ft ABSc 3250/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	51,26
67280	Prima LED 1.5ft ABSc 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	51,26
67290	Prima LED 1.5ft ABSc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	53,26
67790	Prima LED 1.5ft ABSc 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	56,98
	<b>PRIMA LED ABS korpusega DALI seadmega</b>					
67013	Prima LED 1.2ft ABS 1300/840 DALI	DALI Dimmable - plastic clips	IP 66	10W	1260	62,79
67023	Prima LED 1.2ft ABS 1600/840 DALI	DALI Dimmable - plastic clips	IP 66	12W	1510	62,79
67033	Prima LED 1.2ft ABS 2200/840 DALI	DALI Dimmable - plastic clips	IP 66	15W	1950	63,57
67043	Prima LED 1.4ft ABS 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2320	65,60
67053	Prima LED 1.4ft ABS 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2860	65,60

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
#####	Prima LED 1.4ft ABS 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	67,20
67860	Prima LED 1.4ft ABS 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	43W	5650	72,12
67073	Prima LED 1.5ft ABS 3250/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2810	71,95
67083	Prima LED 1.5ft ABS 4000/840 DALI	DALI Dimmable - plastic clips	IP 66	27W	3530	71,95
67093	Prima LED 1.5ft ABS 5500/840 DALI	DALI Dimmable - plastic clips	IP 66	37W	4940	73,98
67890	Prima LED 1.5ft ABS 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	54W	7090	79,48
67213	Prima LED 1.2ft ABSc 1300/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	10W	1260	64,25
67223	Prima LED 1.2ft ABSc 1600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	12W	1510	64,25
67233	Prima LED 1.2ft ABSc 2200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	15W	1950	65,05
67243	Prima LED 1.4ft ABSc 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	68,09
67253	Prima LED 1.4ft ABSc 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	68,09
67263	Prima LED 1.4ft ABSc 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	69,69
67960	Prima LED 1.4ft ABSc 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	74,70
67273	Prima LED 1.5ft ABSc 3250/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	74,90
67283	Prima LED 1.5ft ABSc 4000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	74,90
67293	Prima LED 1.5ft ABSc 5500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	76,93
67990	Prima LED 1.5ft ABSc 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	82,48
	<b>PRIMA LED ventilatsiooniklapiga</b>					
66010	Prima LED 1.2ft VP 1300/840	Non-dimmable - plastic clips	IP 66	10W	1260	36,09
66020	Prima LED 1.2ft VP 1600/840	Non-dimmable - plastic clips	IP 66	12W	1510	36,09
66030	Prima LED 1.2ft VP 2200/840	Non-dimmable - plastic clips	IP 66	15W	1950	37,52
66040	Prima LED 1.4ft VP 2600/840	Non-dimmable - plastic clips	IP 66	18W	2320	44,73
66050	Prima LED 1.4ft VP 3200/840	Non-dimmable - plastic clips	IP 66	22W	2860	44,73
66060	Prima LED 1.4ft VP 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	46,94
66460	Prima LED 1.4ft VP 6400/840	Non-dimmable - plastic clips	IP 66	43W	5650	50,11
66070	Prima LED 1.5ft VP 3250/840	Non-dimmable - plastic clips	IP 66	22W	2810	51,57
66080	Prima LED 1.5ft VP 4000/840	Non-dimmable - plastic clips	IP 66	27W	3530	51,57
66090	Prima LED 1.5ft VP 5500/840	Non-dimmable - plastic clips	IP 66	37W	4940	53,61
66490	Prima LED 1.5ft VP 8000/840	Non-dimmable - plastic clips	IP 66	54W	7090	57,33
66210	Prima LED 1.2ft VPc 1300/840	Non-dimmable - stainless steel clips (c)	IP 66	10W	1260	37,55
66220	Prima LED 1.2ft VPc 1600/840	Non-dimmable - stainless steel clips (c)	IP 66	12W	1510	37,55
66230	Prima LED 1.2ft VPc 2200/840	Non-dimmable - stainless steel clips (c)	IP 66	15W	1950	39,04
66240	Prima LED 1.4ft VPc 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	47,31
66250	Prima LED 1.4ft VPc 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	47,31
66260	Prima LED 1.4ft VPc 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	49,43
66760	Prima LED 1.4ft VPc 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	52,66
66270	Prima LED 1.5ft VPc 3250/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	54,52

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
66280	Prima LED 1.5ft VPc 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	54,52
66290	Prima LED 1.5ft VPc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	56,55
66790	Prima LED 1.5ft VPc 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	60,36
66013	Prima LED 1.2ft VP 1300/840 DALI	DALI Dimmable - plastic clips	IP 66	10W	1260	66,51
66023	Prima LED 1.2ft VP 1600/840 DALI	DALI Dimmable - plastic clips	IP 66	12W	1510	66,51
66033	Prima LED 1.2ft VP 2200/840 DALI	DALI Dimmable - plastic clips	IP 66	15W	1950	67,31
66043	Prima LED 1.4ft VP 2600/840 DALI	DALI Dimmable - plastic clips	IP 66	18W	2320	69,00
66053	Prima LED 1.4ft VP 3200/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2860	69,00
66063	Prima LED 1.4ft VP 4400/840 DALI	DALI Dimmable - plastic clips	IP 66	30W	3920	70,58
66860	Prima LED 1.4ft VP 6400/840 DALI	DALI Dimmable - plastic clips	IP 66	43W	5650	75,61
66073	Prima LED 1.5ft VP 3250/840 DALI	DALI Dimmable - plastic clips	IP 66	22W	2810	75,21
66083	Prima LED 1.5ft VP 4000/840 DALI	DALI Dimmable - plastic clips	IP 66	27W	3530	75,21
66093	Prima LED 1.5ft VP 5500/840 DALI	DALI Dimmable - plastic clips	IP 66	37W	4940	77,27
66890	Prima LED 1.5ft VP 8000/840 DALI	DALI Dimmable - plastic clips	IP 66	54W	7090	82,85
66213	Prima LED 1.2ft VPc 1300/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	10W	1260	67,97
66223	Prima LED 1.2ft VPc 1600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	12W	1510	67,97
66233	Prima LED 1.2ft VPc 2200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	15W	1950	68,77
66243	Prima LED 1.4ft VPc 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	71,49
66253	Prima LED 1.4ft VPc 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	71,49
66263	Prima LED 1.4ft VPc 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	73,07
66960	Prima LED 1.4ft VPc 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	78,19
66273	Prima LED 1.5ft VPc 3250/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	78,16
66283	Prima LED 1.5ft VPc 4000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	78,16
66293	Prima LED 1.5ft VPc 5500/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	80,19
66990	Prima LED 1.5ft VPc 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	85,86
	<b>PRIMA LED SENSORIGA</b>					
64010	Prima LED 1.2ft SNS PC 1300/840	Non-dimmable - plastic clips	IP 66	10W	1260	
64020	Prima LED 1.2ft SNS PC 1600/840	Non-dimmable - plastic clips	IP 66	12W	1510	
64030	Prima LED 1.2ft SNS PC 2200/840	Non-dimmable - plastic clips	IP 66	15W	1950	
64040	Prima LED 1.4ft SNS PC 2600/840	Non-dimmable - plastic clips	IP 66	18W	2320	58,47
64050	Prima LED 1.4ft SNS PC 3200/840	Non-dimmable - plastic clips	IP 66	22W	2860	58,47
64060	Prima LED 1.4ft SNS PC 4400/840	Non-dimmable - plastic clips	IP 66	30W	3920	60,45
64460	Prima LED 1.4ft SNS PC 6400/840	Non-dimmable - plastic clips	IP 66	43W	5650	64,11
64070	Prima LED 1.5ft SNS PC 3250/840	Non-dimmable - plastic clips	IP 66	22W	2810	65,34
64080	Prima LED 1.5ft SNS PC 4000/840	Non-dimmable - plastic clips	IP 66	27W	3530	65,34
64090	Prima LED 1.5ft SNS PC 5500/840	Non-dimmable - plastic clips	IP 66	37W	4940	67,46
64490	Prima LED 1.5ft SNS PC 8000/840	Non-dimmable - plastic clips	IP 66	54W	7090	71,69



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
64210	Prima LED 1.2ft SNS PCc 1300/840	Non-dimmable - stainless steel clips (c)	IP 66	10W	1260	
64220	Prima LED 1.2ft SNS PCc 1600/840	Non-dimmable - stainless steel clips (c)	IP 66	12W	1510	
64230	Prima LED 1.2ft SNS PCc 2200/840	Non-dimmable - stainless steel clips (c)	IP 66	15W	1950	
64240	Prima LED 1.4ft SNS PCc 2600/840	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	61,16
64250	Prima LED 1.4ft SNS PCc 3200/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	61,16
64260	Prima LED 1.4ft SNS PCc 4400/840	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	63,08
64760	Prima LED 1.4ft SNS PCc 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	66,80
64270	Prima LED 1.5ft SNS PCc 3250/840	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	68,43
64280	Prima LED 1.5ft SNS PCc 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	68,43
64290	Prima LED 1.5ft SNS PCc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	70,55
64790	Prima LED 1.5ft SNS PCc 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	74,87
64043	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	18W	2320	83,63
64053	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	22W	2860	83,63
64063	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	30W	3920	85,29
64073	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	22W	2810	90,15
64083	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	27W	3530	90,15
64093	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR	DALI Dimmable - plastic clips	IP 66	37W	4940	92,30
64243	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	86,23
64253	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	86,23
64263	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	87,89
64273	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	93,24
64283	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	93,24
64293	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	95,39
	<b>PRIMA LED 1 faas l�biva juhtmestusega</b>					
65140	Prima LED 1.4ft PC 2600/840 1F	Non-dimmable - plastic clips	IP 66	18W	2320	44,73
65150	Prima LED 1.4ft PC 3200/840 1F	Non-dimmable - plastic clips	IP 66	22W	2860	44,73
65160	Prima LED 1.4ft PC 4400/840 1F	Non-dimmable - plastic clips	IP 66	30W	3920	46,94
65461	Prima LED 1.4ft PC 6400/840 1F	Non-dimmable - plastic clips	IP 66	43W	5650	50,11
65170	Prima LED 1.5ft PC 3250/840 1F	Non-dimmable - plastic clips	IP 66	22W	2810	52,03
65180	Prima LED 1.5ft PC 4000/840 1F	Non-dimmable - plastic clips	IP 66	27W	3530	52,03
65190	Prima LED 1.5ft PC 5500/840 1F	Non-dimmable - plastic clips	IP 66	37W	4940	54,06
65491	Prima LED 1.5ft PC 8000/840 1F	Non-dimmable - plastic clips	IP 66	54W	7090	57,78
65540	Prima LED 1.4ft PCc 2600/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	47,31
65550	Prima LED 1.4ft PCc 3200/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	47,31
65560	Prima LED 1.4ft PCc 4400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	49,43
65761	Prima LED 1.4ft PCc 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	52,66
65570	Prima LED 1.5ft PCc 3250/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	54,98

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
65580	Prima LED 1.5ft PCc 4000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	54,98
65590	Prima LED 1.5ft PCc 5500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	57,01
65791	Prima LED 1.5ft PCc 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	60,82
65143	Prima LED 1.4ft PC 2600/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	18W	2320	69,80
65153	Prima LED 1.4ft PC 3200/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	22W	2860	69,80
65163	Prima LED 1.4ft PC 4400/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	30W	3920	71,38
65861	Prima LED 1.4ft PC 6400/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	43W	5650	76,44
65173	Prima LED 1.5ft PC 3250/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	22W	2810	76,59
65183	Prima LED 1.5ft PC 4000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	27W	3530	76,59
65193	Prima LED 1.5ft PC 5500/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	37W	4940	78,62
65891	Prima LED 1.5ft PC 8000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	54W	7090	84,23
65543	Prima LED 1.4ft PCc 2600/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	72,29
65553	Prima LED 1.4ft PCc 3200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	72,29
65563	Prima LED 1.4ft PCc 4400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	73,87
65961	Prima LED 1.4ft PCc 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	78,99
65573	Prima LED 1.5ft PCc 3250/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	79,53
65583	Prima LED 1.5ft PCc 4000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	79,53
65593	Prima LED 1.5ft PCc 5500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	81,57
65991	Prima LED 1.5ft PCc 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	87,26
67140	Prima LED 1.4ft ABS 2600/840 1F	Non-dimmable - plastic clips	IP 66	18W	2320	44,85
67150	Prima LED 1.4ft ABS 3200/840 1F	Non-dimmable - plastic clips	IP 66	22W	2860	44,85
67160	Prima LED 1.4ft ABS 4400/840 1F	Non-dimmable - plastic clips	IP 66	30W	3920	47,05
67461	Prima LED 1.4ft ABS 6400/840 1F	Non-dimmable - plastic clips	IP 66	43W	5650	50,23
67170	Prima LED 1.5ft ABS 3250/840 1F	Non-dimmable - plastic clips	IP 66	22W	2810	52,26
67180	Prima LED 1.5ft ABS 4000/840 1F	Non-dimmable - plastic clips	IP 66	27W	3530	52,26
67190	Prima LED 1.5ft ABS 5500/840 1F	Non-dimmable - plastic clips	IP 66	37W	4940	54,29
67491	Prima LED 1.5ft ABS 8000/840 1F	Non-dimmable - plastic clips	IP 66	54W	7090	58,01
67540	Prima LED 1.4ft ABSc 2600/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	47,42
67550	Prima LED 1.4ft ABSc 3200/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	47,42
67560	Prima LED 1.4ft ABSc 4400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	49,54
67761	Prima LED 1.4ft ABSc 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	52,78
67570	Prima LED 1.5ft ABSc 3250/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	55,21
67580	Prima LED 1.5ft ABSc 4000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	55,21
67590	Prima LED 1.5ft ABSc 5500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	57,24
67791	Prima LED 1.5ft ABSc 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	61,05
67143	Prima LED 1.4ft ABS 2600/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	18W	2320	69,92
67153	Prima LED 1.4ft ABS 3200/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	22W	2860	69,92

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
67163	Prima LED 1.4ft ABS 4400/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	30W	3920	71,49
67861	Prima LED 1.4ft ABS 6400/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	43W	5650	76,56
67173	Prima LED 1.5ft ABS 3250/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	22W	2810	76,82
67183	Prima LED 1.5ft ABS 4000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	27W	3530	76,82
67193	Prima LED 1.5ft ABS 5500/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	37W	4940	78,85
67891	Prima LED 1.5ft ABS 8000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	54W	7090	84,49
67543	Prima LED 1.4ft ABSc 2600/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	72,41
67553	Prima LED 1.4ft ABSc 3200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	72,41
67563	Prima LED 1.4ft ABSc 4400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	73,98
67961	Prima LED 1.4ft ABSc 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	79,11
67573	Prima LED 1.5ft ABSc 3250/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	79,76
67583	Prima LED 1.5ft ABSc 4000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	79,76
67593	Prima LED 1.5ft ABSc 5500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	81,80
67991	Prima LED 1.5ft ABSc 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	87,49
66140	Prima LED 1.4ft VP 2600/840 1F	Non-dimmable - plastic clips	IP 66	18W	2320	48,37
66150	Prima LED 1.4ft VP 3200/840 1F	Non-dimmable - plastic clips	IP 66	22W	2860	48,37
66160	Prima LED 1.4ft VP 4400/840 1F	Non-dimmable - plastic clips	IP 66	30W	3920	50,46
66461	Prima LED 1.4ft VP 6400/840 1F	Non-dimmable - plastic clips	IP 66	43W	5650	53,72
66170	Prima LED 1.5ft VP 3250/840 1F	Non-dimmable - plastic clips	IP 66	22W	2810	55,55
66180	Prima LED 1.5ft VP 4000/840 1F	Non-dimmable - plastic clips	IP 66	27W	3530	55,55
66190	Prima LED 1.5ft VP 5500/840 1F	Non-dimmable - plastic clips	IP 66	37W	4940	57,58
#####	Prima LED 1.5ft VP 8000/840 1F	Non-dimmable - plastic clips	IP 66	54W	7090	61,39
66540	Prima LED 1.4ft VPc 2600/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	50,91
66550	Prima LED 1.4ft VPc 3200/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	50,91
66560	Prima LED 1.4ft VPc 4400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	52,95
66761	Prima LED 1.4ft VPc 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	56,27
66570	Prima LED 1.5ft VPc 3250/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	58,47
66580	Prima LED 1.5ft VPc 4000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	58,47
66590	Prima LED 1.5ft VPc 5500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	60,53
66791	Prima LED 1.5ft VPc 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	64,42
66143	Prima LED 1.4ft VP 2600/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	18W	2320	73,30
66153	Prima LED 1.4ft VP 3200/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	22W	2860	73,30
66163	Prima LED 1.4ft VP 4400/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	30W	3920	74,90
66861	Prima LED 1.4ft VP 6400/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	43W	5650	80,05
66173	Prima LED 1.5ft VP 3250/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	22W	2810	80,08
66183	Prima LED 1.5ft VP 4000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	27W	3530	80,08
66193	Prima LED 1.5ft VP 5500/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	37W	4940	82,14

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
66891	Prima LED 1.5ft VP 8000/840 DALI 1F	DALI Dimmable - plastic clips	IP 66	54W	7090	87,86
66543	Prima LED 1.4ft VPc 2600/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	75,79
66553	Prima LED 1.4ft VPc 3200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	75,79
66563	Prima LED 1.4ft VPc 4400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	77,39
66961	Prima LED 1.4ft VPc 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	82,60
66573	Prima LED 1.5ft VPc 3250/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	83,03
66583	Prima LED 1.5ft VPc 4000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	83,03
66593	Prima LED 1.5ft VPc 5500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	85,06
#####	Prima LED 1.5ft VPc 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	90,87
64140	Prima LED 1.4ft SNS PC 2600/840 1F	Non-dimmable - plastic clips	IP 66	18W	2320	62,28
64150	Prima LED 1.4ft SNS PC 3200/840 1F	Non-dimmable - plastic clips	IP 66	22W	2860	62,28
64160	Prima LED 1.4ft SNS PC 4400/840 1F	Non-dimmable - plastic clips	IP 66	30W	3920	64,14
64461	Prima LED 1.4ft SNS PC 6400/840 1F	Non-dimmable - plastic clips	IP 66	43W	5650	67,89
64170	Prima LED 1.5ft SNS PC 3250/840 1F	Non-dimmable - plastic clips	IP 66	22W	2810	69,49
64180	Prima LED 1.5ft SNS PC 4000/840 1F	Non-dimmable - plastic clips	IP 66	27W	3530	69,49
64190	Prima LED 1.5ft SNS PC 5500/840 1F	Non-dimmable - plastic clips	IP 66	37W	4940	71,64
64491	Prima LED 1.5ft SNS PC 8000/840 1F	Non-dimmable - plastic clips	IP 66	54W	7090	75,99
64540	Prima LED 1.4ft SNS PCc 2600/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	64,97
64550	Prima LED 1.4ft SNS PCc 3200/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	64,97
64560	Prima LED 1.4ft SNS PCc 4400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	66,74
64761	Prima LED 1.4ft SNS PCc 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	70,61
64570	Prima LED 1.5ft SNS PCc 3250/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	72,58
64580	Prima LED 1.5ft SNS PCc 4000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	72,58
64590	Prima LED 1.5ft SNS PCc 5500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	74,70
64791	Prima LED 1.5ft SNS PCc 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	79,16
64143	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	18W	2320	88,12
64153	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	22W	2860	88,12
64163	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	30W	3920	89,81
64173	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	22W	2810	95,25
64183	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	27W	3530	95,25
64193	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR 1F	DALI Dimmable - plastic clips	IP 66	37W	4940	97,39
64543	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	90,75
64553	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	90,75
64563	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	92,41
64573	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	98,34
64583	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	98,34
64593	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	100,48

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
	<b>PRIMA LED 3faasi läbiva juhtmestusega</b>					
65340	Prima LED 1.4ft PC 2600/840 3F	Non-dimmable - plastic clips	IP 66	18W	2320	45,56
65350	Prima LED 1.4ft PC 3200/840 3F	Non-dimmable - plastic clips	IP 66	22W	2860	45,56
65360	Prima LED 1.4ft PC 4400/840 3F	Non-dimmable - plastic clips	IP 66	30W	3920	47,74
65462	Prima LED 1.4ft PC 6400/840 3F	Non-dimmable - plastic clips	IP 66	43W	5650	50,91
65370	Prima LED 1.5ft PC 3250/840 3F	Non-dimmable - plastic clips	IP 66	22W	2810	52,95
65380	Prima LED 1.5ft PC 4000/840 3F	Non-dimmable - plastic clips	IP 66	27W	3530	52,95
65390	Prima LED 1.5ft PC 5500/840 3F	Non-dimmable - plastic clips	IP 66	37W	4940	54,98
65492	Prima LED 1.5ft PC 8000/840 3F	Non-dimmable - plastic clips	IP 66	54W	7090	58,73
65640	Prima LED 1.4ft PCc 2600/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	48,11
65650	Prima LED 1.4ft PCc 3200/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	48,11
65660	Prima LED 1.4ft PCc 4400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	50,23
65762	Prima LED 1.4ft PCc 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	53,49
65670	Prima LED 1.5ft PCc 3250/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	55,89
65680	Prima LED 1.5ft PCc 4000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	55,89
65690	Prima LED 1.5ft PCc 5500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	57,93
65792	Prima LED 1.5ft PCc 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	61,76
65343	Prima LED 1.4ft PC 2600/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	18W	2320	71,95
65353	Prima LED 1.4ft PC 3200/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	22W	2860	71,95
65363	Prima LED 1.4ft PC 4400/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	30W	3920	73,52
65862	Prima LED 1.4ft PC 6400/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	43W	5650	78,65
65373	Prima LED 1.5ft PC 3250/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	22W	2810	78,73
65383	Prima LED 1.5ft PC 4000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	27W	3530	78,73
65393	Prima LED 1.5ft PC 5500/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	37W	4940	80,77
65892	Prima LED 1.5ft PC 8000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	54W	7090	86,46
65643	Prima LED 1.4ft PCc 2600/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	74,44
65653	Prima LED 1.4ft PCc 3200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	74,44
65663	Prima LED 1.4ft PCc 4400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	76,01
65962	Prima LED 1.4ft PCc 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	81,22
65673	Prima LED 1.5ft PCc 3250/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	81,68
65683	Prima LED 1.5ft PCc 4000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	81,68
65693	Prima LED 1.5ft PCc 5500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	83,71
65992	Prima LED 1.5ft PCc 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	89,49
67340	Prima LED 1.4ft ABS 2600/840 3F	Non-dimmable - plastic clips	IP 66	18W	2320	45,68
67350	Prima LED 1.4ft ABS 3200/840 3F	Non-dimmable - plastic clips	IP 66	22W	2860	45,68
67360	Prima LED 1.4ft ABS 4400/840 3F	Non-dimmable - plastic clips	IP 66	30W	3920	47,85
67462	Prima LED 1.4ft ABS 6400/840 3F	Non-dimmable - plastic clips	IP 66	43W	5650	51,03

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
67370	Prima LED 1.5ft ABS 3250/840 3F	Non-dimmable - plastic clips	IP 66	22W	2810	53,18
67380	Prima LED 1.5ft ABS 4000/840 3F	Non-dimmable - plastic clips	IP 66	27W	3530	53,18
67390	Prima LED 1.5ft ABS 5500/840 3F	Non-dimmable - plastic clips	IP 66	37W	4940	55,21
67492	Prima LED 1.5ft ABS 8000/840 3F	Non-dimmable - plastic clips	IP 66	54W	7090	58,96
67640	Prima LED 1.4ft ABSc 2600/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	48,22
67650	Prima LED 1.4ft ABSc 3200/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	48,22
67660	Prima LED 1.4ft ABSc 4400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	50,34
67762	Prima LED 1.4ft ABSc 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	53,61
67670	Prima LED 1.5ft ABSc 3250/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	56,10
67680	Prima LED 1.5ft ABSc 4000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	56,10
67690	Prima LED 1.5ft ABSc 5500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	58,16
67792	Prima LED 1.5ft ABSc 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	61,99
67343	Prima LED 1.4ft ABS 2600/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	18W	2320	72,07
67353	Prima LED 1.4ft ABS 3200/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	22W	2860	72,07
67363	Prima LED 1.4ft ABS 4400/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	30W	3920	73,64
67862	Prima LED 1.4ft ABS 6400/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	43W	5650	78,76
67373	Prima LED 1.5ft ABS 3250/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	22W	2810	78,96
67383	Prima LED 1.5ft ABS 4000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	27W	3530	78,96
67393	Prima LED 1.5ft ABS 5500/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	37W	4940	80,99
67892	Prima LED 1.5ft ABS 8000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	54W	7090	86,69
67643	Prima LED 1.4ft ABSc 2600/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	72,41
67653	Prima LED 1.4ft ABSc 3200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	72,41
67663	Prima LED 1.4ft ABSc 4400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	73,98
67962	Prima LED 1.4ft ABSc 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	79,11
67673	Prima LED 1.5ft ABSc 3250/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	79,76
67683	Prima LED 1.5ft ABSc 4000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	79,76
67693	Prima LED 1.5ft ABSc 5500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	81,80
67992	Prima LED 1.5ft ABSc 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	87,49
66340	Prima LED 1.4ft VP 2600/840 3F	Non-dimmable - plastic clips	IP 66	18W	2320	49,17
66350	Prima LED 1.4ft VP 3200/840 3F	Non-dimmable - plastic clips	IP 66	22W	2860	49,17
66360	Prima LED 1.4ft VP 4400/840 3F	Non-dimmable - plastic clips	IP 66	30W	3920	51,26
66462	Prima LED 1.4ft VP 6400/840 3F	Non-dimmable - plastic clips	IP 66	43W	5650	54,52
66370	Prima LED 1.5ft VP 3250/840 3F	Non-dimmable - plastic clips	IP 66	22W	2810	56,44
66380	Prima LED 1.5ft VP 4000/840 3F	Non-dimmable - plastic clips	IP 66	27W	3530	56,44
66390	Prima LED 1.5ft VP 5500/840 3F	Non-dimmable - plastic clips	IP 66	37W	4940	58,47
66492	Prima LED 1.5ft VP 8000/840 3F	Non-dimmable - plastic clips	IP 66	54W	7090	62,33
66640	Prima LED 1.4ft VPc 2600/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	51,74

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
66650	Prima LED 1.4ft VPc 3200/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	51,74
66660	Prima LED 1.4ft VPc 4400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	53,72
66762	Prima LED 1.4ft VPc 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	57,10
66670	Prima LED 1.5ft VPc 3250/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	59,39
66680	Prima LED 1.5ft VPc 4000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	59,39
66690	Prima LED 1.5ft VPc 5500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	61,42
66792	Prima LED 1.5ft VPc 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	65,37
66343	Prima LED 1.4ft VP 2600/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	18W	2320	75,44
66353	Prima LED 1.4ft VP 3200/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	22W	2860	75,44
66363	Prima LED 1.4ft VP 4400/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	30W	3920	77,05
66862	Prima LED 1.4ft VP 6400/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	43W	5650	82,25
66373	Prima LED 1.5ft VP 3250/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	22W	2810	82,25
66383	Prima LED 1.5ft VP 4000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	27W	3530	82,25
66393	Prima LED 1.5ft VP 5500/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	37W	4940	84,29
66892	Prima LED 1.5ft VP 8000/840 DALI 3F	DALI Dimmable - plastic clips	IP 66	54W	7090	90,07
66643	Prima LED 1.4ft VPc 2600/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	77,93
66653	Prima LED 1.4ft VPc 3200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	77,93
66663	Prima LED 1.4ft VPc 4400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	79,53
66962	Prima LED 1.4ft VPc 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	43W	5650	84,83
66673	Prima LED 1.5ft VPc 3250/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	85,17
66683	Prima LED 1.5ft VPc 4000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	85,17
66693	Prima LED 1.5ft VPc 5500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	87,21
66992	Prima LED 1.5ft VPc 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	IP 66	54W	7090	93,10
64340	Prima LED 1.4ft SNS PC 2600/840 3F	Non-dimmable - plastic clips	IP 66	18W	2320	63,14
64350	Prima LED 1.4ft SNS PC 3200/840 3F	Non-dimmable - plastic clips	IP 66	22W	2860	63,14
64360	Prima LED 1.4ft SNS PC 4400/840 3F	Non-dimmable - plastic clips	IP 66	30W	3920	64,97
64462	Prima LED 1.4ft SNS PC 6400/840 3F	Non-dimmable - plastic clips	IP 66	43W	5650	68,75
64370	Prima LED 1.5ft SNS PC 3250/840 3F	Non-dimmable - plastic clips	IP 66	22W	2810	70,43
64380	Prima LED 1.5ft SNS PC 4000/840 3F	Non-dimmable - plastic clips	IP 66	27W	3530	70,43
64390	Prima LED 1.5ft SNS PC 5500/840 3F	Non-dimmable - plastic clips	IP 66	37W	4940	72,58
64492	Prima LED 1.5ft SNS PC 8000/840 3F	Non-dimmable - plastic clips	IP 66	54W	7090	76,96
64640	Prima LED 1.4ft SNS PCc 2600/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	65,83
64650	Prima LED 1.4ft SNS PCc 3200/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	65,83
64660	Prima LED 1.4ft SNS PCc 4400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	67,57
64762	Prima LED 1.4ft SNS PCc 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	43W	5650	71,44
64670	Prima LED 1.5ft SNS PCc 3250/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	73,52
64680	Prima LED 1.5ft SNS PCc 4000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	73,52

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
64690	Prima LED 1.5ft SNS PCc 5500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	75,67
64792	Prima LED 1.5ft SNS PCc 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	54W	7090	80,14
64343	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	18W	2320	90,38
64353	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	22W	2860	90,38
64363	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	30W	3920	92,04
64373	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	22W	2810	97,51
64383	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	27W	3530	97,51
64393	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR 3F	DALI Dimmable - plastic clips	IP 66	37W	4940	99,65
64643	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	93,02
64653	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	93,02
64663	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	94,67
64673	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	100,60
64683	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	100,60
64693	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	102,75
	<b>PRIMA LED 1h akuseadmega</b>					
65044	Prima LED 1.4ft PC 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2320	92,99
65054	Prima LED 1.4ft PC 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2860	92,99
65064	Prima LED 1.4ft PC 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	94,62
65074	Prima LED 1.5ft PC 3250/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2810	102,89
65084	Prima LED 1.5ft PC 4000/840 M1h	Non-dimmable - plastic clips	IP 66	27W	3530	102,89
65094	Prima LED 1.5ft PC 5500/840 M1h	Non-dimmable - plastic clips	IP 66	37W	4940	104,98
65244	Prima LED 1.4ft PCc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	95,53
65254	Prima LED 1.4ft PCc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	95,53
65264	Prima LED 1.4ft PCc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	97,16
65274	Prima LED 1.5ft PCc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	105,92
65284	Prima LED 1.5ft PCc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	105,92
65294	Prima LED 1.5ft PCc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	108,01
65047	Prima LED 1.4ft PC 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	120,00
65057	Prima LED 1.4ft PC 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	120,00
65067	Prima LED 1.4ft PC 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	121,64
65077	Prima LED 1.5ft PC 3250/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2810	128,99
65087	Prima LED 1.5ft PC 4000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	27W	3530	128,99
65097	Prima LED 1.5ft PC 5500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	37W	4940	131,08
65247	Prima LED 1.4ft PCc 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	122,58
65257	Prima LED 1.4ft PCc 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	122,58
65267	Prima LED 1.4ft PCc 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	124,21
65277	Prima LED 1.5ft PCc 3250/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	132,02



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
65287	Prima LED 1.5ft PCc 4000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	132,02
65297	Prima LED 1.5ft PCc 5500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	134,11
67044	Prima LED 1.4ft ABS 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2320	93,10
67054	Prima LED 1.4ft ABS 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2860	93,10
67064	Prima LED 1.4ft ABS 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	94,73
67074	Prima LED 1.5ft ABS 3250/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2810	103,12
67084	Prima LED 1.5ft ABS 4000/840 M1h	Non-dimmable - plastic clips	IP 66	27W	3530	103,12
67094	Prima LED 1.5ft ABS 5500/840 M1h	Non-dimmable - plastic clips	IP 66	37W	4940	105,21
67244	Prima LED 1.4ft ABSc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	95,65
67254	Prima LED 1.4ft ABSc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	95,65
67264	Prima LED 1.4ft ABSc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	97,28
67274	Prima LED 1.5ft ABSc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	106,15
67284	Prima LED 1.5ft ABSc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	106,15
67294	Prima LED 1.5ft ABSc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	108,24
67047	Prima LED 1.4ft ABS 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	120,12
67057	Prima LED 1.4ft ABS 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	120,12
67067	Prima LED 1.4ft ABS 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	121,75
67077	Prima LED 1.5ft ABS 3250/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2810	129,22
67087	Prima LED 1.5ft ABS 4000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	27W	3530	129,22
67097	Prima LED 1.5ft ABS 5500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	37W	4940	131,31
67247	Prima LED 1.4ft ABSc 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	122,69
67257	Prima LED 1.4ft ABSc 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	122,69
67267	Prima LED 1.4ft ABSc 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	124,33
67277	Prima LED 1.5ft ABSc 3250/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	132,25
67287	Prima LED 1.5ft ABSc 4000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	132,25
67297	Prima LED 1.5ft ABSc 5500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	134,34
66044	Prima LED 1.4ft VP 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2320	96,59
66054	Prima LED 1.4ft VP 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2860	96,59
66064	Prima LED 1.4ft VP 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	98,22
66074	Prima LED 1.5ft VP 3250/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2810	106,50
66084	Prima LED 1.5ft VP 4000/840 M1h	Non-dimmable - plastic clips	IP 66	27W	3530	106,50
66094	Prima LED 1.5ft VP 5500/840 M1h	Non-dimmable - plastic clips	IP 66	37W	4940	108,58
66244	Prima LED 1.4ft VPc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	99,17
66254	Prima LED 1.4ft VPc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	99,17
66264	Prima LED 1.4ft VPc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	100,80
66274	Prima LED 1.5ft VPc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	109,53
66284	Prima LED 1.5ft VPc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	109,53

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
66294	Prima LED 1.5ft VPc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	111,62
66047	Prima LED 1.4ft VP 2600/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	123,61
66057	Prima LED 1.4ft VP 3200/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	123,61
66067	Prima LED 1.4ft VP 4400/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	125,24
66077	Prima LED 1.5ft VP 3250/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	22W	2810	132,60
66087	Prima LED 1.5ft VP 4000/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	27W	3530	132,60
#####	Prima LED 1.5ft VP 5500/840 DALI M1h	DALI Dimmable - plastic clips	IP 66	37W	4940	134,69
#####	Prima LED 1.4ft VPc 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	126,19
66257	Prima LED 1.4ft VPc 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	126,19
66267	Prima LED 1.4ft VPc 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	127,82
66277	Prima LED 1.5ft VPc 3250/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	135,63
66287	Prima LED 1.5ft VPc 4000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	135,63
66297	Prima LED 1.5ft VPc 5500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	137,72
64044	Prima LED 1.4ft SNS PC 2600/840 M1h	Non-dimmable - plastic clips	IP 66	18W	2320	109,64
64054	Prima LED 1.4ft SNS PC 3200/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2860	109,64
64064	Prima LED 1.4ft SNS PC 4400/840 M1h	Non-dimmable - plastic clips	IP 66	30W	3920	111,30
64074	Prima LED 1.5ft SNS PC 3250/840 M1h	Non-dimmable - plastic clips	IP 66	22W	2810	119,72
64084	Prima LED 1.5ft SNS PC 4000/840 M1h	Non-dimmable - plastic clips	IP 66	27W	3530	119,72
64094	Prima LED 1.5ft SNS PC 5500/840 M1h	Non-dimmable - plastic clips	IP 66	37W	4940	121,86
64244	Prima LED 1.4ft SNS PCc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	112,25
64254	Prima LED 1.4ft SNS PCc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	112,25
64264	Prima LED 1.4ft SNS PCc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	113,91
64274	Prima LED 1.5ft SNS PCc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	122,81
64284	Prima LED 1.5ft SNS PCc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	122,81
64294	Prima LED 1.5ft SNS PCc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	124,95
64047	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	137,18
64057	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	137,18
64067	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	138,86
64077	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	22W	2810	146,33
64087	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	27W	3530	146,33
64097	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR M1h	DALI Dimmable - plastic clips	IP 66	37W	4940	148,48
64247	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	139,81
64257	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	139,81
64267	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	141,47
64277	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	149,43
64287	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	149,43
64297	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	151,57

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
	<b>PRIMA LED 3h akuseadmega</b>					
65045	Prima LED 1.4ft PC 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2320	110,70
65055	Prima LED 1.4ft PC 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2860	110,70
65065	Prima LED 1.4ft PC 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	112,33
65075	Prima LED 1.5ft PC 3250/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2810	120,60
65085	Prima LED 1.5ft PC 4000/840 M3h	Non-dimmable - plastic clips	IP 66	27W	3530	120,60
65095	Prima LED 1.5ft PC 5500/840 M3h	Non-dimmable - plastic clips	IP 66	37W	4940	122,69
65245	Prima LED 1.4ft PCc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	113,25
65255	Prima LED 1.4ft PCc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	113,25
65265	Prima LED 1.4ft PCc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	114,88
65275	Prima LED 1.5ft PCc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	123,61
65285	Prima LED 1.5ft PCc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	123,61
65295	Prima LED 1.5ft PCc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	125,73
65048	Prima LED 1.4ft PC 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	138,06
65058	Prima LED 1.4ft PC 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	138,06
65068	Prima LED 1.4ft PC 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	139,69
65078	Prima LED 1.5ft PC 3250/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2810	147,97
65088	Prima LED 1.5ft PC 4000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	27W	3530	147,97
65098	Prima LED 1.5ft PC 5500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	37W	4940	150,08
65248	Prima LED 1.4ft PCc 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	140,64
65258	Prima LED 1.4ft PCc 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	140,64
65268	Prima LED 1.4ft PCc 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	142,27
65278	Prima LED 1.5ft PCc 3250/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	151,00
65288	Prima LED 1.5ft PCc 4000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	151,00
65298	Prima LED 1.5ft PCc 5500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	153,09
67045	Prima LED 1.4ft ABS 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2320	110,82
67055	Prima LED 1.4ft ABS 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2860	110,82
67065	Prima LED 1.4ft ABS 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	112,45
67075	Prima LED 1.5ft ABS 3250/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2810	120,83
67085	Prima LED 1.5ft ABS 4000/840 M3h	Non-dimmable - plastic clips	IP 66	27W	3530	120,83
67095	Prima LED 1.5ft ABS 5500/840 M3h	Non-dimmable - plastic clips	IP 66	37W	4940	122,92
67245	Prima LED 1.4ft ABSc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	113,36
67255	Prima LED 1.4ft ABSc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	113,36
67265	Prima LED 1.4ft ABSc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	115,00
67275	Prima LED 1.5ft ABSc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	123,87
67285	Prima LED 1.5ft ABSc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	123,87
67295	Prima LED 1.5ft ABSc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	125,96

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
67048	Prima LED 1.4ft ABS 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	138,18
67058	Prima LED 1.4ft ABS 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	138,18
67068	Prima LED 1.4ft ABS 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	139,81
67078	Prima LED 1.5ft ABS 3250/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2810	148,19
67088	Prima LED 1.5ft ABS 4000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	27W	3530	148,19
67098	Prima LED 1.5ft ABS 5500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	37W	4940	150,31
67248	Prima LED 1.4ft ABSc 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	140,75
67258	Prima LED 1.4ft ABSc 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	140,75
67268	Prima LED 1.4ft ABSc 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	142,38
67278	Prima LED 1.5ft ABSc 3250/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	151,23
67288	Prima LED 1.5ft ABSc 4000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	151,23
67298	Prima LED 1.5ft ABSc 5500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	153,35
66045	Prima LED 1.4ft VP 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2320	114,31
66055	Prima LED 1.4ft VP 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2860	114,31
66065	Prima LED 1.4ft VP 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	115,94
66075	Prima LED 1.5ft VP 3250/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2810	124,21
66085	Prima LED 1.5ft VP 4000/840 M3h	Non-dimmable - plastic clips	IP 66	27W	3530	124,21
66095	Prima LED 1.5ft VP 5500/840 M3h	Non-dimmable - plastic clips	IP 66	37W	4940	126,30
66245	Prima LED 1.4ft VPc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	116,86
66255	Prima LED 1.4ft VPc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	116,86
66265	Prima LED 1.4ft VPc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	118,49
66275	Prima LED 1.5ft VPc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	127,24
66285	Prima LED 1.5ft VPc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	127,24
66295	Prima LED 1.5ft VPc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	129,33
66048	Prima LED 1.4ft VP 2600/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	141,70
66058	Prima LED 1.4ft VP 3200/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	141,70
66068	Prima LED 1.4ft VP 4400/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	143,33
66078	Prima LED 1.5ft VP 3250/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	22W	2810	151,60
66088	Prima LED 1.5ft VP 4000/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	27W	3530	151,60
66098	Prima LED 1.5ft VP 5500/840 DALI M3h	DALI Dimmable - plastic clips	IP 66	37W	4940	153,69
66248	Prima LED 1.4ft VPc 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	144,24
66258	Prima LED 1.4ft VPc 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	144,24
66268	Prima LED 1.4ft VPc 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	145,88
66278	Prima LED 1.5ft VPc 3250/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	154,61
66288	Prima LED 1.5ft VPc 4000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	154,61
66298	Prima LED 1.5ft VPc 5500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	156,72
64045	Prima LED 1.4ft SNS PC 2600/840 M3h	Non-dimmable - plastic clips	IP 66	18W	2320	127,67

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
64055	Prima LED 1.4ft SNS PC 3200/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2860	127,67
64065	Prima LED 1.4ft SNS PC 4400/840 M3h	Non-dimmable - plastic clips	IP 66	30W	3920	129,36
64075	Prima LED 1.5ft SNS PC 3250/840 M3h	Non-dimmable - plastic clips	IP 66	22W	2810	137,78
64085	Prima LED 1.5ft SNS PC 4000/840 M3h	Non-dimmable - plastic clips	IP 66	27W	3530	137,78
64095	Prima LED 1.5ft SNS PC 5500/840 M3h	Non-dimmable - plastic clips	IP 66	37W	4940	139,92
64245	Prima LED 1.4ft SNS PCc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	130,31
64255	Prima LED 1.4ft SNS PCc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	130,31
64265	Prima LED 1.4ft SNS PCc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	131,97
64275	Prima LED 1.5ft SNS PCc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	140,87
64285	Prima LED 1.5ft SNS PCc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	140,87
64295	Prima LED 1.5ft SNS PCc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	143,01
64048	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	155,61
64058	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	155,61
64068	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	157,27
64078	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	22W	2810	165,71
64088	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	27W	3530	165,71
64098	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR M3h	DALI Dimmable - plastic clips	IP 66	37W	4940	167,83
64248	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	158,21
64258	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	158,21
64268	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	159,87
64278	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	168,77
64288	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	168,77
64298	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	170,92
	<b>PRIMA LED 3faasi läbiva juhtmestusega 1h akuseadmega</b>					
65344	Prima LED 1.4ft PC 2600/840 3F M1h	Non-dimmable - plastic clips	IP 66	18W	2320	100,20
65354	Prima LED 1.4ft PC 3200/840 3F M1h	Non-dimmable - plastic clips	IP 66	22W	2860	100,20
65364	Prima LED 1.4ft PC 4400/840 3F M1h	Non-dimmable - plastic clips	IP 66	30W	3920	101,83
65374	Prima LED 1.5ft PC 3250/840 3F M1h	Non-dimmable - plastic clips	IP 66	22W	2810	112,33

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
65384	Prima LED 1.5ft PC 4000/840 3F M1h	Non-dimmable - plastic clips	IP 66	27W	3530	112,33
65394	Prima LED 1.5ft PC 5500/840 3F M1h	Non-dimmable - plastic clips	IP 66	37W	4940	114,42
65644	Prima LED 1.4ft PCc 2600/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	102,77
65654	Prima LED 1.4ft PCc 3200/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	102,77
65664	Prima LED 1.4ft PCc 4400/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	104,41
65674	Prima LED 1.5ft PCc 3250/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	115,34
65684	Prima LED 1.5ft PCc 4000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	115,34
65694	Prima LED 1.5ft PCc 5500/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	117,46
65347	Prima LED 1.4ft PC 2600/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	127,24
65357	Prima LED 1.4ft PC 3200/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	127,24
65367	Prima LED 1.4ft PC 4400/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	128,88
65377	Prima LED 1.5ft PC 3250/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	22W	2810	144,02
65387	Prima LED 1.5ft PC 4000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	27W	3530	144,02
65397	Prima LED 1.5ft PC 5500/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	37W	4940	146,11
65647	Prima LED 1.4ft PCc 2600/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	129,79
65657	Prima LED 1.4ft PCc 3200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	129,79
65667	Prima LED 1.4ft PCc 4400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	131,42
65677	Prima LED 1.5ft PCc 3250/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	147,05
65687	Prima LED 1.5ft PCc 4000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	147,05
65697	Prima LED 1.5ft PCc 5500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	149,14
67344	Prima LED 1.4ft ABS 2600/840 3F M1h	Non-dimmable - plastic clips	IP 66	18W	2320	100,31
67354	Prima LED 1.4ft ABS 3200/840 3F M1h	Non-dimmable - plastic clips	IP 66	22W	2860	100,31
67364	Prima LED 1.4ft ABS 4400/840 3F M1h	Non-dimmable - plastic clips	IP 66	30W	3920	101,94
67374	Prima LED 1.5ft ABS 3250/840 3F M1h	Non-dimmable - plastic clips	IP 66	22W	2810	112,56
67384	Prima LED 1.5ft ABS 4000/840 3F M1h	Non-dimmable - plastic clips	IP 66	27W	3530	112,56
67394	Prima LED 1.5ft ABS 5500/840 3F M1h	Non-dimmable - plastic clips	IP 66	37W	4940	114,65
67644	Prima LED 1.4ft ABSc 2600/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	102,89
67654	Prima LED 1.4ft ABSc 3200/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	102,89
67664	Prima LED 1.4ft ABSc 4400/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	104,52
67674	Prima LED 1.5ft ABSc 3250/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	115,60
67684	Prima LED 1.5ft ABSc 4000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	115,60
67694	Prima LED 1.5ft ABSc 5500/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	117,69
67347	Prima LED 1.4ft ABS 2600/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	127,36
67357	Prima LED 1.4ft ABS 3200/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	127,36
67367	Prima LED 1.4ft ABS 4400/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	128,99
67377	Prima LED 1.5ft ABS 3250/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	22W	2810	144,24
67387	Prima LED 1.5ft ABS 4000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	27W	3530	144,24

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
67397	Prima LED 1.5ft ABS 5500/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	37W	4940	146,33
67647	Prima LED 1.4ft ABSc 2600/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	129,91
67657	Prima LED 1.4ft ABSc 3200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	129,91
67667	Prima LED 1.4ft ABSc 4400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	131,54
67677	Prima LED 1.5ft ABSc 3250/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	147,28
67687	Prima LED 1.5ft ABSc 4000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	147,28
67697	Prima LED 1.5ft ABSc 5500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	149,37
66344	Prima LED 1.4ft VP 2600/840 3F M1h	Non-dimmable - plastic clips	IP 66	18W	2320	103,80
66354	Prima LED 1.4ft VP 3200/840 3F M1h	Non-dimmable - plastic clips	IP 66	22W	2860	103,80
66364	Prima LED 1.4ft VP 4400/840 3F M1h	Non-dimmable - plastic clips	IP 66	30W	3920	105,44
66374	Prima LED 1.5ft VP 3250/840 3F M1h	Non-dimmable - plastic clips	IP 66	22W	2810	115,94
66384	Prima LED 1.5ft VP 4000/840 3F M1h	Non-dimmable - plastic clips	IP 66	27W	3530	115,94
66394	Prima LED 1.5ft VP 5500/840 3F M1h	Non-dimmable - plastic clips	IP 66	37W	4940	118,03
66644	Prima LED 1.4ft VPc 2600/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	106,38
66654	Prima LED 1.4ft VPc 3200/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	106,38
66664	Prima LED 1.4ft VPc 4400/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	108,01
66674	Prima LED 1.5ft VPc 3250/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	118,97
66684	Prima LED 1.5ft VPc 4000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	118,97
66694	Prima LED 1.5ft VPc 5500/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	121,06
66347	Prima LED 1.4ft VP 2600/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	130,85
66357	Prima LED 1.4ft VP 3200/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	130,85
66367	Prima LED 1.4ft VP 4400/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	132,48
66377	Prima LED 1.5ft VP 3250/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	22W	2810	147,62
66387	Prima LED 1.5ft VP 4000/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	27W	3530	147,62
66397	Prima LED 1.5ft VP 5500/840 DALI 3F M1h	DALI Dimmable - plastic clips	IP 66	37W	4940	149,71
66647	Prima LED 1.4ft VPc 2600/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	133,40
66657	Prima LED 1.4ft VPc 3200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	133,40
66667	Prima LED 1.4ft VPc 4400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	135,03
66677	Prima LED 1.5ft VPc 3250/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	150,66
66687	Prima LED 1.5ft VPc 4000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	150,66
66697	Prima LED 1.5ft VPc 5500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	152,74
64344	Prima LED 1.4ft SNS PC 2600/840 3F M1h	Non-dimmable - plastic clips	IP 66	18W	2320	117,00
64354	Prima LED 1.4ft SNS PC 3200/840 3F M1h	Non-dimmable - plastic clips	IP 66	22W	2860	117,00
64364	Prima LED 1.4ft SNS PC 4400/840 3F M1h	Non-dimmable - plastic clips	IP 66	30W	3920	118,66
64374	Prima LED 1.5ft SNS PC 3250/840 3F M1h	Non-dimmable - plastic clips	IP 66	22W	2810	129,36
64384	Prima LED 1.5ft SNS PC 4000/840 3F M1h	Non-dimmable - plastic clips	IP 66	27W	3530	129,36
64394	Prima LED 1.5ft SNS PC 5500/840 3F M1h	Non-dimmable - plastic clips	IP 66	37W	4940	131,48

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
64644	Prima LED 1.4ft SNS PCc 2600/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	119,60
64654	Prima LED 1.4ft SNS PCc 3200/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	119,60
64664	Prima LED 1.4ft SNS PCc 4400/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	121,26
64674	Prima LED 1.5ft SNS PCc 3250/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	132,42
64684	Prima LED 1.5ft SNS PCc 4000/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	132,42
64694	Prima LED 1.5ft SNS PCc 5500/840 3F M1h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	134,57
64347	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	18W	2320	144,56
64357	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	22W	2860	144,56
64367	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	30W	3920	146,22
64377	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	22W	2810	161,65
64387	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	27W	3530	161,65
64397	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	IP 66	37W	4940	163,79
64647	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	147,16
64657	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	147,16
64667	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	148,82
64677	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	164,74
64687	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	164,74
64697	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	166,88
	<b>PRIMA LED 3faasi läbiva juhtmestusega 3h akuseadmega</b>					
65345	Prima LED 1.5ft PC 2600/840 3F M3h	Non-dimmable - plastic clips	IP 66	18W	2320	117,91
65355	Prima LED 1.5ft PC 3200/840 3F M3h	Non-dimmable - plastic clips	IP 66	22W	2860	117,91
65365	Prima LED 1.5ft PC 4400/840 3F M3h	Non-dimmable - plastic clips	IP 66	30W	3920	119,55
65375	Prima LED 1.5ft PC 3250/840 3F M3h	Non-dimmable - plastic clips	IP 66	22W	2810	130,02
65385	Prima LED 1.5ft PC 4000/840 3F M3h	Non-dimmable - plastic clips	IP 66	27W	3530	130,02
65395	Prima LED 1.5ft PC 5500/840 3F M3h	Non-dimmable - plastic clips	IP 66	37W	4940	132,14
65645	Prima LED 1.5ft PCc 2600/840 3F M3h	Non-dimmable - plastic clips	IP 66	18W	2320	120,49
65655	Prima LED 1.5ft PCc 3200/840 3F M3h	Non-dimmable - plastic clips	IP 66	22W	2860	120,49
65665	Prima LED 1.5ft PCc 4400/840 3F M3h	Non-dimmable - plastic clips	IP 66	30W	3920	122,12
65675	Prima LED 1.5ft PCc 3250/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	133,05
65685	Prima LED 1.5ft PCc 4000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	133,05
65695	Prima LED 1.5ft PCc 5500/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	135,17
65348	Prima LED 1.4ft PC 2600/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	151,23
65358	Prima LED 1.4ft PC 3200/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	151,23
65368	Prima LED 1.4ft PC 4400/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	152,86
65378	Prima LED 1.5ft PC 3250/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	22W	2810	163,36
65388	Prima LED 1.5ft PC 4000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	27W	3530	163,36
65398	Prima LED 1.5ft PC 5500/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	37W	4940	165,45



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
65648	Prima LED 1.4ft PCc 2600/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	153,80
65658	Prima LED 1.4ft PCc 3200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	153,80
65668	Prima LED 1.4ft PCc 4400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	155,44
65678	Prima LED 1.5ft PCc 3250/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	166,40
65688	Prima LED 1.5ft PCc 4000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	166,40
65698	Prima LED 1.5ft PCc 5500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	168,49
67345	Prima LED 1.4ft ABS 2600/840 3F M3h	Non-dimmable - plastic clips	IP 66	18W	2320	118,03
67355	Prima LED 1.4ft ABS 3200/840 3F M3h	Non-dimmable - plastic clips	IP 66	22W	2860	118,03
67365	Prima LED 1.4ft ABS 4400/840 3F M3h	Non-dimmable - plastic clips	IP 66	30W	3920	119,66
67375	Prima LED 1.5ft ABS 3250/840 3F M3h	Non-dimmable - plastic clips	IP 66	22W	2810	130,28
67385	Prima LED 1.5ft ABS 4000/840 3F M3h	Non-dimmable - plastic clips	IP 66	27W	3530	130,28
67395	Prima LED 1.5ft ABS 5500/840 3F M3h	Non-dimmable - plastic clips	IP 66	37W	4940	132,37
67645	Prima LED 1.4ft ABSc 2600/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	120,60
67655	Prima LED 1.4ft ABSc 3200/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	120,60
67665	Prima LED 1.4ft ABSc 4400/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	122,24
67675	Prima LED 1.5ft ABSc 3250/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	133,28
67685	Prima LED 1.5ft ABSc 4000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	133,28
67695	Prima LED 1.5ft ABSc 5500/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	135,40
67348	Prima LED 1.4ft ABS 2600/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	151,34
67358	Prima LED 1.4ft ABS 3200/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	151,34
67368	Prima LED 1.4ft ABS 4400/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	152,97
67378	Prima LED 1.5ft ABS 3250/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	22W	2810	163,59
67388	Prima LED 1.5ft ABS 4000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	27W	3530	163,59
67398	Prima LED 1.5ft ABS 5500/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	37W	4940	165,68
67648	Prima LED 1.4ft ABSc 2600/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	158,35
67658	Prima LED 1.4ft ABSc 3200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	158,35
67668	Prima LED 1.4ft ABSc 4400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	159,99
67678	Prima LED 1.5ft ABSc 3250/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	171,63
67688	Prima LED 1.5ft ABSc 4000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	171,63
67698	Prima LED 1.5ft ABSc 5500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	173,72
66345	Prima LED 1.4ft VP 2600/840 3F M3h	Non-dimmable - plastic clips	IP 66	18W	2320	121,52
66355	Prima LED 1.4ft VP 3200/840 3F M3h	Non-dimmable - plastic clips	IP 66	22W	2860	121,52
66365	Prima LED 1.4ft VP 4400/840 3F M3h	Non-dimmable - plastic clips	IP 66	30W	3920	123,15
66375	Prima LED 1.5ft VP 3250/840 3F M3h	Non-dimmable - plastic clips	IP 66	22W	2810	133,66
66385	Prima LED 1.5ft VP 4000/840 3F M3h	Non-dimmable - plastic clips	IP 66	27W	3530	133,66
66395	Prima LED 1.5ft VP 5500/840 3F M3h	Non-dimmable - plastic clips	IP 66	37W	4940	135,74
66645	Prima LED 1.4ft VPc 2600/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	124,10

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
66655	Prima LED 1.4ft VPc 3200/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	124,10
66665	Prima LED 1.4ft VPc 4400/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	125,73
66675	Prima LED 1.5ft VPc 3250/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	136,66
66685	Prima LED 1.5ft VPc 4000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	136,66
66695	Prima LED 1.5ft VPc 5500/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	138,78
66348	Prima LED 1.4ft VP 2600/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	154,86
66358	Prima LED 1.4ft VP 3200/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	154,86
66368	Prima LED 1.4ft VP 4400/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	156,49
66378	Prima LED 1.5ft VP 3250/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	22W	2810	166,97
66388	Prima LED 1.5ft VP 4000/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	27W	3530	166,97
66398	Prima LED 1.5ft VP 5500/840 DALI 3F M3h	DALI Dimmable - plastic clips	IP 66	37W	4940	169,06
66648	Prima LED 1.4ft VPc 2600/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	157,41
66658	Prima LED 1.4ft VPc 3200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	157,41
66668	Prima LED 1.4ft VPc 4400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	159,04
66678	Prima LED 1.5ft VPc 3250/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	170,00
66688	Prima LED 1.5ft VPc 4000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	170,00
66698	Prima LED 1.5ft VPc 5500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	172,09
64345	Prima LED 1.4ft SNS PC 2600/840 3F M3h	Non-dimmable - plastic clips	IP 66	18W	2320	135,06
64355	Prima LED 1.4ft SNS PC 3200/840 3F M3h	Non-dimmable - plastic clips	IP 66	22W	2860	135,06
64365	Prima LED 1.4ft SNS PC 4400/840 3F M3h	Non-dimmable - plastic clips	IP 66	30W	3920	136,72
64375	Prima LED 1.5ft SNS PC 3250/840 3F M3h	Non-dimmable - plastic clips	IP 66	22W	2810	147,39
64385	Prima LED 1.5ft SNS PC 4000/840 3F M3h	Non-dimmable - plastic clips	IP 66	27W	3530	147,39
64395	Prima LED 1.5ft SNS PC 5500/840 3F M3h	Non-dimmable - plastic clips	IP 66	37W	4940	149,54
64645	Prima LED 1.4ft SNS PCc 2600/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	18W	2320	137,66
64655	Prima LED 1.4ft SNS PCc 3200/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2860	137,66
64665	Prima LED 1.4ft SNS PCc 4400/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	30W	3920	139,32
64675	Prima LED 1.5ft SNS PCc 3250/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	22W	2810	150,48
64685	Prima LED 1.5ft SNS PCc 4000/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	27W	3530	150,48
64695	Prima LED 1.5ft SNS PCc 5500/840 3F M3h	Non-dimmable - stainless steel clips (c)	IP 66	37W	4940	152,63
64348	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	18W	2320	169,03
64358	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	22W	2860	169,03
64368	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	30W	3920	170,69
64378	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	22W	2810	181,36
64388	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	27W	3530	181,36
64398	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	IP 66	37W	4940	183,51
64648	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	18W	2320	171,63
64558	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2860	171,63

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
64668	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	30W	3920	173,29
64678	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	22W	2810	184,46
64688	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	27W	3530	184,46
64698	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	IP 66	37W	4940	186,60
	<b>PRIMA LED hädaolukorra valgustid</b>					
62210	Prima LED 1.2ft PC NM1h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	64,54
62211	Prima LED 1.2ft PC 3F NM1h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	
62213	Prima LED 1.2ft PC NM3h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	78,88
62214	Prima LED 1.2ft PC 3F NM3h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	
62220	Prima LED 1.2ft PC NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	83,77
62221	Prima LED 1.2ft PC 3F NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	
62223	Prima LED 1.2ft PC NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	101,49
62224	Prima LED 1.2ft PC 3F NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	
62230	Prima LED 1.2ft PCc NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	66,05
62231	Prima LED 1.2ft PCc 3F NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	
62233	Prima LED 1.2ft PCc NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	80,39
62234	Prima LED 1.2ft PCc 3F NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	
62240	Prima LED 1.2ft PCc NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	85,29
62241	Prima LED 1.2ft PCc 3F NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	
62243	Prima LED 1.2ft PCc NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	103,00
62244	Prima LED 1.2ft PCc 3F NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	
62250	Prima LED 1.2ft PC L1 2x5P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	72,12
62251	Prima LED 1.2ft PC L3 2x5P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	72,12
62252	Prima LED 1.2ft PC L1 2x7P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	108,81
62253	Prima LED 1.2ft PC L1 2x5P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	86,46
62254	Prima LED 1.2ft PC L3 2x5P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	86,46
62255	Prima LED 1.2ft PC L1 2x7P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	123,15
62260	Prima LED 1.2ft PC L1 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	91,36
62261	Prima LED 1.2ft PC L3 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	91,36
62262	Prima LED 1.2ft PC L1 2x7P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	128,05
62263	Prima LED 1.2ft PC L1 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	109,07
62264	Prima LED 1.2ft PC L3 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	109,07
62265	Prima LED 1.2ft PC L1 2x7P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	145,76
62270	Prima LED 1.2ft PCc L1 2x5P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	73,64
62271	Prima LED 1.2ft PCc L3 2x5P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	73,64
62272	Prima LED 1.2ft PCc L1 2x7P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	110,33

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
62273	Prima LED 1.2ft PCc L1 2x5P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	87,98
62274	Prima LED 1.2ft PCc L3 2x5P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	87,98
62275	Prima LED 1.2ft PCc L1 2x7P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	124,67
62280	Prima LED 1.2ft PCc L1 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	92,87
62281	Prima LED 1.2ft PCc L3 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	92,87
62282	Prima LED 1.2ft PCc L1 2x7P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	129,56
62283	Prima LED 1.2ft PCc L1 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	110,59
62284	Prima LED 1.2ft PCc L3 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	110,59
62285	Prima LED 1.2ft PCc L1 2x7P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	147,28
62310	Prima LED 1.2ft ABS NM1h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	66,88
62311	Prima LED 1.2ft ABS 3F NM1h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	
62313	Prima LED 1.2ft ABS NM3h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	81,22
62314	Prima LED 1.2ft ABS 3F NM3h	Non-maintained emergency luminaire - plastic clips	IP 66	4,5W	440	
62320	Prima LED 1.2ft ABS NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	86,12
62321	Prima LED 1.2ft ABS 3F NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	
62323	Prima LED 1.2ft ABS NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	103,80
62324	Prima LED 1.2ft ABS 3F NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	IP 66	3,3W	440	
62330	Prima LED 1.2ft ABSc NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	68,40
62331	Prima LED 1.2ft ABSc 3F NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	
62333	Prima LED 1.2ft ABSc NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	82,74
62334	Prima LED 1.2ft ABSc 3F NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	IP 66	4,5W	440	
62340	Prima LED 1.2ft ABSc NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	87,63
62341	Prima LED 1.2ft ABSc 3F NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	
62343	Prima LED 1.2ft ABSc NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	105,32
62344	Prima LED 1.2ft ABSc 3F NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	IP 66	3,3W	440	
62350	Prima LED 1.2ft ABS L1 2x5P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	72,01
62351	Prima LED 1.2ft ABS L3 2x5P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	72,01
62352	Prima LED 1.2ft ABS L1 2x7P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	108,70
62353	Prima LED 1.2ft ABS L1 2x5P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	86,35
62354	Prima LED 1.2ft ABS L3 2x5P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	86,35
62355	Prima LED 1.2ft ABS L1 2x7P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	IP 66	4,5W	440	123,04
62360	Prima LED 1.2ft ABS L1 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	91,24
62361	Prima LED 1.2ft ABS L3 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	91,24
62362	Prima LED 1.2ft ABS L1 2x7P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	127,93
62363	Prima LED 1.2ft ABS L1 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	108,96
62364	Prima LED 1.2ft ABS L3 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	108,96
62365	Prima LED 1.2ft ABS L1 2x7P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	IP 66	3,3W	440	145,65

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
62370	Prima LED 1.2ft ABSc L1 2x5P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	73,52
62371	Prima LED 1.2ft ABSc L3 2x5P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	73,52
62372	Prima LED 1.2ft ABSc L1 2x7P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	110,22
62373	Prima LED 1.2ft ABSc L1 2x5P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	87,86
62374	Prima LED 1.2ft ABSc L3 2x5P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	87,86
62375	Prima LED 1.2ft ABSc L1 2x7P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	IP 66	4,5W	440	124,55
62380	Prima LED 1.2ft ABSc L1 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	92,76
62381	Prima LED 1.2ft ABSc L3 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	92,76
62382	Prima LED 1.2ft ABSc L1 2x7P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	129,45
62383	Prima LED 1.2ft ABSc L1 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	110,44
62384	Prima LED 1.2ft ABSc L3 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	110,44
62385	Prima LED 1.2ft ABSc L1 2x7P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	IP 66	3,3W	440	147,16
	<b>LINEA</b>					
63140	LINEA 1.4ft 2600/840	Diffuser made of translucent polycarbonate	IP 54	18W	2240	42,25
63150	LINEA 1.4ft 3200/840	Diffuser made of translucent polycarbonate	IP 54	22W	2720	42,25
63160	LINEA 1.4ft 4400/840	Diffuser made of translucent polycarbonate	IP 54	30W	3720	44,01
63240	LINEA 2.4ft 5200/840	Diffuser made of translucent polycarbonate	IP 54	35W	4330	52,00
63250	LINEA 2.4ft 6400/840	Diffuser made of translucent polycarbonate	IP 54	42W	5210	52,00
63260	LINEA 2.4ft 8800/840	Diffuser made of translucent polycarbonate	IP 54	58W	7280	57,76
	<b>LINEA SQUARE</b>					
63510	LINEA_SQUARE 1200/840	Diffuser made of translucent polycarbonate	IP 54	10W	1180	51,95
63520	LINEA_SQUARE 1800/840	Diffuser made of translucent polycarbonate	IP 54	13W	1490	51,95
63540	LINEA_SQUARE 2400/840	Diffuser made of translucent polycarbonate	IP 54	18W	2020	51,95
63560	LINEA_SQUARE 3600/840	Diffuser made of translucent polycarbonate	IP 54	27W	2890	51,95
	<b>LINEA ROUND</b>					
63610	LINEA_ROUND 1200/840	Diffuser made of translucent polycarbonate	IP 54	10W	1200	49,39
63620	LINEA_ROUND 1800/840	Diffuser made of translucent polycarbonate	IP 54	13W	1500	49,39
63630	LINEA_ROUND 2400/840	Diffuser made of translucent polycarbonate	IP 54	18W	2040	49,39
63640	LINEA_ROUND 3600/840	Diffuser made of translucent polycarbonate	IP 54	27W	2930	49,39
	<b>LINEA 1h akuseadmega</b>					
63144	LINEA 1.4ft 2600/840 M1h	Diffuser made of translucent polycarbonate	IP 54	18W	2240	83,82
63154	LINEA 1.4ft 3200/840 M1h	Diffuser made of translucent polycarbonate	IP 54	22W	2720	83,82
63164	LINEA 1.4ft 4400/840 M1h	Diffuser made of translucent polycarbonate	IP 54	30W	3720	85,31
63244	LINEA 2.4ft 5200/840 M1h	Diffuser made of translucent polycarbonate	IP 54	35W	4330	94,73
63254	LINEA 2.4ft 6400/840 M1h	Diffuser made of translucent polycarbonate	IP 54	42W	5210	94,73
63264	LINEA 2.4ft 8800/840 M1h	Diffuser made of translucent polycarbonate	IP 54	58W	7280	100,67
63514	LINEA_SQUARE 1200/840 M1h	Diffuser made of translucent polycarbonate	IP 54	10W	1180	158,65

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
63524	LINEA_SQUARE 1800/840 M1h	Diffuser made of translucent polycarbonate	IP 54	13W	1490	158,65
63544	LINEA_SQUARE 2400/840 M1h	Diffuser made of translucent polycarbonate	IP 54	18W	2020	158,65
63564	LINEA_SQUARE 3600/840 M1h	Diffuser made of translucent polycarbonate	IP 54	27W	2890	158,65
63614	LINEA_ROUND 1200/840 M1h	Diffuser made of translucent polycarbonate	IP 54	10W	1200	158,94
63634	LINEA_ROUND 1800/840 M1h	Diffuser made of translucent polycarbonate	IP 54	13W	1500	158,94
63654	LINEA_ROUND 2400/840 M1h	Diffuser made of translucent polycarbonate	IP 54	18W	2040	158,94
63664	LINEA_ROUND 3600/840 M1h	Diffuser made of translucent polycarbonate	IP 54	27W	2930	158,94
	<b>LINEA 3h akuseadmega</b>					
63245	LINEA 2.4ft 5200/840 M3h	Diffuser made of translucent polycarbonate	IP 54	35W	4330	107,34
63255	LINEA 2.4ft 6400/840 M3h	Diffuser made of translucent polycarbonate	IP 54	42W	5210	107,34
63265	LINEA 2.4ft 8800/840 M3h	Diffuser made of translucent polycarbonate	IP 54	58W	7280	113,27
	<b>LINEA DALI seadmega</b>					
63143	LINEA 1.4ft 2600/840 Dali	Diffuser made of translucent polycarbonate	IP 54	18W	2240	63,52
63153	LINEA 1.4ft 3200/840 Dali	Diffuser made of translucent polycarbonate	IP 54	22W	2720	63,52
63163	LINEA 1.4ft 4400/840 Dali	Diffuser made of translucent polycarbonate	IP 54	30W	3720	64,96
63243	LINEA 2.4ft 5200/840 Dali	Diffuser made of translucent polycarbonate	IP 54	35W	4330	74,98
63253	LINEA 2.4ft 6400/840 Dali	Diffuser made of translucent polycarbonate	IP 54	42W	5210	74,98
63263	LINEA 2.4ft 8800/840 Dali	Diffuser made of translucent polycarbonate	IP 54	58W	7280	80,59
63513	LINEA_SQUARE 1200/840 Dali	Diffuser made of translucent polycarbonate	IP 54	10W	1180	72,67
63523	LINEA_SQUARE 1800/840 Dali	Diffuser made of translucent polycarbonate	IP 54	13W	1490	72,67
63543	LINEA_SQUARE 2400/840 Dali	Diffuser made of translucent polycarbonate	IP 54	18W	2020	72,67
63563	LINEA_SQUARE 3600/840 Dali	Diffuser made of translucent polycarbonate	IP 54	27W	2890	72,67
63613	LINEA_ROUND 1200/840 Dali	Diffuser made of translucent polycarbonate	IP 54	10W	1200	70,14
63633	LINEA_ROUND 1800/840 Dali	Diffuser made of translucent polycarbonate	IP 54	13W	1500	70,14
63653	LINEA_ROUND 2400/840 Dali	Diffuser made of translucent polycarbonate	IP 54	18W	2040	70,14
63663	LINEA_ROUND 3600/840 Dali	Diffuser made of translucent polycarbonate	IP 54	27W	2930	70,14
63147	LINEA 1.4ft 2600/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	18W	2240	105,38
63157	LINEA 1.4ft 3200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	22W	2720	105,38
63167	LINEA 1.4ft 4400/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	30W	3720	106,87
63247	LINEA 2.4ft 5200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	35W	4330	118,01
63257	LINEA 2.4ft 6400/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	42W	5210	118,38
63267	LINEA 2.4ft 8800/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	58W	7280	122,99
63517	LINEA_SQUARE 1200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	10W	1180	180,02
63527	LINEA_SQUARE 1800/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	13W	1490	180,02
63547	LINEA_SQUARE 2400/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	18W	2020	180,02
63567	LINEA_SQUARE 3600/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	27W	2890	180,02
63617	LINEA_ROUND 1200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	10W	1200	180,31

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
63637	LINEA_ROUND 1800/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	13W	1500	180,31
63657	LINEA_ROUND 2400/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	18W	2040	180,31
63667	LINEA_ROUND 3600/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 54	27W	2930	180,31
63246	LINEA 2.4ft 5200/840 DALI M3h	Diffuser made of translucent polycarbonate	IP 54	35W	4330	130,24
63256	LINEA 2.4ft 6400/840 DALI M3h	Diffuser made of translucent polycarbonate	IP 54	42W	5210	130,98
63266	LINEA 2.4ft 8800/840 DALI M3h	Diffuser made of translucent polycarbonate	IP 54	58W	7280	135,23
	<b>LINEA sensoriga</b>					
63241	LINEA 2.4ft 5200/840 Sensor	Diffuser made of translucent polycarbonate	IP 54	35W	4330	66,60
63251	LINEA 2.4ft 6400/840 Sensor	Diffuser made of translucent polycarbonate	IP 54	42W	5210	66,60
63261	LINEA 2.4ft 8800/840 Sensor	Diffuser made of translucent polycarbonate	IP 54	58W	7280	72,66
63611	LINEA_ROUND 1200/840 Sensor	Diffuser made of translucent polycarbonate	IP 54	10W	1200	63,25
63621	LINEA_ROUND 1800/840 Sensor	Diffuser made of translucent polycarbonate	IP 54	13W	1500	63,25
63248	LINEA 2.4ft 5200/840 DALI Sensor	Diffuser made of translucent polycarbonate	IP 54	35W	4330	90,73
63258	LINEA 2.4ft 6400/840 DALI Sensor	Diffuser made of translucent polycarbonate	IP 54	42W	5210	90,73
63268	LINEA 2.4ft 8800/840 DALI Sensor	Diffuser made of translucent polycarbonate	IP 54	58W	7280	96,30
63616	LINEA_ROUND 1200/840 Sensor M1h	Diffuser made of translucent polycarbonate	IP 54	10W	1200	173,41
63626	LINEA_ROUND 1800/840 Sensor M1h	Diffuser made of translucent polycarbonate	IP 54	13W	1500	173,41
	<b>LINEA SQUARE/ROUND 3h akuseadmega</b>					
63515	LINEA_SQUARE 1200/840 M3h	Diffuser made of translucent polycarbonate	IP 54	10W	1180	184,19
63525	LINEA_SQUARE 1800/840 M3h	Diffuser made of translucent polycarbonate	IP 54	13W	1490	184,19
63545	LINEA_SQUARE 2400/840 M3h	Diffuser made of translucent polycarbonate	IP 54	18W	2020	184,19
63565	LINEA_SQUARE 3600/840 M3h	Diffuser made of translucent polycarbonate	IP 54	27W	2890	184,19
63615	LINEA_ROUND 1200/840 M3h	Diffuser made of translucent polycarbonate	IP 54	10W	1200	184,48
63635	LINEA_ROUND 1800/840 M3h	Diffuser made of translucent polycarbonate	IP 54	13W	1500	184,48
63655	LINEA_ROUND 2400/840 M3h	Diffuser made of translucent polycarbonate	IP 54	18W	2040	184,48
63665	LINEA_ROUND 3600/840 M3h	Diffuser made of translucent polycarbonate	IP 54	27W	2930	184,48
	<b>ALUMAX LED</b>					
50410	ALUMAX LED 1.2ft 1300/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	10W	1080	73,27
50420	ALUMAX LED 1.2ft 1600/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	12W	1300	73,27
50430	ALUMAX LED 1.2ft 2200/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	15W	1670	76,96
50440	ALUMAX LED 1.4ft 2600/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	93,97
50450	ALUMAX LED 1.4ft 3200/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	93,97
50460	ALUMAX LED 1.4ft 4400/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	95,44
50470	ALUMAX LED 1.5ft 3250/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	110,13
50480	ALUMAX LED 1.5ft 4000/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	110,13
50490	ALUMAX LED 1.5ft 5500/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	112,03
50510	ALUMAX LED 2.2ft 2600/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	78,99

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
50520	ALUMAX LED 2.2ft 3200/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2420	78,99
50530	ALUMAX LED 2.2ft 4400/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3320	80,46
50540	ALUMAX LED 2.4ft 5200/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	101,35
50550	ALUMAX LED 2.4ft 6400/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	101,35
50560	ALUMAX LED 2.4ft 8800/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	58W	6660	107,38
50570	ALUMAX LED 2.5ft 6500/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	127,44
50580	ALUMAX LED 2.5ft 8000/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	127,44
50590	ALUMAX LED 2.5ft 11000/840	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	71W	8150	131,13
	<b>ALUMAX LED DALI seadmega</b>					
50610	ALUMAX LED 1.2ft 1300/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	10W	1080	101,67
50620	ALUMAX LED 1.2ft 1600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	12W	1300	101,67
50630	ALUMAX LED 1.2ft 2200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	15W	1670	102,31
50640	ALUMAX LED 1.4ft 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	116,04
50650	ALUMAX LED 1.4ft 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	116,04
50660	ALUMAX LED 1.4ft 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	117,51
50670	ALUMAX LED 1.5ft 3250/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	132,20
50680	ALUMAX LED 1.5ft 4000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	132,20
50690	ALUMAX LED 1.5ft 5500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	134,09
50710	ALUMAX LED 2.2ft 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	101,05
50720	ALUMAX LED 2.2ft 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2420	101,05
50730	ALUMAX LED 2.2ft 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3320	102,52
50740	ALUMAX LED 2.4ft 5200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	124,05
50750	ALUMAX LED 2.4ft 6400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	125,84
50760	ALUMAX LED 2.4ft 8800/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	58W	6660	128,91
50770	ALUMAX LED 2.5ft 6500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	152,47
50780	ALUMAX LED 2.5ft 8000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	149,61
50790	ALUMAX LED 2.5ft 11000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	71W	8150	157,09
	<b>ALUMAX LED 1faas läbiva juhtmestusega</b>					
50441	ALUMAX LED 1.4ft 2600/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	96,62
50451	ALUMAX LED 1.4ft 3200/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	96,62
50461	ALUMAX LED 1.4ft 4400/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	98,09
50471	ALUMAX LED 1.5ft 3250/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	113,39
50481	ALUMAX LED 1.5ft 4000/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	113,39
50491	ALUMAX LED 1.5ft 5500/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	115,29
50541	ALUMAX LED 2.4ft 5200/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	103,99
50551	ALUMAX LED 2.4ft 6400/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	103,99
50561	ALUMAX LED 2.4ft 8800/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	58W	6660	110,03



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
50571	ALUMAX LED 2.5ft 6500/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	130,70
50581	ALUMAX LED 2.5ft 8000/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	130,70
50591	ALUMAX LED 2.5ft 11000/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	71W	8150	134,41
50641	ALUMAX LED 1.4ft 2600/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	123,01
50651	ALUMAX LED 1.4ft 3200/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	123,01
50661	ALUMAX LED 1.4ft 4400/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	124,48
50671	ALUMAX LED 1.5ft 3250/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	139,57
50681	ALUMAX LED 1.5ft 4000/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	139,57
50691	ALUMAX LED 1.5ft 5500/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	141,47
50741	ALUMAX LED 2.4ft 5200/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	131,02
50751	ALUMAX LED 2.4ft 6400/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	132,81
50761	ALUMAX LED 2.4ft 8800/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	58W	6660	135,88
50771	ALUMAX LED 2.5ft 6500/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	159,84
50781	ALUMAX LED 2.5ft 8000/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	156,99
50791	ALUMAX LED 2.5ft 11000/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	71W	8150	164,49
	<b>ALUMAX LED 3faasi läbiva juhtmestusega</b>					
50443	ALUMAX LED 1.4ft 2600/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	100,94
50453	ALUMAX LED 1.4ft 3200/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	100,94
50463	ALUMAX LED 1.4ft 4400/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	102,41
50473	ALUMAX LED 1.5ft 3250/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	117,51
50483	ALUMAX LED 1.5ft 4000/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	117,51
50493	ALUMAX LED 1.5ft 5500/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	119,40
50543	ALUMAX LED 2.4ft 5200/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	108,32
50553	ALUMAX LED 2.4ft 6400/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	108,32
50563	ALUMAX LED 2.4ft 8800/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	58W	6660	114,35
50573	ALUMAX LED 2.5ft 6500/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	134,82
50583	ALUMAX LED 2.5ft 8000/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	134,82
50593	ALUMAX LED 2.5ft 11000/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	71W	8150	138,53
50643	ALUMAX LED 1.4ft 2600/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	123,84
50653	ALUMAX LED 1.4ft 3200/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	123,84
50663	ALUMAX LED 1.4ft 4400/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	125,33
50673	ALUMAX LED 1.5ft 3250/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	140,42
50683	ALUMAX LED 1.5ft 4000/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	140,42
50693	ALUMAX LED 1.5ft 5500/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	142,32
50743	ALUMAX LED 2.4ft 5200/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	131,88
50753	ALUMAX LED 2.4ft 6400/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	133,67
50763	ALUMAX LED 2.4ft 8800/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	58W	6660	136,74

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
50773	ALUMAX LED 2.5ft 6500/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	160,70
50783	ALUMAX LED 2.5ft 8000/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	157,84
50793	ALUMAX LED 2.5ft 11000/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	71W	8150	165,35
	<b>ALUMAX LED 1h akuseadmega</b>					
50414	ALUMAX LED 1.2ft 1300/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	10W	1080	120,50
50424	ALUMAX LED 1.2ft 1600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	12W	1300	120,50
50434	ALUMAX LED 1.2ft 2200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	15W	1670	124,29
50444	ALUMAX LED 1.4ft 2600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	142,67
50454	ALUMAX LED 1.4ft 3200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	142,67
50464	ALUMAX LED 1.4ft 4400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	144,19
50474	ALUMAX LED 1.5ft 3250/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	160,51
50484	ALUMAX LED 1.5ft 4000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	160,51
50494	ALUMAX LED 1.5ft 5500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	162,46
50514	ALUMAX LED 2.2ft 2600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1950	126,37
50524	ALUMAX LED 2.2ft 3200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2420	126,37
50534	ALUMAX LED 2.2ft 4400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3320	127,90
50544	ALUMAX LED 2.4ft 5200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	150,28
50554	ALUMAX LED 2.4ft 6400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	150,28
50574	ALUMAX LED 2.5ft 6500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	178,36
50584	ALUMAX LED 2.5ft 8000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	178,36
50614	ALUMAX LED 1.2ft 1300/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	10W	1080	149,75
50624	ALUMAX LED 1.2ft 1600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	12W	1300	149,75
50634	ALUMAX LED 1.2ft 2200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	15W	1670	150,39
50644	ALUMAX LED 1.4ft 2600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	165,40
50654	ALUMAX LED 1.4ft 3200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	165,40
50664	ALUMAX LED 1.4ft 4400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	166,92
50674	ALUMAX LED 1.5ft 3250/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	183,24
50684	ALUMAX LED 1.5ft 4000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	183,24
50694	ALUMAX LED 1.5ft 5500/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	185,19
50714	ALUMAX LED 2.2ft 2600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1950	149,11
50724	ALUMAX LED 2.2ft 3200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2420	149,11
50734	ALUMAX LED 2.2ft 4400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3320	150,63
50744	ALUMAX LED 2.4ft 5200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	173,68
50754	ALUMAX LED 2.4ft 6400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	175,52
50774	ALUMAX LED 2.5ft 6500/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	204,13
50784	ALUMAX LED 2.5ft 8000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	201,19
	<b>ALUMAX LED 3h akuseadmega</b>					

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
50445	ALUMAX LED 1.4ft 2600/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	242,84
50455	ALUMAX LED 1.4ft 3200/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	242,84
50465	ALUMAX LED 1.4ft 4400/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	244,36
50475	ALUMAX LED 1.5ft 3250/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	260,68
50485	ALUMAX LED 1.5ft 4000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	260,68
50495	ALUMAX LED 1.5ft 5500/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	262,63
50545	ALUMAX LED 2.4ft 5200/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	250,45
50555	ALUMAX LED 2.4ft 6400/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	250,45
50575	ALUMAX LED 2.5ft 6500/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	278,50
50585	ALUMAX LED 2.5ft 8000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	278,50
50645	ALUMAX LED 1.4ft 2600/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	265,57
50655	ALUMAX LED 1.4ft 3200/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	265,57
50665	ALUMAX LED 1.4ft 4400/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	267,09
50675	ALUMAX LED 1.5ft 3250/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	283,39
50685	ALUMAX LED 1.5ft 4000/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	283,39
50695	ALUMAX LED 1.5ft 5500/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	285,36
50745	ALUMAX LED 2.4ft 5200/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	273,82
50755	ALUMAX LED 2.4ft 6400/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	275,67
50775	ALUMAX LED 2.5ft 6500/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	304,28
50785	ALUMAX LED 2.5ft 8000/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	301,34
	<b>ALUMAX LED 3faasi läbiva juhtmestusega 1h akuseadmega</b>					
50447	ALUMAX LED 1.4ft 2600/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	150,95
50457	ALUMAX LED 1.4ft 3200/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	150,95
50467	ALUMAX LED 1.4ft 4400/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	152,47
50477	ALUMAX LED 1.5ft 3250/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	169,22
50487	ALUMAX LED 1.5ft 4000/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	169,22
50497	ALUMAX LED 1.5ft 5500/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	171,17
50547	ALUMAX LED 2.4ft 5200/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	158,56
50557	ALUMAX LED 2.4ft 6400/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	158,56
50577	ALUMAX LED 2.5ft 6500/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	187,04
50587	ALUMAX LED 2.5ft 8000/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	187,04
50647	ALUMAX LED 1.4ft 2600/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	174,54
50657	ALUMAX LED 1.4ft 3200/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	174,54
50667	ALUMAX LED 1.4ft 4400/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	176,06
50677	ALUMAX LED 1.5ft 3250/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	192,81
50687	ALUMAX LED 1.5ft 4000/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	192,81
50697	ALUMAX LED 1.5ft 5500/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	194,76

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
50747	ALUMAX LED 2.4ft 5200/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	182,82
50757	ALUMAX LED 2.4ft 6400/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	184,66
50777	ALUMAX LED 2.5ft 6500/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	213,70
50787	ALUMAX LED 2.5ft 8000/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	210,76
	<b>ALUMAX LED 3faasi läbiva juhtmestusega 3h akuseadmega</b>					
50448	ALUMAX LED 1.4ft 2600/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	251,09
50458	ALUMAX LED 1.4ft 3200/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	251,09
50468	ALUMAX LED 1.4ft 4400/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	252,62
50478	ALUMAX LED 1.5ft 3250/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	269,36
50488	ALUMAX LED 1.5ft 4000/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	269,36
50498	ALUMAX LED 1.5ft 5500/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	271,34
50548	ALUMAX LED 2.4ft 5200/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	258,71
50558	ALUMAX LED 2.4ft 6400/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	258,71
50578	ALUMAX LED 2.5ft 6500/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	287,21
50588	ALUMAX LED 2.5ft 8000/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	287,21
50648	ALUMAX LED 1.4ft 2600/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	18W	1990	274,71
50658	ALUMAX LED 1.4ft 3200/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2450	274,71
50668	ALUMAX LED 1.4ft 4400/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	30W	3370	276,23
50678	ALUMAX LED 1.5ft 3250/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	22W	2410	291,88
50688	ALUMAX LED 1.5ft 4000/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	27W	3030	291,88
50698	ALUMAX LED 1.5ft 5500/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	37W	4240	293,83
50748	ALUMAX LED 2.4ft 5200/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	35W	3870	282,96
50758	ALUMAX LED 2.4ft 6400/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	42W	4760	284,80
50778	ALUMAX LED 2.5ft 6500/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	44W	4880	312,77
50788	ALUMAX LED 2.5ft 8000/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	IP 66	53W	5960	309,83
	<b>BELTR LED</b>					
54110	BELTR LED 1.2ft 1300/840	Diffuser made of translucent polycarbonate	IP 40	10W	1040	32,38
54120	BELTR LED 1.2ft 1600/840	Diffuser made of translucent polycarbonate	IP 40	12W	1250	32,38
54180	BELTR LED 1.4ft 2600/840	Diffuser made of translucent polycarbonate	IP 40	18W	1910	43,36
54140	BELTR LED 1.4ft 3200/840	Diffuser made of translucent polycarbonate	IP 40	22W	2360	43,36
54190	BELTR LED 1.5ft 3250/840	Diffuser made of translucent polycarbonate	IP 40	22W	2310	49,80
54150	BELTR LED 1.5ft 4000/840	Diffuser made of translucent polycarbonate	IP 40	27W	2910	49,80
54210	BELTR LED 2.2ft 2600/840	Diffuser made of translucent polycarbonate	IP 40	18W	1890	40,90
54220	BELTR LED 2.2ft 3200/840	Diffuser made of translucent polycarbonate	IP 40	22W	2350	40,90
54280	BELTR LED 2.4ft 5200/840	Diffuser made of translucent polycarbonate	IP 40	35W	3770	55,27
54240	BELTR LED 2.4ft 6400/840	Diffuser made of translucent polycarbonate	IP 40	42W	4640	55,27
54290	BELTR LED 2.5ft 6500/840	Diffuser made of translucent polycarbonate	IP 40	44W	4750	67,78

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
54250	BELTR LED 2.5ft 8000/840	Diffuser made of translucent polycarbonate	IP 40	53W	5800	67,78
	<b>BELTR LED 3faasi läbijuhtmestusega</b>					
54410	BELTR LED 2.2ft S3F 2600/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	18W	1890	
54420	BELTR LED 2.2ft S3F 3200/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	22W	2340	
54480	BELTR LED 2.4ft S3F 5200/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	35W	3770	
54440	BELTR LED 2.4ft S3F 6400/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	42W	4640	
54490	BELTR LED 2.5ft S3F 6500/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	44W	4750	
54450	BELTR LED 2.5ft S3F 8000/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	53W	5800	
	<b>BETR LED 1h akuseadmega</b>					
54184	BELTR LED 1.4ft 2600/840 M1h	Diffuser made of translucent polycarbonate	IP 40	18W	1910	170,97
54144	BELTR LED 1.4ft 3200/840 M1h	Diffuser made of translucent polycarbonate	IP 40	22W	2360	170,97
54194	BELTR LED 1.5ft 3250/840 M1h	Diffuser made of translucent polycarbonate	IP 40	22W	2310	177,83
54154	BELTR LED 1.5ft 4000/840 M1h	Diffuser made of translucent polycarbonate	IP 40	27W	2910	177,83
54284	BELTR LED 2.4ft 5200/840 M1h	Diffuser made of translucent polycarbonate	IP 40	35W	3770	190,10
54244	BELTR LED 2.4ft 6400/840 M1h	Diffuser made of translucent polycarbonate	IP 40	42W	4640	190,10
54294	BELTR LED 2.5ft 6500/840 M1h	Diffuser made of translucent polycarbonate	IP 40	44W	4750	201,07
54254	BELTR LED 2.5ft 8000/840 M1h	Diffuser made of translucent polycarbonate	IP 40	53W	5800	204,12
54484	BELTR LED 2.4ft S3F 5200/840 M1h	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	35W	3770	
54444	BELTR LED 2.4ft S3F 6400/840 M1h	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	42W	4640	
54494	BELTR LED 2.5ft S3F 6500/840 M1h	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	44W	4750	
54454	BELTR LED 2.5ft S3F 8000/840 M1h	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	53W	5800	
	<b>BELTR LED DALI seadmega</b>					
54113	BELTR LED 1.2ft 1300/840 DALI	Diffuser made of translucent polycarbonate	IP 40	10W	1040	57,76
54123	BELTR LED 1.2ft 1600/840 DALI	Diffuser made of translucent polycarbonate	IP 40	12W	1250	57,76
54183	BELTR LED 1.4ft 2600/840 DALI	Diffuser made of translucent polycarbonate	IP 40	18W	1910	68,14
54143	BELTR LED 1.4ft 3200/840 DALI	Diffuser made of translucent polycarbonate	IP 40	22W	2360	68,14
54193	BELTR LED 1.5ft 3250/840 DALI	Diffuser made of translucent polycarbonate	IP 40	22W	2310	73,88
54153	BELTR LED 1.5ft 4000/840 DALI	Diffuser made of translucent polycarbonate	IP 40	27W	2910	73,88
54213	BELTR LED 2.2ft 2600/840 DALI	Diffuser made of translucent polycarbonate	IP 40	18W	1890	65,00
54223	BELTR LED 2.2ft 3200/840 DALI	Diffuser made of translucent polycarbonate	IP 40	22W	2350	65,00
54283	BELTR LED 2.4ft 5200/840 DALI	Diffuser made of translucent polycarbonate	IP 40	35W	3770	82,98
54243	BELTR LED 2.4ft 6400/840 DALI	Diffuser made of translucent polycarbonate	IP 40	42W	4640	83,07
54293	BELTR LED 2.5ft 6500/840 DALI	Diffuser made of translucent polycarbonate	IP 40	44W	4750	94,58
54253	BELTR LED 2.5ft 8000/840 DALI	Diffuser made of translucent polycarbonate	IP 40	53W	5800	95,58
54413	BELTR LED 2.2ft S3F 2600/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	18W	1890	
54423	BELTR LED 2.2ft S3F 3200/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	22W	2350	
54483	BELTR LED 2.4ft S3F 5200/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	35W	3770	

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
54443	BELTR LED 2.4ft S3F 6400/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	42W	4640	
54493	BELTR LED 2.5ft S3F 6500/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	44W	4750	
54453	BELTR LED 2.5ft S3F 8000/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	IP 40	53W	5800	
54187	BELTR LED 1.4ft 2600/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	18W	1910	195,78
54147	BELTR LED 1.4ft 3200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	22W	2360	195,78
54197	BELTR LED 1.5ft 3250/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	22W	2310	202,64
54157	BELTR LED 1.5ft 4000/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	27W	2910	202,64
54287	BELTR LED 2.4ft 5200/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	35W	3770	214,91
54247	BELTR LED 2.4ft 6400/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	42W	4640	216,84
54297	BELTR LED 2.5ft 6500/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	44W	4750	227,81
54257	BELTR LED 2.5ft 8000/840 DALI M1h	Diffuser made of translucent polycarbonate	IP 40	53W	5800	231,18
	<b>NAOS valget värvi</b>					
95010	NAOS 1.2ft 1300/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	64,45
95020	NAOS 1.2ft 1600/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	64,45
95040	NAOS 1.4ft 2600/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	85,62
95050	NAOS 1.4ft 3200/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	85,62
95070	NAOS 1.5ft 3250/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2570	94,79
95080	NAOS 1.5ft 4000/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3230	94,79
95100	NAOS 2.2ft 2600/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2150	73,62
95110	NAOS 2.2ft 3200/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2670	73,62
95130	NAOS 2.4ft 5200/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	101,00
95140	NAOS 2.4ft 6400/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	101,00
95160	NAOS 2.5ft 6500/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5400	114,83
95170	NAOS 2.5ft 8000/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6590	115,78
95013	NAOS 1.2ft 1300/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	182,57
95023	NAOS 1.2ft 1600/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	182,57
95043	NAOS 1.4ft 2600/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	204,39
95053	NAOS 1.4ft 3200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	204,39
95073	NAOS 1.5ft 3250/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2570	213,82
95083	NAOS 1.5ft 4000/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3230	213,82
95103	NAOS 2.2ft 2600/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2150	192,00
95113	NAOS 2.2ft 3200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2670	192,00
95133	NAOS 2.4ft 5200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	221,91
95143	NAOS 2.4ft 6400/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	221,91
95163	NAOS 2.5ft 6500/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5400	234,48
95173	NAOS 2.5ft 8000/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6590	237,41
95014	NAOS 1.2ft 1300/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	204,80

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
95024	NAOS 1.2ft 1600/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	204,80
95044	NAOS 1.4ft 2600/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	226,62
95054	NAOS 1.4ft 3200/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	226,62
95074	NAOS 1.5ft 3250/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2570	236,05
95084	NAOS 1.5ft 4000/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3230	236,05
95104	NAOS 2.2ft 2600/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2150	214,23
95114	NAOS 2.2ft 3200/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2670	214,23
95134	NAOS 2.4ft 5200/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	244,13
95144	NAOS 2.4ft 6400/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	244,13
95164	NAOS 2.5ft 6500/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5400	256,70
95174	NAOS 2.5ft 8000/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6590	259,64
95015	NAOS 1.2ft 1300/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	91,42
95025	NAOS 1.2ft 1600/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	91,42
95045	NAOS 1.4ft 2600/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	106,79
95055	NAOS 1.4ft 3200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	106,79
95075	NAOS 1.5ft 3250/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2570	115,96
95085	NAOS 1.5ft 4000/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3230	115,96
95105	NAOS 2.2ft 2600/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2150	94,79
95115	NAOS 2.2ft 3200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2670	94,79
95135	NAOS 2.4ft 5200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	123,79
95145	NAOS 2.4ft 6400/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	123,95
95165	NAOS 2.5ft 6500/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5400	137,03
95175	NAOS 2.5ft 8000/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6590	138,55
95016	NAOS 1.2ft 1300/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	210,37
95026	NAOS 1.2ft 1600/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	210,37
95046	NAOS 1.4ft 2600/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	226,18
95056	NAOS 1.4ft 3200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	226,18
95076	NAOS 1.5ft 3250/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2570	235,63
95086	NAOS 1.5ft 4000/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3230	235,63
95106	NAOS 2.2ft 2600/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2150	213,82
95116	NAOS 2.2ft 3200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2670	213,82
95136	NAOS 2.4ft 5200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	243,70
95146	NAOS 2.4ft 6400/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	244,75
95166	NAOS 2.5ft 6500/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5400	257,35
95176	NAOS 2.5ft 8000/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6590	258,92
95017	NAOS 1.2ft 1300/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	10W	1150	232,59
95027	NAOS 1.2ft 1600/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	12W	1380	232,59

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
95047	NAOS 1.4ft 2600/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2120	248,44
95057	NAOS 1.4ft 3200/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2620	248,44
95077	NAOS 1.5ft 3250/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2570	257,86
95087	NAOS 1.5ft 4000/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	27W	3230	257,86
95107	NAOS 2.2ft 2600/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	18W	2150	236,05
95117	NAOS 2.2ft 3200/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	22W	2670	236,05
95137	NAOS 2.4ft 5200/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	265,93
95147	NAOS 2.4ft 6400/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	266,98
95167	NAOS 2.5ft 6500/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	44W	5400	279,58
95177	NAOS 2.5ft 8000/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	53W	6590	281,15
	<b>NAOS hõbedast värvi</b>					
95310	NAOS 1.2ft 1300/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	10W	1150	70,55
95320	NAOS 1.2ft 1600/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	12W	1380	70,55
95340	NAOS 1.4ft 2600/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	18W	2120	93,76
95350	NAOS 1.4ft 3200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2620	93,76
95370	NAOS 1.5ft 3250/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2570	104,96
95380	NAOS 1.5ft 4000/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	27W	3230	104,96
95400	NAOS 2.2ft 2600/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	81,14
95410	NAOS 2.2ft 3200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	81,14
95430	NAOS 2.4ft 5200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	110,84
95440	NAOS 2.4ft 6400/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	110,84
95460	NAOS 2.5ft 6500/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	44W	5400	126,45
95470	NAOS 2.5ft 8000/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	53W	6590	127,73
95313	NAOS 1.2ft 1300/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	10W	1150	188,86
95323	NAOS 1.2ft 1600/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	12W	1380	188,86
95343	NAOS 1.4ft 2600/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	18W	2120	212,76
95353	NAOS 1.4ft 3200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2620	212,76
95373	NAOS 1.5ft 3250/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2570	224,30
95383	NAOS 1.5ft 4000/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	27W	3230	224,30
95403	NAOS 2.2ft 2600/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	199,78
95413	NAOS 2.2ft 3200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	199,78
95433	NAOS 2.4ft 5200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	231,74
95443	NAOS 2.4ft 6400/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	231,74
95463	NAOS 2.5ft 6500/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	44W	5400	246,43
95473	NAOS 2.5ft 8000/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	53W	6590	249,36
95314	NAOS 1.2ft 1300/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	10W	1150	211,09
95324	NAOS 1.2ft 1600/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	12W	1380	211,09



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
95344	NAOS 1.4ft 2600/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	18W	2120	234,99
95354	NAOS 1.4ft 3200/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2620	234,99
95374	NAOS 1.5ft 3250/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2570	246,53
95384	NAOS 1.5ft 4000/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	27W	3230	246,53
95404	NAOS 2.2ft 2600/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	222,01
95414	NAOS 2.2ft 3200/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	222,01
95434	NAOS 2.4ft 5200/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	253,97
95444	NAOS 2.4ft 6400/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	253,97
95464	NAOS 2.5ft 6500/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	44W	5400	268,66
95474	NAOS 2.5ft 8000/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	53W	6590	271,59
95315	NAOS 1.2ft 1300/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	10W	1150	97,55
95325	NAOS 1.2ft 1600/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	12W	1380	97,55
95345	NAOS 1.4ft 2600/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	18W	2120	114,93
95355	NAOS 1.4ft 3200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2620	114,93
95375	NAOS 1.5ft 3250/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2570	126,14
95385	NAOS 1.5ft 4000/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	27W	3230	126,14
95405	NAOS 2.2ft 2600/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	102,31
95415	NAOS 2.2ft 3200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	102,31
95435	NAOS 2.4ft 5200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	133,37
95445	NAOS 2.4ft 6400/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	133,81
95465	NAOS 2.5ft 6500/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	44W	5400	148,65
95475	NAOS 2.5ft 8000/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	53W	6590	150,17
95316	NAOS 1.2ft 1300/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	10W	1150	216,65
95326	NAOS 1.2ft 1600/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	12W	1380	216,65
95346	NAOS 1.4ft 2600/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	18W	2120	234,58
95356	NAOS 1.4ft 3200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2620	234,58
95376	NAOS 1.5ft 3250/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2570	246,12
95386	NAOS 1.5ft 4000/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	27W	3230	246,12
95406	NAOS 2.2ft 2600/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	221,57
95416	NAOS 2.2ft 3200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	221,57
95436	NAOS 2.4ft 5200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	253,56
95446	NAOS 2.4ft 6400/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	254,62
95466	NAOS 2.5ft 6500/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	44W	5400	269,30
95476	NAOS 2.5ft 8000/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	53W	6590	270,87
95317	NAOS 1.2ft 1300/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	10W	1150	238,88
95327	NAOS 1.2ft 1600/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	12W	1380	238,88
95347	NAOS 1.4ft 2600/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	18W	2120	256,81

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
95357	NAOS 1.4ft 3200/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2620	256,81
95377	NAOS 1.5ft 3250/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2570	268,35
95387	NAOS 1.5ft 4000/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	27W	3230	268,35
95407	NAOS 2.2ft 2600/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	243,80
95417	NAOS 2.2ft 3200/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	22W	2670	243,80
95437	NAOS 2.4ft 5200/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	275,79
95447	NAOS 2.4ft 6400/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	276,85
95467	NAOS 2.5ft 6500/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	44W	5400	291,53
95477	NAOS 2.5ft 8000/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	53W	6590	293,10
	<b>NAOS mikroprismaatilise kupliga</b>					
95510	NAOS MPR 2.4ft 5200/840	Diffusor with multilayer microprism optics, white colour	IP 20	35W	4020	123,74
95520	NAOS MPR 2.5ft 6500/840	Diffusor with multilayer microprism optics, white colour	IP 20	44W	5070	141,72
95513	NAOS MPR 2.4ft 5200/840 M1h	Diffusor with multilayer microprism optics, white colour	IP 20	35W	4020	244,65
95523	NAOS MPR 2.5ft 6500/840 M1h	Diffusor with multilayer microprism optics, white colour	IP 20	44W	5070	262,16
95514	NAOS MPR 2.4ft 5200/840 M3h	Diffusor with multilayer microprism optics, white colour	IP 20	35W	4020	266,88
95524	NAOS MPR 2.5ft 6500/840 M3h	Diffusor with multilayer microprism optics, white colour	IP 20	44W	5070	284,39
95515	NAOS MPR 2.4ft 5200/840 DALI	Diffusor with multilayer microprism optics, white colour	IP 20	35W	4020	143,10
95525	NAOS MPR 2.5ft 6500/840 DALI	Diffusor with multilayer microprism optics, white colour	IP 20	44W	5070	158,55
95516	NAOS MPR 2.4ft 5200/840 DALI M1h	Diffusor with multilayer microprism optics, white colour	IP 20	35W	4020	266,47
95526	NAOS MPR 2.5ft 6500/840 DALI M1h	Diffusor with multilayer microprism optics, white colour	IP 20	44W	5070	283,98
95517	NAOS MPR 2.4ft 5200/840 DALI M3h	Diffusor with multilayer microprism optics, white colour	IP 20	35W	4020	288,70
95527	NAOS MPR 2.5ft 6500/840 DALI M3h	Diffusor with multilayer microprism optics, white colour	IP 20	44W	5070	306,21
	<b>NAOS mikroprismaatilise kupliga hõbedane</b>					
95610	NAOS MPR 2.4ft 5200/840 s	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	35W	4020	134,22
95620	NAOS MPR 2.5ft 6500/840 s	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	44W	5070	153,13
95613	NAOS MPR 2.4ft 5200/840 s M1h	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	35W	4020	255,13
95623	NAOS MPR 2.5ft 6500/840 s M1h	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	44W	5070	273,91
95614	NAOS MPR 2.4ft 5200/840 s M3h	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	35W	4020	277,36
95624	NAOS MPR 2.5ft 6500/840 s M3h	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	44W	5070	296,14
95615	NAOS MPR 2.4ft 5200/840 s DALI	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	35W	4020	156,07
95625	NAOS MPR 2.5ft 6500/840 s DALI	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	44W	5070	174,30
95616	NAOS MPR 2.4ft 5200/840 s DALI M1h	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	35W	4020	276,95
95626	NAOS MPR 2.5ft 6500/840 s DALI M1h	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	44W	5070	295,73
95617	NAOS MPR 2.4ft 5200/840 s DALI M3h	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	35W	4020	299,18
95627	NAOS MPR 2.5ft 6500/840 s DALI M3h	Diffusor with multilayer microprism optics, silver colour (s)	IP 20	44W	5070	317,96
	<b>NAOS 600x600 valge</b>					

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
95710	NAOS SQUARE 5200/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	132,34
95720	NAOS SQUARE 6400/840	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	132,34
95713	NAOS SQUARE 5200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	252,51
95723	NAOS SQUARE 6400/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	252,51
95714	NAOS SQUARE 5200/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	274,73
95724	NAOS SQUARE 6400/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	274,73
95715	NAOS SQUARE 5200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	153,52
95725	NAOS SQUARE 6400/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	154,55
95716	NAOS SQUARE 5200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	274,32
95726	NAOS SQUARE 6400/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	275,38
95717	NAOS SQUARE 5200/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	35W	4280	296,55
95727	NAOS SQUARE 6400/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	IP 20	42W	5270	297,61
	<b>NAOS 600x600 hõbedane</b>					
95750	NAOS SQUARE 5200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	143,96
95760	NAOS SQUARE 6400/840 s	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	143,96
95753	NAOS SQUARE 5200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	264,46
95763	NAOS SQUARE 6400/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	264,46
95754	NAOS SQUARE 5200/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	286,71
95764	NAOS SQUARE 6400/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	286,71
95755	NAOS SQUARE 5200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	165,13
95765	NAOS SQUARE 6400/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	166,16
95756	NAOS SQUARE 5200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	286,27
95766	NAOS SQUARE 6400/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	287,33
95757	NAOS SQUARE 5200/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	35W	4280	308,50
95767	NAOS SQUARE 6400/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	IP 20	42W	5270	309,56
	<b>NAOS 600x600 mikroprismaatilise kupliga valge</b>					
95810	NAOS SQUARE MPR 5200/840	Diffusor with multilayer micropramid optics, white colour	IP 20	35W	4280	135,31
95813	NAOS SQUARE MPR 5200/840 M1h	Diffusor with multilayer micropramid optics, white colour	IP 20	35W	4280	255,55
95814	NAOS SQUARE MPR 5200/840 M3h	Diffusor with multilayer micropramid optics, white colour	IP 20	35W	4280	277,77
95815	NAOS SQUARE MPR 5200/840 DALI	Diffusor with multilayer micropramid optics, white colour	IP 20	35W	4280	156,48
95816	NAOS SQUARE MPR 5200/840 DALI M1h	Diffusor with multilayer micropramid optics, white colour	IP 20	35W	4280	277,36
95817	NAOS SQUARE MPR 5200/840 DALI M3h	Diffusor with multilayer micropramid optics, white colour	IP 20	35W	4280	299,59
	<b>NAOS 600x600 mikroprismaatilise kupliga hõbedane</b>					
95850	NAOS SQUARE MPR 5200/840 s	Diffusor with multilayer micropramid optics, silver colour	IP 20	35W	4280	146,92
95853	NAOS SQUARE MPR 5200/840 s M1h	Diffusor with multilayer micropramid optics, silver colour	IP 20	35W	4280	267,50
95854	NAOS SQUARE MPR 5200/840 s M3h	Diffusor with multilayer micropramid optics, silver colour	IP 20	35W	4280	289,75
95855	NAOS SQUARE MPR 5200/840 s DALI	Diffusor with multilayer micropramid optics, silver colour	IP 20	35W	4280	168,10

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
95856	NAOS SQUARE MPR 5200/840 s DALI M1h	Diffusor with multilayer micropramid optics, silver colour	IP 20	35W	4280	289,31
95857	NAOS SQUARE MPR 5200/840 s DALI M3h	Diffusor with multilayer micropramid optics, silver colour	IP 20	35W	4280	311,54
	<b>Riputid NAOS valgustile</b>					
95910	NAOS 1 - S3	Cord suspension, with 3-wire cable (1.2ft, 1.4ft, 1.5ft)	x	x	x	44,48
95920	NAOS 1 - S5	Cord suspension, with 5-wire cable (1.2ft, 1.4ft, 1.5ft)	x	x	x	46,03
95930	NAOS 2 - S3	Cord suspension, with 3-wire cable (2.2ft, 2.4ft, 2.5ft)	x	x	x	43,79
95940	NAOS 2 - S5	Cord suspension, with 5-wire cable (2.2ft, 2.4ft, 2.5ft)	x	x	x	45,31
95950	NAOS 3 - S3	Cord suspension for NAOS MPR, with 3-wire cable (2.4ft, 2.5ft)	x	x	x	46,73
95960	NAOS 3 - S5	Cord suspension for NAOS MPR, with 5-wire cable (2.4ft, 2.5ft)	x	x	x	48,76
	<b>PRIMA LED MAX</b>					
79910	PRIMA LED MAX 1.5ft PCc 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	24W	3550	107,21
79900	PRIMA LED MAX 1.5ft PCc 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	33W	4780	107,21
79911	PRIMA LED MAX 1.5ft PCc 4000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	24W	3550	111,29
79901	PRIMA LED MAX 1.5ft PCc 5500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	33W	4780	111,29
79913	PRIMA LED MAX 1.5ft PCc 4000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	24W	3550	112,20
79903	PRIMA LED MAX 1.5ft PCc 5500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	33W	4780	112,20
	<b>FUTURA MAX</b>					
79820	FUTURA MAX 1.5ft PCc AI 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	24W	3550	117,11
79830	FUTURA MAX 1.5ft PCc AI 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	33W	4780	117,11
79840	FUTURA MAX 2.4ft PCc AI 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	38W	5730	124,83
79800	FUTURA MAX 2.4ft PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	52W	7640	124,83
79850	FUTURA MAX 2.5ft PCc AI 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	48W	7110	157,69
79810	FUTURA MAX 2.5ft PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	65W	9550	157,69
79821	FUTURA MAX 1.5ft PCc AI 4000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	24W	3550	120,16
79831	FUTURA MAX 1.5ft PCc AI 5500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	33W	4780	120,16
79841	FUTURA MAX 2.4ft PCc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	38W	5730	127,40
79801	FUTURA MAX 2.4ft PCc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	52W	7640	127,40
79851	FUTURA MAX 2.5ft PCc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	48W	7110	154,64
79811	FUTURA MAX 2.5ft PCc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	68W	10070	154,64
79823	FUTURA MAX 1.5ft PCc AI 4000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	24W	3550	123,21
79833	FUTURA MAX 1.5ft PCc AI 5500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	33W	4780	123,21
79843	FUTURA MAX 2.4ft PCc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	38W	5730	129,62
79803	FUTURA MAX 2.4ft PCc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	52W	7640	129,62
79853	FUTURA MAX 2.5ft PCc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	48W	7110	157,69
79813	FUTURA MAX 2.5ft PCc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	68W	10070	157,69
	<b>ALUMAX LED MAX</b>					
79730	ALUMAX LED MAX 1.5ft 4000/840	Non-dimmable - stainless steel clips (c)	IP 66	24W	3050	187,14

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
79700	ALUMAX LED MAX 1.5ft 5500/840	Non-dimmable - stainless steel clips (c)	IP 66	33W	4100	187,14
79740	ALUMAX LED MAX 2.4ft 6400/840	Non-dimmable - stainless steel clips (c)	IP 66	38W	4920	186,67
79710	ALUMAX LED MAX 2.4ft 8800/840	Non-dimmable - stainless steel clips (c)	IP 66	52W	6480	186,67
79750	ALUMAX LED MAX 2.5ft 8000/840	Non-dimmable - stainless steel clips (c)	IP 66	48W	6020	227,84
79720	ALUMAX LED MAX 2.5ft 11000/840	Non-dimmable - stainless steel clips (c)	IP 66	65W	8100	227,84
79731	ALUMAX LED MAX 1.5ft 4000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	24W	3050	190,78
79701	ALUMAX LED MAX 1.5ft 5500/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	33W	4100	190,78
79741	ALUMAX LED MAX 2.4ft 6400/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	38W	4920	189,60
79711	ALUMAX LED MAX 2.4ft 8800/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	52W	6480	189,60
79751	ALUMAX LED MAX 2.5ft 8000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	48W	6020	231,45
79721	ALUMAX LED MAX 2.5ft 11000/840 1F	Non-dimmable - stainless steel clips (c)	IP 66	65W	8100	231,45
79733	ALUMAX LED MAX 1.5ft 4000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	24W	3050	195,34
79703	ALUMAX LED MAX 1.5ft 5500/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	33W	4100	195,34
79743	ALUMAX LED MAX 2.4ft 6400/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	38W	4920	189,60
79713	ALUMAX LED MAX 2.4ft 8800/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	52W	6480	189,60
79753	ALUMAX LED MAX 2.5ft 8000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	48W	6020	231,45
79723	ALUMAX LED MAX 2.5ft 11000/840 3F	Non-dimmable - stainless steel clips (c)	IP 66	65W	8100	231,45
	<b>CANOPUS MAX</b>					
74610	CANOPUS MAX 22000/840	Non-dimmable, satinized glass	IP 65	142W	19450	427,94
74620	CANOPUS MAX 30000/840	Non-dimmable, satinized glass	IP 65	194W	26150	427,94
74625	CANOPUS MAX 30000/840 DALI	DALI dimmable, satinized glass	IP 65	194W	26150	446,42
74640	CANOPUS MAX NB 22000/840	Non-dimmable, satinized glass, narrow beam	IP 65	142W	18900	475,17
74650	CANOPUS MAX NB 30000/840	Non-dimmable, satinized glass, narrow beam	IP 65	194W	25400	475,17
74655	CANOPUS MAX NB 30000/840 DALI	DALI dimmable, satinized glass, narrow beam	IP 65	194W	25400	493,65
74670	CANOPUS MAX NB TR 22000/840	Non-dimmable, transparent glass, narrow beam	IP 65	142W	19900	463,13
74680	CANOPUS MAX NB TR 30000/840	Non-dimmable, transparent glass, narrow beam	IP 65	194W	26750	463,13
74685	CANOPUS MAX NB TR 30000/840 DALI	DALI dimmable, transparent glass, narrow beam	IP 65	194W	26750	481,61
	<b>CANOPUS</b>					
74010	CANOPUS 10.2ft 22000/840	Non-dimmable, satinized glass	IP 65	146W	18110	222,17
74110	CANOPUS 10.2ft NB 22000/840	Non-dimmable, satinized glass, narrow beam	IP 65	146W	17570	266,69
74016	CANOPUS 10.2ft 22000/840 DALI	DALI dimmable, satinized glass	IP 65	146W	18110	266,59
74116	CANOPUS 10.2ft NB 22000/840 DALI	DALI dimmable, satinized glass, narrow beam	IP 65	146W	17570	311,12
74020	CANOPUS 10.2ft 26000/840	Non-dimmable, satinized glass	IP 65	171W	21370	260,02
74120	CANOPUS 10.2ft NB 26000/840	Non-dimmable, satinized glass, narrow beam	IP 65	171W	20730	292,34
74026	CANOPUS 10.2ft 26000/840 DALI	DALI dimmable, satinized glass	IP 65	171W	21370	324,66
74126	CANOPUS 10.2ft NB 26000/840 DALI	DALI dimmable, satinized glass, narrow beam	IP 65	171W	20730	356,98
74030	CANOPUS 10.2ft 30000/840	Non-dimmable, satinized glass	IP 65	201W	24500	260,02

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
74130	CANOPUS 10.2ft NB 30000/840	Non-dimmable, satinized glass, narrow beam	IP 65	201W	23710	292,34
74036	CANOPUS 10.2ft 30000/840 DALI	DALI dimmable, satinized glass	IP 65	201W	24500	324,66
74136	CANOPUS 10.2ft NB 30000/840 DALI	DALI dimmable, satinized glass, narrow beam	IP 65	201W	23710	356,98
74310	CANOPUS 10.2ft SF 22000/840	Non-dimmable, satinized glass, safety film	IP 65	138W	16380	
74410	CANOPUS 10.2ft NB SF 22000/840	Non-dimmable, satinized glass, narrow beam, safety film	IP 65	138W	16190	
74316	CANOPUS 10.2ft SF 22000/840 DALI	DALI dimmable, satinized glass, safety film	IP 65	138W	16380	
74416	CANOPUS 10.2ft NB SF 22000/840 DALI	DALI dimmable, satinized glass, narrow beam, safety film	IP 65	138W	16190	
74320	CANOPUS 10.2ft SF 26000/840	Non-dimmable, satinized glass, safety film	IP 65	171W	20080	
74420	CANOPUS 10.2ft NB SF 26000/840	Non-dimmable, satinized glass, narrow beam, safety film	IP 65	171W	19830	
74326	CANOPUS 10.2ft SF 26000/840 DALI	DALI dimmable, satinized glass, safety film	IP 65	171W	20080	
74426	CANOPUS 10.2ft NB SF 26000/840 DALI	DALI dimmable, satinized glass, narrow beam, safety film	IP 65	171W	19830	
74330	CANOPUS 10.2ft SF 30000/840	Non-dimmable, satinized glass, safety film	IP 65	198W	22520	
74430	CANOPUS 10.2ft NB SF 30000/840	Non-dimmable, satinized glass, narrow beam, safety film	IP 65	198W	22260	
74336	CANOPUS 10.2ft SF 30000/840 DALI	DALI dimmable, satinized glass, safety film	IP 65	198W	22520	
74436	CANOPUS 10.2ft NB SF 30000/840 DALI	DALI dimmable, satinized glass, narrow beam, safety film	IP 65	198W	22260	
74210	CANOPUS 10.2ft NB TR 22000/840	Non-dimmable, transparent glass, narrow beam	IP 65	146W	18540	256,50
74216	CANOPUS 10.2ft NB TR 22000/840 DALI	DALI dimmable, transparent glass, narrow beam	IP 65	146W	18540	300,92
74220	CANOPUS 10.2ft NB TR 26000/840	Non-dimmable, transparent glass, narrow beam	IP 65	171W	21880	282,15
74226	CANOPUS 10.2ft NB TR 26000/840 DALI	DALI dimmable, transparent glass, narrow beam	IP 65	171W	21880	346,76
74230	CANOPUS 10.2ft NB TR 30000/840	Non-dimmable, transparent glass, narrow beam	IP 65	201W	25140	282,15
74236	CANOPUS 10.2ft NB TR 30000/840 DALI	DALI dimmable, transparent glass, narrow beam	IP 65	201W	25140	346,76
74510	CANOPUS 10.2ft NB TR SF 22000/840	Non-dimmable, transparent glass, narrow beam, safety film	IP 65	138W	17920	
74516	CANOPUS 10.2ft NB TR SF 22000/840 DALI	DALI dimmable, transparent glass, narrow beam, safety film	IP 65	138W	17920	
74520	CANOPUS 10.2ft NB TR SF 26000/840	Non-dimmable, transparent glass, narrow beam, safety film	IP 65	171W	21970	
74526	CANOPUS 10.2ft NB TR SF 26000/840 DALI	DALI dimmable, transparent glass, narrow beam, safety film	IP 65	171W	21970	
74530	CANOPUS 10.2ft NB TR SF 30000/840	Non-dimmable, transparent glass, narrow beam, safety film	IP 65	198W	24650	
74536	CANOPUS 10.2ft NB TR SF 30000/840 DALI	DALI dimmable, transparent glass, narrow beam, safety film	IP 65	198W	24650	
74011	CANOPUS 22000/840 M1h At	Non-dimmable, satinized glass	IP 65	146W	18110	384,44
74013	CANOPUS 22000/840 M3h At	Non-dimmable, satinized glass	IP 65	146W	18110	399,99
74017	CANOPUS 22000/840 DALI M1h At	DALI dimmable, satinized glass	IP 65	146W	18110	428,86
74018	CANOPUS 22000/840 DALI M3h At	DALI dimmable, satinized glass	IP 65	146W	18110	444,41
74021	CANOPUS 26000/840 M1h At	Non-dimmable, satinized glass	IP 65	171W	21370	422,31
74023	CANOPUS 26000/840 M3h At	Non-dimmable, satinized glass	IP 65	171W	21370	437,84
74027	CANOPUS 26000/840 DALI M1h At	DALI dimmable, satinized glass	IP 65	171W	21370	486,93
74028	CANOPUS 26000/840 DALI M3h At	DALI dimmable, satinized glass	IP 65	171W	21370	502,48
74031	CANOPUS 30000/840 M1h At	Non-dimmable, satinized glass	IP 65	201W	24500	422,31
74033	CANOPUS 30000/840 M3h At	Non-dimmable, satinized glass	IP 65	201W	24500	437,84

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
74037	CANOPUS 30000/840 DALI M1h At	DALI dimmable, satinized glass	IP 65	201W	24500	486,93
74038	CANOPUS 30000/840 DALI M3h At	DALI dimmable, satinized glass	IP 65	201W	24500	502,48
74111	CANOPUS NB 22000/840 M1h At	Non-dimmable, satinized glass, narrow beam	IP 65	146W	17570	428,96
74113	CANOPUS NB 22000/840 M3h At	Non-dimmable, satinized glass, narrow beam	IP 65	146W	17570	444,51
74117	CANOPUS NB 22000/840 DALI M1h At	DALI dimmable, satinized glass, narrow beam	IP 65	146W	17570	473,41
74118	CANOPUS NB 22000/840 DALI M3h At	DALI dimmable, satinized glass, narrow beam	IP 65	146W	17570	488,94
74121	CANOPUS NB 26000/840 M1h At	Non-dimmable, satinized glass, narrow beam	IP 65	171W	20730	454,61
74123	CANOPUS NB 26000/840 M3h At	Non-dimmable, satinized glass, narrow beam	IP 65	171W	20730	470,16
74127	CANOPUS NB 26000/840 DALI M1h At	DALI dimmable, satinized glass, narrow beam	IP 65	171W	20730	519,25
74128	CANOPUS NB 26000/840 DALI M3h At	DALI dimmable, satinized glass, narrow beam	IP 65	171W	20730	534,80
74131	CANOPUS NB 30000/840 M1h At	Non-dimmable, satinized glass, narrow beam	IP 65	201W	23710	454,61
74133	CANOPUS NB 30000/840 M3h At	Non-dimmable, satinized glass, narrow beam	IP 65	201W	23710	470,16
74137	CANOPUS NB 30000/840 DALI M1h At	DALI dimmable, satinized glass, narrow beam	IP 65	201W	23710	519,25
74138	CANOPUS NB 30000/840 DALI M3h At	DALI dimmable, satinized glass, narrow beam	IP 65	201W	23710	534,80
74211	CANOPUS NB TR 22000/840 M1h At	Non-dimmable, transparent glass, narrow beam	IP 65	146W	18540	418,77
74213	CANOPUS NB TR 22000/840 M3h At	Non-dimmable, transparent glass, narrow beam	IP 65	146W	18540	434,32
74217	CANOPUS NB TR 22000/840 DALI M1h At	DALI dimmable, transparent glass, narrow beam	IP 65	146W	18540	463,19
74218	CANOPUS NB TR 22000/840 DALI M3h At	DALI dimmable, transparent glass, narrow beam	IP 65	146W	18540	478,74
74221	CANOPUS NB TR 26000/840 M1h At	Non-dimmable, transparent glass, narrow beam	IP 65	171W	21880	444,41
74223	CANOPUS NB TR 26000/840 M3h At	Non-dimmable, transparent glass, narrow beam	IP 65	171W	21880	459,97
74227	CANOPUS NB TR 26000/840 DALI M1h At	DALI dimmable, transparent glass, narrow beam	IP 65	171W	21880	509,05
74228	CANOPUS NB TR 26000/840 DALI M3h At	DALI dimmable, transparent glass, narrow beam	IP 65	171W	21880	524,60
74231	CANOPUS NB TR 30000/840 M1h At	Non-dimmable, transparent glass, narrow beam	IP 65	201W	25140	444,41
74233	CANOPUS NB TR 30000/840 M3h At	Non-dimmable, transparent glass, narrow beam	IP 65	201W	25140	459,97
74237	CANOPUS NB TR 30000/840 DALI M1h At	DALI dimmable, transparent glass, narrow beam	IP 65	201W	25140	509,05
74238	CANOPUS NB TR 30000/840 DALI M3h At	DALI dimmable, transparent glass, narrow beam	IP 65	201W	25140	524,60
	<b>CANOPUS KINNITID</b>					
50080	CANOPUS holder 1	Ceiling holder				23,44
50081	CANOPUS holder 2	Adjustable ceiling and wall holder				28,33
50082	CANOPUS suspender	Chain suspender				6,08
50083	CANOPUS	Protecting grid - Canopus				36,09
	<b>INNOVA otsavalgustid</b>					
72111	INNOVA 1.4ft PC 2600/840 1x3P	Non-dimmable, standard optics	IP66	18W	2340	41,36
72121	INNOVA 1.4ft PC 3200/840 1x3P	Non-dimmable, standard optics	IP66	22W	2890	41,36
72131	INNOVA 1.4ft PC 4400/840 1x3P	Non-dimmable, standard optics	IP66	30W	3960	43,67
72151	INNOVA 1.5ft PC 3250/840 1x3P	Non-dimmable, standard optics	IP66	22W	2840	47,51
72161	INNOVA 1.5ft PC 4000/840 1x3P	Non-dimmable, standard optics	IP66	27W	3570	47,51

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72171	INNOVA 1.5ft PC 5500/840 1x3P	Non-dimmable, standard optics	IP66	37W	4990	49,40
72112	INNOVA 1.4ft PC 2600/840 1x5P	Non-dimmable, standard optics	IP66	18W	2340	41,70
72122	INNOVA 1.4ft PC 3200/840 1x5P	Non-dimmable, standard optics	IP66	22W	2890	41,70
72132	INNOVA 1.4ft PC 4400/840 1x5P	Non-dimmable, standard optics	IP66	30W	3960	44,02
72152	INNOVA 1.5ft PC 3250/840 1x5P	Non-dimmable, standard optics	IP66	22W	2840	47,85
72162	INNOVA 1.5ft PC 4000/840 1x5P	Non-dimmable, standard optics	IP66	27W	3570	47,85
72172	INNOVA 1.5ft PC 5500/840 1x5P	Non-dimmable, standard optics	IP66	37W	4990	49,74
72113	INNOVA 1.4ft PC 2600/840 1x5P DALI	Dimmable, standard optics	IP66	18W	2340	65,17
72123	INNOVA 1.4ft PC 3200/840 1x5P DALI	Dimmable, standard optics	IP66	22W	2890	65,17
72133	INNOVA 1.4ft PC 4400/840 1x5P DALI	Dimmable, standard optics	IP66	30W	3960	66,74
72153	INNOVA 1.5ft PC 3250/840 1x5P DALI	Dimmable, standard optics	IP66	22W	2840	70,58
72163	INNOVA 1.5ft PC 4000/840 1x5P DALI	Dimmable, standard optics	IP66	27W	3570	70,58
72173	INNOVA 1.5ft PC 5500/840 1x5P DALI	Dimmable, standard optics	IP66	37W	4990	72,64
72114	INNOVA 1.4ft PC 2600/840 1x7P DALI	Dimmable, standard optics	IP66	18W	2340	82,14
72124	INNOVA 1.4ft PC 3200/840 1x7P DALI	Dimmable, standard optics	IP66	22W	2890	82,14
72134	INNOVA 1.4ft PC 4400/840 1x7P DALI	Dimmable, standard optics	IP66	30W	3960	83,71
72154	INNOVA 1.5ft PC 3250/840 1x7P DALI	Dimmable, standard optics	IP66	22W	2840	87,55
72164	INNOVA 1.5ft PC 4000/840 1x7P DALI	Dimmable, standard optics	IP66	27W	3570	87,55
72174	INNOVA 1.5ft PC 5500/840 1x7P DALI	Dimmable, standard optics	IP66	37W	4990	89,58
72141	INNOVA 1.4ft PC 6400/840 1x3P	Non-dimmable, standard optics	IP66	43W	5710	46,74
72181	INNOVA 1.5ft PC 8000/840 1x3P	Non-dimmable, standard optics	IP66	54W	7170	53,12
72142	INNOVA 1.4ft PC 6400/840 1x5P	Non-dimmable, standard optics	IP66	43W	5710	47,08
72182	INNOVA 1.5ft PC 8000/840 1x5P	Non-dimmable, standard optics	IP66	54W	7170	53,49
72143	INNOVA 1.4ft PC 6400/840 1x5P DALI	Dimmable, standard optics	IP66	43W	5710	70,61
72183	INNOVA 1.5ft PC 8000/840 1x5P DALI	Dimmable, standard optics	IP66	54W	7170	77,02
72144	INNOVA 1.4ft PC 6400/840 1x7P DALI	Dimmable, standard optics	IP66	43W	5710	88,09
72184	INNOVA 1.5ft PC 8000/840 1x7P DALI	Dimmable, standard optics	IP66	54W	7170	94,50
	<b>INNOVA jadavalgustid</b>					
72115	INNOVA 1.4ft PC 2600/840 2x3P	Non-dimmable, standard optics	IP66	18W	2340	47,08
72125	INNOVA 1.4ft PC 3200/840 2x3P	Non-dimmable, standard optics	IP66	22W	2890	47,08
72135	INNOVA 1.4ft PC 4400/840 2x3P	Non-dimmable, standard optics	IP66	30W	3960	49,20
72155	INNOVA 1.5ft PC 3250/840 2x3P	Non-dimmable, standard optics	IP66	22W	2840	53,83
72165	INNOVA 1.5ft PC 4000/840 2x3P	Non-dimmable, standard optics	IP66	27W	3570	53,83
72175	INNOVA 1.5ft PC 5500/840 2x3P	Non-dimmable, standard optics	IP66	37W	4990	55,12
72116	INNOVA 1.4ft PC 2600/840 2x5P	Non-dimmable, standard optics	IP66	18W	2340	49,05
72126	INNOVA 1.4ft PC 3200/840 2x5P	Non-dimmable, standard optics	IP66	22W	2890	49,05



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72136	INNOVA 1.4ft PC 4400/840 2x5P	Non-dimmable, standard optics	IP66	30W	3960	51,14
72156	INNOVA 1.5ft PC 3250/840 2x5P	Non-dimmable, standard optics	IP66	22W	2840	55,92
72166	INNOVA 1.5ft PC 4000/840 2x5P	Non-dimmable, standard optics	IP66	27W	3570	55,92
72176	INNOVA 1.5ft PC 5500/840 2x5P	Non-dimmable, standard optics	IP66	37W	4990	57,10
72117	INNOVA 1.4ft PC 2600/840 2x5P DALI	Dimmable, standard optics	IP66	18W	2340	72,29
72127	INNOVA 1.4ft PC 3200/840 2x5P DALI	Dimmable, standard optics	IP66	22W	2890	72,29
72137	INNOVA 1.4ft PC 4400/840 2x5P DALI	Dimmable, standard optics	IP66	30W	3960	73,87
72157	INNOVA 1.5ft PC 3250/840 2x5P DALI	Dimmable, standard optics	IP66	22W	2840	78,85
72167	INNOVA 1.5ft PC 4000/840 2x5P DALI	Dimmable, standard optics	IP66	27W	3570	78,85
72177	INNOVA 1.5ft PC 5500/840 2x5P DALI	Dimmable, standard optics	IP66	37W	4990	80,62
72118	INNOVA 1.4ft PC 2600/840 2x7P DALI	Dimmable, standard optics	IP66	18W	2340	110,42
72128	INNOVA 1.4ft PC 3200/840 2x7P DALI	Dimmable, standard optics	IP66	22W	2890	110,42
72138	INNOVA 1.4ft PC 4400/840 2x7P DALI	Dimmable, standard optics	IP66	30W	3960	111,99
72158	INNOVA 1.5ft PC 3250/840 2x7P DALI	Dimmable, standard optics	IP66	22W	2840	118,89
72168	INNOVA 1.5ft PC 4000/840 2x7P DALI	Dimmable, standard optics	IP66	27W	3570	118,89
72178	INNOVA 1.5ft PC 5500/840 2x7P DALI	Dimmable, standard optics	IP66	37W	4990	120,92
72145	INNOVA 1.4ft PC 6400/840 2x3P	Non-dimmable, standard optics	IP66	43W	5710	52,43
72185	INNOVA 1.5ft PC 8000/840 2x3P	Non-dimmable, standard optics	IP66	54W	7170	58,84
72146	INNOVA 1.4ft PC 6400/840 2x5P	Non-dimmable, standard optics	IP66	43W	5710	54,41
72186	INNOVA 1.5ft PC 8000/840 2x5P	Non-dimmable, standard optics	IP66	54W	7170	60,82
72147	INNOVA 1.4ft PC 6400/840 2x5P DALI	Dimmable, standard optics	IP66	43W	5710	77,96
72187	INNOVA 1.5ft PC 8000/840 2x5P DALI	Dimmable, standard optics	IP66	54W	7170	84,37
72148	INNOVA 1.4ft PC 6400/840 2x7P DALI	Dimmable, standard optics	IP66	43W	5710	117,23
72188	INNOVA 1.5ft PC 8000/840 2x7P DALI	Dimmable, standard optics	IP66	54W	7170	126,76
	<b>INNOVA kitsa valgusvihuga otsavalgusti</b>					
72211	INNOVA 1.4ft NB PC 4400/840 1x3P	Non-dimmable, narrow beam	IP66	30W	3850	49,08
72231	INNOVA 1.5ft NB PC 5500/840 1x3P	Non-dimmable, narrow beam	IP66	37W	4850	56,01
72212	INNOVA 1.4ft NB PC 4400/840 1x5P	Non-dimmable, narrow beam	IP66	30W	3850	49,43
72232	INNOVA 1.5ft NB PC 5500/840 1x5P	Non-dimmable, narrow beam	IP66	37W	4850	56,32
72213	INNOVA 1.4ft NB PC 4400/840 1x5P DALI	Dimmable, narrow beam	IP66	30W	3850	72,18
72233	INNOVA 1.5ft NB PC 5500/840 1x5P DALI	Dimmable, narrow beam	IP66	37W	4850	79,08
72214	INNOVA 1.4ft NB PC 4400/840 1x7P DALI	Dimmable, narrow beam	IP66	30W	3850	89,15
72234	INNOVA 1.5ft NB PC 5500/840 1x7P DALI	Dimmable, narrow beam	IP66	37	4850	96,05
72221	INNOVA 1.4ft NB PC 6400/840 1x3P	Non-dimmable, narrow beam	IP66	43W	5540	52,32
72241	INNOVA 1.5ft NB PC 8000/840 1x3P	Non-dimmable, narrow beam	IP66	54W	6960	59,76
72222	INNOVA 1.4ft NB PC 6400/840 1x5P	Non-dimmable, narrow beam	IP66	43W	5540	52,66
72242	INNOVA 1.5ft NB PC 8000/840 1x5P	Non-dimmable, narrow beam	IP66	54W	6960	60,13

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72223	INNOVA 1.4ft NB PC 6400/840 1x5P DALI	Dimmable, narrow beam	IP66	43W	5540	76,22
72243	INNOVA 1.5ft NB PC 8000/840 1x5P DALI	Dimmable, narrow beam	IP66	54W	6960	83,66
72224	INNOVA 1.4ft NB PC 6400/840 1x7P DALI	Dimmable, narrow beam	IP66	43W	5540	93,67
72244	INNOVA 1.5ft NB PC 8000/840 1x7P DALI	Dimmable, narrow beam	IP66	54W	6960	101,14
	<b>INNOVA kitsa valgusvihuga jadavalgusti</b>					
72215	INNOVA 1.4ft NB PC 4400/840 2x3P	Non-dimmable, narrow beam	IP66	30W	3850	54,64
72235	INNOVA 1.5ft NB PC 5500/840 2x3P	Non-dimmable, narrow beam	IP66	37W	4850	61,88
72216	INNOVA 1.4ft NB PC 4400/840 2x5P	Non-dimmable, narrow beam	IP66	30W	3850	56,55
72236	INNOVA 1.5ft NB PC 5500/840 2x5P	Non-dimmable, narrow beam	IP66	37W	4850	63,85
72217	INNOVA 1.4ft NB PC 4400/840 2x5P DALI	Dimmable, narrow beam	IP66	30W	3850	66,28
72237	INNOVA 1.5ft NB PC 5500/840 2x5P DALI	Dimmable, narrow beam	IP66	37W	4850	74,33
72218	INNOVA 1.4ft NB PC 4400/840 2x7P DALI	Dimmable, narrow beam	IP66	30W	3850	117,43
72238	INNOVA 1.5ft NB PC 5500/840 2x7P DALI	Dimmable, narrow beam	IP66	37W	4850	127,39
72225	INNOVA 1.4ft NB PC 6400/840 2x3P	Non-dimmable, narrow beam	IP66	43W	5540	58,01
72245	INNOVA 1.5ft NB PC 8000/840 2x3P	Non-dimmable, narrow beam	IP66	54W	6960	65,48
72226	INNOVA 1.4ft NB PC 6400/840 2x5P	Non-dimmable, narrow beam	IP66	43W	5540	60,02
72246	INNOVA 1.5ft NB PC 8000/840 2x5P	Non-dimmable, narrow beam	IP66	54W	6960	67,46
72227	INNOVA 1.4ft NB PC 6400/840 2x5P DALI	Dimmable, narrow beam	IP66	43W	5540	83,54
72247	INNOVA 1.5ft NB PC 8000/840 2x5P DALI	Dimmable, narrow beam	IP66	54W	6960	91,01
72228	INNOVA 1.4ft NB PC 6400/840 2x7P DALI	Dimmable, narrow beam	IP66	43W	5540	122,81
72248	INNOVA 1.5ft NB PC 8000/840 2x7P DALI	Dimmable, narrow beam	IP66	54W	6960	133,40
	<b>INNOVA laia valgusvihuga otsavalgusti</b>					
72311	INNOVA 1.4ft WB PC 2600/840 1x3P	Non-dimmable, wide beam	IP66	18W	2270	46,97
72321	INNOVA 1.4ft WB PC 3200/840 1x3P	Non-dimmable, wide beam	IP66	22W	2810	46,97
72331	INNOVA 1.4ft WB PC 4400/840 1x3P	Non-dimmable, wide beam	IP66	30W	3850	50,46
72351	INNOVA 1.5ft WB PC 3250/840 1x3P	Non-dimmable, wide beam	IP66	22W	2750	54,18
72361	INNOVA 1.5ft WB PC 4000/840 1x3P	Non-dimmable, wide beam	IP66	27W	3470	54,18
72371	INNOVA 1.5ft WB PC 5500/840 1x3P	Non-dimmable, wide beam	IP66	37W	4850	56,21
72312	INNOVA 1.4ft WB PC 2600/840 1x5P	Non-dimmable, wide beam	IP66	18W	2270	47,31
72322	INNOVA 1.4ft WB PC 3200/840 1x5P	Non-dimmable, wide beam	IP66	22W	2810	47,31
72332	INNOVA 1.4ft WB PC 4400/840 1x5P	Non-dimmable, wide beam	IP66	30W	3850	50,80
72352	INNOVA 1.5ft WB PC 3250/840 1x5P	Non-dimmable, wide beam	IP66	22W	2750	54,52
72362	INNOVA 1.5ft WB PC 4000/840 1x5P	Non-dimmable, wide beam	IP66	27W	3470	54,52
72372	INNOVA 1.5ft WB PC 5500/840 1x5P	Non-dimmable, wide beam	IP66	37W	4850	56,55
72313	INNOVA 1.4ft WB PC 2600/840 1x5P DALI	Dimmable, wide beam	IP66	18W	2270	70,58
72323	INNOVA 1.4ft WB PC 3200/840 1x5P DALI	Dimmable, wide beam	IP66	22W	2810	70,58

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72333	INNOVA 1.4ft WB PC 4400/840 1x5P DALI	Dimmable, wide beam	IP66	30W	3850	73,52
72353	INNOVA 1.5ft WB PC 3250/840 1x5P DALI	Dimmable, wide beam	IP66	22W	2750	77,27
72363	INNOVA 1.5ft WB PC 4000/840 1x5P DALI	Dimmable, wide beam	IP66	27W	3470	77,27
72373	INNOVA 1.5ft WB PC 5500/840 1x5P DALI	Dimmable, wide beam	IP66	37W	4850	79,31
72314	INNOVA 1.4ft WB PC 2600/840 1x7P DALI	Dimmable, wide beam	IP66	18W	2270	87,55
72324	INNOVA 1.4ft WB PC 3200/840 1x7P DALI	Dimmable, wide beam	IP66	22W	2810	87,55
72334	INNOVA 1.4ft WB PC 4400/840 1x7P DALI	Dimmable, wide beam	IP66	30W	3850	90,50
72354	INNOVA 1.5ft WB PC 3250/840 1x7P DALI	Dimmable, wide beam	IP66	22W	2750	94,22
72364	INNOVA 1.5ft WB PC 4000/840 1x7P DALI	Dimmable, wide beam	IP66	27W	3470	94,22
72374	INNOVA 1.5ft WB PC 5500/840 1x7P DALI	Dimmable, wide beam	IP66	37W	4850	96,28
72341	INNOVA 1.4ft WB PC 6400/840 1x3P	Non-dimmable, wide beam	IP66	43W	5540	53,83
72381	INNOVA 1.5ft WB PC 8000/840 1x3P	Non-dimmable, wide beam	IP66	54W	6960	60,02
72342	INNOVA 1.4ft WB PC 6400/840 1x5P	Non-dimmable, wide beam	IP66	43W	5540	54,18
72382	INNOVA 1.5ft WB PC 8000/840 1x5P	Non-dimmable, wide beam	IP66	54W	6960	60,36
72343	INNOVA 1.4ft WB PC 6400/840 1x5P DALI	Dimmable, wide beam	IP66	43W	5540	77,70
72383	INNOVA 1.5ft WB PC 8000/840 1x5P DALI	Dimmable, wide beam	IP66	54W	6960	83,89
72344	INNOVA 1.4ft WB PC 6400/840 1x7P DALI	Dimmable, wide beam	IP66	43W	5540	95,19
72384	INNOVA 1.5ft WB PC 8000/840 1x7P DALI	Dimmable, wide beam	IP66	54W	6960	101,37
	<b>INNOVA laia valgusvihuga jadavalgusti</b>					
72315	INNOVA 1.4ft WB PC 2600/840 2x3P	Non-dimmable, wide beam	IP66	18W	2270	52,66
72325	INNOVA 1.4ft WB PC 3200/840 2x3P	Non-dimmable, wide beam	IP66	22W	2810	52,66
72335	INNOVA 1.4ft WB PC 4400/840 2x3P	Non-dimmable, wide beam	IP66	30W	3850	56,01
72355	INNOVA 1.5ft WB PC 3250/840 2x3P	Non-dimmable, wide beam	IP66	22W	2750	60,53
72365	INNOVA 1.5ft WB PC 4000/840 2x3P	Non-dimmable, wide beam	IP66	27W	3470	60,53
72375	INNOVA 1.5ft WB PC 5500/840 2x3P	Non-dimmable, wide beam	IP66	37W	4850	61,99
72316	INNOVA 1.4ft WB PC 2600/840 2x5P	Non-dimmable, wide beam	IP66	18W	2270	54,64
72326	INNOVA 1.4ft WB PC 3200/840 2x5P	Non-dimmable, wide beam	IP66	22W	2810	54,64
72336	INNOVA 1.4ft WB PC 4400/840 2x5P	Non-dimmable, wide beam	IP66	30W	3850	57,93
72356	INNOVA 1.5ft WB PC 3250/840 2x5P	Non-dimmable, wide beam	IP66	22W	2750	62,79
72366	INNOVA 1.5ft WB PC 4000/840 2x5P	Non-dimmable, wide beam	IP66	27W	3470	62,79
72376	INNOVA 1.5ft WB PC 5500/840 2x5P	Non-dimmable, wide beam	IP66	37W	4850	63,97
72317	INNOVA 1.4ft WB PC 2600/840 2x5P DALI	Dimmable, wide beam	IP66	18W	2270	77,70
72327	INNOVA 1.4ft WB PC 3200/840 2x5P DALI	Dimmable, wide beam	IP66	22W	2810	77,70
72337	INNOVA 1.4ft WB PC 4400/840 2x5P DALI	Dimmable, wide beam	IP66	30W	3850	80,65
72357	INNOVA 1.5ft WB PC 3250/840 2x5P DALI	Dimmable, wide beam	IP66	22W	2750	85,52
72367	INNOVA 1.5ft WB PC 4000/840 2x5P DALI	Dimmable, wide beam	IP66	27W	3470	85,52
72377	INNOVA 1.5ft WB PC 5500/840 2x5P DALI	Dimmable, wide beam	IP66	37W	4850	87,49

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72318	INNOVA 1.4ft WB PC 2600/840 2x7P DALI	Dimmable, wide beam	IP66	18W	2270	115,83
72328	INNOVA 1.4ft WB PC 3200/840 2x7P DALI	Dimmable, wide beam	IP66	22W	2810	115,83
72338	INNOVA 1.4ft WB PC 4400/840 2x7P DALI	Dimmable, wide beam	IP66	30W	3850	118,77
72358	INNOVA 1.5ft WB PC 3250/840 2x7P DALI	Dimmable, wide beam	IP66	22W	2750	125,56
72368	INNOVA 1.5ft WB PC 4000/840 2x7P DALI	Dimmable, wide beam	IP66	27W	3470	125,56
72378	INNOVA 1.5ft WB PC 5500/840 2x7P DALI	Dimmable, wide beam	IP66	37W	4850	127,59
72345	INNOVA 1.4ft WB PC 6400/840 2x3P	Non-dimmable, wide beam	IP66	43W	5540	59,53
72385	INNOVA 1.5ft WB PC 8000/840 2x3P	Non-dimmable, wide beam	IP66	54W	6960	65,71
72346	INNOVA 1.4ft WB PC 6400/840 2x5P	Non-dimmable, wide beam	IP66	43W	5540	61,53
72386	INNOVA 1.5ft WB PC 8000/840 2x5P	Non-dimmable, wide beam	IP66	54W	6960	67,69
72347	INNOVA 1.4ft WB PC 6400/840 2x5P DALI	Dimmable, wide beam	IP66	43W	5540	85,06
72387	INNOVA 1.5ft WB PC 8000/840 2x5P DALI	Dimmable, wide beam	IP66	54W	6960	91,24
72348	INNOVA 1.4ft WB PC 6400/840 2x7P DALI	Dimmable, wide beam	IP66	43W	5540	124,33
72388	INNOVA 1.5ft WB PC 8000/840 2x7P DALI	Dimmable, wide beam	IP66	54W	6960	133,66
	<b>INNOVA ABS otsavalgusti</b>					
72411	INNOVA 1.4ft ABS 2600/840 1x3P	Non-dimmable, standard optics	IP66	18W	2340	37,41
72421	INNOVA 1.4ft ABS 3200/840 1x3P	Non-dimmable, standard optics	IP66	22W	2890	37,41
72431	INNOVA 1.4ft ABS 4400/840 1x3P	Non-dimmable, standard optics	IP66	30W	3960	39,81
72451	INNOVA 1.5ft ABS 3250/840 1x3P	Non-dimmable, standard optics	IP66	22W	2840	43,67
72461	INNOVA 1.5ft ABS 4000/840 1x3P	Non-dimmable, standard optics	IP66	27W	3570	43,67
72471	INNOVA 1.5ft ABS 5500/840 1x3P	Non-dimmable, standard optics	IP66	37W	4990	45,45
72412	INNOVA 1.4ft ABS 2600/840 1x5P	Non-dimmable, standard optics	IP66	18W	2340	37,75
72422	INNOVA 1.4ft ABS 3200/840 1x5P	Non-dimmable, standard optics	IP66	22W	2890	37,75
72432	INNOVA 1.4ft ABS 4400/840 1x5P	Non-dimmable, standard optics	IP66	30W	3960	40,15
72452	INNOVA 1.5ft ABS 3250/840 1x5P	Non-dimmable, standard optics	IP66	22W	2840	44,02
72462	INNOVA 1.5ft ABS 4000/840 1x5P	Non-dimmable, standard optics	IP66	27W	3570	44,02
72472	INNOVA 1.5ft ABS 5500/840 1x5P	Non-dimmable, standard optics	IP66	37W	4990	45,79
72413	INNOVA 1.4ft ABS 2600/840 1x5P DALI	Dimmable, standard optics	IP66	18W	2340	61,30
72423	INNOVA 1.4ft ABS 3200/840 1x5P DALI	Dimmable, standard optics	IP66	22W	2890	61,30
72433	INNOVA 1.4ft ABS 4400/840 1x5P DALI	Dimmable, standard optics	IP66	30W	3960	62,91
72453	INNOVA 1.5ft ABS 3250/840 1x5P DALI	Dimmable, standard optics	IP66	22W	2840	66,74
72463	INNOVA 1.5ft ABS 4000/840 1x5P DALI	Dimmable, standard optics	IP66	27W	3570	66,74
72473	INNOVA 1.5ft ABS 5500/840 1x5P DALI	Dimmable, standard optics	IP66	37W	4990	68,77
72414	INNOVA 1.4ft ABS 2600/840 1x7P DALI	Dimmable, standard optics	IP66	18W	2340	78,28
72424	INNOVA 1.4ft ABS 3200/840 1x7P DALI	Dimmable, standard optics	IP66	22W	2890	78,28
72434	INNOVA 1.4ft ABS 4400/840 1x7P DALI	Dimmable, standard optics	IP66	30W	3960	79,88
72454	INNOVA 1.5ft ABS 3250/840 1x7P DALI	Dimmable, standard optics	IP66	22W	2840	83,71

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72464	INNOVA 1.5ft ABS 4000/840 1x7P DALI	Dimmable, standard optics	IP66	27W	3570	83,71
72474	INNOVA 1.5ft ABS 5500/840 1x7P DALI	Dimmable, standard optics	IP66	37W	4990	85,75
72441	INNOVA 1.4ft ABS 6400/840 1x3P	Non-dimmable, standard optics	IP66	43W	5710	42,76
72481	INNOVA 1.5ft ABS 8000/840 1x3P	Non-dimmable, standard optics	IP66	54W	7170	49,17
72442	INNOVA 1.4ft ABS 6400/840 1x5P	Non-dimmable, standard optics	IP66	43W	5710	43,10
72482	INNOVA 1.5ft ABS 8000/840 1x5P	Non-dimmable, standard optics	IP66	54W	7170	49,51
72443	INNOVA 1.4ft ABS 6400/840 1x5P DALI	Dimmable, standard optics	IP66	43W	5710	66,66
72483	INNOVA 1.5ft ABS 8000/840 1x5P DALI	Dimmable, standard optics	IP66	54W	7170	73,07
72444	INNOVA 1.4ft ABS 6400/840 1x7P DALI	Dimmable, standard optics	IP66	43W	5710	84,11
72484	INNOVA 1.5ft ABS 8000/840 1x7P DALI	Dimmable, standard optics	IP66	54W	7170	90,53
	<b>INNOVA ABS jadavgusti</b>					
72415	INNOVA 1.4ft ABS 2600/840 2x3P	Non-dimmable, standard optics	IP66	18W	2340	43,10
72425	INNOVA 1.4ft ABS 3200/840 2x3P	Non-dimmable, standard optics	IP66	22W	2890	43,10
72435	INNOVA 1.4ft ABS 4400/840 2x3P	Non-dimmable, standard optics	IP66	30W	3960	45,36
72455	INNOVA 1.5ft ABS 3250/840 2x3P	Non-dimmable, standard optics	IP66	22W	2840	50,00
72465	INNOVA 1.5ft ABS 4000/840 2x3P	Non-dimmable, standard optics	IP66	27W	3570	50,00
72475	INNOVA 1.5ft ABS 5500/840 2x3P	Non-dimmable, standard optics	IP66	37W	4990	51,14
72416	INNOVA 1.4ft ABS 2600/840 2x5P	Non-dimmable, standard optics	IP66	18W	2340	45,11
72426	INNOVA 1.4ft ABS 3200/840 2x5P	Non-dimmable, standard optics	IP66	22W	2890	45,11
72456	INNOVA 1.5ft ABS 3250/840 2x5P	Non-dimmable, standard optics	IP66	22W	2840	51,97
72466	INNOVA 1.5ft ABS 4000/840 2x5P	Non-dimmable, standard optics	IP66	27W	3570	51,97
72476	INNOVA 1.5ft ABS 5500/840 2x5P	Non-dimmable, standard optics	IP66	37W	4990	53,12
72417	INNOVA 1.4ft ABS 2600/840 2x5P DALI	Dimmable, standard optics	IP66	18W	2340	68,43
72427	INNOVA 1.4ft ABS 3200/840 2x5P DALI	Dimmable, standard optics	IP66	22W	2890	68,43
72437	INNOVA 1.4ft ABS 4400/840 2x5P DALI	Dimmable, standard optics	IP66	30W	3960	70,03
72457	INNOVA 1.5ft ABS 3250/840 2x5P DALI	Dimmable, standard optics	IP66	22W	2840	75,01
72467	INNOVA 1.5ft ABS 4000/840 2x5P DALI	Dimmable, standard optics	IP66	27W	3570	75,01
72477	INNOVA 1.5ft ABS 5500/840 2x5P DALI	Dimmable, standard optics	IP66	37W	4990	76,67
72418	INNOVA 1.4ft ABS 2600/840 2x7P DALI	Dimmable, standard optics	IP66	18W	2340	106,55
72428	INNOVA 1.4ft ABS 3200/840 2x7P DALI	Dimmable, standard optics	IP66	22W	2890	106,55
72438	INNOVA 1.4ft ABS 4400/840 2x7P DALI	Dimmable, standard optics	IP66	30W	3960	108,15
72458	INNOVA 1.5ft ABS 3250/840 2x7P DALI	Dimmable, standard optics	IP66	22W	2840	115,05
72468	INNOVA 1.5ft ABS 4000/840 2x7P DALI	Dimmable, standard optics	IP66	27W	3570	115,05
72478	INNOVA 1.5ft ABS 5500/840 2x7P DALI	Dimmable, standard optics	IP66	37W	4990	117,08
72445	INNOVA 1.4ft ABS 6400/840 2x3P	Non-dimmable, standard optics	IP66	43W	5710	48,48
72485	INNOVA 1.5ft ABS 8000/840 2x3P	Non-dimmable, standard optics	IP66	54	7170	54,89
72446	INNOVA 1.4ft ABS 6400/840 2x5P	Non-dimmable, standard optics	IP66	43	5710	50,46

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72486	INNOVA 1.5ft ABS 8000/840 2x5P	Non-dimmable, standard optics	IP66	54	7170	56,87
72447	INNOVA 1.4ft ABS 6400/840 2x5P DALI	Dimmable, standard optics	IP66	43	5710	73,98
72487	INNOVA 1.5ft ABS 8000/840 2x5P DALI	Dimmable, standard optics	IP66	54	7170	80,39
72448	INNOVA 1.4ft ABS 6400/840 2x7P DALI	Dimmable, standard optics	IP66	43	5710	113,25
72488	INNOVA 1.5ft ABS 8000/840 2x7P DALI	Dimmable, standard optics	IP66	54	7170	122,81
	<b>INNOVA kitsa valgusvihuga ABS otsavalgusti</b>					
72511	INNOVA 1.4ft NB ABS 4400/840 1x3P	Non-dimmable, narrow beam	IP66	30W	3850	45,25
72531	INNOVA 1.5ft NB ABS 5500/840 1x3P	Non-dimmable, narrow beam	IP66	37W	4850	52,09
72512	INNOVA 1.4ft NB ABS 4400/840 1x5P	Non-dimmable, narrow beam	IP66	30W	3850	45,59
72532	INNOVA 1.5ft NB ABS 5500/840 1x5P	Non-dimmable, narrow beam	IP66	37W	4850	52,43
72513	INNOVA 1.4ft NB ABS 4400/840 1x5P DALI	Dimmable, narrow beam	IP66	30W	3850	68,32
72533	INNOVA 1.5ft NB ABS 5500/840 1x5P DALI	Dimmable, narrow beam	IP66	37W	4850	75,21
72514	INNOVA 1.4ft NB ABS 4400/840 1x7P DALI	Dimmable, narrow beam	IP66	30W	3850	85,29
72534	INNOVA 1.5ft NB ABS 5500/840 1x7P DALI	Dimmable, narrow beam	IP66	37W	4850	92,19
72521	INNOVA 1.4ft NB ABS 6400/840 1x3P	Non-dimmable, narrow beam	IP66	43	5540	48,37
72541	INNOVA 1.5ft NB ABS 8000/840 1x3P	Non-dimmable, narrow beam	IP66	54	6960	55,81
72522	INNOVA 1.4ft NB ABS 6400/840 1x5P	Non-dimmable, narrow beam	IP66	43	5540	48,71
72542	INNOVA 1.5ft NB ABS 8000/840 1x5P	Non-dimmable, narrow beam	IP66	54	6960	56,15
72523	INNOVA 1.4ft NB ABS 6400/840 1x5P DALI	Dimmable, narrow beam	IP66	43	5540	72,24
72543	INNOVA 1.5ft NB ABS 8000/840 1x5P DALI	Dimmable, narrow beam	IP66	54	6960	79,71
72524	INNOVA 1.4ft NB ABS 6400/840 1x7P DALI	Dimmable, narrow beam	IP66	43	5540	89,72
72544	INNOVA 1.5ft NB ABS 8000/840 1x7P DALI	Dimmable, narrow beam	IP66	54	6960	97,16
	<b>INNOVA kitsa valgusvihuga ABS jadavalgusti</b>					
72515	INNOVA 1.4ft NB ABS 4400/840 2x3P	Non-dimmable, narrow beam	IP66	30W	3850	50,80
72535	INNOVA 1.5ft NB ABS 5500/840 2x3P	Non-dimmable, narrow beam	IP66	37W	4850	57,78
72516	INNOVA 1.4ft NB ABS 4400/840 2x5P	Non-dimmable, narrow beam	IP66	30W	3850	52,72
72536	INNOVA 1.5ft NB ABS 5500/840 2x5P	Non-dimmable, narrow beam	IP66	37W	4850	59,76
72517	INNOVA 1.4ft NB ABS 4400/840 2x5P DALI	Dimmable, narrow beam	IP66	30W	3850	75,44
72537	INNOVA 1.5ft NB ABS 5500/840 2x5P DALI	Dimmable, narrow beam	IP66	37W	4850	83,31
72518	INNOVA 1.4ft NB ABS 4400/840 2x7P DALI	Dimmable, narrow beam	IP66	30W	3850	113,56
72538	INNOVA 1.5ft NB ABS 5500/840 2x7P DALI	Dimmable, narrow beam	IP66	37W	4850	123,52
72525	INNOVA 1.4ft NB ABS 6400/840 2x3P	Non-dimmable, narrow beam	IP66	43	5540	54,06
72545	INNOVA 1.5ft NB ABS 8000/840 2x3P	Non-dimmable, narrow beam	IP66	54	6960	61,53
72526	INNOVA 1.4ft NB ABS 6400/840 2x5P	Non-dimmable, narrow beam	IP66	43	5540	56,04
72546	INNOVA 1.5ft NB ABS 8000/840 2x5P	Non-dimmable, narrow beam	IP66	54	6960	63,51
72527	INNOVA 1.4ft NB ABS 6400/840 2x5P DALI	Dimmable, narrow beam	IP66	43	5540	79,59
72547	INNOVA 1.5ft NB ABS 8000/840 2x5P DALI	Dimmable, narrow beam	IP66	54	6960	87,03

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72528	INNOVA 1.4ft NB ABS 6400/840 2x7P DALI	Dimmable, narrow beam	IP66	43	5540	118,86
72548	INNOVA 1.5ft NB ABS 8000/840 2x7P DALI	Dimmable, narrow beam	IP66	54	6960	129,45
	<b>INNOVA laia valgusvihuga ABS otsavalgusti</b>					
72611	INNOVA 1.4ft WB ABS 2600/840 1x3P	Non-dimmable, wide beam	IP66	18W	2270	42,99
72621	INNOVA 1.4ft WB ABS 3200/840 1x3P	Non-dimmable, wide beam	IP66	22W	2810	42,99
72631	INNOVA 1.4ft WB ABS 4400/840 1x3P	Non-dimmable, wide beam	IP66	30W	3850	46,59
72651	INNOVA 1.5ft WB ABS 3250/840 1x3P	Non-dimmable, wide beam	IP66	22W	2750	50,34
72661	INNOVA 1.5ft WB ABS 4000/840 1x3P	Non-dimmable, wide beam	IP66	27W	3470	50,34
72671	INNOVA 1.5ft WB ABS 5500/840 1x3P	Non-dimmable, wide beam	IP66	37W	4850	52,32
72612	INNOVA 1.4ft WB ABS 2600/840 1x5P	Non-dimmable, wide beam	IP66	18W	2270	43,33
72622	INNOVA 1.4ft WB ABS 3200/840 1x5P	Non-dimmable, wide beam	IP66	22W	2810	43,33
72632	INNOVA 1.4ft WB ABS 4400/840 1x5P	Non-dimmable, wide beam	IP66	30W	3850	46,94
72652	INNOVA 1.5ft WB ABS 3250/840 1x5P	Non-dimmable, wide beam	IP66	22W	2750	50,69
72662	INNOVA 1.5ft WB ABS 4000/840 1x5P	Non-dimmable, wide beam	IP66	27W	3470	50,69
72672	INNOVA 1.5ft WB ABS 5500/840 1x5P	Non-dimmable, wide beam	IP66	37W	4850	52,66
72613	INNOVA 1.4ft WB ABS 2600/840 1x5P DALI	Dimmable, wide beam	IP66	18W	2270	66,74
72623	INNOVA 1.4ft WB ABS 3200/840 1x5P DALI	Dimmable, wide beam	IP66	22W	2810	66,74
72633	INNOVA 1.4ft WB ABS 4400/840 1x5P DALI	Dimmable, wide beam	IP66	30W	3850	69,69
72653	INNOVA 1.5ft WB ABS 3250/840 1x5P DALI	Dimmable, wide beam	IP66	22W	2750	73,41
72663	INNOVA 1.5ft WB ABS 4000/840 1x5P DALI	Dimmable, wide beam	IP66	27W	3470	73,41
72673	INNOVA 1.5ft WB ABS 5500/840 1x5P DALI	Dimmable, wide beam	IP66	37W	4850	75,44
72614	INNOVA 1.4ft WB ABS 2600/840 1x7P DALI	Dimmable, wide beam	IP66	18W	2270	83,71
72624	INNOVA 1.4ft WB ABS 3200/840 1x7P DALI	Dimmable, wide beam	IP66	22W	2810	83,71
72634	INNOVA 1.4ft WB ABS 4400/840 1x7P DALI	Dimmable, wide beam	IP66	30W	3850	86,66
72654	INNOVA 1.5ft WB ABS 3250/840 1x7P DALI	Dimmable, wide beam	IP66	22W	2750	90,38
72664	INNOVA 1.5ft WB ABS 4000/840 1x7P DALI	Dimmable, wide beam	IP66	27W	3470	90,38
72674	INNOVA 1.5ft WB ABS 5500/840 1x7P DALI	Dimmable, wide beam	IP66	37W	4850	92,41
72641	INNOVA 1.4ft WB ABS 6400/840 1x3P	Non-dimmable, wide beam	IP66	43	5540	49,74
72681	INNOVA 1.5ft WB ABS 8000/840 1x3P	Non-dimmable, wide beam	IP66	54	6960	56,04
72642	INNOVA 1.4ft WB ABS 6400/840 1x5P	Non-dimmable, wide beam	IP66	43	5540	50,11
72682	INNOVA 1.5ft WB ABS 8000/840 1x5P	Non-dimmable, wide beam	IP66	54	6960	56,38
72643	INNOVA 1.4ft WB ABS 6400/840 1x5P DALI	Dimmable, wide beam	IP66	43	5540	73,64
72683	INNOVA 1.5ft WB ABS 8000/840 1x5P DALI	Dimmable, wide beam	IP66	54	6960	79,94
72644	INNOVA 1.4ft WB ABS 6400/840 1x7P DALI	Dimmable, wide beam	IP66	43	5540	91,13
72684	INNOVA 1.5ft WB ABS 8000/840 1x7P DALI	Dimmable, wide beam	IP66	54	6960	97,39
	<b>INNOVA laia valgusvihuga ABS jadavalgusti</b>					
72615	INNOVA 1.4ft WB ABS 2600/840 2x3P	Non-dimmable, wide beam	IP66	18W	2270	48,71

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72625	INNOVA 1.4ft WB ABS 3200/840 2x3P	Non-dimmable, wide beam	IP66	22W	2810	48,71
72635	INNOVA 1.4ft WB ABS 4400/840 2x3P	Non-dimmable, wide beam	IP66	30W	3850	52,15
72655	INNOVA 1.5ft WB ABS 3250/840 2x3P	Non-dimmable, wide beam	IP66	22W	2750	56,67
72665	INNOVA 1.5ft WB ABS 4000/840 2x3P	Non-dimmable, wide beam	IP66	27W	3470	56,67
72675	INNOVA 1.5ft WB ABS 5500/840 2x3P	Non-dimmable, wide beam	IP66	37W	4850	58,01
72616	INNOVA 1.4ft WB ABS 2600/840 2x5P	Non-dimmable, wide beam	IP66	18W	2270	50,69
72626	INNOVA 1.4ft WB ABS 3200/840 2x5P	Non-dimmable, wide beam	IP66	22W	2810	50,69
72636	INNOVA 1.4ft WB ABS 4400/840 2x5P	Non-dimmable, wide beam	IP66	30W	3850	54,06
72656	INNOVA 1.5ft WB ABS 3250/840 2x5P	Non-dimmable, wide beam	IP66	22W	2750	58,84
72666	INNOVA 1.5ft WB ABS 4000/840 2x5P	Non-dimmable, wide beam	IP66	27W	3470	58,84
72676	INNOVA 1.5ft WB ABS 5500/840 2x5P	Non-dimmable, wide beam	IP66	37W	4850	60,13
72617	INNOVA 1.4ft WB ABS 2600/840 2x5P DALI	Dimmable, wide beam	IP66	18W	2270	73,87
72627	INNOVA 1.4ft WB ABS 3200/840 2x5P DALI	Dimmable, wide beam	IP66	22W	2810	73,87
72637	INNOVA 1.4ft WB ABS 4400/840 2x5P DALI	Dimmable, wide beam	IP66	30W	3850	76,82
72657	INNOVA 1.5ft WB ABS 3250/840 2x5P DALI	Dimmable, wide beam	IP66	22W	2750	81,68
72667	INNOVA 1.5ft WB ABS 4000/840 2x5P DALI	Dimmable, wide beam	IP66	27W	3470	81,68
72677	INNOVA 1.5ft WB ABS 5500/840 2x5P DALI	Dimmable, wide beam	IP66	37W	4850	83,54
72618	INNOVA 1.4ft WB ABS 2600/840 2x7P DALI	Dimmable, wide beam	IP66	18W	2270	111,99
72628	INNOVA 1.4ft WB ABS 3200/840 2x7P DALI	Dimmable, wide beam	IP66	22W	2810	111,99
72638	INNOVA 1.4ft WB ABS 4400/840 2x7P DALI	Dimmable, wide beam	IP66	30W	3850	114,94
72658	INNOVA 1.5ft WB ABS 3250/840 2x7P DALI	Dimmable, wide beam	IP66	22W	2750	121,72
72668	INNOVA 1.5ft WB ABS 4000/840 2x7P DALI	Dimmable, wide beam	IP66	27W	3470	121,72
72678	INNOVA 1.5ft WB ABS 5500/840 2x7P DALI	Dimmable, wide beam	IP66	37W	4850	123,75
72645	INNOVA 1.4ft WB ABS 6400/840 2x3P	Non-dimmable, wide beam	IP66	43	5540	55,47
72685	INNOVA 1.5ft WB ABS 8000/840 2x3P	Non-dimmable, wide beam	IP66	54	6960	61,76
72646	INNOVA 1.4ft WB ABS 6400/840 2x5P	Non-dimmable, wide beam	IP66	43	5540	57,44
72686	INNOVA 1.5ft WB ABS 8000/840 2x5P	Non-dimmable, wide beam	IP66	54	6960	63,74
72647	INNOVA 1.4ft WB ABS 6400/840 2x5P DALI	Dimmable, wide beam	IP66	43	5540	80,97
72687	INNOVA 1.5ft WB ABS 8000/840 2x5P DALI	Dimmable, wide beam	IP66	54	6960	87,26
72648	INNOVA 1.4ft WB ABS 6400/840 2x7P DALI	Dimmable, wide beam	IP66	43	5540	120,23
72688	INNOVA 1.5ft WB ABS 8000/840 2x7P DALI	Dimmable, wide beam	IP66	54	6960	129,68
	<b>INNOVA ÜHENDUSKAABLID</b>					
72901	FrF-1x3P-1,5-1m	Connection cable 3x1,5mm2 - Free end/Female				5,79
72902	FrF-1x3P-1,5-3m	Connection cable 3x1,5mm2 - Free end/Female				7,69
72903	FrF-1x3P-2,5-1m	Connection cable 3x2,5mm2 - Free end/Female				6,78
72904	FrF-1x3P-2,5-3m	Connection cable 3x2,5mm2 - Free end/Female				9,50
72905	FrF-1x5P-1,5-1m	Connection cable 5x1,5mm2 - Free end/Female				7,69



Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72906	FrF-1x5P-1,5-3m	Connection cable 5x1,5mm2 - Free end/Female				10,58
72907	FrF-1x5P-2,5-1m	Connection cable 5x2,5mm2 - Free end/Female				8,43
72908	FrF-1x5P-2,5-3m	Connection cable 5x2,5mm2 - Free end/Female				13,39
72909	FrF-1x7P-1,5-1m	Connection cable 7x1,5mm2 - Free end/Female				22,62
72910	FrF-1x7P-1,5-3m	Connection cable 7x1,5mm2 - Free end/Female				27,15
72911	FrF-1x7P-2,5-1m	Connection cable 7x2,5mm2 - Free end/Female				24,34
72912	FrF-1x7P-2,5-3m	Connection cable 7x2,5mm2 - Free end/Female				31,14
72921	MF-2x3P-1,5-0m	Interconnection cable 3x1,5mm2 - Male/Female				6,69
72922	MF-2x3P-1,5-1m	Interconnection cable 3x1,5mm2 - Male/Female				7,88
72923	MF-2x3P-1,5-3m	Interconnection cable 3x1,5mm2 - Male/Female				9,69
72924	MF-2x3P-2,5-0m	Interconnection cable 3x2,5mm2 - Male/Female				6,96
72925	MF-2x3P-2,5-1m	Interconnection cable 3x2,5mm2 - Male/Female				8,77
72926	MF-2x3P-2,5-3m	Interconnection cable 3x2,5mm2 - Male/Female				11,86
72931	MF1-2x5P-1,5-0m	Interconnection cable 5x1,5mm2 - Male/Female				9,14
72932	MF1-2x5P-1,5-1m	Interconnection cable 5x1,5mm2 - Male/Female				10,23
72933	MF1-2x5P-1,5-3m	Interconnection cable 5x1,5mm2 - Male/Female				13,67
72934	MF1-2x5P-2,5-0m	Interconnection cable 5x2,5mm2 - Male/Female				8,86
72935	MF1-2x5P-2,5-1m	Interconnection cable 5x2,5mm2 - Male/Female				11,59
72936	MF1-2x5P-2,5-3m	Interconnection cable 5x2,5mm2 - Male/Female				16,65
72941	MF2-2x5P-1,5-0m	Interconnection cable 5x1,5mm2 - Male/Female				9,14
72942	MF2-2x5P-1,5-1m	Interconnection cable 5x1,5mm2 - Male/Female				10,23
72943	MF2-2x5P-1,5-3m	Interconnection cable 5x1,5mm2 - Male/Female				13,67
72944	MF2-2x5P-2,5-0m	Interconnection cable 5x2,5mm2 - Male/Female				9,23
72945	MF2-2x5P-2,5-1m	Interconnection cable 5x2,5mm2 - Male/Female				11,40
72946	MF2-2x5P-2,5-3m	Interconnection cable 5x2,5mm2 - Male/Female				16,37
72951	MF3-2x5P-1,5-0m	Interconnection cable 5x1,5mm2 - Male/Female				9,14
72952	MF3-2x5P-1,5-1m	Interconnection cable 5x1,5mm2 - Male/Female				9,96
72953	MF3-2x5P-1,5-3m	Interconnection cable 5x1,5mm2 - Male/Female				13,67
72954	MF3-2x5P-2,5-0m	Interconnection cable 5x2,5mm2 - Male/Female				8,68
72955	MF3-2x5P-2,5-1m	Interconnection cable 5x2,5mm2 - Male/Female				11,13
72956	MF3-2x5P-2,5-3m	Interconnection cable 5x2,5mm2 - Male/Female				16,37
72961	MF-2x7P-1,5-0m	Interconnection cable 7x1,5mm2 - Male/Female				37,21
72962	MF-2x7P-1,5-1m	Interconnection cable 7x1,5mm2 - Male/Female				39,01
72963	MF-2x7P-1,5-3m	Interconnection cable 7x1,5mm2 - Male/Female				43,62
72964	MF-2x7P-2,5-0m	Interconnection cable 7x2,5mm2 - Male/Female				38,56
72965	MF-2x7P-2,5-1m	Interconnection cable 7x2,5mm2 - Male/Female				40,37
72966	MF-2x7P-2,5-3m	Interconnection cable 7x2,5mm2 - Male/Female				47,05

Order code	Type	Modification	Prot.	Light source	Net Im output	Baashind
72995	M 1x3P F 1x3P	Connector for cable 3x1,5 - 2,5mm2 - Male/Female				1,44
72996	M 1x5P F 1x5P	Connector for cable 5x1,5 - 2,5mm2 - Male/Female				1,72