

TREVOS

Hinnad alates 05.06.2020

Price-list in EUR

EXW Turnov

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
75xxx	FUTURA	PC body, PC translucent (TL) diffuser, AI coolers			IP 66		
75010	FUTURA 2.2ft PC AI 2600/840	Non-dimmable - plastic clips	136	IP 66	18	2490	39,57
75020	FUTURA 2.2ft PC AI 3200/840	Non-dimmable - plastic clips	136	IP 66	22W	3050	39,57
75030	FUTURA 2.2ft PC AI 4400/840	Non-dimmable - plastic clips	136	IP 66	30W	4230	40,45
75040	FUTURA 2.4ft PC AI 5200/840	Non-dimmable - plastic clips	85	IP 66	35W	4910	56,48
75050	FUTURA 2.4ft PC AI 6400/840	Non-dimmable - plastic clips	85	IP 66	42W	5880	56,48
75060	FUTURA 2.4ft PC AI 8800/840	Non-dimmable - plastic clips	85	IP 66	58W	8110	61,26
75410	FUTURA 2.4ft PC AI 12800/840	Non-dimmable - plastic clips	85	IP 66	85W	11900	80,25
75070	FUTURA 2.5ft PC AI 6500/840	Non-dimmable - plastic clips	85	IP 66	44W	6190	65,70
75080	FUTURA 2.5ft PC AI 8000/840	Non-dimmable - plastic clips	85	IP 66	53W	7440	66,90
75090	FUTURA 2.5ft PC AI 11000/840	Non-dimmable - plastic clips	85	IP 66	71W	9950	69,86
75420	FUTURA 2.5ft PC AI 16000/840	Non-dimmable - plastic clips	85	IP 66	106W	14810	90,23
75210	FUTURA 2.2ft PCc AI 2600/840	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	40,93
75220	FUTURA 2.2ft PCc AI 3200/840	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	40,93
75230	FUTURA 2.2ft PCc AI 4400/840	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	41,81
75240	FUTURA 2.4ft PCc AI 5200/840	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	58,75
75250	FUTURA 2.4ft PCc AI 6400/840	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	58,75
75260	FUTURA 2.4ft PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	63,56
75430	FUTURA 2.4ft PCc AI 12800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	82,55
75270	FUTURA 2.5ft PCc AI 6500/840	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	68,44
75280	FUTURA 2.5ft PCc AI 8000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	69,73
75290	FUTURA 2.5ft PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	72,66
75440	FUTURA 2.5ft PCc AI 16000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	93,06
75013	FUTURA 2.2ft PC AI 2600/840 DALI	DALI Dimmable - plastic clips	136	IP 66	18W	2490	62,08
75023	FUTURA 2.2ft PC AI 3200/840 DALI	DALI Dimmable - plastic clips	136	IP 66	22W	3050	62,08
75033	FUTURA 2.2ft PC AI 4400/840 DALI	DALI Dimmable - plastic clips	136	IP 66	30W	4230	62,96
75043	FUTURA 2.4ft PC AI 5200/840 DALI	DALI Dimmable - plastic clips	85	IP 66	35W	4910	80,37
75053	FUTURA 2.4ft PC AI 6400/840 DALI	DALI Dimmable - plastic clips	85	IP 66	42W	5880	80,37
75063	FUTURA 2.4ft PC AI 8800/840 DALI	DALI Dimmable - plastic clips	85	IP 66	58W	8110	82,99

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
75450	FUTURA 2.4ft PC AI 12800/840 DALI	DALI Dimmable - plastic clips	85	IP 66	85W	11900	90,10
75073	FUTURA 2.5ft PC AI 6500/840 DALI	DALI Dimmable - plastic clips	85	IP 66	44W	6190	90,95
75083	FUTURA 2.5ft PC AI 8000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	53W	7440	90,95
75093	FUTURA 2.5ft PC AI 11000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	71W	9950	94,73
75460	FUTURA 2.5ft PC AI 16000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	106W	14810	116,11
75213	FUTURA 2.2ft PCc AI 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	136	IP 66	18W	2490	63,47
75223	FUTURA 2.2ft PCc AI 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	136	IP 66	22W	3050	63,47
75233	FUTURA 2.2ft PCc AI 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	136	IP 66	30W	4230	64,32
75243	FUTURA 2.4ft PCc AI 5200/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	82,67
75253	FUTURA 2.4ft PCc AI 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	82,67
75263	FUTURA 2.4ft PCc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	85,25
75470	FUTURA 2.4ft PCc AI 12800/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11900	92,34
75273	FUTURA 2.5ft PCc AI 6500/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	93,69
75283	FUTURA 2.5ft PCc AI 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	93,69
75293	FUTURA 2.5ft PCc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	97,53
75480	FUTURA 2.5ft PCc AI 16000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	14810	118,94
77010	FUTURA 2.2ft ABS AI 2600/840	Non-dimmable - plastic clips	136	IP 66	18W	2490	38,94
77020	FUTURA 2.2ft ABS AI 3200/840	Non-dimmable - plastic clips	136	IP 66	22W	3050	38,94
77030	FUTURA 2.2ft ABS AI 4400/840	Non-dimmable - plastic clips	136	IP 66	30W	4230	39,82
77040	FUTURA 2.4ft ABS AI 5200/840	Non-dimmable - plastic clips	85	IP 66	35W	4910	55,50
77050	FUTURA 2.4ft ABS AI 6400/840	Non-dimmable - plastic clips	85	IP 66	42W	5880	55,50
77060	FUTURA 2.4ft ABS AI 8800/840	Non-dimmable - plastic clips	85	IP 66	58W	8110	60,23
77410	FUTURA 2.4ft ABS AI 12800/840	Non-dimmable - plastic clips	85	IP 66	85W	11900	79,21
77070	FUTURA 2.5ft ABS AI 6500/840	Non-dimmable - plastic clips	85	IP 66	44W	6190	64,32
77080	FUTURA 2.5ft ABS AI 8000/840	Non-dimmable - plastic clips	85	IP 66	53W	7440	65,48
77090	FUTURA 2.5ft ABS AI 11000/840	Non-dimmable - plastic clips	85	IP 66	71W	9950	68,44
77420	FUTURA 2.5ft ABS AI 16000/840	Non-dimmable - plastic clips	85	IP 66	106W	14810	88,81
77210	FUTURA 2.2ft ABSc AI 2600/840	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	40,33
77220	FUTURA 2.2ft ABSc AI 3200/840	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	40,33
77230	FUTURA 2.2ft ABSc AI 4400/840	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	41,18
77240	FUTURA 2.4ft ABSc AI 5200/840	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	57,74
77250	FUTURA 2.4ft ABSc AI 6400/840	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	57,74
77260	FUTURA 2.4ft ABSc AI 8800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	62,55
77430	FUTURA 2.4ft ABSc AI 12800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	81,51
77270	FUTURA 2.5ft ABSc AI 6500/840	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	67,06
77280	FUTURA 2.5ft ABSc AI 8000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	68,32
77290	FUTURA 2.5ft ABSc AI 11000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	71,28

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
77440	FUTURA 2.5ft ABSc AI 16000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	91,64
77013	FUTURA 2.2ft ABS AI 2600/840 DALI	DALI Dimmable - plastic clips	136	IP 66	18W	2490	61,48
77023	FUTURA 2.2ft ABS AI 3200/840 DALI	DALI Dimmable - plastic clips	136	IP 66	22W	3050	61,48
77033	FUTURA 2.2ft ABS AI 4400/840 DALI	DALI Dimmable - plastic clips	136	IP 66	30W	4230	62,33
77043	FUTURA 2.4ft ABS AI 5200/840 DALI	DALI Dimmable - plastic clips	85	IP 66	35W	4910	79,33
77053	FUTURA 2.4ft ABS AI 6400/840 DALI	DALI Dimmable - plastic clips	85	IP 66	42W	5880	79,33
77063	FUTURA 2.4ft ABS AI 8800/840 DALI	DALI Dimmable - plastic clips	85	IP 66	58W	8110	82,01
77450	FUTURA 2.4ft ABS AI 12800/840 DALI	DALI Dimmable - plastic clips	85	IP 66	85W	11900	89,09
77073	FUTURA 2.5ft ABS AI 6500/840 DALI	DALI Dimmable - plastic clips	85	IP 66	44W	6190	89,60
77083	FUTURA 2.5ft ABS AI 8000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	53W	7440	89,60
77093	FUTURA 2.5ft ABS AI 11000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	71W	9950	93,31
77460	FUTURA 2.5ft ABS AI 16000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	106W	14810	114,72
77213	FUTURA 2.2ft ABSc AI 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	136	IP 66	18W	2490	62,84
77223	FUTURA 2.2ft ABSc AI 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	136	IP 66	22W	3050	62,84
77233	FUTURA 2.2ft ABSc AI 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	136	IP 66	30W	4230	63,72
77243	FUTURA 2.4ft ABSc AI 5200/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	81,63
77253	FUTURA 2.4ft ABSc AI 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	81,63
77263	FUTURA 2.4ft ABSc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	84,25
77470	FUTURA 2.4ft ABSc AI 12800/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11900	91,33
77273	FUTURA 2.5ft ABSc AI 6500/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	92,34
77283	FUTURA 2.5ft ABSc AI 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	92,34
77293	FUTURA 2.5ft ABSc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	96,11
77480	FUTURA 2.5ft ABSc AI 16000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	14810	117,52
76010	FUTURA 2.2ft VP AI 2600/840	Non-dimmable - plastic clips	136	IP 66	18W	2490	43,54
76020	FUTURA 2.2ft VP AI 3200/840	Non-dimmable - plastic clips	136	IP 66	22W	3050	43,54
76030	FUTURA 2.2ft VP AI 4400/840	Non-dimmable - plastic clips	136	IP 66	30W	4230	44,42
76040	FUTURA 2.4ft VP AI 5200/840	Non-dimmable - plastic clips	85	IP 66	35W	4910	60,48
76050	FUTURA 2.4ft VP AI 6400/840	Non-dimmable - plastic clips	85	IP 66	42W	5880	60,48
76060	FUTURA 2.4ft VP AI 8800/840	Non-dimmable - plastic clips	85	IP 66	58W	8110	65,36
76410	FUTURA 2.4ft VP AI 12800/840	Non-dimmable - plastic clips	85	IP 66	85W	11900	84,34
76070	FUTURA 2.5ft VP AI 6500/840	Non-dimmable - plastic clips	85	IP 66	44W	6190	69,67
76080	FUTURA 2.5ft VP AI 8000/840	Non-dimmable - plastic clips	85	IP 66	53W	7440	70,99
76090	FUTURA 2.5ft VP AI 11000/840	Non-dimmable - plastic clips	85	IP 66	71W	9950	73,95
76420	FUTURA 2.5ft VP AI 16000/840	Non-dimmable - plastic clips	85	IP 66	106W	14810	94,32
76210	FUTURA 2.2ft VPc AI 2600/840	Non-dimmable - stainless steel clips (c)	136,00	IP 66	18W	2490	44,92
76220	FUTURA 2.2ft VPc AI 3200/840	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	44,92

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
76230	FUTURA 2.2ft VPc AI 4400/840	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	45,81
76240	FUTURA 2.4ft VPc AI 5200/840	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	62,71
76250	FUTURA 2.4ft VPc AI 6400/840	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	62,71
76260	FUTURA 2.4ft VPc AI 8800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	67,69
76430	FUTURA 2.4ft VPc AI 12800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	86,64
76270	FUTURA 2.5ft VPc AI 6500/840	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	72,41
76280	FUTURA 2.5ft VPc AI 8000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	73,83
76290	FUTURA 2.5ft VPc AI 11000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	76,78
76440	FUTURA 2.5ft VPc AI 16000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	97,15
76013	FUTURA 2.2ft VP AI 2600/840 DALI	DALI Dimmable - plastic clips	136	IP 66	18W	2490	66,08
76023	FUTURA 2.2ft VP AI 3200/840 DALI	DALI Dimmable - plastic clips	136	IP 66	22W	3050	66,08
76033	FUTURA 2.2ft VP AI 4400/840 DALI	DALI Dimmable - plastic clips	136	IP 66	30W	4230	66,93
76043	FUTURA 2.4ft VP AI 5200/840 DALI	DALI Dimmable - plastic clips	85	IP 66	35W	4910	84,47
76053	FUTURA 2.4ft VP AI 6400/840 DALI	DALI Dimmable - plastic clips	85	IP 66	42W	5880	84,47
76063	FUTURA 2.4ft VP AI 8800/840 DALI	DALI Dimmable - plastic clips	85	IP 66	58W	8110	86,98
76450	FUTURA 2.4ft VP AI 12800/840 DALI	DALI Dimmable - plastic clips	85	IP 66	85W	11900	94,07
76073	FUTURA 2.5ft VP AI 6500/840 DALI	DALI Dimmable - plastic clips	85	IP 66	44W	6190	94,95
76083	FUTURA 2.5ft VP AI 8000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	53W	7440	94,95
76093	FUTURA 2.5ft VP AI 11000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	71W	9950	98,79
76460	FUTURA 2.5ft VP AI 16000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	106W	14810	120,23
76213	FUTURA 2.2ft VPc AI 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	136	IP 66	18W	2490	67,43
76223	FUTURA 2.2ft VPc AI 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	136	IP 66	22W	3050	67,43
76233	FUTURA 2.2ft VPc AI 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	136	IP 66	30W	4230	68,32
76243	FUTURA 2.4ft VPc AI 5200/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	86,76
76253	FUTURA 2.4ft VPc AI 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	86,76
76263	FUTURA 2.4ft VPc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	89,22
76470	FUTURA 2.4ft VPc AI 12800/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11900	96,30
76273	FUTURA 2.5ft VPc AI 6500/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	97,69
76283	FUTURA 2.5ft VPc AI 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	97,69
76293	FUTURA 2.5ft VPc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	101,53
76480	FUTURA 2.5ft VPc AI 16000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	14810	123,03
78060	FUTURA 2.4ft NB PC AI 8800/840	Non-dimmable - plastic clips	85	IP 66	58W	7460	85,85
78070	FUTURA 2.4ft NB PC AI 12800/840	Non-dimmable - plastic clips	85	IP 66	85W	11070	109,07
78090	FUTURA 2.5ft NB PC AI 11000/840	Non-dimmable - plastic clips	85	IP 66	71W	9130	98,29
78080	FUTURA 2.5ft NB PC AI 16000/840	Non-dimmable - plastic clips	85	IP 66	106W	13840	123,46
78260	FUTURA 2.4ft NB PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	7460	88,21
78270	FUTURA 2.4ft NB PCc AI 12800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11070	111,42

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
78290	FUTURA 2.5ft NB PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9130	101,17
78280	FUTURA 2.5ft NB PCc AI 16000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	13840	126,34
78063	FUTURA 2.4ft NB PC AI 8800/840 DALI	DALI Dimmable - plastic clips	85	IP 66	58W	7460	108,54
78073	FUTURA 2.4ft NB PC AI 12800/840 DALI	DALI Dimmable - plastic clips	85	IP 66	85W	11070	115,33
78093	FUTURA 2.5ft NB PC AI 11000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	71W	9130	123,33
78083	FUTURA 2.5ft NB PC AI 16000/840 DALI	DALI Dimmable - plastic clips	85	IP 66	106W	13840	150,09
78263	FUTURA 2.4ft NB PCc AI 8800/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	7460	110,89
78273	FUTURA 2.4ft NB PCc AI 12800/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11070	117,69
78293	FUTURA 2.5ft NB PCc AI 11000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9130	126,21
78283	FUTURA 2.5ft NB PCc AI 16000/840 DALI	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	13840	152,97
79010	FUTURA 2.2ft SNS PC AI 2600/840	Non-dimmable - plastic clips	136	IP 66	18W	2490	57,90
79020	FUTURA 2.2ft SNS PC AI 3200/840	Non-dimmable - plastic clips	136	IP 66	22W	3050	57,90
79030	FUTURA 2.2ft SNS PC AI 4400/840	Non-dimmable - plastic clips	136	IP 66	30W	4230	58,81
79040	FUTURA 2.4ft SNS PC AI 5200/840	Non-dimmable - plastic clips	85	IP 66	35W	4910	75,65
79050	FUTURA 2.4ft SNS PC AI 6400/840	Non-dimmable - plastic clips	85	IP 66	42W	5880	75,65
79060	FUTURA 2.4ft SNS PC AI 8800/840	Non-dimmable - plastic clips	85	IP 66	58W	8110	80,88
79410	FUTURA 2.4ft SNS PC AI 12800/840	Non-dimmable - plastic clips	85	IP 66	85W	11900	101,06
79070	FUTURA 2.5ft SNS PC AI 6500/840	Non-dimmable - plastic clips	85	IP 66	44W	6190	85,32
79080	FUTURA 2.5ft SNS PC AI 8000/840	Non-dimmable - plastic clips	85	IP 66	53W	7440	87,08
79090	FUTURA 2.5ft SNS PC AI 11000/840	Non-dimmable - plastic clips	85	IP 66	71W	9950	90,16
79420	FUTURA 2.5ft SNS PC AI 16000/840	Non-dimmable - plastic clips	85	IP 66	106W	14810	111,57
79210	FUTURA 2.2ft SNS PCc AI 2600/840	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	59,31
79220	FUTURA 2.2ft SNS PCc AI 3200/840	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	59,31
79230	FUTURA 2.2ft SNS PCc AI 4400/840	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	60,23
79240	FUTURA 2.4ft SNS PCc AI 5200/840	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	78,01
79250	FUTURA 2.4ft SNS PCc AI 6400/840	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	78,01
79260	FUTURA 2.4ft SNS PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	83,24
79430	FUTURA 2.4ft SNS PCc AI 12800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	103,48
79270	FUTURA 2.5ft SNS PCc AI 6500/840	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	88,18
79280	FUTURA 2.5ft SNS PCc AI 8000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	90,04
79290	FUTURA 2.5ft SNS PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	93,12
79440	FUTURA 2.5ft SNS PCc AI 16000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	114,53
79043	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR	DALI Dimmable - plastic clips	85	IP 66	35W	4910	101,53
79053	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR	DALI Dimmable - plastic clips	85	IP 66	42W	5880	101,53
79063	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR	DALI Dimmable - plastic clips	85	IP 66	58W	8110	103,48
79073	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR	DALI Dimmable - plastic clips	85	IP 66	44W	6190	111,86
79083	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR	DALI Dimmable - plastic clips	85	IP 66	53W	7440	111,86

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
79093	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR	DALI Dimmable - plastic clips	85	IP 66	71W	9950	115,89
79243	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	103,86
79253	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	103,86
79263	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	105,84
79273	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	114,72
79283	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	114,72
79293	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	118,78
65010	Prima LED 1.2ft PC 1300/840	Non-dimmable - plastic clips	204	IP 66	10W	1260	33,48
65020	Prima LED 1.2ft PC 1600/840	Non-dimmable - plastic clips	204	IP 66	12W	1510	33,48
65030	Prima LED 1.2ft PC 2200/840	Non-dimmable - plastic clips	204	IP 66	15W	1950	33,87
65040	Prima LED 1.4ft PC 2600/840	Non-dimmable - plastic clips	119	IP 66	18W	2320	39,84
65050	Prima LED 1.4ft PC 3200/840	Non-dimmable - plastic clips	119	IP 66	22W	2860	39,84
65060	Prima LED 1.4ft PC 4400/840	Non-dimmable - plastic clips	119	IP 66	30W	3920	40,76
65460	Prima LED 1.4ft PC 6400/840	Non-dimmable - plastic clips	119	IP 66	43W	5650	43,07
65070	Prima LED 1.5ft PC 3250/840	Non-dimmable - plastic clips	119	IP 66	22W	2810	45,70
65080	Prima LED 1.5ft PC 4000/840	Non-dimmable - plastic clips	119	IP 66	27W	3530	45,70
65090	Prima LED 1.5ft PC 5500/840	Non-dimmable - plastic clips	119	IP 66	37W	4940	46,89
65490	Prima LED 1.5ft PC 8000/840	Non-dimmable - plastic clips	119	IP 66	54W	7090	50,32
65210	Prima LED 1.2ft PCc 1300/840	Non-dimmable - stainless steel clips (c)	204	IP 66	10W	1260	34,90
65220	Prima LED 1.2ft PCc 1600/840	Non-dimmable - stainless steel clips (c)	204	IP 66	12W	1510	34,90
65230	Prima LED 1.2ft PCc 2200/840	Non-dimmable - stainless steel clips (c)	204	IP 66	15W	1950	35,29
65240	Prima LED 1.4ft PCc 2600/840	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	42,21
65250	Prima LED 1.4ft PCc 3200/840	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	42,21
65260	Prima LED 1.4ft PCc 4400/840	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	43,10
65760	Prima LED 1.4ft PCc 6400/840	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	45,47
65270	Prima LED 1.5ft PCc 3250/840	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	48,57
65280	Prima LED 1.5ft PCc 4000/840	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	48,57
65290	Prima LED 1.5ft PCc 5500/840	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	49,76
65790	Prima LED 1.5ft PCc 8000/840	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	53,25
65013	Prima LED 1.2ft PC 1300/840 DALI	DALI Dimmable - plastic clips	204	IP 66	10W	1260	53,91
65023	Prima LED 1.2ft PC 1600/840 DALI	DALI Dimmable - plastic clips	204	IP 66	12W	1510	53,91
65033	Prima LED 1.2ft PC 2200/840 DALI	DALI Dimmable - plastic clips	204	IP 66	15W	1950	54,44
65043	Prima LED 1.4ft PC 2600/840 DALI	DALI Dimmable - plastic clips	119	IP 66	18W	2320	62,24
65053	Prima LED 1.4ft PC 3200/840 DALI	DALI Dimmable - plastic clips	119	IP 66	22W	2860	62,24
65063	Prima LED 1.4ft PC 4400/840 DALI	DALI Dimmable - plastic clips	119	IP 66	30W	3920	62,90
65860	Prima LED 1.4ft PC 6400/840 DALI	DALI Dimmable - plastic clips	119	IP 66	43W	5650	64,12
65073	Prima LED 1.5ft PC 3250/840 DALI	DALI Dimmable - plastic clips	119	IP 66	22W	2810	67,62

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
65083	Prima LED 1.5ft PC 4000/840 DALI	DALI Dimmable - plastic clips	119	IP 66	27W	3530	67,62
65093	Prima LED 1.5ft PC 5500/840 DALI	DALI Dimmable - plastic clips	119	IP 66	37W	4940	68,54
65890	Prima LED 1.5ft PC 8000/840 DALI	DALI Dimmable - plastic clips	119	IP 66	54W	7090	73,84
65213	Prima LED 1.2ft PCc 1300/840 DALI	DALI Dimmable - stainless steel clips (c)	204	IP 66	10W	1260	55,36
65223	Prima LED 1.2ft PCc 1600/840 DALI	DALI Dimmable - stainless steel clips (c)	204	IP 66	12W	1510	55,36
65233	Prima LED 1.2ft PCc 2200/840 DALI	DALI Dimmable - stainless steel clips (c)	204	IP 66	15W	1950	55,89
65243	Prima LED 1.4ft PCc 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	64,65
65253	Prima LED 1.4ft PCc 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	64,65
65263	Prima LED 1.4ft PCc 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	65,34
65960	Prima LED 1.4ft PCc 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	43W	5650	66,53
65273	Prima LED 1.5ft PCc 3250/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	70,02
65283	Prima LED 1.5ft PCc 4000/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	70,55
65293	Prima LED 1.5ft PCc 5500/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	71,50
65990	Prima LED 1.5ft PCc 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	54W	7090	76,71
67010	Prima LED 1.2ft ABS 1300/840	Non-dimmable - plastic clips	204	IP 66	10W	1260	34,27
67020	Prima LED 1.2ft ABS 1600/840	Non-dimmable - plastic clips	204	IP 66	12W	1510	34,27
67030	Prima LED 1.2ft ABS 2200/840	Non-dimmable - plastic clips	204	IP 66	15W	1950	34,63
67040	Prima LED 1.4ft ABS 2600/840	Non-dimmable - plastic clips	119	IP 66	18W	2320	40,50
67050	Prima LED 1.4ft ABS 3200/840	Non-dimmable - plastic clips	119	IP 66	22W	2860	40,50
67060	Prima LED 1.4ft ABS 4400/840	Non-dimmable - plastic clips	119	IP 66	30W	3920	41,42
67460	Prima LED 1.4ft ABS 6400/840	Non-dimmable - plastic clips	119	IP 66	43W	5650	43,73
67070	Prima LED 1.5ft ABS 3250/840	Non-dimmable - plastic clips	119	IP 66	22W	2810	46,76
67080	Prima LED 1.5ft ABS 4000/840	Non-dimmable - plastic clips	119	IP 66	27W	3530	46,76
67090	Prima LED 1.5ft ABS 5500/840	Non-dimmable - plastic clips	119	IP 66	37W	4940	47,94
67490	Prima LED 1.5ft ABS 8000/840	Non-dimmable - plastic clips	119	IP 66	54W	7090	51,37
67210	Prima LED 1.2ft ABSc 1300/840	Non-dimmable - stainless steel clips (c)	204	IP 66	10W	1260	35,69
67220	Prima LED 1.2ft ABSc 1600/840	Non-dimmable - stainless steel clips (c)	204	IP 66	12W	1510	35,69
67230	Prima LED 1.2ft ABSc 2200/840	Non-dimmable - stainless steel clips (c)	204	IP 66	15W	1950	36,08
67240	Prima LED 1.4ft ABSc 2600/840	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	42,84
67250	Prima LED 1.4ft ABSc 3200/840	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	42,84
67260	Prima LED 1.4ft ABSc 4400/840	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	43,76
67760	Prima LED 1.4ft ABSc 6400/840	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	46,13
67270	Prima LED 1.5ft ABSc 3250/840	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	49,62
67280	Prima LED 1.5ft ABSc 4000/840	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	49,62
67290	Prima LED 1.5ft ABSc 5500/840	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	50,81
67790	Prima LED 1.5ft ABSc 8000/840	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	54,34
67013	Prima LED 1.2ft ABS 1300/840 DALI	DALI Dimmable - plastic clips	204	IP 66	10W	1260	54,70

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
67023	Prima LED 1.2ft ABS 1600/840 DALI	DALI Dimmable - plastic clips	204	IP 66	12W	1510	54,70
67033	Prima LED 1.2ft ABS 2200/840 DALI	DALI Dimmable - plastic clips	204	IP 66	15W	1950	55,23
67043	Prima LED 1.4ft ABS 2600/840 DALI	DALI Dimmable - plastic clips	119	IP 66	18W	2320	62,90
67053	Prima LED 1.4ft ABS 3200/840 DALI	DALI Dimmable - plastic clips	119	IP 66	22W	2860	62,90
67063	Prima LED 1.4ft ABS 4400/840 DALI	DALI Dimmable - plastic clips	119	IP 66	30W	3920	63,60
67860	Prima LED 1.4ft ABS 6400/840 DALI	DALI Dimmable - plastic clips	119	IP 66	43W	5650	64,78
67073	Prima LED 1.5ft ABS 3250/840 DALI	DALI Dimmable - plastic clips	119	IP 66	22W	2810	68,67
67083	Prima LED 1.5ft ABS 4000/840 DALI	DALI Dimmable - plastic clips	119	IP 66	27W	3530	68,67
67093	Prima LED 1.5ft ABS 5500/840 DALI	DALI Dimmable - plastic clips	119	IP 66	37W	4940	69,63
67890	Prima LED 1.5ft ABS 8000/840 DALI	DALI Dimmable - plastic clips	119	IP 66	54W	7090	74,90
67213	Prima LED 1.2ft ABSc 1300/840 DALI	DALI Dimmable - stainless steel clips (c)	204	IP 66	10W	1260	56,15
67223	Prima LED 1.2ft ABSc 1600/840 DALI	DALI Dimmable - stainless steel clips (c)	204	IP 66	12W	1510	56,15
67233	Prima LED 1.2ft ABSc 2200/840 DALI	DALI Dimmable - stainless steel clips (c)	204	IP 66	15W	1950	56,64
67243	Prima LED 1.4ft ABSc 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	65,34
67253	Prima LED 1.4ft ABSc 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	65,34
67263	Prima LED 1.4ft ABSc 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	66,00
67960	Prima LED 1.4ft ABSc 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	43W	5650	67,22
67273	Prima LED 1.5ft ABSc 3250/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	71,11
67283	Prima LED 1.5ft ABSc 4000/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	71,64
67293	Prima LED 1.5ft ABSc 5500/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	72,56
67990	Prima LED 1.5ft ABSc 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	54W	7090	77,76
66010	Prima LED 1.2ft VP 1300/840	Non-dimmable - plastic clips	204	IP 66	10W	1260	37,63
66020	Prima LED 1.2ft VP 1600/840	Non-dimmable - plastic clips	204	IP 66	12W	1510	37,63
66030	Prima LED 1.2ft VP 2200/840	Non-dimmable - plastic clips	204	IP 66	15W	1950	38,03
66040	Prima LED 1.4ft VP 2600/840	Non-dimmable - plastic clips	119	IP 66	18W	2320	44,02
66050	Prima LED 1.4ft VP 3200/840	Non-dimmable - plastic clips	119	IP 66	22W	2860	44,02
66060	Prima LED 1.4ft VP 4400/840	Non-dimmable - plastic clips	119	IP 66	30W	3920	44,95
66460	Prima LED 1.4ft VP 6400/840	Non-dimmable - plastic clips	119	IP 66	43W	5650	47,35
66070	Prima LED 1.5ft VP 3250/840	Non-dimmable - plastic clips	119	IP 66	22W	2810	49,89
66080	Prima LED 1.5ft VP 4000/840	Non-dimmable - plastic clips	119	IP 66	27W	3530	49,89
66090	Prima LED 1.5ft VP 5500/840	Non-dimmable - plastic clips	119	IP 66	37W	4940	51,04
66490	Prima LED 1.5ft VP 8000/840	Non-dimmable - plastic clips	119	IP 66	54W	7090	54,60
66210	Prima LED 1.2ft VPc 1300/840	Non-dimmable - stainless steel clips (c)	204	IP 66	10W	1260	39,08
66220	Prima LED 1.2ft VPc 1600/840	Non-dimmable - stainless steel clips (c)	204	IP 66	12W	1510	39,08
66230	Prima LED 1.2ft VPc 2200/840	Non-dimmable - stainless steel clips (c)	204	IP 66	15W	1950	39,48
66240	Prima LED 1.4ft VPc 2600/840	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	46,36
66250	Prima LED 1.4ft VPc 3200/840	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	46,36

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
66260	Prima LED 1.4ft VPc 4400/840	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	47,28
66760	Prima LED 1.4ft VPc 6400/840	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	49,76
66270	Prima LED 1.5ft VPc 3250/840	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	52,75
66280	Prima LED 1.5ft VPc 4000/840	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	52,75
66290	Prima LED 1.5ft VPc 5500/840	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	53,91
66790	Prima LED 1.5ft VPc 8000/840	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	57,57
66013	Prima LED 1.2ft VP 1300/840 DALI	DALI Dimmable - plastic clips	204	IP 66	10W	1260	58,09
66023	Prima LED 1.2ft VP 1600/840 DALI	DALI Dimmable - plastic clips	204	IP 66	12W	1510	58,09
66033	Prima LED 1.2ft VP 2200/840 DALI	DALI Dimmable - plastic clips	204	IP 66	15W	1950	58,62
66043	Prima LED 1.4ft VP 2600/840 DALI	DALI Dimmable - plastic clips	119	IP 66	18W	2320	66,53
66053	Prima LED 1.4ft VP 3200/840 DALI	DALI Dimmable - plastic clips	119	IP 66	22W	2860	66,53
66063	Prima LED 1.4ft VP 4400/840 DALI	DALI Dimmable - plastic clips	119	IP 66	30W	3920	67,22
66860	Prima LED 1.4ft VP 6400/840 DALI	DALI Dimmable - plastic clips	119	IP 66	43W	5650	68,41
66073	Prima LED 1.5ft VP 3250/840 DALI	DALI Dimmable - plastic clips	119	IP 66	22W	2810	71,90
66083	Prima LED 1.5ft VP 4000/840 DALI	DALI Dimmable - plastic clips	119	IP 66	27W	3530	71,90
66093	Prima LED 1.5ft VP 5500/840 DALI	DALI Dimmable - plastic clips	119	IP 66	37W	4940	72,86
66890	Prima LED 1.5ft VP 8000/840 DALI	DALI Dimmable - plastic clips	119	IP 66	54W	7090	78,03
66213	Prima LED 1.2ft VPc 1300/840 DALI	DALI Dimmable - stainless steel clips (c)	204	IP 66	10W	1260	59,51
66223	Prima LED 1.2ft VPc 1600/840 DALI	DALI Dimmable - stainless steel clips (c)	204	IP 66	12W	1510	59,51
66233	Prima LED 1.2ft VPc 2200/840 DALI	DALI Dimmable - stainless steel clips (c)	204	IP 66	15W	1950	60,04
66243	Prima LED 1.4ft VPc 2600/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	68,97
66253	Prima LED 1.4ft VPc 3200/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	68,97
66263	Prima LED 1.4ft VPc 4400/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	69,63
66960	Prima LED 1.4ft VPc 6400/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	43W	5650	70,84
66273	Prima LED 1.5ft VPc 3250/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	74,87
66283	Prima LED 1.5ft VPc 4000/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	74,87
66293	Prima LED 1.5ft VPc 5500/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	75,79
66990	Prima LED 1.5ft VPc 8000/840 DALI	DALI Dimmable - stainless steel clips (c)	119	IP 66	54W	7090	80,90
64040	Prima LED 1.4ft SNS PC 2600/840	Non-dimmable - plastic clips	119	IP 66	18W	2320	58,95
64050	Prima LED 1.4ft SNS PC 3200/840	Non-dimmable - plastic clips	119	IP 66	22W	2860	58,95
64060	Prima LED 1.4ft SNS PC 4400/840	Non-dimmable - plastic clips	119	IP 66	30W	3920	59,91
64460	Prima LED 1.4ft SNS PC 6400/840	Non-dimmable - plastic clips	119	IP 66	43W	5650	62,84
64070	Prima LED 1.5ft SNS PC 3250/840	Non-dimmable - plastic clips	119	IP 66	22W	2810	65,08
64080	Prima LED 1.5ft SNS PC 4000/840	Non-dimmable - plastic clips	119	IP 66	27W	3530	65,08
64090	Prima LED 1.5ft SNS PC 5500/840	Non-dimmable - plastic clips	119	IP 66	37W	4940	66,33
64490	Prima LED 1.5ft SNS PC 8000/840	Non-dimmable - plastic clips	119	IP 66	54W	7090	70,42
64240	Prima LED 1.4ft SNS PCc 2600/840	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	61,39

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
64250	Prima LED 1.4ft SNS PCc 3200/840	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	61,39
64260	Prima LED 1.4ft SNS PCc 4400/840	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	62,34
64760	Prima LED 1.4ft SNS PCc 6400/840	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	65,34
64270	Prima LED 1.5ft SNS PCc 3250/840	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	68,11
64280	Prima LED 1.5ft SNS PCc 4000/840	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	68,11
64290	Prima LED 1.5ft SNS PCc 5500/840	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	69,33
64790	Prima LED 1.5ft SNS PCc 8000/840	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	73,51
64043	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR	DALI Dimmable - plastic clips	119	IP 66	18W	2320	82,87
64053	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR	DALI Dimmable - plastic clips	119	IP 66	22W	2860	82,87
64063	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR	DALI Dimmable - plastic clips	119	IP 66	30W	3920	83,83
64073	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR	DALI Dimmable - plastic clips	119,00	IP 66	22W	2810	90,39
64083	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR	DALI Dimmable - plastic clips	119,00	IP 66	27W	3530	89,03
64093	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR	DALI Dimmable - plastic clips	119	IP 66	37W	4940	89,03
64243	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	85,34
64253	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	85,34
64263	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	86,30
64273	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	93,42
64283	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	92,03
64293	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	92,03
75140	FUTURA 2.4ft PC AI 5200/840 1F	Non-dimmable - plastic clips	85	IP 66	35W	4910	59,22
75150	FUTURA 2.4ft PC AI 6400/840 1F	Non-dimmable - plastic clips	85	IP 66	42W	5880	59,22
75160	FUTURA 2.4ft PC AI 8800/840 1F	Non-dimmable - plastic clips	85	IP 66	58W	8110	64,10
75411	FUTURA 2.4ft PC AI 12800/840 1F	Non-dimmable - plastic clips	85	IP 66	85W	11900	83,05
75170	FUTURA 2.5ft PC AI 6500/840 1F	Non-dimmable - plastic clips	85	IP 66	44W	6190	68,95
75180	FUTURA 2.5ft PC AI 8000/840 1F	Non-dimmable - plastic clips	85	IP 66	53W	7440	70,24
75190	FUTURA 2.5ft PC AI 11000/840 1F	Non-dimmable - plastic clips	85	IP 66	71W	9950	73,20
75421	FUTURA 2.5ft PC AI 16000/840 1F	Non-dimmable - plastic clips	85	IP 66	106W	14810	93,56
75540	FUTURA 2.4ft PCc AI 5200/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	61,48
75550	FUTURA 2.4ft PCc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	61,48
75560	FUTURA 2.4ft PCc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	66,40
75431	FUTURA 2.4ft PCc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	85,35
75570	FUTURA 2.5ft PCc AI 6500/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	71,68
75580	FUTURA 2.5ft PCc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	73,07
75590	FUTURA 2.5ft PCc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	76,00
75441	FUTURA 2.5ft PCc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	96,40
75143	FUTURA 2.4ft PC AI 5200/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	35W	4910	85,35
75153	FUTURA 2.4ft PC AI 6400/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	42W	5880	85,35

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
75163	FUTURA 2.4ft PC AI 8800/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	58W	8110	87,87
75451	FUTURA 2.4ft PC AI 12800/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	85W	11900	94,95
75173	FUTURA 2.5ft PC AI 6500/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	44W	6190	97,18
75183	FUTURA 2.5ft PC AI 8000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	53W	7440	97,18
75193	FUTURA 2.5ft PC AI 11000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	71W	9950	101,03
75461	FUTURA 2.5ft PC AI 16000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	106W	14810	122,53
75543	FUTURA 2.4ft PCc AI 5200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	87,68
75553	FUTURA 2.4ft PCc AI 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	87,68
75563	FUTURA 2.4ft PCc AI 8800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	90,10
75471	FUTURA 2.4ft PCc AI 12800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11900	97,18
75573	FUTURA 2.5ft PCc AI 6500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	99,92
75583	FUTURA 2.5ft PCc AI 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	99,92
75593	FUTURA 2.5ft PCc AI 11000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	103,76
75481	FUTURA 2.5ft PCc AI 16000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	14810	112,67
77140	FUTURA 2.4ft ABS AI 5200/840 1F	Non-dimmable - plastic clips	85	IP 66	35W	4910	58,24
77150	FUTURA 2.4ft ABS AI 6400/840 1F	Non-dimmable - plastic clips	85	IP 66	42W	5880	58,24
77160	FUTURA 2.4ft ABS AI 8800/840 1F	Non-dimmable - plastic clips	85	IP 66	58W	8110,00	63,06
77411	FUTURA 2.4ft ABS AI 12800/840 1F	Non-dimmable - plastic clips	85	IP 66	85W	11900	82,04
77170	FUTURA 2.5ft ABS AI 6500/840 1F	Non-dimmable - plastic clips	85,00	IP 66	44W	6190	67,56
77180	FUTURA 2.5ft ABS AI 8000/840 1F	Non-dimmable - plastic clips	85	IP 66	53W	7440	68,82
77190	FUTURA 2.5ft ABS AI 11000/840 1F	Non-dimmable - plastic clips	85	IP 66	71W	9950	71,78
77421	FUTURA 2.5ft ABS AI 16000/840 1F	Non-dimmable - plastic clips	85	IP 66	106W	14810	92,15
77540	FUTURA 2.4ft ABSc AI 5200/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	60,48
77550	FUTURA 2.4ft ABSc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	60,48
77560	FUTURA 2.4ft ABSc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	65,36
77431	FUTURA 2.4ft ABSc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	84,34
77570	FUTURA 2.5ft ABSc AI 6500/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	70,30
77580	FUTURA 2.5ft ABSc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	71,65
77590	FUTURA 2.5ft ABSc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	74,58
77441	FUTURA 2.5ft ABSc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	94,98
77143	FUTURA 2.4ft ABS AI 5200/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	35W	4910	84,34
77153	FUTURA 2.4ft ABS AI 6400/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	42W	5880	84,34
77163	FUTURA 2.4ft ABS AI 8800/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	58W	8110	86,86
77451	FUTURA 2.4ft ABS AI 12800/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	85W	11900	93,94
77173	FUTURA 2.5ft ABS AI 6500/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	44W	6190	95,80
77183	FUTURA 2.5ft ABS AI 8000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	53W	7440	95,80
77193	FUTURA 2.5ft ABS AI 11000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	71W	9950	99,67

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
77461	FUTURA 2.5ft ABS AI 16000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	106W	14810	121,11
77543	FUTURA 2.4ft ABSc AI 5200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	86,64
77553	FUTURA 2.4ft ABSc AI 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	86,64
77563	FUTURA 2.4ft ABSc AI 8800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	89,09
77471	FUTURA 2.4ft ABSc AI 12800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11900	96,18
77573	FUTURA 2.5ft ABSc AI 6500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	98,54
77583	FUTURA 2.5ft ABSc AI 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	98,54
77593	FUTURA 2.5ft ABSc AI 11000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	102,41
77481	FUTURA 2.5ft ABSc AI 16000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	14810	123,94
76140	FUTURA 2.4ft VP AI 5200/840 1F	Non-dimmable - plastic clips	85	IP 66	35W	4910	63,22
76150	FUTURA 2.4ft VP AI 6400/840 1F	Non-dimmable - plastic clips	85	IP 66	42W	5880	63,22
76160	FUTURA 2.4ft VP AI 8800/840 1F	Non-dimmable - plastic clips	85	IP 66	58W	8110	68,19
76411	FUTURA 2.4ft VP AI 12800/840 1F	Non-dimmable - plastic clips	85	IP 66	85W	11900	87,14
76170	FUTURA 2.5ft VP AI 6500/840 1F	Non-dimmable - plastic clips	85	IP 66	44W	6190	72,91
76180	FUTURA 2.5ft VP AI 8000/840 1F	Non-dimmable - plastic clips	85	IP 66	53W	7440	74,33
76190	FUTURA 2.5ft VP AI 11000/840 1F	Non-dimmable - plastic clips	85	IP 66	71W	9950	77,29
76421	FUTURA 2.5ft VP AI 16000/840 1F	Non-dimmable - plastic clips	85	IP 66	106W	14810	97,66
76540	FUTURA 2.4ft VPc AI 5200/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	65,45
76550	FUTURA 2.4ft VPc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	65,45
76560	FUTURA 2.4ft VPc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	70,43
76431	FUTURA 2.4ft VPc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	89,47
76570	FUTURA 2.5ft VPc AI 6500/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	75,65
76580	FUTURA 2.5ft VPc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	77,16
76590	FUTURA 2.5ft VPc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	85,00	IP 66	71W	9950	80,09
76441	FUTURA 2.5ft VPc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	100,49
76143	FUTURA 2.4ft VP AI 5200/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	35W	4910	89,47
76153	FUTURA 2.4ft VP AI 6400/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	42W	5880	89,47
76163	FUTURA 2.4ft VP AI 8800/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	58W	8110	91,83
76451	FUTURA 2.4ft VP AI 12800/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	85W	11900	98,92
76173	FUTURA 2.5ft VP AI 6500/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	44W	6190	101,15
76183	FUTURA 2.5ft VP AI 8000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	53W	7440	101,15
76193	FUTURA 2.5ft VP AI 11000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	71W	9950	105,02
76461	FUTURA 2.5ft VP AI 16000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	106W	14810	126,62
76543	FUTURA 2.4ft VPc AI 5200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	91,77
76553	FUTURA 2.4ft VPc AI 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	91,77
76563	FUTURA 2.4ft VPc AI 8800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	94,07
76471	FUTURA 2.4ft VPc AI 12800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11900	101,15

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
76573	FUTURA 2.5ft VPc AI 6500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	103,89
76583	FUTURA 2.5ft VPc AI 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	103,89
76593	FUTURA 2.5ft VPc AI 11000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	107,76
76481	FUTURA 2.5ft VPc AI 16000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	14810	129,45
78160	FUTURA 2.4ft NB PC AI 8800/840 1F	Non-dimmable - plastic clips	85	IP 66	58W	7460	88,74
78170	FUTURA 2.4ft NB PC AI 12800/840 1F	Non-dimmable - plastic clips	85	IP 66	85W	11070	111,92
78190	FUTURA 2.5ft NB PC AI 11000/840 1F	Non-dimmable - plastic clips	85	IP 66	71W	9130	101,70
78180	FUTURA 2.5ft NB PC AI 16000/840 1F	Non-dimmable - plastic clips	85	IP 66	106W	13840	126,87
78560	FUTURA 2.4ft NB PCc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	7460	91,09
78570	FUTURA 2.4ft NB PCc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11070	114,31
78590	FUTURA 2.5ft NB PCc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9130	104,59
78580	FUTURA 2.5ft NB PCc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	13840	129,76
78163	FUTURA 2.4ft NB PC AI 8800/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	58W	7460	113,64
78173	FUTURA 2.4ft NB PC AI 12800/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	85W	11070	120,44
78193	FUTURA 2.5ft NB PC AI 11000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	71W	9130	129,89
#####	FUTURA 2.5ft NB PC AI 16000/840 DALI 1F	DALI Dimmable - plastic clips	85	IP 66	106W	13840	156,62
78563	FUTURA 2.4ft NB PCc AI 8800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85,00	IP 66	58W	7460	116,00
78573	FUTURA 2.4ft NB PCc AI 11800/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11070	122,83
78593	FUTURA 2.5ft NB PCc AI 11000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9130	132,78
78583	FUTURA 2.5ft NB PCc AI 16000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	13840	159,50
79140	FUTURA 2.4ft SNS PC AI 5200/840 1F	Non-dimmable - plastic clips	85	IP 66	35W	4910	78,52
79150	FUTURA 2.4ft SNS PC AI 6400/840 1F	Non-dimmable - plastic clips	85	IP 66	42W	5880	78,52
79160	FUTURA 2.4ft SNS PC AI 8800/840 1F	Non-dimmable - plastic clips	85	IP 66	58W	8110	83,74
79411	FUTURA 2.4ft SNS PC AI 12800/840 1F	Non-dimmable - plastic clips	85	IP 66	85W	11900	104,02
79170	FUTURA 2.5ft SNS PC AI 6500/840 1F	Non-dimmable - plastic clips	85	IP 66	44W	6190	88,72
79180	FUTURA 2.5ft SNS PC AI 8000/840 1F	Non-dimmable - plastic clips	85	IP 66	53W	7440	90,57
79190	FUTURA 2.5ft SNS PC AI 11000/840 1F	Non-dimmable - plastic clips	85	IP 66	71W	9950	93,66
79421	FUTURA 2.5ft SNS PC AI 16000/840 1F	Non-dimmable - plastic clips	85	IP 66	106W	14810	115,07
79540	FUTURA 2.4ft SNS PCc AI 5200/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	80,88
79550	FUTURA 2.4ft SNS PCc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	80,88
79560	FUTURA 2.4ft SNS PCc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	86,10
79431	FUTURA 2.4ft SNS PCc AI 12800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	106,44
79570	FUTURA 2.5ft SNS PCc AI 6500/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	91,58
79580	FUTURA 2.5ft SNS PCc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	93,53
79590	FUTURA 2.5ft SNS PCc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	96,62
79441	FUTURA 2.5ft SNS PCc AI 16000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	118,03
79143	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR 1F	DALI Dimmable - plastic clips	85	IP 66	35W	4910	106,63

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
79153	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR 1F	DALI Dimmable - plastic clips	85	IP 66	42W	5880	106,63
79163	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR 1F	DALI Dimmable - plastic clips	85	IP 66	58W	8110	108,58
79173	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR 1F	DALI Dimmable - plastic clips	85	IP 66	44W	6190	118,37
79183	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR 1F	DALI Dimmable - plastic clips	85	IP 66	53W	7440	118,37
79193	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR 1F	DALI Dimmable - plastic clips	85	IP 66	71W	9950	122,43
79543	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	111,32
79553	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	111,32
79563	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	113,27
79573	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	124,13
79583	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	124,13
79593	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	128,16
65140	Prima LED 1.4ft PC 2600/840 1F	Non-dimmable - plastic clips	119	IP 66	18W	2320	43,89
65150	Prima LED 1.4ft PC 3200/840 1F	Non-dimmable - plastic clips	119	IP 66	22W	2860	43,89
65160	Prima LED 1.4ft PC 4400/840 1F	Non-dimmable - plastic clips	119	IP 66	30W	3920	44,81
65461	Prima LED 1.4ft PC 6400/840 1F	Non-dimmable - plastic clips	119	IP 66	43W	5650	48,31
65170	Prima LED 1.5ft PC 3250/840 1F	Non-dimmable - plastic clips	119	IP 66	22W	2810	50,28
65180	Prima LED 1.5ft PC 4000/840 1F	Non-dimmable - plastic clips	119	IP 66	27W	3530	50,28
65190	Prima LED 1.5ft PC 5500/840 1F	Non-dimmable - plastic clips	119	IP 66	37W	4940	51,44
65491	Prima LED 1.5ft PC 8000/840 1F	Non-dimmable - plastic clips	119	IP 66	54W	7090	55,39
65540	Prima LED 1.4ft PCc 2600/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	46,23
65550	Prima LED 1.4ft PCc 3200/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	46,23
65560	Prima LED 1.4ft PCc 4400/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	47,15
65761	Prima LED 1.4ft PCc 6400/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	50,71
65570	Prima LED 1.5ft PCc 3250/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	53,15
65580	Prima LED 1.5ft PCc 4000/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	53,15
65590	Prima LED 1.5ft PCc 5500/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	54,30
65791	Prima LED 1.5ft PCc 8000/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	58,36
65143	Prima LED 1.4ft PC 2600/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	18W	2320	67,35
65153	Prima LED 1.4ft PC 3200/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	22W	2860	67,35
65163	Prima LED 1.4ft PC 4400/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	30W	3920	68,01
65861	Prima LED 1.4ft PC 6400/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	43W	5650	69,23
65173	Prima LED 1.5ft PC 3250/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	22W	2810	73,38
65183	Prima LED 1.5ft PC 4000/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	27W	3530	73,38
65193	Prima LED 1.5ft PC 5500/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	37W	4940	74,30
65891	Prima LED 1.5ft PC 8000/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	54W	7090	79,45
65543	Prima LED 1.4ft PCc 2600/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	69,76
65553	Prima LED 1.4ft PCc 3200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	69,76

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
65563	Prima LED 1.4ft PCc 4400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	70,42
65961	Prima LED 1.4ft PCc 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	43W	5650	71,64
65573	Prima LED 1.5ft PCc 3250/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	75,79
65583	Prima LED 1.5ft PCc 4000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	76,31
65593	Prima LED 1.5ft PCc 5500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	77,27
65991	Prima LED 1.5ft PCc 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	54W	7090	82,31
67140	Prima LED 1.4ft ABS 2600/840 1F	Non-dimmable - plastic clips	119	IP 66	18W	2320	44,55
67150	Prima LED 1.4ft ABS 3200/840 1F	Non-dimmable - plastic clips	119	IP 66	22W	2860	44,55
67160	Prima LED 1.4ft ABS 4400/840 1F	Non-dimmable - plastic clips	119	IP 66	30W	3920	45,44
67461	Prima LED 1.4ft ABS 6400/840 1F	Non-dimmable - plastic clips	119	IP 66	43W	5650	48,97
67170	Prima LED 1.5ft ABS 3250/840 1F	Non-dimmable - plastic clips	119	IP 66	22W	2810	51,30
67180	Prima LED 1.5ft ABS 4000/840 1F	Non-dimmable - plastic clips	119	IP 66	27W	3530	51,30
67190	Prima LED 1.5ft ABS 5500/840 1F	Non-dimmable - plastic clips	119	IP 66	37W	4940	52,49
67491	Prima LED 1.5ft ABS 8000/840 1F	Non-dimmable - plastic clips	119	IP 66	54W	7090	56,48
67540	Prima LED 1.4ft ABSc 2600/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	46,89
67550	Prima LED 1.4ft ABSc 3200/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	46,89
67560	Prima LED 1.4ft ABSc 4400/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	47,81
67761	Prima LED 1.4ft ABSc 6400/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	51,37
67570	Prima LED 1.5ft ABSc 3250/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	54,17
67580	Prima LED 1.5ft ABSc 4000/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	54,17
67590	Prima LED 1.5ft ABSc 5500/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	55,36
67791	Prima LED 1.5ft ABSc 8000/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	59,44
67143	Prima LED 1.4ft ABS 2600/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	18W	2320	68,01
67153	Prima LED 1.4ft ABS 3200/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	22W	2860	68,01
67163	Prima LED 1.4ft ABS 4400/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	30W	3920	68,67
67861	Prima LED 1.4ft ABS 6400/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	43W	5650	69,89
67173	Prima LED 1.5ft ABS 3250/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	22W	2810	74,44
67183	Prima LED 1.5ft ABS 4000/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	27W	3530	74,44
67193	Prima LED 1.5ft ABS 5500/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	37W	4940	75,39
67891	Prima LED 1.5ft ABS 8000/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	54W	7090	80,50
67543	Prima LED 1.4ft ABSc 2600/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	70,42
67553	Prima LED 1.4ft ABSc 3200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	70,42
67563	Prima LED 1.4ft ABSc 4400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	71,11
67961	Prima LED 1.4ft ABSc 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	43W	5650	72,29
67573	Prima LED 1.5ft ABSc 3250/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	76,88
67583	Prima LED 1.5ft ABSc 4000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	77,40
67593	Prima LED 1.5ft ABSc 5500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	78,36

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
67991	Prima LED 1.5ft ABSc 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	54W	7090	83,37
66140	Prima LED 1.4ft VP 2600/840 1F	Non-dimmable - plastic clips	119	IP 66	18W	2320	48,04
66150	Prima LED 1.4ft VP 3200/840 1F	Non-dimmable - plastic clips	119	IP 66	22W	2860	48,04
66160	Prima LED 1.4ft VP 4400/840 1F	Non-dimmable - plastic clips	119	IP 66	30W	3920	48,97
66461	Prima LED 1.4ft VP 6400/840 1F	Non-dimmable - plastic clips	119	IP 66	43W	5650	52,59
66170	Prima LED 1.5ft VP 3250/840 1F	Non-dimmable - plastic clips	119	IP 66	22W	2810	54,44
66180	Prima LED 1.5ft VP 4000/840 1F	Non-dimmable - plastic clips	119	IP 66	27W	3530	54,44
66190	Prima LED 1.5ft VP 5500/840 1F	Non-dimmable - plastic clips	119	IP 66	37W	4940	55,62
66491	Prima LED 1.5ft VP 8000/840 1F	Non-dimmable - plastic clips	119	IP 66	54W	7090	59,71
66540	Prima LED 1.4ft VPc 2600/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	50,42
66550	Prima LED 1.4ft VPc 3200/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	50,42
66560	Prima LED 1.4ft VPc 4400/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	51,30
66761	Prima LED 1.4ft VPc 6400/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	55,00
66570	Prima LED 1.5ft VPc 3250/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	57,30
66580	Prima LED 1.5ft VPc 4000/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	57,30
66590	Prima LED 1.5ft VPc 5500/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	58,49
66791	Prima LED 1.5ft VPc 8000/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	62,64
66143	Prima LED 1.4ft VP 2600/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	18W	2320	71,64
66153	Prima LED 1.4ft VP 3200/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	22W	2860	71,64
66163	Prima LED 1.4ft VP 4400/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	30W	3920	72,29
66861	Prima LED 1.4ft VP 6400/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	43W	5650	73,51
66173	Prima LED 1.5ft VP 3250/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	22W	2810	77,67
66183	Prima LED 1.5ft VP 4000/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	27W	3530	77,67
66193	Prima LED 1.5ft VP 5500/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	37W	4940	78,62
66891	Prima LED 1.5ft VP 8000/840 DALI 1F	DALI Dimmable - plastic clips	119	IP 66	54W	7090	83,63
66543	Prima LED 1.4ft VPc 2600/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	74,04
66553	Prima LED 1.4ft VPc 3200/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	74,04
66563	Prima LED 1.4ft VPc 4400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	74,73
66961	Prima LED 1.4ft VPc 6400/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	43W	5650	75,92
66573	Prima LED 1.5ft VPc 3250/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	80,63
66583	Prima LED 1.5ft VPc 4000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	80,63
66593	Prima LED 1.5ft VPc 5500/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	81,55
66991	Prima LED 1.5ft VPc 8000/840 DALI 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	54W	7090	86,50
64140	Prima LED 1.4ft SNS PC 2600/840 1F	Non-dimmable - plastic clips	119	IP 66	18W	2320	63,17
64150	Prima LED 1.4ft SNS PC 3200/840 1F	Non-dimmable - plastic clips	119	IP 66	22W	2860	63,17
64160	Prima LED 1.4ft SNS PC 4400/840 1F	Non-dimmable - plastic clips	119	IP 66	30W	3920	64,12
64461	Prima LED 1.4ft SNS PC 6400/840 1F	Non-dimmable - plastic clips	119	IP 66	43W	5650	68,31

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
64170	Prima LED 1.5ft SNS PC 3250/840 1F	Non-dimmable - plastic clips	119	IP 66	22W	2810	69,89
64180	Prima LED 1.5ft SNS PC 4000/840 1F	Non-dimmable - plastic clips	119	IP 66	27W	3530	69,89
64190	Prima LED 1.5ft SNS PC 5500/840 1F	Non-dimmable - plastic clips	119	IP 66	37W	4940	71,11
64491	Prima LED 1.5ft SNS PC 8000/840 1F	Non-dimmable - plastic clips	119	IP 66	54W	7090	75,79
64540	Prima LED 1.4ft SNS PCc 2600/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	65,64
64550	Prima LED 1.4ft SNS PCc 3200/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	65,64
64560	Prima LED 1.4ft SNS PCc 4400/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	66,59
64761	Prima LED 1.4ft SNS PCc 6400/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	70,84
64570	Prima LED 1.5ft SNS PCc 3250/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	72,89
64580	Prima LED 1.5ft SNS PCc 4000/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	72,89
64590	Prima LED 1.5ft SNS PCc 5500/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	74,11
64791	Prima LED 1.5ft SNS PCc 8000/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	78,89
64143	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR 1F	DALI Dimmable - plastic clips	119	IP 66	18W	2320	88,08
64153	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR 1F	DALI Dimmable - plastic clips	119	IP 66	22W	2860	88,08
64163	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR 1F	DALI Dimmable - plastic clips	119	IP 66	30W	3920	89,03
64173	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR 1F	DALI Dimmable - plastic clips	119	IP 66	22W	2810	96,28
64183	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR 1F	DALI Dimmable - plastic clips	119	IP 66	27W	3530	94,90
64193	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR 1F	DALI Dimmable - plastic clips	119	IP 66	37W	4940	94,90
64543	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	90,52
64553	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	90,52
64563	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	91,47
64573	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	99,28
64583	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	97,93
64593	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR 1F	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	97,93
75340	FUTURA 2.4ft PC AI 5200/840 3F	Non-dimmable - plastic clips	85	IP 66	35W	4910	61,61
75350	FUTURA 2.4ft PC AI 6400/840 3F	Non-dimmable - plastic clips	85	IP 66	42W	5880	61,61
75360	FUTURA 2.4ft PC AI 8800/840 3F	Non-dimmable - plastic clips	85	IP 66	58W	8110	66,52
75412	FUTURA 2.4ft PC AI 12800/840 3F	Non-dimmable - plastic clips	85	IP 66	85W	11900	85,47
75370	FUTURA 2.5ft PC AI 6500/840 3F	Non-dimmable - plastic clips	85	IP 66	44W	6190	72,16
75380	FUTURA 2.5ft PC AI 8000/840 3F	Non-dimmable - plastic clips	85	IP 66	53W	7440	73,57
75390	FUTURA 2.5ft PC AI 11000/840 3F	Non-dimmable - plastic clips	85	IP 66	71W	9950	76,50
75422	FUTURA 2.5ft PC AI 16000/840 3F	Non-dimmable - plastic clips	85	IP 66	106W	14810	96,90
75640	FUTURA 2.4ft PCc AI 5200/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	63,85
75650	FUTURA 2.4ft PCc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	63,85
75660	FUTURA 2.4ft PCc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	68,82
75432	FUTURA 2.4ft PCc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	87,80
75670	FUTURA 2.5ft PCc AI 6500/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	74,90

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
75680	FUTURA 2.5ft PCc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	76,38
75690	FUTURA 2.5ft PCc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	79,33
75442	FUTURA 2.5ft PCc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	99,70
75343	FUTURA 2.4ft PC AI 5200/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	35W	4910	88,43
75353	FUTURA 2.4ft PC AI 6400/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	42W	5880	88,43
75363	FUTURA 2.4ft PC AI 8800/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	58W	8110	90,83
75452	FUTURA 2.4ft PC AI 12800/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	85W	11900	97,94
75373	FUTURA 2.5ft PC AI 6500/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	44W	6190	100,81
75383	FUTURA 2.5ft PC AI 8000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	53W	7440	100,81
75393	FUTURA 2.5ft PC AI 11000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	71W	9950	104,65
75462	FUTURA 2.5ft PC AI 16000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	106W	14810	126,24
75643	FUTURA 2.4ft PCc AI 5200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	90,73
75653	FUTURA 2.4ft PCc AI 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	90,73
75663	FUTURA 2.4ft PCc AI 8800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	93,09
75472	FUTURA 2.4ft PCc AI 12800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11900	100,18
75673	FUTURA 2.5ft PCc AI 6500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	103,54
75683	FUTURA 2.5ft PCc AI 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	103,54
75693	FUTURA 2.5ft PCc AI 11000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	107,39
75482	FUTURA 2.5ft PCc AI 16000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	14810	129,08
77340	FUTURA 2.4ft ABS AI 5200/840 3F	Non-dimmable - plastic clips	85	IP 66	35W	4910	60,60
77350	FUTURA 2.4ft ABS AI 6400/840 3F	Non-dimmable - plastic clips	85	IP 66	42W	5880	60,60
77360	FUTURA 2.4ft ABS AI 8800/840 3F	Non-dimmable - plastic clips	85	IP 66	58W	8110	65,48
77412	FUTURA 2.4ft ABS AI 12800/840 3F	Non-dimmable - plastic clips	85	IP 66	85W	11900	84,47
77370	FUTURA 2.5ft ABS AI 6500/840 3F	Non-dimmable - plastic clips	85	IP 66	44W	6190	70,80
77380	FUTURA 2.5ft ABS AI 8000/840 3F	Non-dimmable - plastic clips	85	IP 66	53W	7440	72,16
77390	FUTURA 2.5ft ABS AI 11000/840 3F	Non-dimmable - plastic clips	85	IP 66	71W	9950	75,12
77422	FUTURA 2.5ft ABS AI 16000/840 3F	Non-dimmable - plastic clips	85	IP 66	106W	14810	95,48
77640	FUTURA 2.4ft ABSc AI 5200/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	62,84
77650	FUTURA 2.4ft ABSc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	62,84
77660	FUTURA 2.4ft ABSc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	67,81
77432	FUTURA 2.4ft ABSc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	86,76
77670	FUTURA 2.5ft ABSc AI 6500/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	73,54
77680	FUTURA 2.5ft ABSc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	74,99
77690	FUTURA 2.5ft ABSc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	77,92
77442	FUTURA 2.5ft ABSc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	98,32
77343	FUTURA 2.4ft ABS AI 5200/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	35W	4910	87,43
77353	FUTURA 2.4ft ABS AI 6400/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	42W	5880	87,43

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
77363	FUTURA 2.4ft ABS AI 8800/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	58W	8110	89,85
77452	FUTURA 2.4ft ABS AI 12800/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	85W	11900	96,93
77373	FUTURA 2.5ft ABS AI 6500/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	44W	6190	99,42
77383	FUTURA 2.5ft ABS AI 8000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	53W	7440	99,42
77393	FUTURA 2.5ft ABS AI 11000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	71W	9950	103,29
77462	FUTURA 2.5ft ABS AI 16000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	106W	14810	124,83
77643	FUTURA 2.4ft ABSc AI 5200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	89,72
77653	FUTURA 2.4ft ABSc AI 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	89,72
77663	FUTURA 2.4ft ABSc AI 8800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	92,08
77472	FUTURA 2.4ft ABSc AI 12800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11900	99,17
77673	FUTURA 2.5ft ABSc AI 6500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	102,16
77683	FUTURA 2.5ft ABSc AI 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	102,16
77693	FUTURA 2.5ft ABSc AI 11000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	105,87
77482	FUTURA 2.5ft ABSc AI 16000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	14810	127,66
76340	FUTURA 2.4ft VP AI 5200/840 3F	Non-dimmable - plastic clips	85	IP 66	35W	4910	65,58
76350	FUTURA 2.4ft VP AI 6400/840 3F	Non-dimmable - plastic clips	85	IP 66	42W	5880	65,58
76360	FUTURA 2.4ft VP AI 8800/840 3F	Non-dimmable - plastic clips	85	IP 66	58W	8110	70,55
76412	FUTURA 2.4ft VP AI 12800/840 3F	Non-dimmable - plastic clips	85	IP 66	85W	11900	89,60
76370	FUTURA 2.5ft VP AI 6500/840 3F	Non-dimmable - plastic clips	85	IP 66	44W	6190	76,15
76380	FUTURA 2.5ft VP AI 8000/840 3F	Non-dimmable - plastic clips	85	IP 66	53W	7440	77,67
76390	FUTURA 2.5ft VP AI 11000/840 3F	Non-dimmable - plastic clips	85	IP 66	71W	9950	80,63
76422	FUTURA 2.5ft VP AI 16000/840 3F	Non-dimmable - plastic clips	85	IP 66	106W	14810	100,99
76640	FUTURA 2.4ft VPc AI 5200/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	67,81
76650	FUTURA 2.4ft VPc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	67,81
76660	FUTURA 2.4ft VPc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	72,79
76432	FUTURA 2.4ft VPc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	91,90
76670	FUTURA 2.5ft VPc AI 6500/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	78,89
76680	FUTURA 2.5ft VPc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	80,50
76690	FUTURA 2.5ft VPc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	83,43
76442	FUTURA 2.5ft VPc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	103,83
76343	FUTURA 2.4ft VP AI 5200/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	35W	4910	92,53
76353	FUTURA 2.4ft VP AI 6400/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	42W	5880	92,53
76363	FUTURA 2.4ft VP AI 8800/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	58W	8110	94,82
76452	FUTURA 2.4ft VP AI 12800/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	85W	11900	101,91
76373	FUTURA 2.5ft VP AI 6500/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	44W	6190	104,77
76383	FUTURA 2.5ft VP AI 8000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	53W	7440	104,77
76393	FUTURA 2.5ft VP AI 11000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	71W	9950	108,64

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
76462	FUTURA 2.5ft VP AI 16000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	106W	14810	130,34
76643	FUTURA 2.4ft VPc AI 5200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	94,86
76653	FUTURA 2.4ft VPc AI 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	94,86
76663	FUTURA 2.4ft VPc AI 8800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	97,06
76472	FUTURA 2.4ft VPc AI 12800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11900	104,14
76673	FUTURA 2.5ft VPc AI 6500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	107,51
76683	FUTURA 2.5ft VPc AI 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	107,51
76693	FUTURA 2.5ft VPc AI 11000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	111,38
76482	FUTURA 2.5ft VPc AI 16000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	14810	133,17
78360	FUTURA 2.4ft NB PC AI 8800/840 3F	Non-dimmable - plastic clips	85	IP 66	58W	7460	91,23
78370	FUTURA 2.4ft NB PC AI 12800/840 3F	Non-dimmable - plastic clips	85	IP 66	85W	11070	114,44
78390	FUTURA 2.5ft NB PC AI 11000/840 3F	Non-dimmable - plastic clips	85	IP 66	71W	9130	105,12
78380	FUTURA 2.5ft NB PC AI 16000/840 3F	Non-dimmable - plastic clips	85	IP 66	106W	13840	130,29
78660	FUTURA 2.4ft NB PCc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	7460	93,58
78670	FUTURA 2.4ft NB PCc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11070	116,79
78690	FUTURA 2.5ft NB PCc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9130	108,01
78680	FUTURA 2.5ft NB PCc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	13840	133,17
78363	FUTURA 2.4ft NB PC AI 8800/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	58W	7460	113,64
78373	FUTURA 2.4ft NB PC AI 12800/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	85W	11070	125,95
78393	FUTURA 2.5ft NB PC AI 11000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	71W	9130	129,89
78383	FUTURA 2.5ft NB PC AI 16000/840 DALI 3F	DALI Dimmable - plastic clips	85	IP 66	106W	13840	160,43
78663	FUTURA 2.4ft NB PCc AI 8800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	7460	119,15
78673	FUTURA 2.4ft NB PCc AI 12800/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	85W	11070	128,33
78693	FUTURA 2.5ft NB PCc AI 11000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9130	136,59
78683	FUTURA 2.5ft NB PCc AI 16000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	106W	13840	163,32
79340	FUTURA 2.4ft SNS PC AI 5200/840 3F	Non-dimmable - plastic clips	85	IP 66	35W	4910	81,00
79350	FUTURA 2.4ft SNS PC AI 6400/840 3F	Non-dimmable - plastic clips	85	IP 66	42W	5880	81,00
79360	FUTURA 2.4ft SNS PC AI 8800/840 3F	Non-dimmable - plastic clips	85	IP 66	58W	8110	86,23
79412	FUTURA 2.4ft SNS PC AI 12800/840 3F	Non-dimmable - plastic clips	85	IP 66	85W	11900	106,60
79370	FUTURA 2.5ft SNS PC AI 6500/840 3F	Non-dimmable - plastic clips	85	IP 66	44W	6190	92,12
79380	FUTURA 2.5ft SNS PC AI 8000/840 3F	Non-dimmable - plastic clips	85	IP 66	53W	7440	94,07
79390	FUTURA 2.5ft SNS PC AI 11000/840 3F	Non-dimmable - plastic clips	85	IP 66	71W	9950	97,15
79422	FUTURA 2.5ft SNS PC AI 16000/840 3F	Non-dimmable - plastic clips	85	IP 66	106W	14810	118,56
79640	FUTURA 2.4ft SNS PCc AI 5200/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	83,36
79650	FUTURA 2.4ft SNS PCc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	83,36
79660	FUTURA 2.4ft SNS PCc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	88,59
79432	FUTURA 2.4ft SNS PCc AI 12800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	85W	11900	109,02

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
79670	FUTURA 2.5ft SNS PCc AI 6500/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	94,98
79680	FUTURA 2.5ft SNS PCc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	97,03
79690	FUTURA 2.5ft SNS PCc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	100,11
79442	FUTURA 2.5ft SNS PCc AI 16000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	106W	14810	121,52
79343	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR 3F	DALI Dimmable - plastic clips	85	IP 66	35W	4910	109,75
79353	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR 3F	DALI Dimmable - plastic clips	85	IP 66	42W	5880	109,75
79363	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR 3F	DALI Dimmable - plastic clips	85	IP 66	58W	8110	111,70
79373	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR 3F	DALI Dimmable - plastic clips	85	IP 66	44W	6190	122,15
79383	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR 3F	DALI Dimmable - plastic clips	85	IP 66	53W	7440	122,15
79393	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR 3F	DALI Dimmable - plastic clips	85	IP 66	71W	9950	126,21
79643	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	114,47
79653	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	114,47
79663	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	116,42
79673	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	127,91
79683	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	127,91
79693	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	131,97
65340	Prima LED 1.4ft PC 2600/840 3F	Non-dimmable - plastic clips	119	IP 66	18W	2320	44,81
65350	Prima LED 1.4ft PC 3200/840 3F	Non-dimmable - plastic clips	119	IP 66	22W	2860	44,81
65360	Prima LED 1.4ft PC 4400/840 3F	Non-dimmable - plastic clips	119	IP 66	30W	3920	45,70
65462	Prima LED 1.4ft PC 6400/840 3F	Non-dimmable - plastic clips	119	IP 66	43W	5650	49,62
65370	Prima LED 1.5ft PC 3250/840 3F	Non-dimmable - plastic clips	119	IP 66	22W	2810	51,30
65380	Prima LED 1.5ft PC 4000/840 3F	Non-dimmable - plastic clips	119	IP 66	27W	3530	51,30
65390	Prima LED 1.5ft PC 5500/840 3F	Non-dimmable - plastic clips	119	IP 66	37W	4940	52,49
65492	Prima LED 1.5ft PC 8000/840 3F	Non-dimmable - plastic clips	119	IP 66	54W	7090	56,87
65640	Prima LED 1.4ft PCc 2600/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	47,15
65650	Prima LED 1.4ft PCc 3200/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	47,15
65660	Prima LED 1.4ft PCc 4400/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	48,04
65762	Prima LED 1.4ft PCc 6400/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	52,06
65670	Prima LED 1.5ft PCc 3250/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	54,17
65680	Prima LED 1.5ft PCc 4000/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	54,17
65690	Prima LED 1.5ft PCc 5500/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	55,36

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
65792	Prima LED 1.5ft PCc 8000/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	59,84
65343	Prima LED 1.4ft PC 2600/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	18W	2320	69,89
65353	Prima LED 1.4ft PC 3200/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	22W	2860	69,89
65363	Prima LED 1.4ft PC 4400/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	30W	3920	70,55
65862	Prima LED 1.4ft PC 6400/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	43W	5650	71,77
65373	Prima LED 1.5ft PC 3250/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	22W	2810	75,92
65383	Prima LED 1.5ft PC 4000/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	27W	3530	75,92
65393	Prima LED 1.5ft PC 5500/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	37W	4940	76,88
65892	Prima LED 1.5ft PC 8000/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	54W	7090	81,92
65643	Prima LED 1.4ft PCc 2600/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	72,29
65653	Prima LED 1.4ft PCc 3200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	72,29
65663	Prima LED 1.4ft PCc 4400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	72,99
65962	Prima LED 1.4ft PCc 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	43W	5650	74,17
65673	Prima LED 1.5ft PCc 3250/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	78,36
65683	Prima LED 1.5ft PCc 4000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	78,89
65693	Prima LED 1.5ft PCc 5500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	79,81
65992	Prima LED 1.5ft PCc 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	54W	7090	84,78
67340	Prima LED 1.4ft ABS 2600/840 3F	Non-dimmable - plastic clips	119	IP 66	18W	2320	45,44
67350	Prima LED 1.4ft ABS 3200/840 3F	Non-dimmable - plastic clips	119	IP 66	22W	2860	45,44
67360	Prima LED 1.4ft ABS 4400/840 3F	Non-dimmable - plastic clips	119	IP 66	30W	3920	46,36
67462	Prima LED 1.4ft ABS 6400/840 3F	Non-dimmable - plastic clips	119	IP 66	43W	5650	50,32
67370	Prima LED 1.5ft ABS 3250/840 3F	Non-dimmable - plastic clips	119	IP 66	22W	2810	52,36
67380	Prima LED 1.5ft ABS 4000/840 3F	Non-dimmable - plastic clips	119	IP 66	27W	3530	52,36
67390	Prima LED 1.5ft ABS 5500/840 3F	Non-dimmable - plastic clips	119	IP 66	37W	4940	53,55
67492	Prima LED 1.5ft ABS 8000/840 3F	Non-dimmable - plastic clips	119	IP 66	54W	7090	57,96
67640	Prima LED 1.4ft ABSc 2600/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	47,81
67650	Prima LED 1.4ft ABSc 3200/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	47,81
67660	Prima LED 1.4ft ABSc 4400/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	48,70
67762	Prima LED 1.4ft ABSc 6400/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	52,72
67670	Prima LED 1.5ft ABSc 3250/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	55,23
67680	Prima LED 1.5ft ABSc 4000/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	55,23
67690	Prima LED 1.5ft ABSc 5500/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	56,38
67792	Prima LED 1.5ft ABSc 8000/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	60,89
67343	Prima LED 1.4ft ABS 2600/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	18W	2320	70,55
67353	Prima LED 1.4ft ABS 3200/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	22W	2860	70,55
67363	Prima LED 1.4ft ABS 4400/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	30W	3920	71,24

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
67862	Prima LED 1.4ft ABS 6400/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	43W	5650	72,43
67373	Prima LED 1.5ft ABS 3250/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	22W	2810	77,01
67383	Prima LED 1.5ft ABS 4000/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	27W	3530	77,01
67393	Prima LED 1.5ft ABS 5500/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	37W	4940	77,93
67892	Prima LED 1.5ft ABS 8000/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	54W	7090	82,97
67643	Prima LED 1.4ft ABSc 2600/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	72,99
67653	Prima LED 1.4ft ABSc 3200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	72,99
67663	Prima LED 1.4ft ABSc 4400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	73,65
67962	Prima LED 1.4ft ABSc 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	43W	5650	74,87
67673	Prima LED 1.5ft ABSc 3250/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	79,41
67683	Prima LED 1.5ft ABSc 4000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	79,94
67693	Prima LED 1.5ft ABSc 5500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	80,90
67992	Prima LED 1.5ft ABSc 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	54W	7090	85,84
66340	Prima LED 1.4ft VP 2600/840 3F	Non-dimmable - plastic clips	119	IP 66	18W	2320	48,97
66350	Prima LED 1.4ft VP 3200/840 3F	Non-dimmable - plastic clips	119	IP 66	22W	2860	48,97
66360	Prima LED 1.4ft VP 4400/840 3F	Non-dimmable - plastic clips	119	IP 66	30W	3920	49,89
66462	Prima LED 1.4ft VP 6400/840 3F	Non-dimmable - plastic clips	119	IP 66	43W	5650	53,94
66370	Prima LED 1.5ft VP 3250/840 3F	Non-dimmable - plastic clips	119	IP 66	22W	2810	55,49
66380	Prima LED 1.5ft VP 4000/840 3F	Non-dimmable - plastic clips	119	IP 66	27W	3530	55,49
66390	Prima LED 1.5ft VP 5500/840 3F	Non-dimmable - plastic clips	119	IP 66	37W	4940	56,64
66492	Prima LED 1.5ft VP 8000/840 3F	Non-dimmable - plastic clips	119	IP 66	54W	7090	61,16
66640	Prima LED 1.4ft VPc 2600/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	51,30
66650	Prima LED 1.4ft VPc 3200/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	51,30
66660	Prima LED 1.4ft VPc 4400/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	52,23
66762	Prima LED 1.4ft VPc 6400/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	56,35
66670	Prima LED 1.5ft VPc 3250/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	58,36
66680	Prima LED 1.5ft VPc 4000/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	58,36
66690	Prima LED 1.5ft VPc 5500/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	59,51
66792	Prima LED 1.5ft VPc 8000/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	64,12
66343	Prima LED 1.4ft VP 2600/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	18W	2320	74,17
66353	Prima LED 1.4ft VP 3200/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	22W	2860	74,17
66363	Prima LED 1.4ft VP 4400/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	30W	3920	74,87
66862	Prima LED 1.4ft VP 6400/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	43W	5650	76,05
66373	Prima LED 1.5ft VP 3250/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	22W	2810	80,24
66383	Prima LED 1.5ft VP 4000/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	27W	3530	80,24
66393	Prima LED 1.5ft VP 5500/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	37W	4940	81,16

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
66892	Prima LED 1.5ft VP 8000/840 DALI 3F	DALI Dimmable - plastic clips	119	IP 66	54W	7090	86,10
66643	Prima LED 1.4ft VPc 2600/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	76,58
66653	Prima LED 1.4ft VPc 3200/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	76,58
66663	Prima LED 1.4ft VPc 4400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	77,27
66962	Prima LED 1.4ft VPc 6400/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	43W	5650	78,49
66673	Prima LED 1.5ft VPc 3250/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	83,17
66683	Prima LED 1.5ft VPc 4000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	83,17
66693	Prima LED 1.5ft VPc 5500/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	84,12
66992	Prima LED 1.5ft VPc 8000/840 DALI 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	54W	7090	88,97
64340	Prima LED 1.4ft SNS PC 2600/840 3F	Non-dimmable - plastic clips	119	IP 66	18W	2320	64,12
64350	Prima LED 1.4ft SNS PC 3200/840 3F	Non-dimmable - plastic clips	119	IP 66	22W	2860	64,12
64360	Prima LED 1.4ft SNS PC 4400/840 3F	Non-dimmable - plastic clips	119	IP 66	30W	3920	65,08
64462	Prima LED 1.4ft SNS PC 6400/840 3F	Non-dimmable - plastic clips	119	IP 66	43W	5650	69,72
64370	Prima LED 1.5ft SNS PC 3250/840 3F	Non-dimmable - plastic clips	119	IP 66	22W	2810	70,98
64380	Prima LED 1.5ft SNS PC 4000/840 3F	Non-dimmable - plastic clips	119	IP 66	27W	3530	70,98
64390	Prima LED 1.5ft SNS PC 5500/840 3F	Non-dimmable - plastic clips	119	IP 66	37W	4940	72,20
64492	Prima LED 1.5ft SNS PC 8000/840 3F	Non-dimmable - plastic clips	119	IP 66	54W	7090	77,34
64640	Prima LED 1.4ft SNS PCc 2600/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	66,59
64650	Prima LED 1.4ft SNS PCc 3200/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	66,59
64660	Prima LED 1.4ft SNS PCc 4400/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	67,55
64762	Prima LED 1.4ft SNS PCc 6400/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	43W	5650	72,26
64670	Prima LED 1.5ft SNS PCc 3250/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	73,98
64680	Prima LED 1.5ft SNS PCc 4000/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	73,98
64690	Prima LED 1.5ft SNS PCc 5500/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	75,23
64792	Prima LED 1.5ft SNS PCc 8000/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	54W	7090	80,43
64343	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR 3F	DALI Dimmable - plastic clips	119	IP 66	18W	2320	90,68
64353	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR 3F	DALI Dimmable - plastic clips	119	IP 66	22W	2860	90,68
64363	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR 3F	DALI Dimmable - plastic clips	119	IP 66	30W	3920	91,64
64373	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR 3F	DALI Dimmable - plastic clips	119	IP 66	22W	2810	98,89
64383	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR 3F	DALI Dimmable - plastic clips	119	IP 66	27W	3530	97,50
64393	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR 3F	DALI Dimmable - plastic clips	119	IP 66	37W	4940	97,50
64643	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	93,12
64653	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	93,12
64663	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	94,08
64673	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	101,88
64683	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	100,50
64693	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR 3F	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	100,50

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
75014	FUTURA 2.2ft PC AI 2600/840 M1h	Non-dimmable - plastic clips	136	IP 66	18W	2490	88,59
75024	FUTURA 2.2ft PC AI 3200/840 M1h	Non-dimmable - plastic clips	136	IP 66	22W	3050	88,59
75034	FUTURA 2.2ft PC AI 4400/840 M1h	Non-dimmable - plastic clips	136	IP 66	30W	4230	89,47
75044	FUTURA 2.4ft PC AI 5200/840 M1h	Non-dimmable - plastic clips	85	IP 66	35W	4910	112,08
75054	FUTURA 2.4ft PC AI 6400/840 M1h	Non-dimmable - plastic clips	85	IP 66	42W	5880	112,08
75064	FUTURA 2.4ft PC AI 8800/840 M1h	Non-dimmable - plastic clips	85	IP 66	58W	8110	117,14
75074	FUTURA 2.5ft PC AI 6500/840 M1h	Non-dimmable - plastic clips	85	IP 66	44W	6190	122,87
75084	FUTURA 2.5ft PC AI 8000/840 M1h	Non-dimmable - plastic clips	85	IP 66	53W	7440	125,77
75094	FUTURA 2.5ft PC AI 11000/840 M1h	Non-dimmable - plastic clips	85	IP 66	71W	9950	128,32
75214	FUTURA 2.2ft PCc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	89,98
75224	FUTURA 2.2ft PCc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	89,98
75234	FUTURA 2.2ft PCc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	90,89
75244	FUTURA 2.4ft PCc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	114,34
75254	FUTURA 2.4ft PCc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	114,34
75264	FUTURA 2.4ft PCc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	119,44
75274	FUTURA 2.5ft PCc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	125,64
75284	FUTURA 2.5ft PCc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	128,64
75294	FUTURA 2.5ft PCc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	131,12
75017	FUTURA 2.2ft PC AI 2600/840 DALI M1h	DALI Dimmable - plastic clips	136	IP 66	18W	2490	112,33
75027	FUTURA 2.2ft PC AI 3200/840 DALI M1h	DALI Dimmable - plastic clips	136	IP 66	22W	3050	112,33
75037	FUTURA 2.2ft PC AI 4400/840 DALI M1h	DALI Dimmable - plastic clips	136	IP 66	30W	4230	113,21
75047	FUTURA 2.4ft PC AI 5200/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	138,08
75057	FUTURA 2.4ft PC AI 6400/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	138,08
75067	FUTURA 2.4ft PC AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	140,00
75077	FUTURA 2.5ft PC AI 6500/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	149,63
75087	FUTURA 2.5ft PC AI 8000/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	149,63
75097	FUTURA 2.5ft PC AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	153,57
75217	FUTURA 2.2ft PCc AI 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	136	IP 66	18W	2490	113,71
75227	FUTURA 2.2ft PCc AI 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	136	IP 66	22W	3050	113,71
75237	FUTURA 2.2ft PCc AI 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	136	IP 66	30W	4230	114,63
75247	FUTURA 2.4ft PCc AI 5200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	140,38
75257	FUTURA 2.4ft PCc AI 6400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	140,38
75267	FUTURA 2.4ft PCc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	142,27
75277	FUTURA 2.5ft PCc AI 6500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	152,44
75287	FUTURA 2.5ft PCc AI 8000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	152,44
75297	FUTURA 2.5ft PCc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	156,37
77014	FUTURA 2.2ft ABS AI 2600/840 M1h	Non-dimmable - plastic clips	136	IP 66	18W	2490	87,96

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
77024	FUTURA 2.2ft ABS AI 3200/840 M1h	Non-dimmable - plastic clips	136	IP 66	22W	3050	87,96
77034	FUTURA 2.2ft ABS AI 4400/840 M1h	Non-dimmable - plastic clips	136	IP 66	30W	4230	88,84
77044	FUTURA 2.4ft ABS AI 5200/840 M1h	Non-dimmable - plastic clips	85	IP 66	35W	4910	111,07
77054	FUTURA 2.4ft ABS AI 6400/840 M1h	Non-dimmable - plastic clips	85	IP 66	42W	5880	111,07
77064	FUTURA 2.4ft ABS AI 8800/840 M1h	Non-dimmable - plastic clips	85	IP 66	58W	8110	116,14
77074	FUTURA 2.5ft ABS AI 6500/840 M1h	Non-dimmable - plastic clips	85	IP 66	44W	6190	121,46
77084	FUTURA 2.5ft ABS AI 8000/840 M1h	Non-dimmable - plastic clips	85	IP 66	53W	7440	124,32
77094	FUTURA 2.5ft ABS AI 11000/840 M1h	Non-dimmable - plastic clips	85	IP 66	71W	9950	126,94
77214	FUTURA 2.2ft ABSc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	89,35
77224	FUTURA 2.2ft ABSc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	89,35
77234	FUTURA 2.2ft ABSc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	90,23
77244	FUTURA 2.4ft ABSc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	113,34
77254	FUTURA 2.4ft ABSc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	113,34
77264	FUTURA 2.4ft ABSc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	118,44
77274	FUTURA 2.5ft ABSc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	124,26
77284	FUTURA 2.5ft ABSc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	127,19
77294	FUTURA 2.5ft ABSc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	129,71
77017	FUTURA 2.2ft ABS AI 2600/840 DALI M1h	DALI Dimmable - plastic clips	136	IP 66	18W	2490	111,70
77027	FUTURA 2.2ft ABS AI 3200/840 DALI M1h	DALI Dimmable - plastic clips	136	IP 66	22W	3050	111,70
77037	FUTURA 2.2ft ABS AI 4400/840 DALI M1h	DALI Dimmable - plastic clips	136	IP 66	30W	4230	112,58
77047	FUTURA 2.4ft ABS AI 5200/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	137,07
77057	FUTURA 2.4ft ABS AI 6400/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	137,07
77067	FUTURA 2.4ft ABS AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	138,99
77077	FUTURA 2.5ft ABS AI 6500/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	148,25
77087	FUTURA 2.5ft ABS AI 8000/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	148,25
77097	FUTURA 2.5ft ABS AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	152,18
77217	FUTURA 2.2ft ABSc AI 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	136	IP 66	18W	2490	113,08
77227	FUTURA 2.2ft ABSc AI 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	136	IP 66	22W	3050	113,08
77237	FUTURA 2.2ft ABSc AI 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	136	IP 66	30W	4230	113,96
77247	FUTURA 2.4ft ABSc AI 5200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	139,37
77257	FUTURA 2.4ft ABSc AI 6400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	139,37
77267	FUTURA 2.4ft ABSc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	141,26
77277	FUTURA 2.5ft ABSc AI 6500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	151,05
77287	FUTURA 2.5ft ABSc AI 8000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	151,05
77297	FUTURA 2.5ft ABSc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	154,99
76014	FUTURA 2.2ft VP AI 2600/840 M1h	Non-dimmable - plastic clips	136	IP 66	18W	2490	92,65
76024	FUTURA 2.2ft VP AI 3200/840 M1h	Non-dimmable - plastic clips	136	IP 66	22W	3050	92,65

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
76034	FUTURA 2.2ft VP AI 4400/840 M1h	Non-dimmable - plastic clips	136	IP 66	30W	4230	93,53
76044	FUTURA 2.4ft VP AI 5200/840 M1h	Non-dimmable - plastic clips	85	IP 66	35W	4910	116,14
76054	FUTURA 2.4ft VP AI 6400/840 M1h	Non-dimmable - plastic clips	85	IP 66	42W	5880	116,14
76064	FUTURA 2.4ft VP AI 8800/840 M1h	Non-dimmable - plastic clips	85	IP 66	58W	8110	121,21
76074	FUTURA 2.5ft VP AI 6500/840 M1h	Non-dimmable - plastic clips	85	IP 66	44W	6190	126,94
76084	FUTURA 2.5ft VP AI 8000/840 M1h	Non-dimmable - plastic clips	85	IP 66	53W	7440	129,96
76094	FUTURA 2.5ft VP AI 11000/840 M1h	Non-dimmable - plastic clips	85	IP 66	71W	9950	132,38
76214	FUTURA 2.2ft VPc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	94,04
76224	FUTURA 2.2ft VPc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	94,04
76234	FUTURA 2.2ft VPc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	94,95
76244	FUTURA 2.4ft VPc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	118,44
76254	FUTURA 2.4ft VPc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	118,44
76264	FUTURA 2.4ft VPc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	123,50
76274	FUTURA 2.5ft VPc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	129,71
76284	FUTURA 2.5ft VPc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	132,82
76294	FUTURA 2.5ft VPc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	135,18
76017	FUTURA 2.2ft VP AI 2600/840 DALI M1h	DALI Dimmable - plastic clips	136	IP 66	18W	2490	116,39
76027	FUTURA 2.2ft VP AI 3200/840 DALI M1h	DALI Dimmable - plastic clips	136	IP 66	22W	3050	116,39
76037	FUTURA 2.2ft VP AI 4400/840 DALI M1h	DALI Dimmable - plastic clips	136	IP 66	30W	4230	117,27
76047	FUTURA 2.4ft VP AI 5200/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	142,14
76057	FUTURA 2.4ft VP AI 6400/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	142,14
76067	FUTURA 2.4ft VP AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	144,06
76077	FUTURA 2.5ft VP AI 6500/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	153,70
76087	FUTURA 2.5ft VP AI 8000/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	153,70
76097	FUTURA 2.5ft VP AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	157,63
76217	FUTURA 2.2ft VPc AI 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	136	IP 66	18W	2490	117,77
76227	FUTURA 2.2ft VPc AI 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	136	IP 66	22W	3050	117,77
76237	FUTURA 2.2ft VPc AI 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	136	IP 66	30W	4230	118,69
76247	FUTURA 2.4ft VPc AI 5200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	144,44
76257	FUTURA 2.4ft VPc AI 6400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	144,44
76267	FUTURA 2.4ft VPc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	146,33
76277	FUTURA 2.5ft VPc AI 6500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	156,50
76287	FUTURA 2.5ft VPc AI 8000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	156,50
76297	FUTURA 2.5ft VPc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	160,43
78064	FUTURA 2.4ft NB PC AI 8800/840 M1h	Non-dimmable - plastic clips	85	IP 66	58W	7460	144,91
78094	FUTURA 2.5ft NB PC AI 11000/840 M1h	Non-dimmable - plastic clips	85	IP 66	71W	9130	159,11
78264	FUTURA 2.4ft NB PCc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	7460	147,33

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
78294	FUTURA 2.5ft NB PCc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9130	162,02
78067	FUTURA 2.4ft NB PC AI 8800/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	58W	7460	168,99
78097	FUTURA 2.5ft NB PC AI 11000/840 DALI M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9130	185,70
78267	FUTURA 2.4ft NB PCc AI 8800/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	7460	171,41
78297	FUTURA 2.5ft NB PCc AI 11000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9130	188,65
79014	FUTURA 2.2ft SNS PC AI 2600/840 M1h	Non-dimmable - plastic clips	136	IP 66	18W	2490	113,68
79024	FUTURA 2.2ft SNS PC AI 3200/840 M1h	Non-dimmable - plastic clips	136	IP 66	22W	3050	113,68
79034	FUTURA 2.2ft SNS PC AI 4400/840 M1h	Non-dimmable - plastic clips	136	IP 66	30W	4230	114,59
79044	FUTURA 2.4ft SNS PC AI 5200/840 M1h	Non-dimmable - plastic clips	85	IP 66	35W	4910	131,69
79054	FUTURA 2.4ft SNS PC AI 6400/840 M1h	Non-dimmable - plastic clips	85	IP 66	42W	5880	131,69
79064	FUTURA 2.4ft SNS PC AI 8800/840 M1h	Non-dimmable - plastic clips	85	IP 66	58W	8110	136,92
79074	FUTURA 2.5ft SNS PC AI 6500/840 M1h	Non-dimmable - plastic clips	85	IP 66	44W	6190	142,80
79084	FUTURA 2.5ft SNS PC AI 8000/840 M1h	Non-dimmable - plastic clips	85	IP 66	53W	7440	146,08
79094	FUTURA 2.5ft SNS PC AI 11000/840 M1h	Non-dimmable - plastic clips	85	IP 66	71W	9950	148,44
79214	FUTURA 2.2ft SNS PCc AI 2600/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	115,10
79224	FUTURA 2.2ft SNS PCc AI 3200/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	115,10
79234	FUTURA 2.2ft SNS PCc AI 4400/840 M1h	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	116,01
79244	FUTURA 2.4ft SNS PCc AI 5200/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	134,05
79254	FUTURA 2.4ft SNS PCc AI 6400/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	134,05
79264	FUTURA 2.4ft SNS PCc AI 8800/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	139,28
79274	FUTURA 2.5ft SNS PCc AI 6500/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	145,67
79284	FUTURA 2.5ft SNS PCc AI 8000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	148,94
79294	FUTURA 2.5ft SNS PCc AI 11000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	151,30
79047	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR M1h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	158,48
79057	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR M1h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	158,48
79067	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR M1h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	160,43
79077	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR M1h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	170,38
79087	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR M1h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	170,38
79097	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	174,44
79247	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	163,20
79257	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	163,20
79267	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	165,15
79277	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	176,11
79287	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	176,11
79297	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	180,17
65044	Prima LED 1.4ft PC 2600/840 M1h	Non-dimmable - plastic clips	119	IP 66	18W	2320	97,50
65054	Prima LED 1.4ft PC 3200/840 M1h	Non-dimmable - plastic clips	119	IP 66	22W	2860	97,50

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
65064	Prima LED 1.4ft PC 4400/840 M1h	Non-dimmable - plastic clips	119	IP 66	30W	3920	98,43
65074	Prima LED 1.5ft PC 3250/840 M1h	Non-dimmable - plastic clips	119	IP 66	22W	2810	107,49
65084	Prima LED 1.5ft PC 4000/840 M1h	Non-dimmable - plastic clips	119	IP 66	27W	3530	107,49
65094	Prima LED 1.5ft PC 5500/840 M1h	Non-dimmable - plastic clips	119	IP 66	37W	4940	108,67
65244	Prima LED 1.4ft PCc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	99,91
65254	Prima LED 1.4ft PCc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	99,91
65264	Prima LED 1.4ft PCc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	100,83
65274	Prima LED 1.5ft PCc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	110,39
65284	Prima LED 1.5ft PCc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	110,39
65294	Prima LED 1.5ft PCc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	111,61
65047	Prima LED 1.4ft PC 2600/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	123,80
65057	Prima LED 1.4ft PC 3200/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	123,80
65067	Prima LED 1.4ft PC 4400/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	124,75
65077	Prima LED 1.5ft PC 3250/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	132,73
65087	Prima LED 1.5ft PC 4000/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	132,73
65097	Prima LED 1.5ft PC 5500/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	133,91
65247	Prima LED 1.4ft PCc 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	126,20
65257	Prima LED 1.4ft PCc 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	126,20
65267	Prima LED 1.4ft PCc 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	127,13
65277	Prima LED 1.5ft PCc 3250/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	135,63
65287	Prima LED 1.5ft PCc 4000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	135,63
65297	Prima LED 1.5ft PCc 5500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	136,85
67044	Prima LED 1.4ft ABS 2600/840 M1h	Non-dimmable - plastic clips	119	IP 66	18W	2320	98,16
67054	Prima LED 1.4ft ABS 3200/840 M1h	Non-dimmable - plastic clips	119	IP 66	22W	2860	98,16
67064	Prima LED 1.4ft ABS 4400/840 M1h	Non-dimmable - plastic clips	119	IP 66	30W	3920	99,12
67074	Prima LED 1.5ft ABS 3250/840 M1h	Non-dimmable - plastic clips	119	IP 66	22W	2810	108,54
67084	Prima LED 1.5ft ABS 4000/840 M1h	Non-dimmable - plastic clips	119	IP 66	27W	3530	108,54
67094	Prima LED 1.5ft ABS 5500/840 M1h	Non-dimmable - plastic clips	119	IP 66	37W	4940	109,73
67244	Prima LED 1.4ft ABSc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	100,57
67254	Prima LED 1.4ft ABSc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	100,57
67264	Prima LED 1.4ft ABSc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	101,49
67274	Prima LED 1.5ft ABSc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	111,47
67284	Prima LED 1.5ft ABSc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	111,47
67294	Prima LED 1.5ft ABSc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	112,66
67047	Prima LED 1.4ft ABS 2600/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	124,49
67057	Prima LED 1.4ft ABS 3200/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	124,49
67067	Prima LED 1.4ft ABS 4400/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	125,41

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
67077	Prima LED 1.5ft ABS 3250/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	133,78
67087	Prima LED 1.5ft ABS 4000/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	133,78
67097	Prima LED 1.5ft ABS 5500/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	134,97
67247	Prima LED 1.4ft ABSc 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	126,86
67257	Prima LED 1.4ft ABSc 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	126,86
67267	Prima LED 1.4ft ABSc 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	127,78
67277	Prima LED 1.5ft ABSc 3250/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	136,71
67287	Prima LED 1.5ft ABSc 4000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	136,71
67297	Prima LED 1.5ft ABSc 5500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	137,90
66044	Prima LED 1.4ft VP 2600/840 M1h	Non-dimmable - plastic clips	119	IP 66	18W	2320	101,75
66054	Prima LED 1.4ft VP 3200/840 M1h	Non-dimmable - plastic clips	119	IP 66	22W	2860	101,75
66064	Prima LED 1.4ft VP 4400/840 M1h	Non-dimmable - plastic clips	119	IP 66	30W	3920	102,68
66074	Prima LED 1.5ft VP 3250/840 M1h	Non-dimmable - plastic clips	119	IP 66	22W	2810	111,74
66084	Prima LED 1.5ft VP 4000/840 M1h	Non-dimmable - plastic clips	119	IP 66	27W	3530	111,74
66094	Prima LED 1.5ft VP 5500/840 M1h	Non-dimmable - plastic clips	119	IP 66	37W	4940	112,92
66244	Prima LED 1.4ft VPc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	104,16
66254	Prima LED 1.4ft VPc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	104,16
66264	Prima LED 1.4ft VPc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	105,08
66274	Prima LED 1.5ft VPc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	114,64
66284	Prima LED 1.5ft VPc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	114,64
66294	Prima LED 1.5ft VPc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	115,86
66047	Prima LED 1.4ft VP 2600/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	128,05
66057	Prima LED 1.4ft VP 3200/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	128,05
66067	Prima LED 1.4ft VP 4400/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	129,00
66077	Prima LED 1.5ft VP 3250/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	136,98
66087	Prima LED 1.5ft VP 4000/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	136,98
66097	Prima LED 1.5ft VP 5500/840 DALI M1h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	138,16
66247	Prima LED 1.4ft VPc 2600/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	130,45
66257	Prima LED 1.4ft VPc 3200/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	130,45
66267	Prima LED 1.4ft VPc 4400/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	131,38
66277	Prima LED 1.5ft VPc 3250/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	139,88
66287	Prima LED 1.5ft VPc 4000/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	139,88
66297	Prima LED 1.5ft VPc 5500/840 DALI M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	141,10
64044	Prima LED 1.4ft SNS PC 2600/840 M1h	Non-dimmable - plastic clips	119	IP 66	18W	2320	117,47
64054	Prima LED 1.4ft SNS PC 3200/840 M1h	Non-dimmable - plastic clips	119	IP 66	22W	2860	117,47
64064	Prima LED 1.4ft SNS PC 4400/840 M1h	Non-dimmable - plastic clips	119	IP 66	30W	3920	118,43
#####	Prima LED 1.5ft SNS PC 3250/840 M1h	Non-dimmable - plastic clips	119	IP 66	22W	2810	127,72

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
64084	Prima LED 1.5ft SNS PC 4000/840 M1h	Non-dimmable - plastic clips	119,00	IP 66	27W	3530	127,72
64094	Prima LED 1.5ft SNS PC 5500/840 M1h	Non-dimmable - plastic clips	119	IP 66	37W	4940	128,97
64244	Prima LED 1.4ft SNS PCc 2600/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	119,94
64254	Prima LED 1.4ft SNS PCc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	119,94
64264	Prima LED 1.4ft SNS PCc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	120,90
64274	Prima LED 1.5ft SNS PCc 3250/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	130,75
64284	Prima LED 1.5ft SNS PCc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	130,75
64294	Prima LED 1.5ft SNS PCc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	131,97
64047	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR M1h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	144,56
64057	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	144,56
64067	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR M1h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	145,51
64077	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	155,07
64087	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR M1h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	153,72
64097	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR M1h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	153,72
64247	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	147,00
64257	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	147,00
64267	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	147,98
64277	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	158,10
64287	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	156,72
64297	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	156,72
75015	FUTURA 2.2ft PC AI 2600/840 M3h	Non-dimmable - plastic clips	136	IP 66	18W	2490	106,35
75025	FUTURA 2.2ft PC AI 3200/840 M3h	Non-dimmable - plastic clips	136	IP 66	22W	3050	106,35
75035	FUTURA 2.2ft PC AI 4400/840 M3h	Non-dimmable - plastic clips	136	IP 66	30W	4230	107,26
75045	FUTURA 2.4ft PC AI 5200/840 M3h	Non-dimmable - plastic clips	85	IP 66	35W	4910	131,37
75055	FUTURA 2.4ft PC AI 6400/840 M3h	Non-dimmable - plastic clips	85	IP 66	42W	5880	131,37
75065	FUTURA 2.4ft PC AI 8800/840 M3h	Non-dimmable - plastic clips	85	IP 66	58W	8110	136,44
75075	FUTURA 2.5ft PC AI 6500/840 M3h	Non-dimmable - plastic clips	85	IP 66	44W	6190	142,14
75085	FUTURA 2.5ft PC AI 8000/840 M3h	Non-dimmable - plastic clips	85	IP 66	53W	7440	145,32
75095	FUTURA 2.5ft PC AI 11000/840 M3h	Non-dimmable - plastic clips	85	IP 66	71W	9950	147,62
75215	FUTURA 2.2ft PCc AI 2600/840 M3h	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	107,76
75225	FUTURA 2.2ft PCc AI 3200/840 M3h	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	107,76
75235	FUTURA 2.2ft PCc AI 4400/840 M3h	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	108,64
75245	FUTURA 2.4ft PCc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	133,64
75255	FUTURA 2.4ft PCc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	133,64
75265	FUTURA 2.4ft PCc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	138,74
75275	FUTURA 2.5ft PCc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	144,94
75285	FUTURA 2.5ft PCc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	148,12

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
75295	FUTURA 2.5ft PCc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	150,39
75019	FUTURA 2.2ft PC AI 2600/840 DALI M3h	DALI Dimmable - plastic clips	136	IP 66	18W	2490	130,34
75029	FUTURA 2.2ft PC AI 3200/840 DALI M3h	DALI Dimmable - plastic clips	136	IP 66	22W	3050	130,34
75039	FUTURA 2.2ft PC AI 4400/840 DALI M3h	DALI Dimmable - plastic clips	136	IP 66	30W	4230	131,25
75049	FUTURA 2.4ft PC AI 5200/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	157,38
75059	FUTURA 2.4ft PC AI 6400/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	157,38
75069	FUTURA 2.4ft PC AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	159,30
75079	FUTURA 2.5ft PC AI 6500/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	168,93
75089	FUTURA 2.5ft PC AI 8000/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	168,93
75099	FUTURA 2.5ft PC AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	172,87
75219	FUTURA 2.2ft PCc AI 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	136	IP 66	18W	2490	131,75
75229	FUTURA 2.2ft PCc AI 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	136	IP 66	22W	3050	131,75
75239	FUTURA 2.2ft PCc AI 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	136	IP 66	30W	4230	132,63
75249	FUTURA 2.4ft PCc AI 5200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	159,68
75259	FUTURA 2.4ft PCc AI 6400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	159,68
75269	FUTURA 2.4ft PCc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	161,57
75279	FUTURA 2.5ft PCc AI 6500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	171,73
75289	FUTURA 2.5ft PCc AI 8000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	171,73
75299	FUTURA 2.5ft PCc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	175,67
77015	FUTURA 2.2ft ABS AI 2600/840 M3h	Non-dimmable - plastic clips	136	IP 66	18W	2490	105,72
77025	FUTURA 2.2ft ABS AI 3200/840 M3h	Non-dimmable - plastic clips	136	IP 66	22W	3050	105,72
77035	FUTURA 2.2ft ABS AI 4400/840 M3h	Non-dimmable - plastic clips	136	IP 66	30W	4230	106,63
77045	FUTURA 2.4ft ABS AI 5200/840 M3h	Non-dimmable - plastic clips	85	IP 66	35W	4910	130,34
77055	FUTURA 2.4ft ABS AI 6400/840 M3h	Non-dimmable - plastic clips	85	IP 66	42W	5880	130,34
77065	FUTURA 2.4ft ABS AI 8800/840 M3h	Non-dimmable - plastic clips	85	IP 66	58W	8110	135,44
77075	FUTURA 2.5ft ABS AI 6500/840 M3h	Non-dimmable - plastic clips	85	IP 66	44W	6190	140,76
77085	FUTURA 2.5ft ABS AI 8000/840 M3h	Non-dimmable - plastic clips	85	IP 66	53W	7440	143,94
77095	FUTURA 2.5ft ABS AI 11000/840 M3h	Non-dimmable - plastic clips	85	IP 66	71W	9950	146,20
77215	FUTURA 2.2ft ABSc AI 2600/840 M3h	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	107,13
77225	FUTURA 2.2ft ABSc AI 3200/840 M3h	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	107,13
77235	FUTURA 2.2ft ABSc AI 4400/840 M3h	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	108,01
77245	FUTURA 2.4ft ABSc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	132,63
77255	FUTURA 2.4ft ABSc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	132,63
77265	FUTURA 2.4ft ABSc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	137,70
77275	FUTURA 2.5ft ABSc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	143,56
77285	FUTURA 2.5ft ABSc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	146,74
77295	FUTURA 2.5ft ABSc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	149,00

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
77019	FUTURA 2.2ft ABS AI 2600/840 DALI M3h	DALI Dimmable - plastic clips	136,00	IP 66	18W	2490	129,71
77029	FUTURA 2.2ft ABS AI 3200/840 DALI M3h	DALI Dimmable - plastic clips	136	IP 66	22W	3050	129,71
77039	FUTURA 2.2ft ABS AI 4400/840 DALI M3h	DALI Dimmable - plastic clips	136	IP 66	30W	4230	130,62
77049	FUTURA 2.4ft ABS AI 5200/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	156,37
77059	FUTURA 2.4ft ABS AI 6400/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	156,37
77069	FUTURA 2.4ft ABS AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	158,26
77079	FUTURA 2.5ft ABS AI 6500/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	167,55
77089	FUTURA 2.5ft ABS AI 8000/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	167,55
77099	FUTURA 2.5ft ABS AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	171,48
77219	FUTURA 2.2ft ABSc AI 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	136	IP 66	18W	2490	131,12
77229	FUTURA 2.2ft ABSc AI 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	136	IP 66	22W	3050	131,12
77239	FUTURA 2.2ft ABSc AI 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	136	IP 66	30W	4230	132,00
77249	FUTURA 2.4ft ABSc AI 5200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	158,67
77259	FUTURA 2.4ft ABSc AI 6400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	158,67
77269	FUTURA 2.4ft ABSc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	160,56
77279	FUTURA 2.5ft ABSc AI 6500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	170,32
77289	FUTURA 2.5ft ABSc AI 8000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	170,32
77299	FUTURA 2.5ft ABSc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	174,25
76015	FUTURA 2.4ft VP AI 2600/840 M3h	Non-dimmable - plastic clips	136	IP 66	18W	2490	110,44
76025	FUTURA 2.4ft VP AI 3200/840 M3h	Non-dimmable - plastic clips	136	IP 66	22W	3050	110,44
76035	FUTURA 2.4ft VP AI 4400/840 M3h	Non-dimmable - plastic clips	136	IP 66	30W	4230	111,32
76045	FUTURA 2.4ft VP AI 5200/840 M3h	Non-dimmable - plastic clips	85	IP 66	35W	4910	135,44
76055	FUTURA 2.4ft VP AI 6400/840 M3h	Non-dimmable - plastic clips	85	IP 66	42W	5880	135,44
76065	FUTURA 2.4ft VP AI 8800/840 M3h	Non-dimmable - plastic clips	85	IP 66	58W	8110	140,50
76075	FUTURA 2.5ft VP AI 6500/840 M3h	Non-dimmable - plastic clips	85	IP 66	44W	6190	146,20
76085	FUTURA 2.5ft VP AI 8000/840 M3h	Non-dimmable - plastic clips	85	IP 66	53W	7440	149,38
76095	FUTURA 2.5ft VP AI 11000/840 M3h	Non-dimmable - plastic clips	85	IP 66	71W	9950	151,68
76215	FUTURA 2.4ft VPc AI 2600/840 M3h	Non-dimmable - stainless steel clips (c)	136	IP 66	18W	2490	111,82
76225	FUTURA 2.4ft VPc AI 3200/840 M3h	Non-dimmable - stainless steel clips (c)	136	IP 66	22W	3050	111,82
76235	FUTURA 2.4ft VPc AI 4400/840 M3h	Non-dimmable - stainless steel clips (c)	136	IP 66	30W	4230	112,71
76245	FUTURA 2.4ft VPc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	137,70
76255	FUTURA 2.4ft VPc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	137,70
76265	FUTURA 2.4ft VPc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	142,80
76275	FUTURA 2.5ft VPc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	149,00
76285	FUTURA 2.5ft VPc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	152,18
76295	FUTURA 2.5ft VPc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	154,45
76019	FUTURA 2.2ft VP AI 2600/840 DALI M3h	DALI Dimmable - plastic clips	136	IP 66	18W	2490	134,40

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
76029	FUTURA 2.2ft VP AI 3200/840 DALI M3h	DALI Dimmable - plastic clips	136	IP 66	22W	3050	134,40
76039	FUTURA 2.2ft VP AI 4400/840 DALI M3h	DALI Dimmable - plastic clips	136	IP 66	30W	4230	135,31
76049	FUTURA 2.4ft VP AI 5200/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	161,44
76059	FUTURA 2.4ft VP AI 6400/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	161,44
76069	FUTURA 2.4ft VP AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	163,36
76079	FUTURA 2.5ft VP AI 6500/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	172,99
76089	FUTURA 2.5ft VP AI 8000/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	172,99
76099	FUTURA 2.5ft VP AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	176,93
76219	FUTURA 2.2ft VPc AI 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	136	IP 66	18W	2490	135,81
76229	FUTURA 2.2ft VPc AI 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	136	IP 66	22W	3050	135,81
76239	FUTURA 2.2ft VPc AI 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	136	IP 66	30W	4230	136,69
76249	FUTURA 2.4ft VPc AI 5200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	163,74
76259	FUTURA 2.4ft VPc AI 6400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	163,74
76269	FUTURA 2.4ft VPc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	165,63
76279	FUTURA 2.5ft VPc AI 6500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	175,80
76289	FUTURA 2.5ft VPc AI 8000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	175,80
76299	FUTURA 2.5ft VPc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	179,73
78065	FUTURA 2.4ft NB PC AI 8800/840 M3h	Non-dimmable - plastic clips	85	IP 66	58W	7460	165,24
78095	FUTURA 2.5ft NB PC AI 11000/840 M3h	Non-dimmable - plastic clips	85	IP 66	71W	9130	179,40
78265	FUTURA 2.4ft NB PCc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	7460	167,66
78295	FUTURA 2.5ft NB PCc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9130	182,35
78069	FUTURA 2.4ft NB PC AI 8800/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	58W	7460	189,32
78099	FUTURA 2.5ft NB PC AI 11000/840 DALI M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9130	206,03
78269	FUTURA 2.4ft NB PCc AI 8800/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	7460	191,70
78299	FUTURA 2.5ft NB PCc AI 11000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9130	208,95
79045	FUTURA 2.4ft SNS PC AI 5200/840 M3h	Non-dimmable - plastic clips	85	IP 66	35W	4910	151,55
79055	FUTURA 2.4ft SNS PC AI 6400/840 M3h	Non-dimmable - plastic clips	85	IP 66	42W	5880	151,55
79065	FUTURA 2.4ft SNS PC AI 8800/840 M3h	Non-dimmable - plastic clips	85	IP 66	58W	8110	156,78
79075	FUTURA 2.5ft SNS PC AI 6500/840 M3h	Non-dimmable - plastic clips	85	IP 66	44W	6190	162,67
79085	FUTURA 2.5ft SNS PC AI 8000/840 M3h	Non-dimmable - plastic clips	85	IP 66	53W	7440	165,94
79095	FUTURA 2.5ft SNS PC AI 11000/840 M3h	Non-dimmable - plastic clips	85	IP 66	71W	9950	168,27
79245	FUTURA 2.4ft SNS PCc AI 5200/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	153,92
79255	FUTURA 2.4ft SNS PCc AI 6400/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	153,92
79265	FUTURA 2.4ft SNS PCc AI 8800/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	159,14
79275	FUTURA 2.5ft SNS PCc AI 6500/840 M3h	Non-dimmable - stainless steel clips (c)	85,00	IP 66	44W	6190	165,53
79285	FUTURA 2.5ft SNS PCc AI 8000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	168,81
79295	FUTURA 2.5ft SNS PCc AI 11000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	171,17

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
79049	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR M3h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	178,35
79059	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR M3h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	178,35
79069	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR M3h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	180,30
79079	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR M3h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	190,25
79089	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR M3h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	190,25
79099	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	194,28
79249	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	183,04
79259	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	183,04
79269	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	85,00	IP 66	58W	8110	185,02
79279	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	195,98
79289	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	195,98
79299	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	200,04
65045	Prima LED 1.4ft PC 2600/840 M3h	Non-dimmable - plastic clips	119	IP 66	18W	2320	117,70
65055	Prima LED 1.4ft PC 3200/840 M3h	Non-dimmable - plastic clips	119	IP 66	22W	2860	117,70
65065	Prima LED 1.4ft PC 4400/840 M3h	Non-dimmable - plastic clips	119	IP 66	30W	3920	118,62
65075	Prima LED 1.5ft PC 3250/840 M3h	Non-dimmable - plastic clips	119	IP 66	22W	2810	127,65
65085	Prima LED 1.5ft PC 4000/840 M3h	Non-dimmable - plastic clips	119	IP 66	27W	3530	127,65
65095	Prima LED 1.5ft PC 5500/840 M3h	Non-dimmable - plastic clips	119	IP 66	37W	4940	128,87
65245	Prima LED 1.4ft PCc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	120,11
65255	Prima LED 1.4ft PCc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	120,11
#####	Prima LED 1.4ft PCc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	121,03
65275	Prima LED 1.5ft PCc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	119,00	IP 66	22W	2810	130,59
65285	Prima LED 1.5ft PCc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	130,59
65295	Prima LED 1.5ft PCc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	131,77
65048	Prima LED 1.4ft PC 2600/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	144,39
65058	Prima LED 1.4ft PC 3200/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	144,39
65068	Prima LED 1.4ft PC 4400/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	145,35
65078	Prima LED 1.5ft PC 3250/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	154,38
65088	Prima LED 1.5ft PC 4000/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	154,38
65098	Prima LED 1.5ft PC 5500/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	155,56
65248	Prima LED 1.4ft PCc 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	146,80
65258	Prima LED 1.4ft PCc 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	146,80
65268	Prima LED 1.4ft PCc 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	147,72
65278	Prima LED 1.5ft PCc 3250/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	157,28
65288	Prima LED 1.5ft PCc 4000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	157,28
65298	Prima LED 1.5ft PCc 5500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	158,50
67045	Prima LED 1.4ft ABS 2600/840 M3h	Non-dimmable - plastic clips	119	IP 66	18W	2320	118,36

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
67055	Prima LED 1.4ft ABS 3200/840 M3h	Non-dimmable - plastic clips	119	IP 66	22W	2860	118,36
67065	Prima LED 1.4ft ABS 4400/840 M3h	Non-dimmable - plastic clips	119	IP 66	30W	3920	119,28
67075	Prima LED 1.5ft ABS 3250/840 M3h	Non-dimmable - plastic clips	119	IP 66	22W	2810	128,74
67085	Prima LED 1.5ft ABS 4000/840 M3h	Non-dimmable - plastic clips	119	IP 66	27W	3530	128,74
67095	Prima LED 1.5ft ABS 5500/840 M3h	Non-dimmable - plastic clips	119	IP 66	37W	4940	129,93
67245	Prima LED 1.4ft ABSc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	120,77
67255	Prima LED 1.4ft ABSc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	120,77
#####	Prima LED 1.4ft ABSc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	121,69
67275	Prima LED 1.5ft ABSc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	119,00	IP 66	22W	2810	131,64
67285	Prima LED 1.5ft ABSc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	131,64
67295	Prima LED 1.5ft ABSc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	132,86
67048	Prima LED 1.4ft ABS 2600/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	145,08
67058	Prima LED 1.4ft ABS 3200/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	145,08
67068	Prima LED 1.4ft ABS 4400/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	146,01
67078	Prima LED 1.5ft ABS 3250/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	155,43
67088	Prima LED 1.5ft ABS 4000/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	155,43
67098	Prima LED 1.5ft ABS 5500/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	156,62
67248	Prima LED 1.4ft ABSc 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	147,46
67258	Prima LED 1.4ft ABSc 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	147,46
67268	Prima LED 1.4ft ABSc 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	148,38
67278	Prima LED 1.5ft ABSc 3250/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	158,36
67288	Prima LED 1.5ft ABSc 4000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	158,36
67298	Prima LED 1.5ft ABSc 5500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	159,55
66045	Prima LED 1.4ft VP 2600/840 M3h	Non-dimmable - plastic clips	119	IP 66	18W	2320	121,95
66055	Prima LED 1.4ft VP 3200/840 M3h	Non-dimmable - plastic clips	119	IP 66	22W	2860	121,95
66065	Prima LED 1.4ft VP 4400/840 M3h	Non-dimmable - plastic clips	119	IP 66	30W	3920	122,87
66075	Prima LED 1.5ft VP 3250/840 M3h	Non-dimmable - plastic clips	119	IP 66	22W	2810	131,90
66085	Prima LED 1.5ft VP 4000/840 M3h	Non-dimmable - plastic clips	119	IP 66	27W	3530	131,90
66095	Prima LED 1.5ft VP 5500/840 M3h	Non-dimmable - plastic clips	119	IP 66	37W	4940	133,12
66245	Prima LED 1.4ft VPc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	124,36
66255	Prima LED 1.4ft VPc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	124,36
66265	Prima LED 1.4ft VPc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	125,28
66275	Prima LED 1.5ft VPc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	134,84
66285	Prima LED 1.5ft VPc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	134,84
66295	Prima LED 1.5ft VPc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	136,02
66048	Prima LED 1.4ft VP 2600/840 DALI M3h	DALI Dimmable - plastic clips	119,00	IP 66	18W	2320	148,64
66058	Prima LED 1.4ft VP 3200/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	148,64

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
66068	Prima LED 1.4ft VP 4400/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	149,60
66078	Prima LED 1.5ft VP 3250/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	158,63
66088	Prima LED 1.5ft VP 4000/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	158,63
66098	Prima LED 1.5ft VP 5500/840 DALI M3h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	159,81
66248	Prima LED 1.4ft VPc 2600/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	151,05
66258	Prima LED 1.4ft VPc 3200/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	151,05
66268	Prima LED 1.4ft VPc 4400/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	151,97
66278	Prima LED 1.5ft VPc 3250/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	161,53
66288	Prima LED 1.5ft VPc 4000/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	161,53
66298	Prima LED 1.5ft VPc 5500/840 DALI M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	162,75
64045	Prima LED 1.4ft SNS PC 2600/840 M3h	Non-dimmable - plastic clips	119	IP 66	18W	2320	138,26
64055	Prima LED 1.4ft SNS PC 3200/840 M3h	Non-dimmable - plastic clips	119	IP 66	22W	2860	138,26
64065	Prima LED 1.4ft SNS PC 4400/840 M3h	Non-dimmable - plastic clips	119	IP 66	30W	3920	139,22
64075	Prima LED 1.5ft SNS PC 3250/840 M3h	Non-dimmable - plastic clips	119	IP 66	22W	2810	148,51
64085	Prima LED 1.5ft SNS PC 4000/840 M3h	Non-dimmable - plastic clips	119	IP 66	27W	3530	148,51
64095	Prima LED 1.5ft SNS PC 5500/840 M3h	Non-dimmable - plastic clips	119	IP 66	37W	4940	149,73
64245	Prima LED 1.4ft SNS PCc 2600/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	140,73
64255	Prima LED 1.4ft SNS PCc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	140,73
64265	Prima LED 1.4ft SNS PCc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	141,69
64275	Prima LED 1.5ft SNS PCc 3250/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	151,51
64285	Prima LED 1.5ft SNS PCc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	151,51
64295	Prima LED 1.5ft SNS PCc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	152,76
64048	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR M3h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	165,74
64058	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	165,74
64068	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR M3h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	166,70
64078	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	177,38
64088	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR M3h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	175,99
64098	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR M3h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	175,99
64248	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	168,22
64258	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	168,22
64268	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	169,17
64278	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	180,37
64288	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	179,02
64298	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	179,02
75344	FUTURA 2.4ft PC AI 5200/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	35W	4910	117,27
75354	FUTURA 2.4ft PC AI 6400/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	42W	5880	117,27
75364	FUTURA 2.4ft PC AI 8800/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	58W	8110	122,34

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
75374	FUTURA 2.5ft PC AI 6500/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	44W	6190	129,45
75384	FUTURA 2.5ft PC AI 8000/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	53W	7440	132,57
75394	FUTURA 2.5ft PC AI 11000/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	71W	9950	134,93
75644	FUTURA 2.4ft PCc AI 5200/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	119,57
75654	FUTURA 2.4ft PCc AI 6400/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	119,57
75664	FUTURA 2.4ft PCc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	124,64
75674	FUTURA 2.5ft PCc AI 6500/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	132,26
75684	FUTURA 2.5ft PCc AI 8000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	135,44
75694	FUTURA 2.5ft PCc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	137,70
75347	FUTURA 2.4ft PC AI 5200/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	146,08
75357	FUTURA 2.4ft PC AI 6400/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	146,08
75367	FUTURA 2.4ft PC AI 8800/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	148,00
75377	FUTURA 2.5ft PC AI 6500/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	159,68
75387	FUTURA 2.5ft PC AI 8000/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	159,68
75397	FUTURA 2.5ft PC AI 11000/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	163,61
75647	FUTURA 2.4ft PCc AI 5200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	148,37
75657	FUTURA 2.4ft PCc AI 6400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	148,37
75667	FUTURA 2.4ft PCc AI 8800/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	150,26
75677	FUTURA 2.5ft PCc AI 6500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	162,45
75687	FUTURA 2.5ft PCc AI 8000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	162,45
75697	FUTURA 2.5ft PCc AI 11000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	166,38
77344	FUTURA 2.4ft ABS AI 5200/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	35W	4910	116,26
77354	FUTURA 2.4ft ABS AI 6400/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	42W	5880	116,26
77364	FUTURA 2.4ft ABS AI 8800/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	58W	8110	121,33
77374	FUTURA 2.5ft ABS AI 6500/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	44W	6190	128,07
77384	FUTURA 2.5ft ABS AI 8000/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	53W	7440	131,12
77394	FUTURA 2.5ft ABS AI 11000/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	71W	9950	133,52
77644	FUTURA 2.4ft ABSc AI 5200/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	118,56
77654	FUTURA 2.4ft ABSc AI 6400/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	118,56
77664	FUTURA 2.4ft ABSc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	123,63
77674	FUTURA 2.5ft ABSc AI 6500/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	130,87
77684	FUTURA 2.5ft ABSc AI 8000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	133,99
77694	FUTURA 2.5ft ABSc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	136,32
77347	FUTURA 2.4ft ABS AI 5200/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	145,07
77357	FUTURA 2.4ft ABS AI 6400/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	145,07
77367	FUTURA 2.4ft ABS AI 8800/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	146,99
77377	FUTURA 2.5ft ABS AI 6500/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	158,26

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
77387	FUTURA 2.5ft ABS AI 8000/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	158,26
77397	FUTURA 2.5ft ABS AI 11000/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	162,20
77647	FUTURA 2.4ft ABSc AI 5200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	147,37
77657	FUTURA 2.4ft ABSc AI 6400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	147,37
77667	FUTURA 2.4ft ABSc AI 8800/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	149,26
77677	FUTURA 2.5ft ABSc AI 6500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	161,06
77687	FUTURA 2.5ft ABSc AI 8000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	161,06
77697	FUTURA 2.5ft ABSc AI 11000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	165,00
76344	FUTURA 2.4ft VP AI 5200/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	35W	4910	121,33
76354	FUTURA 2.4ft VP AI 6400/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	42W	5880	121,33
76364	FUTURA 2.4ft VP AI 8800/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	58W	8110	126,40
76374	FUTURA 2.5ft VP AI 6500/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	44W	6190	133,52
76384	FUTURA 2.5ft VP AI 8000/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	53W	7440	136,69
76394	FUTURA 2.5ft VP AI 11000/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	71W	9950	138,99
76644	FUTURA 2.4ft VPc AI 5200/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	123,63
76654	FUTURA 2.4ft VPc AI 6400/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	123,63
76664	FUTURA 2.4ft VPc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	128,70
76674	FUTURA 2.5ft VPc AI 6500/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	136,32
76684	FUTURA 2.5ft VPc AI 8000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	139,50
76694	FUTURA 2.5ft VPc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	141,76
76347	FUTURA 2.4ft VP AI 5200/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	150,14
76357	FUTURA 2.4ft VP AI 6400/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	150,14
76367	FUTURA 2.4ft VP AI 8800/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	152,06
76377	FUTURA 2.5ft VP AI 6500/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	163,74
76387	FUTURA 2.5ft VP AI 8000/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	163,74
76397	FUTURA 2.5ft VP AI 11000/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	167,67
76647	FUTURA 2.4ft VPc AI 5200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	152,44
76657	FUTURA 2.4ft VPc AI 6400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	152,44
76667	FUTURA 2.4ft VPc AI 8800/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	154,32
76677	FUTURA 2.5ft VPc AI 6500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	166,51
76687	FUTURA 2.5ft VPc AI 8000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	166,51
76697	FUTURA 2.5ft VPc AI 11000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	170,44
78364	FUTURA 2.4ft NB PC AI 8800/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	58W	7460	150,42
78394	FUTURA 2.5ft NB PC AI 11000/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	71W	9130	166,04
78664	FUTURA 2.4ft NB PCc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	7460	152,81
78694	FUTURA 2.5ft NB PCc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9130	168,99
78367	FUTURA 2.4ft NB PC AI 8800/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	58W	7460	177,41

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
78397	FUTURA 2.5ft NB PC AI 11000/840 DALI 3F M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9130	196,25
78667	FUTURA 2.4ft NB PCc AI 8800/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	7460	179,83
78697	FUTURA 2.5ft NB PCc AI 11000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9130	199,20
79344	FUTURA 2.4ft SNS PC AI 5200/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	35W	4910	137,07
79354	FUTURA 2.4ft SNS PC AI 6400/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	42W	5880	137,07
79364	FUTURA 2.4ft SNS PC AI 8800/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	58W	8110	142,30
79374	FUTURA 2.5ft SNS PC AI 6500/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	44W	6190	149,60
79384	FUTURA 2.5ft SNS PC AI 8000/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	53W	7440	152,88
79394	FUTURA 2.5ft SNS PC AI 11000/840 3F M1h	Non-dimmable - plastic clips	85	IP 66	71W	9950	155,21
79644	FUTURA 2.4ft SNS PCc AI 5200/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	139,40
79654	FUTURA 2.4ft SNS PCc AI 6400/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	139,40
79664	FUTURA 2.4ft SNS PCc AI 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	144,63
79674	FUTURA 2.5ft SNS PCc AI 6500/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	152,47
79684	FUTURA 2.5ft SNS PCc AI 8000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	155,74
79694	FUTURA 2.5ft SNS PCc AI 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	158,10
79347	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	166,73
79357	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	166,73
79367	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	168,68
79377	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	180,71
79387	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	180,71
79397	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	184,74
79647	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	171,42
79657	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	171,42
79667	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	173,37
79677	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	186,44
79687	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	186,44
79697	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	190,50
65344	Prima LED 1.4ft PC 2600/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	18W	2320	105,74
65354	Prima LED 1.4ft PC 3200/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	22W	2860	105,74
65364	Prima LED 1.4ft PC 4400/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	30W	3920	106,66
65374	Prima LED 1.5ft PC 3250/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	22W	2810	118,23
65384	Prima LED 1.5ft PC 4000/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	27W	3530	118,23
65394	Prima LED 1.5ft PC 5500/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	37W	4940	119,42
65644	Prima LED 1.4ft PCc 2600/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	108,15
65654	Prima LED 1.4ft PCc 3200/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	108,15
65664	Prima LED 1.4ft PCc 4400/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	109,07
65674	Prima LED 1.5ft PCc 3250/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	121,16

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
65684	Prima LED 1.5ft PCc 4000/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	121,16
65694	Prima LED 1.5ft PCc 5500/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	122,35
65347	Prima LED 1.4ft PC 2600/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	132,04
65357	Prima LED 1.4ft PC 3200/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	132,04
65367	Prima LED 1.4ft PC 4400/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	134,37
65377	Prima LED 1.5ft PC 3250/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	143,60
65387	Prima LED 1.5ft PC 4000/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	143,60
65397	Prima LED 1.5ft PC 5500/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	144,79
65647	Prima LED 1.4ft PCc 2600/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	134,44
65657	Prima LED 1.4ft PCc 3200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119,00	IP 66	22W	2860	134,44
65667	Prima LED 1.4ft PCc 4400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	135,36
65677	Prima LED 1.5ft PCc 3250/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	146,53
65687	Prima LED 1.5ft PCc 4000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	146,53
65697	Prima LED 1.5ft PCc 5500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	147,72
67344	Prima LED 1.4ft ABS 2600/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	18W	2320	106,40
67354	Prima LED 1.4ft ABS 3200/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	22W	2860	106,40
67364	Prima LED 1.4ft ABS 4400/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	30W	3920	107,35
67374	Prima LED 1.5ft ABS 3250/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	22W	2810	119,28
67384	Prima LED 1.5ft ABS 4000/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	27W	3530	119,28
67394	Prima LED 1.5ft ABS 5500/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	37W	4940	120,50
67644	Prima LED 1.4ft ABSc 2600/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	108,80
67654	Prima LED 1.4ft ABSc 3200/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	108,80
67664	Prima LED 1.4ft ABSc 4400/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	109,73
67674	Prima LED 1.5ft ABSc 3250/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	122,22
67684	Prima LED 1.5ft ABSc 4000/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	122,22
67694	Prima LED 1.5ft ABSc 5500/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	123,40
67347	Prima LED 1.4ft ABS 2600/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	132,73
67357	Prima LED 1.4ft ABS 3200/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	132,73
67367	Prima LED 1.4ft ABS 4400/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	133,65
67377	Prima LED 1.5ft ABS 3250/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	144,66
67387	Prima LED 1.5ft ABS 4000/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	144,66
67397	Prima LED 1.5ft ABS 5500/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	145,87
67647	Prima LED 1.4ft ABSc 2600/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	135,10
67657	Prima LED 1.4ft ABSc 3200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	135,10
67667	Prima LED 1.4ft ABSc 4400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	136,02
67677	Prima LED 1.5ft ABSc 3250/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	147,59
67687	Prima LED 1.5ft ABSc 4000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	147,59

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
67697	Prima LED 1.5ft ABSc 5500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	148,77
66344	Prima LED 1.4ft VP 2600/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	18W	2320	109,99
66354	Prima LED 1.4ft VP 3200/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	22W	2860	109,99
66364	Prima LED 1.4ft VP 4400/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	30W	3920	110,91
66374	Prima LED 1.5ft VP 3250/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	22W	2810	122,48
#####	Prima LED 1.5ft VP 4000/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	27W	3530	122,48
#####	Prima LED 1.5ft VP 5500/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	37W	4940	123,67
66644	Prima LED 1.4ft VPc 2600/840 3F M1h	Non-dimmable - stainless steel clips (c)	119,00	IP 66	18W	2320	112,40
66654	Prima LED 1.4ft VPc 3200/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	112,40
66664	Prima LED 1.4ft VPc 4400/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	113,32
66674	Prima LED 1.5ft VPc 3250/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	125,41
66684	Prima LED 1.5ft VPc 4000/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	125,41
66694	Prima LED 1.5ft VPc 5500/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	126,60
66347	Prima LED 1.4ft VP 2600/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	136,29
66357	Prima LED 1.4ft VP 3200/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	136,29
66367	Prima LED 1.4ft VP 4400/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	137,24
66377	Prima LED 1.5ft VP 3250/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	147,85
66387	Prima LED 1.5ft VP 4000/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	147,85
66397	Prima LED 1.5ft VP 5500/840 DALI 3F M1h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	149,04
66647	Prima LED 1.4ft VPc 2600/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	138,69
66657	Prima LED 1.4ft VPc 3200/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	138,69
66667	Prima LED 1.4ft VPc 4400/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	139,61
66677	Prima LED 1.5ft VPc 3250/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	150,78
66687	Prima LED 1.5ft VPc 4000/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	150,78
66697	Prima LED 1.5ft VPc 5500/840 DALI 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	151,97
64344	Prima LED 1.4ft SNS PC 2600/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	18W	2320	125,94
64354	Prima LED 1.4ft SNS PC 3200/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	22W	2860	125,94
64364	Prima LED 1.4ft SNS PC 4400/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	30W	3920	126,89
64374	Prima LED 1.5ft SNS PC 3250/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	22W	2810	138,79
64384	Prima LED 1.5ft SNS PC 4000/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	27W	3530	138,79
64394	Prima LED 1.5ft SNS PC 5500/840 3F M1h	Non-dimmable - plastic clips	119	IP 66	37W	4940	140,04
64644	Prima LED 1.4ft SNS PCc 2600/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	128,41
64654	Prima LED 1.4ft SNS PCc 3200/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	128,41
64664	Prima LED 1.4ft SNS PCc 4400/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	129,37
64674	Prima LED 1.5ft SNS PCc 3250/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	141,82
64684	Prima LED 1.5ft SNS PCc 4000/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	141,82

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
64694	Prima LED 1.5ft SNS PCc 5500/840 3F M1h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	143,04
64347	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	153,03
64357	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	153,03
64367	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	153,98
64377	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	166,30
64387	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	164,92
64397	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR 3F M1h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	164,92
64647	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	155,50
64657	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	155,50
64667	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	156,45
64677	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	169,30
64687	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	167,92
64697	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR 3F M1h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	167,92
75345	FUTURA 2.4ft PC AI 5200/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	35W	4910	136,57
75355	FUTURA 2.4ft PC AI 6400/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	42W	5880	136,57
75365	FUTURA 2.4ft PC AI 8800/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	58W	8110	141,64
75375	FUTURA 2.5ft PC AI 6500/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	44W	6190	148,75
75385	FUTURA 2.5ft PC AI 8000/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	53W	7440	151,93
75395	FUTURA 2.5ft PC AI 11000/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	71W	9950	154,20
75645	FUTURA 2.4ft PCc AI 5200/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	138,87
75655	FUTURA 2.4ft PCc AI 6400/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	138,87
75665	FUTURA 2.4ft PCc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	143,94
75675	FUTURA 2.5ft PCc AI 6500/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	151,55
75685	FUTURA 2.5ft PCc AI 8000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	154,73
75695	FUTURA 2.5ft PCc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	157,00
75349	FUTURA 2.4ft PC AI 5200/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	165,37
75359	FUTURA 2.4ft PC AI 6400/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	165,37

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
75369	FUTURA 2.4ft PC AI 8800/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	167,30
75379	FUTURA 2.5ft PC AI 6500/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	178,98
75389	FUTURA 2.5ft PC AI 8000/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	178,98
75399	FUTURA 2.5ft PC AI 11000/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	182,91
75649	FUTURA 2.4ft PCc AI 5200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	167,67
75659	FUTURA 2.4ft PCc AI 6400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	167,67
75669	FUTURA 2.4ft PCc AI 8800/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	169,56
75679	FUTURA 2.5ft PCc AI 6500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	181,75
75689	FUTURA 2.5ft PCc AI 8000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	181,75
75699	FUTURA 2.5ft PCc AI 11000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	185,68
77345	FUTURA 2.4ft ABS AI 5200/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	35W	4910	135,56
77355	FUTURA 2.4ft ABS AI 6400/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	42W	5880	135,56
77365	FUTURA 2.4ft ABS AI 8800/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	58W	8110	140,63
77375	FUTURA 2.5ft ABS AI 6500/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	44W	6190	147,37
77385	FUTURA 2.5ft ABS AI 8000/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	53W	7440	150,55
77395	FUTURA 2.5ft ABS AI 11000/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	71W	9950	152,81
77645	FUTURA 2.4ft ABSc AI 5200/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	137,83
77655	FUTURA 2.4ft ABSc AI 6400/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	137,83
77665	FUTURA 2.4ft ABSc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	142,93
77675	FUTURA 2.5ft ABSc AI 6500/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	150,14
77685	FUTURA 2.5ft ABSc AI 8000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	153,32
77695	FUTURA 2.5ft ABSc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	155,62
77349	FUTURA 2.4ft ABS AI 5200/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	164,37
77359	FUTURA 2.4ft ABS AI 6400/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	164,37
77369	FUTURA 2.4ft ABS AI 8800/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	166,26
77379	FUTURA 2.5ft ABS AI 6500/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	177,56
77389	FUTURA 2.5ft ABS AI 8000/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	177,56
77399	FUTURA 2.5ft ABS AI 11000/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	181,49
77649	FUTURA 2.4ft ABSc AI 5200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	166,67
77659	FUTURA 2.4ft ABSc AI 6400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	166,67
77669	FUTURA 2.4ft ABSc AI 8800/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	168,55
77679	FUTURA 2.5ft ABSc AI 6500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	180,36
77689	FUTURA 2.5ft ABSc AI 8000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	180,36
77699	FUTURA 2.5ft ABSc AI 11000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	184,30
76345	FUTURA 2.4ft VP AI 5200/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	35W	4910	140,63
76355	FUTURA 2.4ft VP AI 6400/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	42W	5880	140,63
76365	FUTURA 2.4ft VP AI 8800/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	58W	8110	145,70

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
76375	FUTURA 2.5ft VP AI 6500/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	44W	6190	152,81
76385	FUTURA 2.5ft VP AI 8000/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	53W	7440	155,99
76395	FUTURA 2.5ft VP AI 11000/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	71W	9950	158,26
76645	FUTURA 2.4ft VPc AI 5200/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	142,93
76655	FUTURA 2.4ft VPc AI 6400/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	142,93
76665	FUTURA 2.4ft VPc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	148,00
76675	FUTURA 2.5ft VPc AI 6500/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	155,62
76685	FUTURA 2.5ft VPc AI 8000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	158,80
76695	FUTURA 2.5ft VPc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	161,06
76349	FUTURA 2.4ft VP AI 5200/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	169,44
76359	FUTURA 2.4ft VP AI 6400/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	169,44
76369	FUTURA 2.4ft VP AI 8800/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	171,36
76379	FUTURA 2.5ft VP AI 6500/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	183,04
76389	FUTURA 2.5ft VP AI 8000/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	183,04
76399	FUTURA 2.5ft VP AI 11000/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	186,97
76649	FUTURA 2.4ft VPc AI 5200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	171,73
76659	FUTURA 2.4ft VPc AI 6400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	171,73
76669	FUTURA 2.4ft VPc AI 8800/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	173,62
76679	FUTURA 2.5ft VPc AI 6500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	185,81
76689	FUTURA 2.5ft VPc AI 8000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	185,81
76699	FUTURA 2.5ft VPc AI 11000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	189,74
78365	FUTURA 2.4ft NB PC AI 8800/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	58W	7460	170,71
78395	FUTURA 2.5ft NB PC AI 11000/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	71W	9130	186,37
78665	FUTURA 2.4ft NB PCc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	7460	173,13
78695	FUTURA 2.5ft NB PCc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9130	189,32
78369	FUTURA 2.4ft NB PC AI 8800/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	58W	7460	197,74
78399	FUTURA 2.5ft NB PC AI 11000/840 DALI 3F M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9130	216,57
78669	FUTURA 2.4ft NB PCc AI 8800/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	7460	200,13
78699	FUTURA 2.5ft NB PCc AI 11000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9130	219,53
79345	FUTURA 2.4ft SNS PC AI 5200/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	35W	4910	156,91
79355	FUTURA 2.4ft SNS PC AI 6400/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	42W	5880	156,91
79365	FUTURA 2.4ft SNS PC AI 8800/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	58W	8110	162,13
79375	FUTURA 2.5ft SNS PC AI 6500/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	44W	6190	169,47
79385	FUTURA 2.5ft SNS PC AI 8000/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	53W	7440	172,74
79395	FUTURA 2.5ft SNS PC AI 11000/840 3F M3h	Non-dimmable - plastic clips	85	IP 66	71W	9950	175,07
79645	FUTURA 2.4ft SNS PCc AI 5200/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	35W	4910	159,27
79655	FUTURA 2.4ft SNS PCc AI 6400/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42W	5880	159,27

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
79665	FUTURA 2.4ft SNS PCc AI 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58W	8110	164,49
79675	FUTURA 2.5ft SNS PCc AI 6500/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	44W	6190	172,33
79685	FUTURA 2.5ft SNS PCc AI 8000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53W	7440	175,61
79695	FUTURA 2.5ft SNS PCc AI 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71W	9950	177,97
56200	FUTURA 2.2ft ABS AI 2600/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	18+12	300+550	80,12
56202	FUTURA 2.2ft ABS AI 3200/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	22+12	350+550	80,12
56204	FUTURA 2.2ft ABS AI 4400/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	30+12	390+550	81,00
56206	FUTURA 2.4ft ABS AI 5200/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	35+12	450+550	96,68
56208	FUTURA 2.4ft ABS AI 6400/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	42+12	520+550	96,68
56210	FUTURA 2.4ft ABS AI 8800/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	58+12	780+550	101,66
56212	FUTURA 2.4ft ABS AI 12800/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	85+12	1100+550	121,77
56214	FUTURA 2.5ft ABS AI 6500/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	44+12	570+550	105,40
56216	FUTURA 2.5ft ABS AI 8000/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	53+12	700+550	107,79
56218	FUTURA 2.5ft ABS AI 11000/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	71+12	820+550	110,88
56220	FUTURA 2.5ft ABS AI 16000/840 RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	106+12	1180+550	131,25
56222	FUTURA 2.2ft ABSc AI 2600/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	18+12	300+550	81,51
56224	FUTURA 2.2ft ABSc AI 3200/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	22+12	350+550	81,51
56226	FUTURA 2.2ft ABSc AI 4400/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	30+12	390+550	82,39
56228	FUTURA 2.4ft ABSc AI 5200/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	35+12	450+550	98,92
56230	FUTURA 2.4ft ABSc AI 6400/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	42+12	520+550	98,92
56232	FUTURA 2.4ft ABSc AI 8800/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	58+12	780+550	103,89
56234	FUTURA 2.4ft ABSc AI 12800/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	85+12	1100+550	124,07
56236	FUTURA 2.5ft ABSc AI 6500/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	44+12	570+550	108,14
56238	FUTURA 2.5ft ABSc AI 8000/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	53+12	700+550	110,60
56240	FUTURA 2.5ft ABSc AI 11000/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	71+12	820+550	113,68
56242	FUTURA 2.5ft ABSc AI 16000/840 RED	Non-dimmable, inox clips, with red LED module	85	IP 66	106+12	1180+550	134,05
56207	FUTURA 2.4ft ABS AI 5200/840 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	35+12	450+550	101,78
56209	FUTURA 2.4ft ABS AI 6400/840 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	42+12	520+550	101,78
56211	FUTURA 2.4ft ABS AI 8800/840 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	58+12	780+550	106,76
56213	FUTURA 2.4ft ABS AI 12800/840 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	85+12	1100+550	127,03
56215	FUTURA 2.5ft ABS AI 6500/840 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	44+12	570+550	111,86
56217	FUTURA 2.5ft ABS AI 8000/840 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	53+12	700+550	114,47
56219	FUTURA 2.5ft ABS AI 11000/840 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	71+12	820+550	117,46
56221	FUTURA 2.5ft ABS AI 16000/840 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	106+12	1180+550	137,92
56229	FUTURA 2.4ft ABSc AI 5200/840 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	35+12	450+550	104,02
56231	FUTURA 2.4ft ABSc AI 6400/840 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	42+12	520+550	104,02
56233	FUTURA 2.4ft ABSc AI 8800/840 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	58+12	780+550	108,99

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
56235	FUTURA 2.4ft ABSc Ai 12800/840 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	85+12	660+550	129,33
56237	FUTURA 2.5ft ABSc Ai 6500/840 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	44+12	6750+550	114,59
56239	FUTURA 2.5ft ABSc Ai 8000/840 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	53+12	7030+550	117,27
56241	FUTURA 2.5ft ABSc Ai 11000/840 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	71+12	8620+550	120,20
56243	FUTURA 2.5ft ABSc Ai 16000/840 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	106+12	1580+550	140,72
56244	FUTURA 2.2ft ABS Ai 2600/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	18+12	2300+550	122,56
56247	FUTURA 2.2ft ABS Ai 3200/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	22+12	2850+550	122,56
56250	FUTURA 2.2ft ABS Ai 4400/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	30+12	3920+550	123,44
56253	FUTURA 2.4ft ABS Ai 5200/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	35+12	4570+550	141,23
56256	FUTURA 2.4ft ABS Ai 6400/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	42+12	5620+550	141,23
56259	FUTURA 2.4ft ABS Ai 8800/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	58+12	7860+550	143,09
56262	FUTURA 2.4ft ABS Ai 12800/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	85+12	1660+550	150,33
56265	FUTURA 2.5ft ABS Ai 6500/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	44+12	6750+550	150,58
56268	FUTURA 2.5ft ABS Ai 8000/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	53+12	7030+550	150,70
56271	FUTURA 2.5ft ABS Ai 11000/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	71+12	8620+550	154,67
56274	FUTURA 2.5ft ABS Ai 16000/840 DALI RED	DALI dimmable, plastic clips, with red LED module	85	IP 66	106+12	1580+550	177,65
56277	FUTURA 2.2ft ABSc Ai 2600/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	18+12	2300+550	123,94
56280	FUTURA 2.2ft ABSc Ai 3200/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	22+12	2850+550	123,94
56283	FUTURA 2.2ft ABSc Ai 4400/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	30+12	3920+550	124,79
56286	FUTURA 2.4ft ABSc Ai 5200/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	35+12	4570+550	143,46
56289	FUTURA 2.4ft ABSc Ai 6400/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	42+12	5620+550	143,46
56401	FUTURA 2.4ft ABSc Ai 8800/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	58+12	7860+550	145,35
56404	FUTURA 2.4ft ABSc Ai 12800/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	85+12	1660+550	152,56
56407	FUTURA 2.5ft ABSc Ai 6500/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	44+12	6750+550	153,32
56410	FUTURA 2.5ft ABSc Ai 8000/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	53+12	7030+550	153,44
56413	FUTURA 2.5ft ABSc Ai 11000/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	71+12	8620+550	157,41
56416	FUTURA 2.5ft ABSc Ai 16000/840 DALI RED	DALI dimmable, inox clips, with red LED module	85	IP 66	106+12	1580+550	180,45
56254	FUTURA 2.4ft ABS Ai 5200/840 DALI 1F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	35+12	4570+550	146,08
56257	FUTURA 2.4ft ABS Ai 6400/840 DALI 1F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	42+12	5620+550	146,08
56260	FUTURA 2.4ft ABS Ai 8800/840 DALI 1F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	58+12	7860+550	147,97
56263	FUTURA 2.4ft ABS Ai 12800/840 DALI 1F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	85+12	1660+550	155,17
56266	FUTURA 2.5ft ABS Ai 6500/840 DALI 1F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	44+12	6750+550	156,78
56269	FUTURA 2.5ft ABS Ai 8000/840 DALI 1F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	53+12	7030+550	156,91
56272	FUTURA 2.5ft ABS Ai 11000/840 DALI 1F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	71+12	8620+550	160,90
56275	FUTURA 2.5ft ABS Ai 16000/840 DALI 1F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	106+12	1580+550	184,04
56287	FUTURA 2.4ft ABSc Ai 5200/840 DALI 1F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	35+12	4570+550	148,31
56290	FUTURA 2.4ft ABSc Ai 6400/840 DALI 1F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	42+12	5620+550	148,31

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
56402	FUTURA 2.4ft ABSc AI 8800/840 DALI 1F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	58+12	860+550	150,20
56405	FUTURA 2.4ft ABSc AI 12800/840 DALI 1F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	85+12	660+550	157,41
56408	FUTURA 2.5ft ABSc AI 6500/840 DALI 1F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	44+12	6750+550	159,52
56411	FUTURA 2.5ft ABSc AI 8000/840 DALI 1F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	53+12	7030+550	159,65
56414	FUTURA 2.5ft ABSc AI 11000/840 DALI 1F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	71+12	8620+550	163,64
56417	FUTURA 2.5ft ABSc AI 16000/840 DALI 1F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	106+12	8580+550	186,88
56255	FUTURA 2.4ft ABS AI 5200/840 DALI 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	35+12	6570+550	149,07
56258	FUTURA 2.4ft ABS AI 6400/840 DALI 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	42+12	6620+550	149,07
56261	FUTURA 2.4ft ABS AI 8800/840 DALI 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	58+12	7860+550	150,92
56264	FUTURA 2.4ft ABS AI 12800/840 DALI 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	85+12	660+550	158,17
56267	FUTURA 2.5ft ABS AI 6500/840 DALI 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	44+12	6750+550	160,40
56270	FUTURA 2.5ft ABS AI 8000/840 DALI 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	53+12	7030+550	160,53
56273	FUTURA 2.5ft ABS AI 11000/840 DALI 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	71+12	8620+550	164,49
56276	FUTURA 2.5ft ABS AI 16000/840 DALI 3F RED	Non-dimmable, plastic clips, with red LED module	85	IP 66	106+12	8580+550	187,76
56288	FUTURA 2.4ft ABSc AI 5200/840 DALI 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	35+12	6570+550	151,30
56400	FUTURA 2.4ft ABSc AI 6400/840 DALI 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	42+12	6620+550	151,30
56403	FUTURA 2.4ft ABSc AI 8800/840 DALI 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	58+12	7860+550	153,19
56406	FUTURA 2.4ft ABSc AI 12800/840 DALI 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	85+12	660+550	160,40
56409	FUTURA 2.5ft ABSc AI 6500/840 DALI 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	44+12	6750+550	163,14
56412	FUTURA 2.5ft ABSc AI 8000/840 DALI 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	53+12	7030+550	163,27
56415	FUTURA 2.5ft ABSc AI 11000/840 DALI 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	71+12	8620+550	167,23
56418	FUTURA 2.5ft ABSc AI 16000/840 DALI 3F RED	Non-dimmable, inox clips, with red LED module	85	IP 66	106+12	8580+550	190,59
79349	FUTURA 2.4ft SNS PC AI 5200/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	85	IP 66	35W	4910	186,56
79359	FUTURA 2.4ft SNS PC AI 6400/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	85	IP 66	42W	5880	186,56
79369	FUTURA 2.4ft SNS PC AI 8800/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	85	IP 66	58W	8110	188,55
79379	FUTURA 2.5ft SNS PC AI 6500/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	85	IP 66	44W	6190	200,57
79389	FUTURA 2.5ft SNS PC AI 8000/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	85	IP 66	53W	7440	200,57
79399	FUTURA 2.5ft SNS PC AI 11000/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	85	IP 66	71W	9950	204,60
79649	FUTURA 2.4ft SNS PCc AI 5200/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	35W	4910	191,28
79659	FUTURA 2.4ft SNS PCc AI 6400/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	42W	5880	191,28
79669	FUTURA 2.4ft SNS PCc AI 8800/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	58W	8110	193,24
79679	FUTURA 2.5ft SNS PCc AI 6500/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	44W	6190	206,30
79689	FUTURA 2.5ft SNS PCc AI 8000/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	53W	7440	206,30
79699	FUTURA 2.5ft SNS PCc AI 11000/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	85	IP 66	71W	9950	210,36
62410	FUTURA 2.2ft PC NM1h	Non-maintained emergency luminaire - plastic clips	136	IP 66	4,5W	440	71,46
62411	FUTURA 2.2ft PC 3F NM1h	Non-maintained emergency luminaire - plastic clips	136	IP 66	4,5W	440	75,40
62413	FUTURA 2.2ft PC NM3h	Non-maintained emergency luminaire - plastic clips	136	IP 66	4,5W	440	87,21

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
62414	FUTURA 2.2ft PC 3F NM3h	Non-maintained emergency luminaire - plastic clips	136	IP 66	4,5W	440	91,14
62420	FUTURA 2.2ft PC NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	136	IP 66	3,3W	440	92,40
62421	FUTURA 2.2ft PC 3F NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	136	IP 66	3,3W	440	96,33
62423	FUTURA 2.2ft PC NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	136	IP 66	3,3W	440	111,82
62424	FUTURA 2.2ft PC 3F NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	136	IP 66	3,3W	440	115,76
62430	FUTURA 2.2ft PCc NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	136	IP 66	4,5W	440	73,10
62431	FUTURA 2.2ft PCc 3F NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	136	IP 66	4,5W	440	77,04
62433	FUTURA 2.2ft PCc NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	136	IP 66	4,5W	440	88,84
62434	FUTURA 2.2ft PCc 3F NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	136	IP 66	4,5W	440	92,78
62440	FUTURA 2.2ft PCc NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	136	IP 66	3,3W	440	94,04
62441	FUTURA 2.2ft PCc 3F NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	136	IP 66	3,3W	440	97,97
62443	FUTURA 2.2ft PCc NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	136	IP 66	3,3W	440	113,46
62444	FUTURA 2.2ft PCc 3F NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	136	IP 66	3,3W	440	117,40
62460	FUTURA 2.2ft ABS NM1h	Non-maintained emergency luminaire - plastic clips	136	IP 66	4,5W	440	70,83
62450	FUTURA 2.2ft ABS 3F NM1h	Non-maintained emergency luminaire - plastic clips	136	IP 66	4,5W	440	74,77
62454	FUTURA 2.2ft ABS NM3h	Non-maintained emergency luminaire - plastic clips	136	IP 66	4,5W	440	86,58
62514	FUTURA 2.2ft ABS 3F NM3h	Non-maintained emergency luminaire - plastic clips	136	IP 66	4,5W	440	
62461	FUTURA 2.2ft ABS NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	136	IP 66	3,3W	440	91,77
62451	FUTURA 2.2ft ABS 3F NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	136	IP 66	3,3W	440	95,71
62455	FUTURA 2.2ft ABS NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	136	IP 66	3,3W	440	111,19
62524	FUTURA 2.2ft ABS 3F NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	136	IP 66	3,3W	440	
62462	FUTURA 2.2ft ABSc NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	136	IP 66	4,5W	440	72,47
62452	FUTURA 2.2ft ABSc 3F NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	136	IP 66	4,5W	440	76,41
62456	FUTURA 2.2ft ABSc NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	136	IP 66	4,5W	440	88,21
62534	FUTURA 2.2ft ABSc 3F NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	136	IP 66	4,5W	440	
62463	FUTURA 2.2ft ABSc NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	136	IP 66	3,3W	440	93,41
62453	FUTURA 2.2ft ABSc 3F NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	136	IP 66	3,3W	440	97,34
62457	FUTURA 2.2ft ABSc NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	136	IP 66	3,3W	440	112,83
62544	FUTURA 2.2ft ABSc 3F NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	136	IP 66	3,3W	440	
10010	FUTURA 2.2ft ES PC AI 2600/840	Energy saver - non-dimmable - plastic clips	136	IP 66	16W	2420	40,93
10020	FUTURA 2.2ft ES PC AI 3200/840	Energy saver - non-dimmable - plastic clips	136	IP 66	19W	2900	40,93
10030	FUTURA 2.2ft ES PC AI 4400/840	Energy saver - non-dimmable - plastic clips	136	IP 66	27W	4090	42,44
10040	FUTURA 2.4ft ES PC AI 5200/840	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	59,09
10050	FUTURA 2.4ft ES PC AI 6400/840	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	59,09
10060	FUTURA 2.4ft ES PC AI 8800/840	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	65,20
10070	FUTURA 2.4ft ES PC AI 12800/840	Energy saver - non-dimmable - plastic clips	85	IP 66	78W	11750	88,59
10080	FUTURA 2.5ft ES PC AI 6500/840	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	68,95

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10090	FUTURA 2.5ft ES PC AI 8000/840	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	72,06
10100	FUTURA 2.5ft ES PC AI 11000/840	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	75,65
10110	FUTURA 2.5ft ES PC AI 16000/840	Energy saver - non-dimmable - plastic clips	85	IP 66	97W	14580	101,15
10120	FUTURA 2.2ft ES PCc AI 2600/840	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	16W	2420	42,31
10130	FUTURA 2.2ft ES PCc AI 3200/840	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	19W	2900	42,31
10140	FUTURA 2.2ft ES PCc AI 4400/840	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	27W	4090	43,79
10150	FUTURA 2.4ft ES PCc AI 5200/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	61,36
10160	FUTURA 2.4ft ES PCc AI 6400/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	61,36
10170	FUTURA 2.4ft ES PCc AI 8800/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	67,43
10180	FUTURA 2.4ft ES PCc AI 12800/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	78W	11750	90,83
10190	FUTURA 2.5ft ES PCc AI 6500/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	71,68
10200	FUTURA 2.5ft ES PCc AI 8000/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	74,77
10210	FUTURA 2.5ft ES PCc AI 11000/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	78,39
10220	FUTURA 2.5ft ES PCc AI 16000/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	97W	14580	103,89
10230	FUTURA 2.2ft ES PC AI 2600/840 DALI	Energy saver - DALI dimmable - plastic clips	136	IP 66	16W	2420	63,34
10240	FUTURA 2.2ft ES PC AI 3200/840 DALI	Energy saver - DALI dimmable - plastic clips	136	IP 66	19W	2900	63,34
10250	FUTURA 2.2ft ES PC AI 4400/840 DALI	Energy saver - DALI dimmable - plastic clips	136	IP 66	27W	4090	64,70
10260	FUTURA 2.4ft ES PC AI 5200/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	83,74
10270	FUTURA 2.4ft ES PC AI 6400/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	83,74
10280	FUTURA 2.4ft ES PC AI 8800/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	86,61
10290	FUTURA 2.4ft ES PC AI 12800/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	78W	11750	95,33
10300	FUTURA 2.5ft ES PC AI 6500/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	94,07
10310	FUTURA 2.5ft ES PC AI 8000/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	94,07
10320	FUTURA 2.5ft ES PC AI 11000/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	99,29
10330	FUTURA 2.5ft ES PC AI 16000/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	97W	14580	126,31
10340	FUTURA 2.2ft ES PCc AI 2600/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	16W	2420	64,70
10350	FUTURA 2.2ft ES PCc AI 3200/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	19W	2900	64,70
10360	FUTURA 2.2ft ES PCc AI 4400/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	27W	4090	66,08
10370	FUTURA 2.4ft ES PCc AI 5200/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	85,98
10380	FUTURA 2.4ft ES PCc AI 6400/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	85,98
10390	FUTURA 2.4ft ES PCc AI 8800/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	88,84
10400	FUTURA 2.4ft ES PCc AI 12800/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	78W	11750	97,56
10410	FUTURA 2.5ft ES PCc AI 6500/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	96,81
10420	FUTURA 2.5ft ES PCc AI 8000/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	96,81
10430	FUTURA 2.5ft ES PCc AI 11000/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	102,03
10440	FUTURA 2.5ft ES PCc AI 16000/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	97W	14580	129,04
10041	FUTURA 2.4ft ES PC AI 5200/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	61,83

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10051	FUTURA 2.4ft ES PC AI 6400/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	61,83
10061	FUTURA 2.4ft ES PC AI 8800/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	67,94
10071	FUTURA 2.4ft ES PC AI 12800/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	78W	11750	91,33
10081	FUTURA 2.5ft ES PC AI 6500/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	72,16
10091	FUTURA 2.5ft ES PC AI 8000/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	75,27
10101	FUTURA 2.5ft ES PC AI 11000/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	78,89
10111	FUTURA 2.5ft ES PC AI 16000/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	97W	14580	104,39
10151	FUTURA 2.4ft ES PCc AI 5200/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	64,10
10161	FUTURA 2.4ft ES PCc AI 6400/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	64,10
10171	FUTURA 2.4ft ES PCc AI 8800/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	70,17
10181	FUTURA 2.4ft ES PCc AI 12800/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	78W	11750	93,56
10191	FUTURA 2.5ft ES PCc AI 6500/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	74,90
10201	FUTURA 2.5ft ES PCc AI 8000/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	78,01
10211	FUTURA 2.5ft ES PCc AI 11000/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	81,63
10221	FUTURA 2.5ft ES PCc AI 16000/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	97W	14580	107,13
10261	FUTURA 2.4ft ES PC AI 5200/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	88,59
10271	FUTURA 2.4ft ES PC AI 6400/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	88,59
10281	FUTURA 2.4ft ES PC AI 8800/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	91,46
10291	FUTURA 2.4ft ES PC AI 12800/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	78W	11750	100,18
10301	FUTURA 2.5ft ES PC AI 6500/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	100,30
10311	FUTURA 2.5ft ES PC AI 8000/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	100,30
10321	FUTURA 2.5ft ES PC AI 11000/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	105,53
10331	FUTURA 2.5ft ES PC AI 16000/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	97W	14580	132,51
10371	FUTURA 2.4ft ES PCc AI 5200/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	90,83
10381	FUTURA 2.4ft ES PCc AI 6400/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	90,83
10391	FUTURA 2.4ft ES PCc AI 8800/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	93,69
10401	FUTURA 2.4ft ES PCc AI 12800/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	78W	11750	102,41
10411	FUTURA 2.5ft ES PCc AI 6500/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	103,04
10421	FUTURA 2.5ft ES PCc AI 8000/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	103,04
10431	FUTURA 2.5ft ES PCc AI 11000/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	108,27
10441	FUTURA 2.5ft ES PCc AI 16000/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	97W	14580	135,25
10043	FUTURA 2.4ft ES PC AI 5200/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	64,22
10053	FUTURA 2.4ft ES PC AI 6400/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	64,22
10063	FUTURA 2.4ft ES PC AI 8800/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	70,30
10073	FUTURA 2.4ft ES PC AI 12800/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	78W	11750	93,69
10083	FUTURA 2.5ft ES PC AI 6500/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	75,40

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10093	FUTURA 2.5ft ES PC AI 8000/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	78,52
10103	FUTURA 2.5ft ES PC AI 11000/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	82,14
10113	FUTURA 2.5ft ES PC AI 16000/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	97W	14580	107,64
10153	FUTURA 2.4ft ES PCc AI 5200/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	66,46
10163	FUTURA 2.4ft ES PCc AI 6400/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	66,46
10173	FUTURA 2.4ft ES PCc AI 8800/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	72,53
10183	FUTURA 2.4ft ES PCc AI 12800/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	78W	11750	95,93
10193	FUTURA 2.5ft ES PCc AI 6500/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	78,14
10203	FUTURA 2.5ft ES PCc AI 8000/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	81,26
10213	FUTURA 2.5ft ES PCc AI 11000/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	84,88
10223	FUTURA 2.5ft ES PCc AI 16000/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	97W	14580	110,38
10263	FUTURA 2.4ft ES PC AI 5200/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	91,58
10273	FUTURA 2.4ft ES PC AI 6400/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	91,58
10283	FUTURA 2.4ft ES PC AI 8800/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	94,45
10293	FUTURA 2.4ft ES PC AI 12800/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	78W	11750	103,17
10303	FUTURA 2.5ft ES PC AI 6500/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	103,89
10313	FUTURA 2.5ft ES PC AI 8000/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	103,89
10323	FUTURA 2.5ft ES PC AI 11000/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	109,12
10333	FUTURA 2.5ft ES PC AI 16000/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	97W	14580	136,13
10373	FUTURA 2.4ft ES PCc AI 5200/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	93,82
10383	FUTURA 2.4ft ES PCc AI 6400/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	93,82
10393	FUTURA 2.4ft ES PCc AI 8800/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	96,68
10403	FUTURA 2.4ft ES PCc AI 12800/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	78W	11750	105,40
10413	FUTURA 2.5ft ES PCc AI 6500/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	106,63
10423	FUTURA 2.5ft ES PCc AI 8000/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	106,63
10433	FUTURA 2.5ft ES PCc AI 11000/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	111,86
10443	FUTURA 2.5ft ES PCc AI 16000/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	97W	14580	138,87
10014	FUTURA 2.2ft ES PC AI 2600/840 M1h	Energy saver - non-dimmable - plastic clips	136	IP 66	16W	2420	89,98
10024	FUTURA 2.2ft ES PC AI 3200/840 M1h	Energy saver - non-dimmable - plastic clips	136	IP 66	19W	2900	89,98
10034	FUTURA 2.2ft ES PC AI 4400/840 M1h	Energy saver - non-dimmable - plastic clips	136	IP 66	27W	4090	91,52
10044	FUTURA 2.4ft ES PC AI 5200/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	114,75
10054	FUTURA 2.4ft ES PC AI 6400/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	114,75
10064	FUTURA 2.4ft ES PC AI 8800/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	120,95
10084	FUTURA 2.5ft ES PC AI 6500/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	126,15
10094	FUTURA 2.5ft ES PC AI 8000/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	129,33
10104	FUTURA 2.5ft ES PC AI 11000/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	133,01
10124	FUTURA 2.2ft ES PCc AI 2600/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	16W	2420	91,39

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10134	FUTURA 2.2ft ES PCc AI 3200/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	19W	2900	91,39
10144	FUTURA 2.2ft ES PCc AI 4400/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	27W	4090	92,90
10154	FUTURA 2.4ft ES PCc AI 5200/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	117,02
10164	FUTURA 2.4ft ES PCc AI 6400/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	117,02
10174	FUTURA 2.4ft ES PCc AI 8800/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	123,25
10194	FUTURA 2.5ft ES PCc AI 6500/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	128,95
10204	FUTURA 2.5ft ES PCc AI 8000/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	132,13
10214	FUTURA 2.5ft ES PCc AI 11000/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	135,81
10234	FUTURA 2.2ft ES PC AI 2600/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	136	IP 66	16W	2420	113,59
10244	FUTURA 2.2ft ES PC AI 3200/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	136	IP 66	19W	2900	113,59
10254	FUTURA 2.2ft ES PC AI 4400/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	136	IP 66	27W	4090	115,00
10264	FUTURA 2.4ft ES PC AI 5200/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	140,76
10274	FUTURA 2.4ft ES PC AI 6400/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	140,76
10284	FUTURA 2.4ft ES PC AI 8800/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	143,68
10304	FUTURA 2.5ft ES PC AI 6500/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	152,81
10314	FUTURA 2.5ft ES PC AI 8000/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	152,81
10324	FUTURA 2.5ft ES PC AI 11000/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	158,13
10344	FUTURA 2.2ft ES PCc AI 2600/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	16W	2420	115,00
10354	FUTURA 2.2ft ES PCc AI 3200/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	19W	2900	115,00
10364	FUTURA 2.2ft ES PCc AI 4400/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	27W	4090	116,39
10374	FUTURA 2.4ft ES PCc AI 5200/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	143,05
10384	FUTURA 2.4ft ES PCc AI 6400/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	143,05
10394	FUTURA 2.4ft ES PCc AI 8800/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	145,95
10414	FUTURA 2.5ft ES PCc AI 6500/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	155,62
10424	FUTURA 2.5ft ES PCc AI 8000/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	155,62
10434	FUTURA 2.5ft ES PCc AI 11000/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	160,94
10015	FUTURA 2.2ft ES PC AI 2600/840 M3h	Energy saver - non-dimmable - plastic clips	136	IP 66	16W	2420	107,76
10025	FUTURA 2.2ft ES PC AI 3200/840 M3h	Energy saver - non-dimmable - plastic clips	136	IP 66	19W	2900	107,76
10035	FUTURA 2.2ft ES PC AI 4400/840 M3h	Energy saver - non-dimmable - plastic clips	136	IP 66	27W	4090	109,27
10045	FUTURA 2.4ft ES PC AI 5200/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	134,02
10055	FUTURA 2.4ft ES PC AI 6400/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	134,02
10065	FUTURA 2.4ft ES PC AI 8800/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	140,25
10085	FUTURA 2.5ft ES PC AI 6500/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	145,45
10095	FUTURA 2.5ft ES PC AI 8000/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	148,63
10105	FUTURA 2.5ft ES PC AI 11000/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	152,31
10125	FUTURA 2.2ft ES PCc AI 2600/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	16W	2420	109,15
10135	FUTURA 2.2ft ES PCc AI 3200/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	19W	2900	109,15

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10145	FUTURA 2.2ft ES PCc AI 4400/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	27W	4090	110,69
10155	FUTURA 2.4ft ES PCc AI 5200/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	136,32
10165	FUTURA 2.4ft ES PCc AI 6400/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	136,32
10175	FUTURA 2.4ft ES PCc AI 8800/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	142,55
10195	FUTURA 2.5ft ES PCc AI 6500/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	148,25
10205	FUTURA 2.5ft ES PCc AI 8000/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	151,43
10215	FUTURA 2.5ft ES PCc AI 11000/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	155,11
10235	FUTURA 2.2ft ES PC AI 2600/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	136	IP 66	16W	2420	131,63
10245	FUTURA 2.2ft ES PC AI 3200/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	136	IP 66	19W	2900	131,63
10255	FUTURA 2.2ft ES PC AI 4400/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	136	IP 66	27W	4090	133,01
10265	FUTURA 2.4ft ES PC AI 5200/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	160,05
10275	FUTURA 2.4ft ES PC AI 6400/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	160,05
10285	FUTURA 2.4ft ES PC AI 8800/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	162,98
10305	FUTURA 2.5ft ES PC AI 6500/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	172,11
10315	FUTURA 2.5ft ES PC AI 8000/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	172,11
10325	FUTURA 2.5ft ES PC AI 11000/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	177,43
10345	FUTURA 2.2ft ES PCc AI 2600/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	16W	2420	133,01
10355	FUTURA 2.2ft ES PCc AI 3200/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	19W	2900	133,01
10365	FUTURA 2.2ft ES PCc AI 4400/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	27W	4090	134,40
10375	FUTURA 2.4ft ES PCc AI 5200/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	162,32
10385	FUTURA 2.4ft ES PCc AI 6400/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	162,32
10395	FUTURA 2.4ft ES PCc AI 8800/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	165,25
10415	FUTURA 2.5ft ES PCc AI 6500/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	174,91
10425	FUTURA 2.5ft ES PCc AI 8000/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	174,91
10435	FUTURA 2.5ft ES PCc AI 11000/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	180,23
10046	FUTURA 2.4ft ES PC AI 5200/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	119,95
10056	FUTURA 2.4ft ES PC AI 6400/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	119,95
10066	FUTURA 2.4ft ES PC AI 8800/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	126,15
10086	FUTURA 2.5ft ES PC AI 6500/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	132,76
10096	FUTURA 2.5ft ES PC AI 8000/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	135,94
10106	FUTURA 2.5ft ES PC AI 11000/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	139,62
10156	FUTURA 2.4ft ES PCc AI 5200/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	122,21
10166	FUTURA 2.4ft ES PCc AI 6400/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	122,21
10176	FUTURA 2.4ft ES PCc AI 8800/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	128,45
10196	FUTURA 2.5ft ES PCc AI 6500/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	135,56
10206	FUTURA 2.5ft ES PCc AI 8000/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	138,74
10216	FUTURA 2.5ft ES PCc AI 11000/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	142,39

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10266	FUTURA 2.4ft ES PC AI 5200/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	148,75
10276	FUTURA 2.4ft ES PC AI 6400/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	148,75
10286	FUTURA 2.4ft ES PC AI 8800/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	151,68
10306	FUTURA 2.5ft ES PC AI 6500/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	162,86
10316	FUTURA 2.5ft ES PC AI 8000/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	162,86
10326	FUTURA 2.5ft ES PC AI 11000/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	168,18
10376	FUTURA 2.4ft ES PCc AI 5200/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	151,05
10386	FUTURA 2.4ft ES PCc AI 6400/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	151,05
10396	FUTURA 2.4ft ES PCc AI 8800/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	153,95
10416	FUTURA 2.5ft ES PCc AI 6500/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	165,63
10426	FUTURA 2.5ft ES PCc AI 8000/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	165,63
10436	FUTURA 2.5ft ES PCc AI 11000/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	170,98
10047	FUTURA 2.4ft ES PC AI 5200/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	139,24
10057	FUTURA 2.4ft ES PC AI 6400/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	139,24
10067	FUTURA 2.4ft ES PC AI 8800/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	145,45
10087	FUTURA 2.5ft ES PC AI 6500/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	152,06
10097	FUTURA 2.5ft ES PC AI 8000/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	155,24
10107	FUTURA 2.5ft ES PC AI 11000/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	158,92
10157	FUTURA 2.4ft ES PCc AI 5200/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	141,51
10167	FUTURA 2.4ft ES PCc AI 6400/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	141,51
10177	FUTURA 2.4ft ES PCc AI 8800/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	147,75
10197	FUTURA 2.5ft ES PCc AI 6500/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	154,86
10207	FUTURA 2.5ft ES PCc AI 8000/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	158,01
10217	FUTURA 2.5ft ES PCc AI 11000/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	161,69
10267	FUTURA 2.4ft ES PC AI 5200/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	168,05
10277	FUTURA 2.4ft ES PC AI 6400/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	168,05
10287	FUTURA 2.4ft ES PC AI 8800/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	170,98
10307	FUTURA 2.5ft ES PC AI 6500/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	182,12
10317	FUTURA 2.5ft ES PC AI 8000/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	182,12
10327	FUTURA 2.5ft ES PC AI 11000/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	187,48
10377	FUTURA 2.4ft ES PCc AI 5200/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	170,32
10387	FUTURA 2.4ft ES PCc AI 6400/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	170,32
10397	FUTURA 2.4ft ES PCc AI 8800/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	173,25
10417	FUTURA 2.5ft ES PCc AI 6500/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	184,93
10427	FUTURA 2.5ft ES PCc AI 8000/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	184,93
10437	FUTURA 2.5ft ES PCc AI 11000/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	190,25
10510	FUTURA 2.2ft ES ABS AI 2600/840	Energy saver - non-dimmable - plastic clips	136	IP 66	16W	2420	40,33

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10520	FUTURA 2.2ft ES ABS AI 3200/840	Energy saver - non-dimmable - plastic clips	136	IP 66	19W	2900	40,33
10530	FUTURA 2.2ft ES ABS AI 4400/840	Energy saver - non-dimmable - plastic clips	136	IP 66	27W	4090	41,81
10540	FUTURA 2.4ft ES ABS AI 5200/840	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	58,12
10550	FUTURA 2.4ft ES ABS AI 6400/840	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	58,12
10560	FUTURA 2.4ft ES ABS AI 8800/840	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	64,22
10570	FUTURA 2.4ft ES ABS AI 12800/840	Energy saver - non-dimmable - plastic clips	85	IP 66	78W	11750	87,61
10580	FUTURA 2.5ft ES ABS AI 6500/840	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	67,56
10590	FUTURA 2.5ft ES ABS AI 8000/840	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	70,68
10600	FUTURA 2.5ft ES ABS AI 11000/840	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	74,30
10610	FUTURA 2.5ft ES ABS AI 16000/840	Energy saver - non-dimmable - plastic clips	85	IP 66	97W	14580	99,80
10620	FUTURA 2.2ft ES ABS AI 2600/840	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	16W	2420	41,68
10630	FUTURA 2.2ft ES ABS AI 3200/840	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	19W	2900	41,68
10640	FUTURA 2.2ft ES ABS AI 4400/840	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	27W	4090	43,19
10650	FUTURA 2.4ft ES ABS AI 5200/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	60,35
10660	FUTURA 2.4ft ES ABS AI 6400/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	60,35
10670	FUTURA 2.4ft ES ABS AI 8800/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	66,46
10680	FUTURA 2.4ft ES ABS AI 12800/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	78W	11750	89,85
10690	FUTURA 2.5ft ES ABS AI 6500/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	70,30
10700	FUTURA 2.5ft ES ABS AI 8000/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	73,42
10710	FUTURA 2.5ft ES ABS AI 11000/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	77,04
10720	FUTURA 2.5ft ES ABS AI 16000/840	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	97W	14580	102,54
10730	FUTURA 2.2ft ES ABS AI 2600/840 DALI	Energy saver - DALI dimmable - plastic clips	136	IP 66	16W	2420	62,71
10740	FUTURA 2.2ft ES ABS AI 3200/840 DALI	Energy saver - DALI dimmable - plastic clips	136	IP 66	19W	2900	62,71
10750	FUTURA 2.2ft ES ABS AI 4400/840 DALI	Energy saver - DALI dimmable - plastic clips	136	IP 66	27W	4090	64,10
10760	FUTURA 2.4ft ES ABS AI 5200/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	82,73
10770	FUTURA 2.4ft ES ABS AI 6400/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	82,73
10780	FUTURA 2.4ft ES ABS AI 8800/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	85,60
10790	FUTURA 2.4ft ES ABS AI 12800/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	78W	11750	94,32
10800	FUTURA 2.5ft ES ABS AI 6500/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	92,71
10810	FUTURA 2.5ft ES ABS AI 8000/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	92,71
10820	FUTURA 2.5ft ES ABS AI 11000/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	97,94
10830	FUTURA 2.5ft ES ABS AI 16000/840 DALI	Energy saver - DALI dimmable - plastic clips	85	IP 66	97W	14580	124,92
10840	FUTURA 2.2ft ES ABS AI 2600/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	16W	2420	64,10
10850	FUTURA 2.2ft ES ABS AI 3200/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	19W	2900	64,10
10860	FUTURA 2.2ft ES ABS AI 4400/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	27W	4090	65,45
10870	FUTURA 2.4ft ES ABS AI 5200/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	85,00
10880	FUTURA 2.4ft ES ABS AI 6400/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	85,00

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10890	FUTURA 2.4ft ES ABSc AI 8800/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	87,87
10900	FUTURA 2.4ft ES ABSc AI 12800/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	78W	11750	96,56
10910	FUTURA 2.5ft ES ABSc AI 6500/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	95,45
10920	FUTURA 2.5ft ES ABSc AI 8000/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	95,45
10930	FUTURA 2.5ft ES ABSc AI 11000/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	100,68
10940	FUTURA 2.5ft ES ABSc AI 16000/840 DALI	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	97W	14580	127,66
10541	FUTURA 2.4ft ES ABS AI 5200/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	60,85
10551	FUTURA 2.4ft ES ABS AI 6400/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	60,85
10561	FUTURA 2.4ft ES ABS AI 8800/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	66,93
10571	FUTURA 2.4ft ES ABS AI 12800/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	78W	11750	90,35
10581	FUTURA 2.5ft ES ABS AI 6500/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	70,80
10591	FUTURA 2.5ft ES ABS AI 8000/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	73,92
10601	FUTURA 2.5ft ES ABS AI 11000/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	77,51
10611	FUTURA 2.5ft ES ABS AI 16000/840 1F	Energy saver - non-dimmable - plastic clips	85	IP 66	97W	14580	103,04
10651	FUTURA 2.4ft ES ABSc AI 5200/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	63,09
10661	FUTURA 2.4ft ES ABSc AI 6400/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	63,09
10671	FUTURA 2.4ft ES ABSc AI 8800/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	69,20
10681	FUTURA 2.4ft ES ABSc AI 12800/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	78W	11750	92,59
10691	FUTURA 2.5ft ES ABSc AI 6500/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	73,54
10701	FUTURA 2.5ft ES ABSc AI 8000/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	76,66
10711	FUTURA 2.5ft ES ABSc AI 11000/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	80,25
10721	FUTURA 2.5ft ES ABSc AI 16000/840 1F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	97W	14580	105,78
10761	FUTURA 2.4ft ES ABS AI 5200/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	87,61
10771	FUTURA 2.4ft ES ABS AI 6400/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	87,61
10781	FUTURA 2.4ft ES ABS AI 8800/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	90,48
10791	FUTURA 2.4ft ES ABS AI 12800/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	78W	11750	99,17
10801	FUTURA 2.5ft ES ABS AI 6500/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	98,92
10811	FUTURA 2.5ft ES ABS AI 8000/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	98,92
10821	FUTURA 2.5ft ES ABS AI 11000/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	104,14
10831	FUTURA 2.5ft ES ABS AI 16000/840 DALI 1F	Energy saver - DALI dimmable - plastic clips	85	IP 66	97W	14580	131,15
10871	FUTURA 2.4ft ES ABSc AI 5200/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	89,85
10881	FUTURA 2.4ft ES ABSc AI 6400/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	89,85
10891	FUTURA 2.4ft ES ABSc AI 8800/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	92,71
10901	FUTURA 2.4ft ES ABSc AI 12800/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	78W	11750	101,40
10911	FUTURA 2.5ft ES ABSc AI 6500/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	101,66
10921	FUTURA 2.5ft ES ABSc AI 8000/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	101,66
10931	FUTURA 2.5ft ES ABSc AI 11000/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	106,88

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10941	FUTURA 2.5ft ES ABSc AI 16000/840 DALI 1F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	97W	14580	133,89
10543	FUTURA 2.4ft ES ABS AI 5200/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	63,22
10553	FUTURA 2.4ft ES ABS AI 6400/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	63,22
10563	FUTURA 2.4ft ES ABS AI 8800/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	69,32
10573	FUTURA 2.4ft ES ABS AI 12800/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	78W	11750	92,71
10583	FUTURA 2.5ft ES ABS AI 6500/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	74,05
10593	FUTURA 2.5ft ES ABS AI 8000/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	77,16
10603	FUTURA 2.5ft ES ABS AI 11000/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	80,75
10613	FUTURA 2.5ft ES ABS AI 16000/840 3F	Energy saver - non-dimmable - plastic clips	85	IP 66	97W	14580	106,25
10653	FUTURA 2.4ft ES ABSc AI 5200/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	65,45
10663	FUTURA 2.4ft ES ABSc AI 6400/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	65,45
10673	FUTURA 2.4ft ES ABSc AI 8800/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	71,56
10683	FUTURA 2.4ft ES ABSc AI 12800/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	78W	11750	94,95
10693	FUTURA 2.5ft ES ABSc AI 6500/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	76,78
10703	FUTURA 2.5ft ES ABSc AI 8000/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	79,90
10713	FUTURA 2.5ft ES ABSc AI 11000/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	83,49
10723	FUTURA 2.5ft ES ABSc AI 16000/840 3F	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	97W	14580	108,99
10763	FUTURA 2.4ft ES ABS AI 5200/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	90,57
10773	FUTURA 2.4ft ES ABS AI 6400/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	90,57
10783	FUTURA 2.4ft ES ABS AI 8800/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	93,44
10793	FUTURA 2.4ft ES ABS AI 12800/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	78W	11750	102,16
10803	FUTURA 2.5ft ES ABS AI 6500/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	102,54
10813	FUTURA 2.5ft ES ABS AI 8000/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	102,54
10823	FUTURA 2.5ft ES ABS AI 11000/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	107,76
10833	FUTURA 2.5ft ES ABS AI 16000/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	97W	14580	134,77
10873	FUTURA 2.4ft ES ABSc AI 5200/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	92,84
10883	FUTURA 2.4ft ES ABSc AI 6400/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	92,84
10893	FUTURA 2.4ft ES ABSc AI 8800/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	95,71
10903	FUTURA 2.4ft ES ABSc AI 12800/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	78W	11750	104,39
10913	FUTURA 2.5ft ES ABSc AI 6500/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	105,28
10923	FUTURA 2.5ft ES ABSc AI 8000/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	105,28
10933	FUTURA 2.5ft ES ABSc AI 11000/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	110,50
10943	FUTURA 2.5ft ES ABSc AI 16000/840 DALI 3F	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	97W	14580	137,51
10514	FUTURA 2.2ft ES ABS AI 2600/840 M1h	Energy saver - non-dimmable - plastic clips	136	IP 66	16W	2420	89,35
10524	FUTURA 2.2ft ES ABS AI 3200/840 M1h	Energy saver - non-dimmable - plastic clips	136	IP 66	19W	2900	89,35
10534	FUTURA 2.2ft ES ABS AI 4400/840 M1h	Energy saver - non-dimmable - plastic clips	136	IP 66	27W	4090	90,89
10544	FUTURA 2.4ft ES ABS AI 5200/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	113,71

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10554	FUTURA 2.4ft ES ABS AI 6400/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	113,71
10564	FUTURA 2.4ft ES ABS AI 8800/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	119,95
10584	FUTURA 2.5ft ES ABS AI 6500/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	124,76
10594	FUTURA 2.5ft ES ABS AI 8000/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	127,94
10604	FUTURA 2.5ft ES ABS AI 11000/840 M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	131,63
10624	FUTURA 2.2ft ES ABSc AI 2600/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	16W	2420	90,76
10634	FUTURA 2.2ft ES ABSc AI 3200/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	19W	2900	90,76
10644	FUTURA 2.2ft ES ABSc AI 4400/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	27W	4090	92,27
10654	FUTURA 2.4ft ES ABSc AI 5200/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	116,01
10664	FUTURA 2.4ft ES ABSc AI 6400/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	116,01
10674	FUTURA 2.4ft ES ABSc AI 8800/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	122,21
10694	FUTURA 2.5ft ES ABSc AI 6500/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	127,57
10704	FUTURA 2.5ft ES ABSc AI 8000/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	130,74
10714	FUTURA 2.5ft ES ABSc AI 11000/840 M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	134,40
10734	FUTURA 2.2ft ES ABS AI 2600/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	136	IP 66	16W	2420	112,96
10744	FUTURA 2.2ft ES ABS AI 3200/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	136	IP 66	19W	2900	112,96
10754	FUTURA 2.2ft ES ABS AI 4400/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	136	IP 66	27W	4090	114,34
10764	FUTURA 2.4ft ES ABS AI 5200/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	139,75
10774	FUTURA 2.4ft ES ABS AI 6400/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	139,75
10784	FUTURA 2.4ft ES ABS AI 8800/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	142,68
10804	FUTURA 2.5ft ES ABS AI 6500/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	151,43
10814	FUTURA 2.5ft ES ABS AI 8000/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	151,43
10824	FUTURA 2.5ft ES ABS AI 11000/840 DALI M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	156,75
10844	FUTURA 2.2ft ES ABSc AI 2600/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	16W	2420	114,34
10854	FUTURA 2.2ft ES ABSc AI 3200/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	19W	2900	114,34
10864	FUTURA 2.2ft ES ABSc AI 4400/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	27W	4090	115,76
10874	FUTURA 2.4ft ES ABSc AI 5200/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	142,02
10884	FUTURA 2.4ft ES ABSc AI 6400/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	142,02
10994	FUTURA 2.4ft ES ABSc AI 8800/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	144,94
10914	FUTURA 2.5ft ES ABSc AI 6500/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	154,20
10924	FUTURA 2.5ft ES ABSc AI 8000/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	154,20
10934	FUTURA 2.5ft ES ABSc AI 11000/840 DALI M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	159,55
10515	FUTURA 2.2ft ES ABS AI 2600/840 M3h	Energy saver - non-dimmable - plastic clips	136	IP 66	16W	2420	107,13
10525	FUTURA 2.2ft ES ABS AI 3200/840 M3h	Energy saver - non-dimmable - plastic clips	136	IP 66	19W	2900	107,13
10535	FUTURA 2.2ft ES ABS AI 4400/840 M3h	Energy saver - non-dimmable - plastic clips	136	IP 66	27W	4090	108,64
10545	FUTURA 2.4ft ES ABS AI 5200/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	133,01
10555	FUTURA 2.4ft ES ABS AI 6400/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	133,01

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10565	FUTURA 2.4ft ES ABS AI 8800/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	139,24
10585	FUTURA 2.5ft ES ABS AI 6500/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	144,06
10595	FUTURA 2.5ft ES ABS AI 8000/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	147,24
10605	FUTURA 2.5ft ES ABS AI 11000/840 M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	150,92
10625	FUTURA 2.2ft ES ABSc AI 2600/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	16W	2420	108,52
10635	FUTURA 2.2ft ES ABSc AI 3200/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	19W	2900	108,52
10645	FUTURA 2.2ft ES ABSc AI 4400/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	136	IP 66	27W	4090	110,03
10655	FUTURA 2.4ft ES ABSc AI 5200/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	135,31
10665	FUTURA 2.4ft ES ABSc AI 6400/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	135,31
10675	FUTURA 2.4ft ES ABSc AI 8800/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	141,51
10695	FUTURA 2.5ft ES ABSc AI 6500/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	146,86
10705	FUTURA 2.5ft ES ABSc AI 8000/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	150,01
10715	FUTURA 2.5ft ES ABSc AI 11000/840 M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	153,70
10735	FUTURA 2.2ft ES ABS AI 2600/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	136	IP 66	16W	2420	131,00
10745	FUTURA 2.2ft ES ABS AI 3200/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	136	IP 66	19W	2900	131,00
10755	FUTURA 2.2ft ES ABS AI 4400/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	136	IP 66	27W	4090	132,38
10765	FUTURA 2.4ft ES ABS AI 5200/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	159,05
10775	FUTURA 2.4ft ES ABS AI 6400/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	159,05
10785	FUTURA 2.4ft ES ABS AI 8800/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	161,94
10805	FUTURA 2.5ft ES ABS AI 6500/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	170,73
10815	FUTURA 2.5ft ES ABS AI 8000/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	170,73
10825	FUTURA 2.5ft ES ABS AI 11000/840 DALI M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	176,05
10845	FUTURA 2.2ft ES ABSc AI 2600/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	16W	2420	132,38
10855	FUTURA 2.2ft ES ABSc AI 3200/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	19W	2900	132,38
10865	FUTURA 2.2ft ES ABSc AI 4400/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	136	IP 66	27W	4090	133,77
10875	FUTURA 2.4ft ES ABSc AI 5200/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	161,31
10885	FUTURA 2.4ft ES ABSc AI 6400/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	161,31
10895	FUTURA 2.4ft ES ABSc AI 8800/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	164,24
10915	FUTURA 2.5ft ES ABSc AI 6500/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	173,50
10925	FUTURA 2.5ft ES ABSc AI 8000/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	173,50
10935	FUTURA 2.5ft ES ABSc AI 11000/840 DALI M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	178,85
10546	FUTURA 2.4ft ES ABS AI 5200/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	118,94
10556	FUTURA 2.4ft ES ABS AI 6400/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	118,94
10566	FUTURA 2.4ft ES ABS AI 8800/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	125,14
10586	FUTURA 2.5ft ES ABS AI 6500/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	131,37
10596	FUTURA 2.5ft ES ABS AI 8000/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	134,55
10606	FUTURA 2.5ft ES ABS AI 11000/840 3F M1h	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	138,21

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10656	FUTURA 2.4ft ES ABSc AI 5200/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	121,21
10666	FUTURA 2.4ft ES ABSc AI 6400/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	121,21
10676	FUTURA 2.4ft ES ABSc AI 8800/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	127,44
10696	FUTURA 2.5ft ES ABSc AI 6500/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	134,14
10706	FUTURA 2.5ft ES ABSc AI 8000/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	137,32
10716	FUTURA 2.5ft ES ABSc AI 11000/840 3F M1h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	141,01
10766	FUTURA 2.4ft ES ABS AI 5200/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	147,75
10776	FUTURA 2.4ft ES ABS AI 6400/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	147,75
10786	FUTURA 2.4ft ES ABS AI 8800/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	150,67
10806	FUTURA 2.5ft ES ABS AI 6500/840 DALI 3F	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	161,44
10816	FUTURA 2.5ft ES ABS AI 8000/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	161,44
10826	FUTURA 2.5ft ES ABS AI 11000/840 DALI 3F M1h	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	166,79
10876	FUTURA 2.4ft ES ABSc AI 5200/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	150,01
10886	FUTURA 2.4ft ES ABSc AI 6400/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	150,01
10896	FUTURA 2.4ft ES ABSc AI 8800/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	152,94
10916	FUTURA 2.5ft ES ABSc AI 6500/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	164,24
10926	FUTURA 2.5ft ES ABSc AI 8000/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	164,24
10936	FUTURA 2.5ft ES ABSc AI 11000/840 DALI 3F M1h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	169,56
10547	FUTURA 2.4ft ES ABS AI 5200/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	32W	4840	138,21
10557	FUTURA 2.4ft ES ABS AI 6400/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	39W	5950	138,21
10567	FUTURA 2.4ft ES ABS AI 8800/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	54W	8180	144,44
10587	FUTURA 2.5ft ES ABS AI 6500/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	40W	6050	150,67
10597	FUTURA 2.5ft ES ABS AI 8000/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	49W	7440	153,82
10607	FUTURA 2.5ft ES ABS AI 11000/840 3F M3h	Energy saver - non-dimmable - plastic clips	85	IP 66	67W	10160	157,50
10657	FUTURA 2.4ft ES ABSc AI 5200/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	32W	4840	140,50
10667	FUTURA 2.4ft ES ABSc AI 6400/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	39W	5950	140,50
10677	FUTURA 2.4ft ES ABSc AI 8800/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	54W	8180	146,74
10697	FUTURA 2.5ft ES ABSc AI 6500/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	40W	6050	153,44
10707	FUTURA 2.5ft ES ABSc AI 8000/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	49W	7440	156,62
10717	FUTURA 2.5ft ES ABSc AI 11000/840 3F M3h	Energy saver - non-dimmable - stainless steel clips (c)	85	IP 66	67W	10160	160,31
10767	FUTURA 2.4ft ES ABS AI 5200/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	32W	4840	167,04
10777	FUTURA 2.4ft ES ABS AI 6400/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	39W	5950	167,04
10787	FUTURA 2.4ft ES ABS AI 8800/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	54W	8180	169,94
10807	FUTURA 2.5ft ES ABS AI 6500/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	40W	6050	180,74
10817	FUTURA 2.5ft ES ABS AI 8000/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	49W	7440	180,74
10827	FUTURA 2.5ft ES ABS AI 11000/840 DALI 3F M3h	Energy saver - DALI dimmable - plastic clips	85	IP 66	67W	10160	186,06
10877	FUTURA 2.4ft ES ABSc AI 5200/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	32W	4840	169,31

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
10887	FUTURA 2.4ft ES ABSc AI 6400/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	39W	5950	169,31
10897	FUTURA 2.4ft ES ABSc AI 8800/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	54W	8180	172,24
10917	FUTURA 2.5ft ES ABSc AI 6500/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	40W	6050	183,54
10927	FUTURA 2.5ft ES ABSc AI 8000/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	49W	7440	183,54
10937	FUTURA 2.5ft ES ABSc AI 11000/840 DALI 3F M3h	Energy saver - DALI dimmable - stainless steel clips (c)	85	IP 66	67W	10160	188,86
11000	FUTURA 2.2ft HE PC AI 3200/840	High efficiency - non-dimmable - plastic clips	136	IP 66	18W	3040	61,96
11010	FUTURA 2.2ft HE PC AI 4400/840	High efficiency - non-dimmable - plastic clips	136	IP 66	23W	3980	64,95
11003	FUTURA 2.2ft HE PC AI 6400/840	High efficiency - non-dimmable - plastic clips	136	IP 66	35W	6000	73,04
11006	FUTURA 2.4ft HE PC AI 6400/840	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	101,28
11020	FUTURA 2.4ft HE PC AI 8800/840	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	110,50
11016	FUTURA 2.4ft HE PC AI 12800/840	High efficiency - non-dimmable - plastic clips	85	IP 66	70W	12000	136,00
11019	FUTURA 2.5ft HE PC AI 8000/840	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	123,82
11030	FUTURA 2.5ft HE PC AI 11000/840	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	135,75
11041	FUTURA 2.5ft HE PC AI 16000/840	High efficiency - non-dimmable - plastic clips	85	IP 66	87W	15000	161,88
11046	FUTURA 2.2ft HE PCc AI 3200/840	High efficiency - non-dimmable - stainless steel clips	136	IP 66	18W	3040	63,34
11040	FUTURA 2.2ft HE PCc AI 4400/840	High efficiency - non-dimmable - stainless steel clips	136	IP 66	23W	3980	66,33
11049	FUTURA 2.2ft HE PCc AI 6400/840	High efficiency - non-dimmable - stainless steel clips	136	IP 66	35W	6000	74,42
11059	FUTURA 2.4ft HE PCc AI 6400/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	103,54
11050	FUTURA 2.4ft HE PCc AI 8800/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	112,74
11076	FUTURA 2.4ft HE PCc AI 12800/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	70W	12000	138,24
11079	FUTURA 2.5ft HE PCc AI 8000/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	126,56
11060	FUTURA 2.5ft HE PCc AI 11000/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	138,49
11101	FUTURA 2.5ft HE PCc AI 16000/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	87W	15000	164,62
11106	FUTURA 2.2ft HE PC AI 3200/840 DALI	High efficiency - DALI dimmable - plastic clips	136	IP 66	18W	3040	84,50
11070	FUTURA 2.2ft HE PC AI 4400/840 DALI	High efficiency - DALI dimmable - plastic clips	136	IP 66	23W	3980	87,49
11109	FUTURA 2.2ft HE PC AI 6400/840 DALI	High efficiency - DALI dimmable - plastic clips	136	IP 66	35W	6000	92,71
11119	FUTURA 2.4ft HE PC AI 6400/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	125,93
11080	FUTURA 2.4ft HE PC AI 8800/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	131,91
11133	FUTURA 2.4ft HE PC AI 12800/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	70W	12000	142,87
11136	FUTURA 2.5ft HE PC AI 8000/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	145,82
11090	FUTURA 2.5ft HE PC AI 11000/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	159,39
11143	FUTURA 2.5ft HE PC AI 16000/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	87W	15000	187,03
11146	FUTURA 2.2ft HE PCc AI 3200/840 DALI	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	18W	3040	85,85
11100	FUTURA 2.2ft HE PCc AI 4400/840 DALI	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	23W	3980	88,84
11149	FUTURA 2.2ft HE PCc AI 6400/840 DALI	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	35W	6000	94,07
11152	FUTURA 2.4ft HE PCc AI 6400/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	128,16
11110	FUTURA 2.4ft HE PCc AI 8800/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	134,14

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
11159	FUTURA 2.4ft HE PCc AI 12800/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	70W	12000	145,10
11162	FUTURA 2.5ft HE PCc AI 8000/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	148,56
11120	FUTURA 2.5ft HE PCc AI 11000/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	162,13
11169	FUTURA 2.5ft HE PCc AI 16000/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	87W	15000	189,77
11007	FUTURA 2.4ft HE PC AI 6400/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	104,02
11021	FUTURA 2.4ft HE PC AI 8800/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	113,24
11017	FUTURA 2.4ft HE PC AI 12800/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	70W	12000	138,74
11022	FUTURA 2.5ft HE PC AI 8000/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	127,06
11031	FUTURA 2.5ft HE PC AI 11000/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	138,99
11042	FUTURA 2.5ft HE PC AI 16000/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	87W	15000	165,12
11062	FUTURA 2.4ft HE PCc AI 6400/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	106,25
11051	FUTURA 2.4ft HE PCc AI 8800/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	115,48
11077	FUTURA 2.4ft HE PCc AI 12800/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	70W	12000	140,98
11082	FUTURA 2.5ft HE PCc AI 8000/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	129,80
11061	FUTURA 2.5ft HE PCc AI 11000/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	141,73
11102	FUTURA 2.5ft HE PCc AI 16000/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	87W	15000	167,86
11122	FUTURA 2.4ft HE PC AI 6400/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	130,78
11081	FUTURA 2.4ft HE PC AI 8800/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	136,76
11134	FUTURA 2.4ft HE PC AI 12800/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	70W	12000	147,71
11137	FUTURA 2.5ft HE PC AI 8000/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	152,06
11091	FUTURA 2.5ft HE PC AI 11000/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	165,63
11144	FUTURA 2.5ft HE PC AI 16000/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	87W	15000	193,24
11153	FUTURA 2.4ft HE PCc AI 6400/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	133,01
11111	FUTURA 2.4ft HE PCc AI 8800/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	138,99
11160	FUTURA 2.4ft HE PCc AI 12800/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	70W	12000	149,95
11163	FUTURA 2.5ft HE PCc AI 8000/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	154,80
11121	FUTURA 2.5ft HE PCc AI 11000/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	168,37
11170	FUTURA 2.5ft HE PCc AI 16000/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	87W	15000	195,98
11008	FUTURA 2.4ft HE PC AI 6400/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	106,38
11023	FUTURA 2.4ft HE PC AI 8800/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	115,60
11018	FUTURA 2.4ft HE PC AI 12800/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	70W	12000	141,10
11028	FUTURA 2.5ft HE PC AI 8000/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	130,27
11033	FUTURA 2.5ft HE PC AI 11000/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	142,24
11043	FUTURA 2.5ft HE PC AI 16000/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	87W	15000	168,37
11068	FUTURA 2.4ft HE PCc AI 6400/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	108,64
11053	FUTURA 2.4ft HE PCc AI 8800/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	117,84
11078	FUTURA 2.4ft HE PCc AI 12800/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	70W	12000	143,34

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
11088	FUTURA 2.5ft HE PCc AI 8000/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	133,01
11063	FUTURA 2.5ft HE PCc AI 11000/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	144,97
11103	FUTURA 2.5ft HE PCc AI 16000/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	87W	15000	171,10
11128	FUTURA 2.4ft HE PC AI 6400/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	133,77
11083	FUTURA 2.4ft HE PC AI 8800/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	139,75
11135	FUTURA 2.4ft HE PC AI 12800/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	70W	12000	150,70
11138	FUTURA 2.5ft HE PC AI 8000/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	155,68
11093	FUTURA 2.5ft HE PC AI 11000/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	169,22
11145	FUTURA 2.5ft HE PC AI 16000/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	87W	15000	196,86
11154	FUTURA 2.4ft HE PCc AI 6400/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	136,00
11113	FUTURA 2.4ft HE PCc AI 8800/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	141,98
11161	FUTURA 2.4ft HE PCc AI 12800/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	70W	12000	152,94
11164	FUTURA 2.5ft HE PCc AI 8000/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	158,42
11123	FUTURA 2.5ft HE PCc AI 11000/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	171,95
11171	FUTURA 2.5ft HE PCc AI 16000/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	87W	15000	199,60
11001	FUTURA 2.2ft HE PC AI 3200/840 M1h	High efficiency - non-dimmable - plastic clips	136	IP 66	18W	3040	111,45
11014	FUTURA 2.2ft HE PC AI 4400/840 M1h	High efficiency - non-dimmable - plastic clips	136	IP 66	23W	3980	114,50
11004	FUTURA 2.2ft HE PC AI 6400/840 M1h	High efficiency - non-dimmable - plastic clips	136	IP 66	35W	6000	
11009	FUTURA 2.4ft HE PC AI 6400/840 M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	157,76
11024	FUTURA 2.4ft HE PC AI 8800/840 M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	167,17
11029	FUTURA 2.5ft HE PC AI 8000/840 M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	182,12
11034	FUTURA 2.5ft HE PC AI 11000/840 M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	194,31
11047	FUTURA 2.2ft HE PCc AI 3200/840 M1h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	18W	3040	112,83
11044	FUTURA 2.2ft HE PCc AI 4400/840 M1h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	23W	3980	115,89
11052	FUTURA 2.2ft HE PCc AI 6400/840 M1h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	35W	6000	
11069	FUTURA 2.4ft HE PCc AI 6400/840 M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	160,05
11054	FUTURA 2.4ft HE PCc AI 8800/840 M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	169,44
11089	FUTURA 2.5ft HE PCc AI 8000/840 M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	184,93
11064	FUTURA 2.5ft HE PCc AI 11000/840 M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	197,11
11107	FUTURA 2.2ft HE PC AI 3200/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	136	IP 66	18W	3040	135,18
11074	FUTURA 2.2ft HE PC AI 4400/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	136	IP 66	23W	3980	138,21
11112	FUTURA 2.2ft HE PC AI 6400/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	136	IP 66	35W	6000	
11129	FUTURA 2.4ft HE PC AI 6400/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	183,79
11084	FUTURA 2.4ft HE PC AI 8800/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	189,87
11139	FUTURA 2.5ft HE PC AI 8000/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	205,61
11094	FUTURA 2.5ft HE PC AI 11000/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	219,46
11147	FUTURA 2.2ft HE PCc AI 3200/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	18W	3040	136,57

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
11104	FUTURA 2.2ft HE PCc AI 4400/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	23W	3980	139,62
11150	FUTURA 2.2ft HE PCc AI 6400/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	35W	6000	
11155	FUTURA 2.4ft HE PCc AI 6400/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	186,06
11114	FUTURA 2.4ft HE PCc AI 8800/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	192,17
11165	FUTURA 2.5ft HE PCc AI 8000/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	208,41
11124	FUTURA 2.5ft HE PCc AI 11000/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	222,23
11002	FUTURA 2.2ft HE PC AI 3200/840 M3h	High efficiency - non-dimmable - plastic clips	136	IP 66	18W	3040	129,20
11015	FUTURA 2.2ft HE PC AI 4400/840 M3h	High efficiency - non-dimmable - plastic clips	136	IP 66	23W	3980	132,26
11005	FUTURA 2.2ft HE PC AI 6400/840 M3h	High efficiency - non-dimmable - plastic clips	136	IP 66	35W	6000	
11011	FUTURA 2.4ft HE PC AI 6400/840 M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	177,05
11025	FUTURA 2.4ft HE PC AI 8800/840 M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	186,44
11032	FUTURA 2.5ft HE PC AI 8000/840 M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	201,42
11035	FUTURA 2.5ft HE PC AI 11000/840 M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	213,61
11048	FUTURA 2.2ft HE PCc AI 3200/840 M3h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	18W	3040	130,62
11045	FUTURA 2.2ft HE PCc AI 4400/840 M3h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	23W	3980	133,64
11058	FUTURA 2.2ft HE PCc AI 6400/840 M3h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	35W	6000	
11071	FUTURA 2.4ft HE PCc AI 6400/840 M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	179,35
11055	FUTURA 2.4ft HE PCc AI 8800/840 M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	188,73
11092	FUTURA 2.5ft HE PCc AI 8000/840 M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	204,22
11065	FUTURA 2.5ft HE PCc AI 11000/840 M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	216,41
11108	FUTURA 2.2ft HE PC AI 3200/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	136	IP 66	18W	3040	153,19
11075	FUTURA 2.2ft HE PC AI 4400/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	136	IP 66	23W	3980	156,25
11118	FUTURA 2.2ft HE PC AI 6400/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	136	IP 66	35W	6000	
11130	FUTURA 2.4ft HE PC AI 6400/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	203,09
11085	FUTURA 2.4ft HE PC AI 8800/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	209,17
11140	FUTURA 2.5ft HE PC AI 8000/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	224,91
11095	FUTURA 2.5ft HE PC AI 11000/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	239,01
11148	FUTURA 2.2ft HE PCc AI 3200/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	18W	3040	154,61
11105	FUTURA 2.2ft HE PCc AI 4400/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	23W	3980	157,63
11151	FUTURA 2.2ft HE PCc AI 6400/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	35W	6000	
11156	FUTURA 2.4ft HE PCc AI 6400/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	205,36
11115	FUTURA 2.4ft HE PCc AI 8800/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	211,46
11166	FUTURA 2.5ft HE PCc AI 8000/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	227,71
11125	FUTURA 2.5ft HE PCc AI 11000/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	241,53
11012	FUTURA 2.4ft HE PC AI 6400/840 3F M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	162,98
11026	FUTURA 2.4ft HE PC AI 8800/840 3F M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	172,36
11038	FUTURA 2.5ft HE PC AI 8000/840 3F M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	188,73

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
11036	FUTURA 2.5ft HE PC AI 11000/840 3F M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	200,92
11072	FUTURA 2.4ft HE PCc AI 6400/840 3F M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	165,25
11056	FUTURA 2.4ft HE PCc AI 8800/840 3F M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	174,66
11098	FUTURA 2.5ft HE PCc AI 8000/840 3F M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	191,54
11066	FUTURA 2.5ft HE PCc AI 11000/840 3F M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	203,72
11131	FUTURA 2.4ft HE PC AI 6400/840 DALI 3F M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	191,79
11086	FUTURA 2.4ft HE PC AI 8800/840 DALI 3F M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	197,86
11141	FUTURA 2.5ft HE PC AI 8000/840 DALI 3F M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	215,65
11096	FUTURA 2.5ft HE PC AI 11000/840 DALI 3F M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	229,47
11157	FUTURA 2.4ft HE PCc AI 6400/840 DALI 3F M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	194,06
11116	FUTURA 2.4ft HE PCc AI 8800/840 DALI 3F M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	200,16
11167	FUTURA 2.5ft HE PCc AI 8000/840 DALI 3F M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	218,42
11126	FUTURA 2.5ft HE PCc AI 11000/840 DALI 3F M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	232,27
11013	FUTURA 2.4ft HE PC AI 6400/840 3F M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	182,25
11027	FUTURA 2.4ft HE PC AI 8800/840 3F M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	191,66
11039	FUTURA 2.5ft HE PC AI 8000/840 3F M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	208,03
11037	FUTURA 2.5ft HE PC AI 11000/840 3F M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	220,22
11073	FUTURA 2.4ft HE PCc AI 6400/840 3F M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	184,55
11057	FUTURA 2.4ft HE PCc AI 8800/840 3F M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	193,93
11099	FUTURA 2.5ft HE PCc AI 8000/840 3F M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	210,83
11067	FUTURA 2.5ft HE PCc AI 11000/840 3F M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	223,02
11132	FUTURA 2.4ft HE PC AI 6400/840 DALI 3F M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	211,09
11087	FUTURA 2.4ft HE PC AI 8800/840 DALI 3F M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	217,16
11142	FUTURA 2.5ft HE PC AI 8000/840 DALI 3F M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	234,95
11097	FUTURA 2.5ft HE PC AI 11000/840 DALI 3F M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	248,77
11158	FUTURA 2.4ft HE PCc AI 6400/840 DALI 3F M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	213,35
11117	FUTURA 2.4ft HE PCc AI 8800/840 DALI 3F M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	219,46
11168	FUTURA 2.5ft HE PCc AI 8000/840 DALI 3F M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	237,72
11127	FUTURA 2.5ft HE PCc AI 11000/840 DALI 3F M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	251,57
11200	FUTURA 2.2ft HE ABS AI 3200/840	High efficiency - non-dimmable - plastic clips	136	IP 66	18W	3040	61,36
11210	FUTURA 2.2ft HE ABS AI 4400/840	High efficiency - non-dimmable - plastic clips	136	IP 66	23W	3980	64,32
11203	FUTURA 2.2ft HE ABS AI 6400/840	High efficiency - non-dimmable - plastic clips	136	IP 66	35W	6000	72,41
11206	FUTURA 2.4ft HE ABS AI 6400/840	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	100,30
11220	FUTURA 2.4ft HE ABS AI 8800/840	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	109,49
11216	FUTURA 2.4ft HE ABS AI 12800/840	High efficiency - non-dimmable - plastic clips	85	IP 66	70W	12000	135,03
11219	FUTURA 2.5ft HE ABS AI 8000/840	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	122,43

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
11230	FUTURA 2.5ft HE ABS AI 11000/840	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	134,40
11241	FUTURA 2.5ft HE ABS AI 16000/840	High efficiency - non-dimmable - plastic clips	85	IP 66	87W	15000	160,53
11246	FUTURA 2.2ft HE ABS AI 3200/840	High efficiency - non-dimmable - stainless steel clips	136	IP 66	18W	3040	62,71
11240	FUTURA 2.2ft HE ABS AI 4400/840	High efficiency - non-dimmable - stainless steel clips	136	IP 66	23W	3980	65,70
11249	FUTURA 2.2ft HE ABS AI 6400/840	High efficiency - non-dimmable - stainless steel clips	136	IP 66	35W	6000	73,79
11259	FUTURA 2.4ft HE ABS AI 6400/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	102,54
11250	FUTURA 2.4ft HE ABS AI 8800/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	111,73
11276	FUTURA 2.4ft HE ABS AI 12800/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	70W	12000	137,26
11279	FUTURA 2.5ft HE ABS AI 8000/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	125,17
11260	FUTURA 2.5ft HE ABS AI 11000/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	137,14
11301	FUTURA 2.5ft HE ABS AI 16000/840	High efficiency - non-dimmable - stainless steel clips	85	IP 66	87W	15000	163,27
11306	FUTURA 2.2ft HE ABS AI 3200/840 DALI	High efficiency - DALI dimmable - plastic clips	136	IP 66	18W	3040	83,87
11270	FUTURA 2.2ft HE ABS AI 4400/840 DALI	High efficiency - DALI dimmable - plastic clips	136	IP 66	23W	3980	86,86
11309	FUTURA 2.2ft HE ABS AI 6400/840 DALI	High efficiency - DALI dimmable - plastic clips	136	IP 66	35W	6000	92,08
11319	FUTURA 2.4ft HE ABS AI 6400/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	124,92
11280	FUTURA 2.4ft HE ABS AI 8800/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	130,90
11333	FUTURA 2.4ft HE ABS AI 12800/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	70W	12000	141,86
11336	FUTURA 2.5ft HE ABS AI 8000/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	144,47
11290	FUTURA 2.5ft HE ABS AI 11000/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	158,04
11343	FUTURA 2.5ft HE ABS AI 16000/840 DALI	High efficiency - DALI dimmable - plastic clips	85	IP 66	87W	15000	185,65
11346	FUTURA 2.2ft HE ABS AI 3200/840 DALI	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	18W	3040	85,25
11300	FUTURA 2.2ft HE ABS AI 4400/840 DALI	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	23W	3980	88,21
11349	FUTURA 2.2ft HE ABS AI 6400/840 DALI	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	35W	6000	93,44
11352	FUTURA 2.4ft HE ABS AI 6400/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	127,19
11310	FUTURA 2.4ft HE ABS AI 8800/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	133,14
11359	FUTURA 2.4ft HE ABS AI 12800/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	70W	12000	144,09
11362	FUTURA 2.5ft HE ABS AI 8000/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	147,21
11320	FUTURA 2.5ft HE ABS AI 11000/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	160,78
11369	FUTURA 2.5ft HE ABS AI 16000/840 DALI	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	87W	15000	188,39
11207	FUTURA 2.4ft HE ABS AI 6400/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	103,04
11221	FUTURA 2.4ft HE ABS AI 8800/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	112,23
11217	FUTURA 2.4ft HE ABS AI 12800/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	70W	12000	137,73
11222	FUTURA 2.5ft HE ABS AI 8000/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	125,68
11231	FUTURA 2.5ft HE ABS AI 11000/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	137,64
11242	FUTURA 2.5ft HE ABS AI 16000/840 1F	High efficiency - non-dimmable - plastic clips	85	IP 66	87W	15000	163,77
11262	FUTURA 2.4ft HE ABS AI 6400/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	105,28
11251	FUTURA 2.4ft HE ABS AI 8800/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	114,47

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
11277	FUTURA 2.4ft HE ABSc AI 12800/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	70W	12000	140,00
11282	FUTURA 2.5ft HE ABSc AI 8000/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	128,42
11261	FUTURA 2.5ft HE ABSc AI 11000/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	140,35
11302	FUTURA 2.5ft HE ABSc AI 16000/840 1F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	87W	15000	166,51
11322	FUTURA 2.4ft HE ABS AI 6400/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	129,80
11281	FUTURA 2.4ft HE ABS AI 8800/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	135,75
11334	FUTURA 2.4ft HE ABS AI 12800/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	70W	12000	146,71
11337	FUTURA 2.5ft HE ABS AI 8000/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	150,70
11291	FUTURA 2.5ft HE ABS AI 11000/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	164,24
11344	FUTURA 2.5ft HE ABS AI 16000/840 DALI 1F	High efficiency - DALI dimmable - plastic clips	85	IP 66	87W	15000	191,88
11353	FUTURA 2.4ft HE ABSc AI 6400/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	132,04
11311	FUTURA 2.4ft HE ABSc AI 8800/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	137,99
11360	FUTURA 2.4ft HE ABSc AI 12800/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	70W	12000	148,94
11363	FUTURA 2.5ft HE ABSc AI 8000/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	153,44
11321	FUTURA 2.5ft HE ABSc AI 11000/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	166,98
11370	FUTURA 2.5ft HE ABSc AI 16000/840 DALI 1F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	87W	15000	194,62
11208	FUTURA 2.4ft HE ABS AI 6400/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	105,40
11223	FUTURA 2.4ft HE ABS AI 8800/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	114,59
11218	FUTURA 2.4ft HE ABS AI 12800/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	70W	12000	140,13
11228	FUTURA 2.5ft HE ABS AI 8000/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	128,92
11233	FUTURA 2.5ft HE ABS AI 11000/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	140,85
11243	FUTURA 2.5ft HE ABS AI 16000/840 3F	High efficiency - non-dimmable - plastic clips	85	IP 66	87W	15000	166,98
11268	FUTURA 2.4ft HE ABSc AI 6400/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	107,64
11253	FUTURA 2.4ft HE ABSc AI 8800/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	116,83
11278	FUTURA 2.4ft HE ABSc AI 12800/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	70W	12000	142,36
11288	FUTURA 2.5ft HE ABSc AI 8000/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	131,66
11263	FUTURA 2.5ft HE ABSc AI 11000/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	143,59
11303	FUTURA 2.5ft HE ABSc AI 16000/840 3F	High efficiency - non-dimmable - stainless steel clips	85	IP 66	87W	15000	169,72
11328	FUTURA 2.4ft HE ABS AI 6400/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	132,76
11283	FUTURA 2.4ft HE ABS AI 8800/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	138,74
11335	FUTURA 2.4ft HE ABS AI 12800/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	70W	12000	149,70
11338	FUTURA 2.5ft HE ABS AI 8000/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	154,29
11293	FUTURA 2.5ft HE ABS AI 11000/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	167,86
11345	FUTURA 2.5ft HE ABS AI 16000/840 DALI 3F	High efficiency - DALI dimmable - plastic clips	85	IP 66	87W	15000	195,47
11354	FUTURA 2.4ft HE ABSc AI 6400/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	135,03
11313	FUTURA 2.4ft HE ABSc AI 8800/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	140,98
11361	FUTURA 2.4ft HE ABSc AI 12800/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	70W	12000	151,93

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
11364	FUTURA 2.5ft HE ABSc AI 8000/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	157,03
11323	FUTURA 2.5ft HE ABSc AI 11000/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	170,60
11371	FUTURA 2.5ft HE ABSc AI 16000/840 DALI 3F	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	87W	15000	198,21
11201	FUTURA 2.2ft HE ABS AI 3200/840 M1h	High efficiency - non-dimmable - plastic clips	136	IP 66	18W	3040	110,82
11214	FUTURA 2.2ft HE ABS AI 4400/840 M1h	High efficiency - non-dimmable - plastic clips	136	IP 66	23W	3980	113,84
11204	FUTURA 2.2ft HE ABS AI 6400/840 M1h	High efficiency - non-dimmable - plastic clips	136	IP 66	35W	6000	
11209	FUTURA 2.4ft HE ABS AI 6400/840 M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	156,75
11224	FUTURA 2.4ft HE ABS AI 8800/840 M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	166,13
11229	FUTURA 2.5ft HE ABS AI 8000/840 M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	180,74
11234	FUTURA 2.5ft HE ABS AI 11000/840 M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	192,92
11247	FUTURA 2.2ft HE ABSc AI 3200/840 M1h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	18W	3040	112,20
11244	FUTURA 2.2ft HE ABSc AI 4400/840 M1h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	23W	3980	115,26
11252	FUTURA 2.2ft HE ABSc AI 6400/840 M1h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	35W	6000	
11269	FUTURA 2.4ft HE ABSc AI 6400/840 M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	159,05
11254	FUTURA 2.4ft HE ABSc AI 8800/840 M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	168,43
11289	FUTURA 2.5ft HE ABSc AI 8000/840 M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	183,54
11264	FUTURA 2.5ft HE ABSc AI 11000/840 M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	195,72
11307	FUTURA 2.2ft HE ABS AI 3200/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	136	IP 66	18W	3040	134,55
11274	FUTURA 2.2ft HE ABS AI 4400/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	136	IP 66	23W	3980	137,58
11312	FUTURA 2.2ft HE ABS AI 6400/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	136	IP 66	35W	6000	
11329	FUTURA 2.4ft HE ABS AI 6400/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	182,78
11284	FUTURA 2.4ft HE ABS AI 8800/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	188,86
11339	FUTURA 2.5ft HE ABS AI 8000/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	204,22
11294	FUTURA 2.5ft HE ABS AI 11000/840 DALI M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	218,04
11347	FUTURA 2.2ft HE ABSc AI 3200/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	18W	3040	135,94
11304	FUTURA 2.2ft HE ABSc AI 4400/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	23W	3980	138,99
11350	FUTURA 2.2ft HE ABSc AI 6400/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	35W	6000	
11355	FUTURA 2.4ft HE ABSc AI 6400/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	185,05
11314	FUTURA 2.4ft HE ABSc AI 8800/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	191,16
11365	FUTURA 2.5ft HE ABSc AI 8000/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	207,03
11324	FUTURA 2.5ft HE ABSc AI 11000/840 DALI M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	220,85
11202	FUTURA 2.2ft HE ABS AI 3200/840 M3h	High efficiency - non-dimmable - plastic clips	136	IP 66	18W	3040	128,57
11215	FUTURA 2.2ft HE ABS AI 4400/840 M3h	High efficiency - non-dimmable - plastic clips	136	IP 66	23W	3980	131,63
11205	FUTURA 2.2ft HE ABS AI 6400/840 M3h	High efficiency - non-dimmable - plastic clips	136	IP 66	35W	6000	
11211	FUTURA 2.4ft HE ABS AI 6400/840 M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	176,05
11225	FUTURA 2.4ft HE ABS AI 8800/840 M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	185,43
11232	FUTURA 2.5ft HE ABS AI 8000/840 M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	200,04

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
11235	FUTURA 2.5ft HE ABS AI 11000/840 M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	212,22
11248	FUTURA 2.2ft HE ABS AI 3200/840 M3h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	18W	3040	129,96
11245	FUTURA 2.2ft HE ABS AI 4400/840 M3h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	23W	3980	133,01
11258	FUTURA 2.2ft HE ABS AI 6400/840 M3h	High efficiency - non-dimmable - stainless steel clips	136	IP 66	35W	6000	
11271	FUTURA 2.4ft HE ABS AI 6400/840 M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	178,31
11255	FUTURA 2.4ft HE ABS AI 8800/840 M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	187,73
11292	FUTURA 2.5ft HE ABS AI 8000/840 M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	202,84
11265	FUTURA 2.5ft HE ABS AI 11000/840 M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	215,02
11308	FUTURA 2.2ft HE ABS AI 3200/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	136	IP 66	18W	3040	152,56
11275	FUTURA 2.2ft HE ABS AI 4400/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	136	IP 66	23W	3980	155,62
11318	FUTURA 2.2ft HE ABS AI 6400/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	136	IP 66	35W	6000	
11330	FUTURA 2.4ft HE ABS AI 6400/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	202,05
11285	FUTURA 2.4ft HE ABS AI 8800/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	208,16
11340	FUTURA 2.5ft HE ABS AI 8000/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	223,52
11295	FUTURA 2.5ft HE ABS AI 11000/840 DALI M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	237,34
11348	FUTURA 2.2ft HE ABS AI 3200/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	18W	3040	153,95
11305	FUTURA 2.2ft HE ABS AI 4400/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	23W	3980	157,00
11351	FUTURA 2.2ft HE ABS AI 6400/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	136	IP 66	35W	6000	
11356	FUTURA 2.4ft HE ABS AI 6400/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	204,35
11315	FUTURA 2.4ft HE ABS AI 8800/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	210,43
11366	FUTURA 2.5ft HE ABS AI 8000/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	226,29
11325	FUTURA 2.5ft HE ABS AI 11000/840 DALI M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	240,14
11212	FUTURA 2.4ft HE ABS AI 6400/840 3F M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	161,94
11226	FUTURA 2.4ft HE ABS AI 8800/840 3F M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	171,36
11238	FUTURA 2.5ft HE ABS AI 8000/840 3F M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	187,35
11236	FUTURA 2.5ft HE ABS AI 11000/840 3F M1h	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	199,53
11272	FUTURA 2.4ft HE ABS AI 6400/840 3F M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	164,24
11256	FUTURA 2.4ft HE ABS AI 8800/840 3F M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	173,62
11298	FUTURA 2.5ft HE ABS AI 8000/840 3F M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	190,12
11266	FUTURA 2.5ft HE ABS AI 11000/840 3F M1h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	202,30
11331	FUTURA 2.4ft HE ABS AI 6400/840 DALI 3F M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	190,78
11286	FUTURA 2.4ft HE ABS AI 8800/840 DALI 3F M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	196,86
11341	FUTURA 2.5ft HE ABS AI 8000/840 DALI 3F M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	214,24
11296	FUTURA 2.5ft HE ABS AI 11000/840 DALI 3F M1h	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	228,09
11357	FUTURA 2.4ft HE ABS AI 6400/840 DALI 3F M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	193,05
11316	FUTURA 2.4ft HE ABS AI 8800/840 DALI 3F M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	199,16
11367	FUTURA 2.5ft HE ABS AI 8000/840 DALI 3F M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	217,04

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
11326	FUTURA 2.5ft HE ABSc AI 11000/840 DALI 3F M1h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	230,89
11213	FUTURA 2.4ft HE ABS AI 6400/840 3F M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	36W	6080	181,24
11227	FUTURA 2.4ft HE ABS AI 8800/840 3F M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	47W	8130	190,62
11239	FUTURA 2.5ft HE ABS AI 8000/840 3F M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	45W	7600	206,62
11237	FUTURA 2.5ft HE ABS AI 11000/840 3F M3h	High efficiency - non-dimmable - plastic clips	85	IP 66	58W	10030	218,83
11273	FUTURA 2.4ft HE ABSc AI 6400/840 3F M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	36W	6080	183,54
11257	FUTURA 2.4ft HE ABSc AI 8800/840 3F M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	47W	8130	192,92
11299	FUTURA 2.5ft HE ABSc AI 8000/840 3F M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	45W	7600	209,42
11267	FUTURA 2.5ft HE ABSc AI 11000/840 3F M3h	High efficiency - non-dimmable - stainless steel clips	85	IP 66	58W	10030	221,60
11332	FUTURA 2.4ft HE ABS AI 6400/840 DALI 3F M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	36W	6080	210,05
11287	FUTURA 2.4ft HE ABS AI 8800/840 DALI 3F M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	47W	8130	216,16
11342	FUTURA 2.5ft HE ABS AI 8000/840 DALI 3F M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	45W	7600	233,53
11297	FUTURA 2.5ft HE ABS AI 11000/840 DALI 3F M3h	High efficiency - DALI dimmable - plastic clips	85	IP 66	58W	10030	247,39
11358	FUTURA 2.4ft HE ABSc AI 6400/840 DALI 3F M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	36W	6080	212,35
11317	FUTURA 2.4ft HE ABSc AI 8800/840 DALI 3F M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	47W	8130	218,42
11368	FUTURA 2.5ft HE ABSc AI 8000/840 DALI 3F M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	45W	7600	236,34
11327	FUTURA 2.5ft HE ABSc AI 11000/840 DALI 3F M3h	High efficiency - DALI dimmable - stainless steel clips	85	IP 66	58W	10030	250,16
86240	FUTURA 1.4ft HORTI PC DALI	For stimulation of plant growth, plastic clips	85	IP 67	56W		240,52
86246	FUTURA 2.2ft HORTI PC DALI	For stimulation of plant growth, plastic clips	136	IP 68	56W		234,57
86249	FUTURA 2.4ft HORTI PC DALI	For stimulation of plant growth, plastic clips	85	IP 69	112W		349,17
86241	FUTURA 1.4ft HORTI PC DALI 1F	For stimulation of plant growth, plastic clips	85	IP 70	56W		243,64
86250	FUTURA 2.4ft HORTI PC DALI 1F	For stimulation of plant growth, plastic clips	85	IP 71	112W		352,28
86242	FUTURA 1.4ft HORTI PC DALI 3F	For stimulation of plant growth, plastic clips	85	IP 72	56W		245,75
86251	FUTURA 2.4ft HORTI PC DALI 3F	For stimulation of plant growth, plastic clips	85	IP 73	112W		354,39
86258	FUTURA 1.4ft HORTI PCc DALI	For stimulation of plant growth, inox clips	85	IP 74	56W		242,76
86264	FUTURA 2.2ft HORTI PCc DALI	For stimulation of plant growth, inox clips	136	IP 75	56W		235,93
86267	FUTURA 2.4ft HORTI PCc DALI	For stimulation of plant growth, inox clips	85	IP 76	112W		351,40
86259	FUTURA 1.4ft HORTI PCc DALI 1F	For stimulation of plant growth, inox clips	85	IP 77	56W		245,87
86268	FUTURA 2.4ft HORTI PCc DALI 1F	For stimulation of plant growth, inox clips	85	IP 78	112W		354,52
86260	FUTURA 1.4ft HORTI PCc DALI 3F	For stimulation of plant growth, inox clips	85	IP 79	56W		247,98
86269	FUTURA 2.4ft HORTI PCc DALI 3F	For stimulation of plant growth, inox clips	85	IP 80	112W		356,63
86204	FUTURA 1.4ft HORTI ABS DALI	For stimulation of plant growth, plastic clips	85	IP 81	56W		239,55
86210	FUTURA 2.2ft HORTI ABS DALI	For stimulation of plant growth, plastic clips	136	IP 82	56W		233,94
86213	FUTURA 2.4ft HORTI ABS DALI	For stimulation of plant growth, plastic clips	85	IP 83	112W		348,16
86205	FUTURA 1.4ft HORTI ABS DALI 1F	For stimulation of plant growth, plastic clips	85	IP 84	56W		242,66
86214	FUTURA 2.4ft HORTI ABS DALI 1F	For stimulation of plant growth, plastic clips	85	IP 85	112W		351,28
86206	FUTURA 1.4ft HORTI ABS DALI 3F	For stimulation of plant growth, plastic clips	85	IP 86	56W		244,77

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
86215	FUTURA 2.4ft HORTI ABS DALI 3F	For stimulation of plant growth, plastic clips	85	IP 87	112W		353,39
86222	FUTURA 1.4ft HORTI ABS DALI	For stimulation of plant growth, inox clips	85	IP 88	56W		241,78
86228	FUTURA 2.2ft HORTI ABS DALI	For stimulation of plant growth, inox clips	136	IP 89	56W		235,30
86231	FUTURA 2.4ft HORTI ABS DALI	For stimulation of plant growth, inox clips	85	IP 90	112W		350,39
86223	FUTURA 1.4ft HORTI ABS DALI 1F	For stimulation of plant growth, inox clips	85	IP 91	56W		244,90
86232	FUTURA 2.4ft HORTI ABS DALI 1F	For stimulation of plant growth, inox clips	85	IP 92	112W		353,51
86224	FUTURA 1.4ft HORTI ABS DALI 3F	For stimulation of plant growth, inox clips	85	IP 93	56W		247,01
86233	FUTURA 2.4ft HORTI ABS DALI 3F	For stimulation of plant growth, inox clips	85	IP 94	112W		355,62
65345	Prima LED 1.5ft PC 2600/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	18W	2320	125,94
65355	Prima LED 1.5ft PC 3200/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	22W	2860	125,94
65365	Prima LED 1.5ft PC 4400/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	30W	3920	126,86
65375	Prima LED 1.5ft PC 3250/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	22W	2810	138,43
65385	Prima LED 1.5ft PC 4000/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	27W	3530	138,43
65395	Prima LED 1.5ft PC 5500/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	37W	4940	139,61
65645	Prima LED 1.5ft PCc 2600/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	18W	2320	128,34
65655	Prima LED 1.5ft PCc 3200/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	22W	2860	128,34
65665	Prima LED 1.5ft PCc 4400/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	30W	3920	129,27
65675	Prima LED 1.5ft PCc 3250/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	141,36
65685	Prima LED 1.5ft PCc 4000/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	141,36
65695	Prima LED 1.5ft PCc 5500/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	142,55
65348	Prima LED 1.4ft PC 2600/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	152,63
65358	Prima LED 1.4ft PC 3200/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	152,63
65368	Prima LED 1.4ft PC 4400/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	153,59
65378	Prima LED 1.5ft PC 3250/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	165,25
65388	Prima LED 1.5ft PC 4000/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	165,25
65398	Prima LED 1.5ft PC 5500/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	166,47
65648	Prima LED 1.4ft PCc 2600/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	155,04
65658	Prima LED 1.4ft PCc 3200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	155,04
65668	Prima LED 1.4ft PCc 4400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	155,96
65678	Prima LED 1.5ft PCc 3250/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	168,18
65688	Prima LED 1.5ft PCc 4000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	168,18
65698	Prima LED 1.5ft PCc 5500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	169,37
67345	Prima LED 1.4ft ABS 2600/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	18W	2320	126,60
67355	Prima LED 1.4ft ABS 3200/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	22W	2860	126,60
67365	Prima LED 1.4ft ABS 4400/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	30W	3920	127,52
67375	Prima LED 1.5ft ABS 3250/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	22W	2810	139,48
67385	Prima LED 1.5ft ABS 4000/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	27W	3530	139,48

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
67395	Prima LED 1.5ft ABS 5500/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	37W	4940	140,67
67645	Prima LED 1.4ft ABSc 2600/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	129,00
67655	Prima LED 1.4ft ABSc 3200/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	129,00
67665	Prima LED 1.4ft ABSc 4400/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	129,93
67675	Prima LED 1.5ft ABSc 3250/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	142,41
67685	Prima LED 1.5ft ABSc 4000/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	142,41
67695	Prima LED 1.5ft ABSc 5500/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	143,60
67348	Prima LED 1.4ft ABS 2600/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	153,29
67358	Prima LED 1.4ft ABS 3200/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	153,29
67368	Prima LED 1.4ft ABS 4400/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	154,24
67378	Prima LED 1.5ft ABS 3250/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	166,34
67388	Prima LED 1.5ft ABS 4000/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	166,34
67398	Prima LED 1.5ft ABS 5500/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	167,52
67648	Prima LED 1.4ft ABSc 2600/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	155,69
67658	Prima LED 1.4ft ABSc 3200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	155,69
67668	Prima LED 1.4ft ABSc 4400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	156,62
67678	Prima LED 1.5ft ABSc 3250/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	169,24
67688	Prima LED 1.5ft ABSc 4000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	169,24
67698	Prima LED 1.5ft ABSc 5500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	170,46
66345	Prima LED 1.4ft VP 2600/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	18W	2320	130,19
66355	Prima LED 1.4ft VP 3200/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	22W	2860	130,19
66365	Prima LED 1.4ft VP 4400/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	30W	3920	131,11
66375	Prima LED 1.5ft VP 3250/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	22W	2810	142,68
66385	Prima LED 1.5ft VP 4000/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	27W	3530	142,68
66395	Prima LED 1.5ft VP 5500/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	37W	4940	143,86
66645	Prima LED 1.4ft VPc 2600/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	132,60
66655	Prima LED 1.4ft VPc 3200/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	132,60
66665	Prima LED 1.4ft VPc 4400/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	133,52
66675	Prima LED 1.5ft VPc 3250/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	145,61
66685	Prima LED 1.5ft VPc 4000/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	145,61
66695	Prima LED 1.5ft VPc 5500/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	146,80
66348	Prima LED 1.4ft VP 2600/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	156,88
66358	Prima LED 1.4ft VP 3200/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	22	2860	156,88
66368	Prima LED 1.4ft VP 4400/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	157,84
66378	Prima LED 1.5ft VP 3250/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	169,50
66388	Prima LED 1.5ft VP 4000/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	169,50
66398	Prima LED 1.5ft VP 5500/840 DALI 3F M3h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	170,72

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
66648	Prima LED 1.4ft VPc 2600/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	159,29
66658	Prima LED 1.4ft VPc 3200/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	159,29
66668	Prima LED 1.4ft VPc 4400/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	160,21
66678	Prima LED 1.5ft VPc 3250/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	172,43
66688	Prima LED 1.5ft VPc 4000/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27	3530	172,43
66698	Prima LED 1.5ft VPc 5500/840 DALI 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	173,62
64345	Prima LED 1.4ft SNS PC 2600/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	18W	2320	146,73
64355	Prima LED 1.4ft SNS PC 3200/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	22W	2860	146,73
64365	Prima LED 1.4ft SNS PC 4400/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	30W	3920	147,69
64375	Prima LED 1.5ft SNS PC 3250/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	22W	2810	159,58
64385	Prima LED 1.5ft SNS PC 4000/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	27W	3530	159,58
64395	Prima LED 1.5ft SNS PC 5500/840 3F M3h	Non-dimmable - plastic clips	119	IP 66	37W	4940	160,83
64645	Prima LED 1.4ft SNS PCc 2600/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	18W	2320	149,20
64655	Prima LED 1.4ft SNS PCc 3200/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2860	149,20
64665	Prima LED 1.4ft SNS PCc 4400/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	30W	3920	150,16
64675	Prima LED 1.5ft SNS PCc 3250/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	22W	2810	162,61
64685	Prima LED 1.5ft SNS PCc 4000/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	27W	3530	162,61
64695	Prima LED 1.5ft SNS PCc 5500/840 3F M3h	Non-dimmable - stainless steel clips (c)	119	IP 66	37W	4940	163,83
56100	Prima LED 1.4ft ABS 2600/840 RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	18+12	2320+550	83,50
56102	Prima LED 1.4ft ABS 3200/840 RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	22+12	2860+550	83,50
56104	Prima LED 1.4ft ABS 4400/840 RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	30+12	3920+550	84,39
56106	Prima LED 1.4ft ABS 6400/840 RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	43+12	650+550	88,01
56108	Prima LED 1.5ft ABS 3250/840 RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	22+12	2810+550	89,73
56110	Prima LED 1.5ft ABS 4000/840 RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	27+12	3530+550	89,73
56112	Prima LED 1.5ft ABS 5500/840 RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	37+12	4940+550	90,91
56114	Prima LED 1.5ft ABS 8000/840 RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	54+12	7090+550	95,66
56116	Prima LED 1.4ft ABSc 2600/840 RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	18+12	2320+550	85,84
56118	Prima LED 1.4ft ABSc 3200/840 RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	22+12	2860+550	85,84
56120	Prima LED 1.4ft ABSc 4400/840 RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	30+12	3920+550	86,73
56122	Prima LED 1.4ft ABSc 6400/840 RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	43+12	650+550	90,42
56124	Prima LED 1.5ft ABSc 3250/840 RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	22+12	2810+550	92,59
56126	Prima LED 1.5ft ABSc 4000/840 RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	27+12	3530+550	92,59
56128	Prima LED 1.5ft ABSc 5500/840 RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	37+12	4940+550	93,78
56130	Prima LED 1.5ft ABSc 8000/840 RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	54+12	7090+550	98,59
56101	Prima LED 1.4ft ABS 2600/840 3F RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	18+12	2320+550	88,44
56103	Prima LED 1.4ft ABS 3200/840 3F RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	22+12	2860+550	88,44

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
56105	Prima LED 1.4ft ABS 4400/840 3F RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	30+12	920+550	89,33
56107	Prima LED 1.4ft ABS 6400/840 3F RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	43+12	650+550	94,57
56109	Prima LED 1.5ft ABS 3250/840 3F RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	22+12	810+550	95,33
56111	Prima LED 1.5ft ABS 4000/840 3F RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	27+12	530+550	95,33
56113	Prima LED 1.5ft ABS 5500/840 3F RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	37+12	940+550	96,51
56115	Prima LED 1.5ft ABS 8000/840 3F RED	Non-dimmable - plastic clips - with RED LED module	119	IP 66	54+12	090+550	102,21
56117	Prima LED 1.4ft ABSc 2600/840 3F RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	18+12	320+550	90,78
56119	Prima LED 1.4ft ABSc 3200/840 3F RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	22+12	860+550	90,78
56121	Prima LED 1.4ft ABSc 4400/840 3F RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	30+12	920+550	91,70
56123	Prima LED 1.4ft ABSc 6400/840 3F RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	43+12	650+550	96,98
56125	Prima LED 1.5ft ABSc 3250/840 3F RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	22+12	810+550	98,19
56127	Prima LED 1.5ft ABSc 4000/840 3F RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	27+12	530+550	98,19
56129	Prima LED 1.5ft ABSc 5500/840 3F RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	37+12	940+550	99,38
56131	Prima LED 1.5ft ABSc 8000/840 3F RED	Non-dimmable - inox clips - with RED LED module	119	IP 66	54+12	090+550	105,18
56132	Prima LED 1.4ft ABS 2600/840 DALI RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	18+12	320+550	127,13
56135	Prima LED 1.4ft ABS 3200/840 DALI RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	22+12	860+550	127,13
56138	Prima LED 1.4ft ABS 4400/840 DALI RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	30+12	920+550	128,02
56141	Prima LED 1.4ft ABS 6400/840 DALI RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	43+12	650+550	130,52
56144	Prima LED 1.5ft ABS 3250/840 DALI RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	22+12	810+550	133,35
56147	Prima LED 1.5ft ABS 4000/840 DALI RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	27+12	530+550	133,35
56150	Prima LED 1.5ft ABS 5500/840 DALI RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	37+12	940+550	134,54
56153	Prima LED 1.5ft ABS 8000/840 DALI RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	54+12	090+550	138,69
56156	Prima LED 1.4ft ABSc 2600/840 DALI RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	18+12	320+550	129,47
56159	Prima LED 1.4ft ABSc 3200/840 DALI RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	22+12	860+550	129,47
56162	Prima LED 1.4ft ABSc 4400/840 DALI RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	30+12	920+550	130,39
56165	Prima LED 1.4ft ABSc 6400/840 DALI RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	43+12	650+550	132,96
56168	Prima LED 1.5ft ABSc 3250/840 DALI RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	22+12	810+550	136,22
56171	Prima LED 1.5ft ABSc 4000/840 DALI RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	27+12	530+550	136,22
56174	Prima LED 1.5ft ABSc 5500/840 DALI RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	37+12	940+550	137,41
56177	Prima LED 1.5ft ABSc 8000/840 DALI RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	54+12	090+550	141,56
56133	Prima LED 1.4ft ABS 2600/840 DALI 1F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	18+12	320+550	132,07
56136	Prima LED 1.4ft ABS 3200/840 DALI 1F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	22+12	860+550	132,07
56139	Prima LED 1.4ft ABS 4400/840 DALI 1F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	30+12	920+550	132,99
56142	Prima LED 1.4ft ABS 6400/840 DALI 1F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	43+12	650+550	135,63
56145	Prima LED 1.5ft ABS 3250/840 DALI 1F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	22+12	810+550	138,96
56148	Prima LED 1.5ft ABS 4000/840 DALI 1F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	27+12	530+550	138,96
56151	Prima LED 1.5ft ABS 5500/840 DALI 1F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	37+12	940+550	140,14

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
56154	Prima LED 1.5ft ABS 8000/840 DALI 1F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	54+12	7090+550	144,29
56157	Prima LED 1.4ft ABSc 2600/840 DALI 1F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	18+12	2320+550	134,41
56160	Prima LED 1.4ft ABSc 3200/840 DALI 1F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	22+12	2860+550	134,41
56163	Prima LED 1.4ft ABSc 4400/840 DALI 1F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	30+12	3920+550	135,33
56166	Prima LED 1.4ft ABSc 6400/840 DALI 1F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	43+12	5650+550	138,03
56169	Prima LED 1.5ft ABSc 3250/840 DALI 1F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	22+12	2810+550	141,82
56172	Prima LED 1.5ft ABSc 4000/840 DALI 1F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	27+12	3530+550	141,82
56175	Prima LED 1.5ft ABSc 5500/840 DALI 1F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	37+12	4940+550	143,01
56178	Prima LED 1.5ft ABSc 8000/840 DALI 1F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	54+12	7090+550	147,16
56134	Prima LED 1.4ft ABS 2600/840 DALI 3F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	18+12	2320+550	134,54
56137	Prima LED 1.4ft ABS 3200/840 DALI 3F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	22+12	2860+550	134,54
56140	Prima LED 1.4ft ABS 4400/840 DALI 3F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	30+12	3920+550	135,46
56143	Prima LED 1.4ft ABS 6400/840 DALI 3F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	43+12	5650+550	138,16
56146	Prima LED 1.5ft ABS 3250/840 DALI 3F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	22+12	2810+550	141,43
56149	Prima LED 1.5ft ABS 4000/840 DALI 3F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	27+12	3530+550	141,43
56152	Prima LED 1.5ft ABS 5500/840 DALI 3F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	37+12	4940+550	142,61
56155	Prima LED 1.5ft ABS 8000/840 DALI 3F RED	DALI dimmable - plastic clips - with RED LED module	119	IP 66	54+12	7090+550	146,80
56158	Prima LED 1.4ft ABSc 2600/840 DALI 3F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	18+12	2320+550	136,88
56161	Prima LED 1.4ft ABSc 3200/840 DALI 3F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	22+12	2860+550	136,88
56164	Prima LED 1.4ft ABSc 4400/840 DALI 3F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	30+12	3920+550	137,80
56167	Prima LED 1.4ft ABSc 6400/840 DALI 3F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	43+12	5650+550	140,60
56170	Prima LED 1.5ft ABSc 3250/840 DALI 3F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	22+12	2810+550	144,29
56173	Prima LED 1.5ft ABSc 4000/840 DALI 3F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	27+12	3530+550	144,29
56176	Prima LED 1.5ft ABSc 5500/840 DALI 3F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	37+12	4940+550	145,48
56179	Prima LED 1.5ft ABSc 8000/840 DALI 3F RED	DALI dimmable - inox clips - with RED LED module	119	IP 66	54+12	7090+550	149,66
64348	Prima LED 1.4ft SNS PC 2600/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	119	IP 66	18W	2320	174,21
64358	Prima LED 1.4ft SNS PC 3200/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2860	174,21
64368	Prima LED 1.4ft SNS PC 4400/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	119	IP 66	30W	3920	175,17
64378	Prima LED 1.5ft SNS PC 3250/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	119	IP 66	22W	2810	188,58
64388	Prima LED 1.5ft SNS PC 4000/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	119	IP 66	27W	3530	187,23
64398	Prima LED 1.5ft SNS PC 5500/840 CORRIDOR 3F M3h	DALI Dimmable - plastic clips	119	IP 66	37W	4940	187,23
64648	Prima LED 1.4ft SNS PCc 2600/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	18W	2320	176,68
64558	Prima LED 1.4ft SNS PCc 3200/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2860	176,68
64668	Prima LED 1.4ft SNS PCc 4400/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	30W	3920	177,64
64678	Prima LED 1.5ft SNS PCc 3250/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	22W	2810	191,58
64688	Prima LED 1.5ft SNS PCc 4000/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	27W	3530	190,23
64698	Prima LED 1.5ft SNS PCc 5500/840 CORRIDOR 3F M3h	DALI Dimmable - stainless steel clips (c)	119	IP 66	37W	4940	190,23

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
62210	Prima LED 1.2ft PC NM1h	Non-maintained emergency luminaire - plastic clips	204	IP 66	4,5W	440	73,61
62211	Prima LED 1.2ft PC 3F NM1h	Non-maintained emergency luminaire - plastic clips	204	IP 66	4,5W	440	#VALUE!
62213	Prima LED 1.2ft PC NM3h	Non-maintained emergency luminaire - plastic clips	204	IP 66	4,5W	440	89,92
62214	Prima LED 1.2ft PC 3F NM3h	Non-maintained emergency luminaire - plastic clips	204	IP 66	4,5W	440	#VALUE!
62220	Prima LED 1.2ft PC NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	204	IP 66	3,3W	440	95,53
62221	Prima LED 1.2ft PC 3F NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	204	IP 66	3,3W	440	#VALUE!
62223	Prima LED 1.2ft PC NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	204	IP 66	3,3W	440	115,72
62224	Prima LED 1.2ft PC 3F NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	204	IP 66	3,3W	440	#VALUE!
62230	Prima LED 1.2ft PCc NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	204	IP 66	4,5W	440	75,33
62231	Prima LED 1.2ft PCc 3F NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	204	IP 66	4,5W	440	#VALUE!
62233	Prima LED 1.2ft PCc NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	204	IP 66	4,5W	440	91,67
62234	Prima LED 1.2ft PCc 3F NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	204	IP 66	4,5W	440	#VALUE!
62240	Prima LED 1.2ft PCc NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	204	IP 66	3,3W	440	97,24
62241	Prima LED 1.2ft PCc 3F NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	204	IP 66	3,3W	440	#VALUE!
62243	Prima LED 1.2ft PCc NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	204	IP 66	3,3W	440	117,44
62244	Prima LED 1.2ft PCc 3F NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	204	IP 66	3,3W	440	#VALUE!
62250	Prima LED 1.2ft PC L1 2x5P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5W	440	82,25
62251	Prima LED 1.2ft PC L3 2x5P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5W	440	82,25
62252	Prima LED 1.2ft PC L1 2x7P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5W	440	124,09
62254	Prima LED 1.2ft PC L3 2x5P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5W	440	98,56
62255	Prima LED 1.2ft PC L1 2x7P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5W	440	140,40
62260	Prima LED 1.2ft PC L1 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	104,16
62261	Prima LED 1.2ft PC L3 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	104,16
62262	Prima LED 1.2ft PC L1 2x7P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	146,01
62263	Prima LED 1.2ft PC L1 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	124,36
62264	Prima LED 1.2ft PC L3 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	124,36
62265	Prima LED 1.2ft PC L1 2x7P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	166,21
62270	Prima LED 1.2ft PCc L1 2x5P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5W	440	83,96
62271	Prima LED 1.2ft PCc L3 2x5P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5W	440	83,96
62272	Prima LED 1.2ft PCc L1 2x7P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5W	440	125,81
62273	Prima LED 1.2ft PCc L1 2x5P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5W	440	100,30
62274	Prima LED 1.2ft PCc L3 2x5P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5W	440	100,30
62275	Prima LED 1.2ft PCc L1 2x7P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5W	440	142,15
62280	Prima LED 1.2ft PCc L1 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	204	IP 66	3,3W	440	105,87
62281	Prima LED 1.2ft PCc L3 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	204	IP 66	3,3W	440	105,87
62282	Prima LED 1.2ft PCc L1 2x7P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	204	IP 66	3,3	440	147,72
62283	Prima LED 1.2ft PCc L1 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c)	204	IP 66	3,3	440	126,07

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
62284	Prima LED 1.2ft PCc L3 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c	204	IP 66	3,3	440	126,07
62285	Prima LED 1.2ft PCc L1 2x7P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c	204	IP 66	3,3	440	167,92
62310	Prima LED 1.2ft ABS NM1h	Non-maintained emergency luminaire - plastic clips	204	IP 66	4,5	440	74,27
62311	Prima LED 1.2ft ABS 3F NM1h	Non-maintained emergency luminaire - plastic clips	204	IP 66	4,5	440	#VALUE!
62313	Prima LED 1.2ft ABS NM3h	Non-maintained emergency luminaire - plastic clips	204	IP 66	4,5	440	90,62
62314	Prima LED 1.2ft ABS 3F NM3h	Non-maintained emergency luminaire - plastic clips	204	IP 66	4,5W	440	#VALUE!
62320	Prima LED 1.2ft ABS NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	204	IP 66	3,3W	440	96,18
62321	Prima LED 1.2ft ABS 3F NM1h At	Non-maintained emergency luminaire - autotest - plastic clips	204	IP 66	3,3W	440	#VALUE!
62323	Prima LED 1.2ft ABS NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	204	IP 66	3,3W	440	116,38
62324	Prima LED 1.2ft ABS 3F NM3h At	Non-maintained emergency luminaire - autotest - plastic clips	204	IP 66	3,3W	440	#VALUE!
62330	Prima LED 1.2ft ABSc NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	204	IP 66	4,5W	440	115,86
62331	Prima LED 1.2ft ABSc 3F NM1h	Non-maintained emergency luminaire - stainless steel clips (c)	204	IP 66	4,5W	440	#VALUE!
62333	Prima LED 1.2ft ABSc NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	204	IP 66	4,5W	440	92,33
62334	Prima LED 1.2ft ABSc 3F NM3h	Non-maintained emergency luminaire - stainless steel clips (c)	204	IP 66	4,5W	440	#VALUE!
62340	Prima LED 1.2ft ABSc NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	204	IP 66	3,3	440	97,90
62341	Prima LED 1.2ft ABSc 3F NM1h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	204	IP 66	3,3	440	#VALUE!
62343	Prima LED 1.2ft ABSc NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	204	IP 66	3,3	440	118,10
62344	Prima LED 1.2ft ABSc 3F NM3h At	Non-maintained emergency luminaire - autotest - stainless steel clips (c)	204	IP 66	3,3	440	#VALUE!
62350	Prima LED 1.2ft ABS L1 2x5P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5	440	82,77
62351	Prima LED 1.2ft ABS L3 2x5P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5	440	82,77
62352	Prima LED 1.2ft ABS L1 2x7P NM1h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5	440	124,62
62353	Prima LED 1.2ft ABS L1 2x5P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5	440	99,12
62354	Prima LED 1.2ft ABS L3 2x5P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5W	440	99,12
62355	Prima LED 1.2ft ABS L1 2x7P NM3h	Non-maintained emergency luminaire with connectors - plastic clips	204	IP 66	4,5W	440	140,97
62360	Prima LED 1.2ft ABS L1 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	104,69
62361	Prima LED 1.2ft ABS L3 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	104,69
62362	Prima LED 1.2ft ABS L1 2x7P NM1h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	146,53
62363	Prima LED 1.2ft ABS L1 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	124,23
62364	Prima LED 1.2ft ABS L3 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	124,23
62365	Prima LED 1.2ft ABS L1 2x7P NM3h At	Non-maintained emergency luminaire with connectors - autotest - plastic clips	204	IP 66	3,3W	440	166,73
62370	Prima LED 1.2ft ABSc L1 2x5P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5W	440	84,49
62371	Prima LED 1.2ft ABSc L3 2x5P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5	440	84,49
62372	Prima LED 1.2ft ABSc L1 2x7P NM1h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5	440	126,33
62373	Prima LED 1.2ft ABSc L1 2x5P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5	440	100,83
62374	Prima LED 1.2ft ABSc L3 2x5P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5	440	100,83
62375	Prima LED 1.2ft ABSc L1 2x7P NM3h	Non-maintained emergency luminaire with connectors - stainless steel clips (c)	204	IP 66	4,5	440	142,68
62380	Prima LED 1.2ft ABSc L1 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c	204	IP 66	3,3	440	106,40

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
62381	Prima LED 1.2ft ABSc L3 2x5P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c	204	IP 66	3,3	440	106,40
62382	Prima LED 1.2ft ABSc L1 2x7P NM1h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c	204	IP 66	3,3	440	148,25
62383	Prima LED 1.2ft ABSc L1 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c	204	IP 66	3,3W	440	126,60
62384	Prima LED 1.2ft ABSc L3 2x5P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c	204	IP 66	3,3W	440	126,60
62385	Prima LED 1.2ft ABSc L1 2x7P NM3h At	Non-maintained emergency luminaire with connectors - autotest - stainless steel clips (c	204	IP 66	3,3W	440	168,45
63140	LINEA 1.4ft 2600/840	Diffuser made of translucent polycarbonate	114	IP 54	18W	2240	38,96
63150	LINEA 1.4ft 3200/840	Diffuser made of translucent polycarbonate	114	IP 54	22W	2720	38,96
63160	LINEA 1.4ft 4400/840	Diffuser made of translucent polycarbonate	114	IP 54	30W	3720	39,69
63240	LINEA 2.4ft 5200/840	Diffuser made of translucent polycarbonate	86	IP 54	35W	4330	58,21
63250	LINEA 2.4ft 6400/840	Diffuser made of translucent polycarbonate	86	IP 54	42W	5210	58,21
63260	LINEA 2.4ft 8800/840	Diffuser made of translucent polycarbonate	86	IP 54	58W	7280	62,49
63510	LINEA_SQUARE 1200/840	Diffuser made of translucent polycarbonate	162	IP 54	10W	1180	50,03
63520	LINEA_SQUARE 1800/840	Diffuser made of translucent polycarbonate	162	IP 54	13W	1490	50,03
63540	LINEA_SQUARE 2400/840	Diffuser made of translucent polycarbonate	162	IP 54	18W	2020	50,03
63560	LINEA_SQUARE 3600/840	Diffuser made of translucent polycarbonate	162	IP 54	27W	2890	50,03
63610	LINEA_ROUND 1200/840	Diffuser made of translucent polycarbonate	208	IP 54	10W	1200	44,13
63620	LINEA_ROUND 1800/840	Diffuser made of translucent polycarbonate	208	IP 54	13W	1500	44,13
63630	LINEA_ROUND 2400/840	Diffuser made of translucent polycarbonate	208	IP 54	18W	2040	44,13
63640	LINEA_ROUND 3600/840	Diffuser made of translucent polycarbonate	208	IP 54	27W	2930	44,13
63144	LINEA 1.4ft 2600/840 M1h	Diffuser made of translucent polycarbonate	114	IP 54	18W	2240	85,58
63154	LINEA 1.4ft 3200/840 M1h	Diffuser made of translucent polycarbonate	114	IP 54	22W	2720	85,58
63164	LINEA 1.4ft 4400/840 M1h	Diffuser made of translucent polycarbonate	114	IP 54	30W	3720	86,34
63244	LINEA 2.4ft 5200/840 M1h	Diffuser made of translucent polycarbonate	86	IP 54	35W	4330	100,85
63254	LINEA 2.4ft 6400/840 M1h	Diffuser made of translucent polycarbonate	86	IP 54	42W	5210	100,85
63264	LINEA 2.4ft 8800/840 M1h	Diffuser made of translucent polycarbonate	86	IP 54	58W	7280	105,21
63514	LINEA_SQUARE 1200/840 M1h	Diffuser made of translucent polycarbonate	162	IP 54	10W	1180	149,33
63524	LINEA_SQUARE 1800/840 M1h	Diffuser made of translucent polycarbonate	162	IP 54	13W	1490	149,33
63544	LINEA_SQUARE 2400/840 M1h	Diffuser made of translucent polycarbonate	162	IP 54	18	2020	149,33
63564	LINEA_SQUARE 3600/840 M1h	Diffuser made of translucent polycarbonate	162	IP 54	27	2890	149,33
63614	LINEA_ROUND 1200/840 M1h	Diffuser made of translucent polycarbonate	208	IP 54	10	1200	143,31
63634	LINEA_ROUND 1800/840 M1h	Diffuser made of translucent polycarbonate	208	IP 54	13	1500	143,31
63654	LINEA_ROUND 2400/840 M1h	Diffuser made of translucent polycarbonate	208	IP 54	18	2040	143,31
63664	LINEA_ROUND 3600/840 M1h	Diffuser made of translucent polycarbonate	208	IP 54	27	2930	143,31
63245	LINEA 2.4ft 5200/840 M3h	Diffuser made of translucent polycarbonate	86	IP 54	35	4330	114,50
63255	LINEA 2.4ft 6400/840 M3h	Diffuser made of translucent polycarbonate	86	IP 54	42	5210	114,50
63265	LINEA 2.4ft 8800/840 M3h	Diffuser made of translucent polycarbonate	86	IP 54	58W	7280	118,86
63143	LINEA 1.4ft 2600/840 Dali	Diffuser made of translucent polycarbonate	114	IP 54	18W	2240	60,08

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
63153	LINEA 1.4ft 3200/840 Dali	Diffuser made of translucent polycarbonate	114	IP 54	22W	2720	60,08
63163	LINEA 1.4ft 4400/840 Dali	Diffuser made of translucent polycarbonate	114	IP 54	30W	3720	60,73
63243	LINEA 2.4ft 5200/840 Dali	Diffuser made of translucent polycarbonate	86	IP 54	35W	4330	76,95
63253	LINEA 2.4ft 6400/840 Dali	Diffuser made of translucent polycarbonate	86	IP 54	42W	5210	76,95
63263	LINEA 2.4ft 8800/840 Dali	Diffuser made of translucent polycarbonate	86	IP 54	58W	7280	79,08
63513	LINEA_SQUARE 1200/840 Dali	Diffuser made of translucent polycarbonate	162	IP 54	10W	1180	69,20
63523	LINEA_SQUARE 1800/840 Dali	Diffuser made of translucent polycarbonate	162	IP 54	13W	1490	69,20
63543	LINEA_SQUARE 2400/840 Dali	Diffuser made of translucent polycarbonate	162	IP 54	18W	2020	69,20
63563	LINEA_SQUARE 3600/840 Dali	Diffuser made of translucent polycarbonate	162	IP 54	27W	2890	69,20
63613	LINEA_ROUND 1200/840 Dali	Diffuser made of translucent polycarbonate	208	IP 54	10W	1200	63,30
63633	LINEA_ROUND 1800/840 Dali	Diffuser made of translucent polycarbonate	208	IP 54	13W	1500	63,30
63653	LINEA_ROUND 2400/840 Dali	Diffuser made of translucent polycarbonate	208	IP 54	18W	2040	63,30
63663	LINEA_ROUND 3600/840 Dali	Diffuser made of translucent polycarbonate	208	IP 54	27W	2930	63,30
63147	LINEA 1.4ft 2600/840 DALI M1h	Diffuser made of translucent polycarbonate	114	IP 54	18W	2240	107,40
63157	LINEA 1.4ft 3200/840 DALI M1h	Diffuser made of translucent polycarbonate	114	IP 54	22W	2720	107,40
63167	LINEA 1.4ft 4400/840 DALI M1h	Diffuser made of translucent polycarbonate	114	IP 54	30W	3720	108,16
63247	LINEA 2.4ft 5200/840 DALI M1h	Diffuser made of translucent polycarbonate	86	IP 54	35W	4330	120,51
63257	LINEA 2.4ft 6400/840 DALI M1h	Diffuser made of translucent polycarbonate	86	IP 54	42W	5210	120,51
63267	LINEA 2.4ft 8800/840 DALI M1h	Diffuser made of translucent polycarbonate	86	IP 54	58W	7280	122,13
63517	LINEA_SQUARE 1200/840 DALI M1h	Diffuser made of translucent polycarbonate	162	IP 54	10W	1180	168,88
63527	LINEA_SQUARE 1800/840 DALI M1h	Diffuser made of translucent polycarbonate	162	IP 54	13W	1490	168,88
63547	LINEA_SQUARE 2400/840 DALI M1h	Diffuser made of translucent polycarbonate	162	IP 54	18W	2020	168,88
63567	LINEA_SQUARE 3600/840 DALI M1h	Diffuser made of translucent polycarbonate	162	IP 54	27W	2890	168,88
63617	LINEA_ROUND 1200/840 DALI M1h	Diffuser made of translucent polycarbonate	208	IP 54	10	1200	162,85
63637	LINEA_ROUND 1800/840 DALI M1h	Diffuser made of translucent polycarbonate	208	IP 54	13	1500	162,85
63657	LINEA_ROUND 2400/840 DALI M1h	Diffuser made of translucent polycarbonate	208	IP 54	18	2040	162,85
63667	LINEA_ROUND 3600/840 DALI M1h	Diffuser made of translucent polycarbonate	208	IP 54	27	2930	162,85
63246	LINEA 2.4ft 5200/840 DALI M3h	Diffuser made of translucent polycarbonate	86	IP 54	35	4330	134,15
63256	LINEA 2.4ft 6400/840 DALI M3h	Diffuser made of translucent polycarbonate	86	IP 54	42	5210	134,15
63266	LINEA 2.4ft 8800/840 DALI M3h	Diffuser made of translucent polycarbonate	86	IP 54	58	7280	135,78
63241	LINEA 2.4ft 5200/840 Sensor	Diffuser made of translucent polycarbonate	86	IP 54	35	4330	74,05
63251	LINEA 2.4ft 6400/840 Sensor	Diffuser made of translucent polycarbonate	86	IP 54	42	5210	74,05
63261	LINEA 2.4ft 8800/840 Sensor	Diffuser made of translucent polycarbonate	86	IP 54	58	7280	78,54
63611	LINEA_ROUND 1200/840 Sensor	Diffuser made of translucent polycarbonate	208	IP 54	10	1200	59,56
63621	LINEA_ROUND 1800/840 Sensor	Diffuser made of translucent polycarbonate	208	IP 54	13	1500	59,56
63631	LINEA_ROUND 2400/840 Sensor	Diffuser made of translucent polycarbonate	208	IP 54	18	2020	59,56
63641	LINEA_ROUND 3600/840 Sensor	Diffuser made of translucent polycarbonate	208	IP 54	27	2890	59,56

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
63511	LINEA_SQUARE 1200/840 Sensor	Diffuser made of translucent polycarbonate	162	IP 54	10	1180	65,77
63521	LINEA_SQUARE 1800/840 Sensor	Diffuser made of translucent polycarbonate	162	IP 54	13	1490	65,77
63541	LINEA_SQUARE 2400/840 Sensor	Diffuser made of translucent polycarbonate	162	IP 54	18	2020	65,77
63561	LINEA_SQUARE 3600/840 Sensor	Diffuser made of translucent polycarbonate	162	IP 54	27	2890	65,77
63515	LINEA_SQUARE 1200/840 M3h	Diffuser made of translucent polycarbonate	162	IP 54	10	1180	168,33
63525	LINEA_SQUARE 1800/840 M3h	Diffuser made of translucent polycarbonate	162	IP 54	13	1490	168,33
63545	LINEA_SQUARE 2400/840 M3h	Diffuser made of translucent polycarbonate	162	IP 54	18	2020	168,33
63565	LINEA_SQUARE 3600/840 M3h	Diffuser made of translucent polycarbonate	162	IP 54	27	2890	168,33
63615	LINEA_ROUND 1200/840 M3h	Diffuser made of translucent polycarbonate	208	IP 54	10	1200	162,29
63635	LINEA_ROUND 1800/840 M3h	Diffuser made of translucent polycarbonate	208	IP 54	13	1500	162,29
63655	LINEA_ROUND 2400/840 M3h	Diffuser made of translucent polycarbonate	208	IP 54	18	2040	162,29
63665	LINEA_ROUND 3600/840 M3h	Diffuser made of translucent polycarbonate	208	IP 54	27	2930	162,29
63248	LINEA 2.4ft 5200/840 DALI Sensor	Diffuser made of translucent polycarbonate	86	IP 54	35	4330	94,08
63258	LINEA 2.4ft 6400/840 DALI Sensor	Diffuser made of translucent polycarbonate	86	IP 54	42	5210	94,08
63268	LINEA 2.4ft 8800/840 DALI Sensor	Diffuser made of translucent polycarbonate	86	IP 54	58	7280	95,95
63616	LINEA_ROUND 1200/840 Sensor M1h	Diffuser made of translucent polycarbonate	208	IP 54	10	1200	160,74
63626	LINEA_ROUND 1800/840 Sensor M1h	Diffuser made of translucent polycarbonate	208	IP 54	13	1500	160,74
63636	LINEA_ROUND 2400/840 Sensor M1h	Diffuser made of translucent polycarbonate	208	IP 54	10	1200	160,74
63646	LINEA_ROUND 3600/840 Sensor M1h	Diffuser made of translucent polycarbonate	208	IP 54	13	1500	160,74
63516	LINEA_SQUARE 1200/840 Sensor M1h	Diffuser made of translucent polycarbonate	162	IP 54	10	1180	166,95
63526	LINEA_SQUARE 1800/840 Sensor M1h	Diffuser made of translucent polycarbonate	162	IP 54	13	1490	166,95
63546	LINEA_SQUARE 2400/840 Sensor M1h	Diffuser made of translucent polycarbonate	162	IP 54	18	2020	166,95
63566	LINEA_SQUARE 3600/840 Sensor M1h	Diffuser made of translucent polycarbonate	162	IP 54	27	2890	166,95
86710	PERUN SLIM 1.2ft 1300/840	Non-dimmable driver, diffuser made of translucent tempered glass	240	IP 65	10	1140	80,09
86720	PERUN SLIM 1.2ft 1600/840	Non-dimmable driver, diffuser made of translucent tempered glass	240	IP 65	12	1360	80,09
86730	PERUN SLIM 1.2ft 2200/840	Non-dimmable driver, diffuser made of translucent tempered glass	240	IP 65	15	1760	80,44
86740	PERUN SLIM 1.4ft 2600/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	104,58
86750	PERUN SLIM 1.4ft 3200/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	104,58
86760	PERUN SLIM 1.4ft 4400/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	105,38
86770	PERUN SLIM 1.4ft 6400/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	43	5100	109,47
86780	PERUN SLIM 1.5ft 3250/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	121,74
86790	PERUN SLIM 1.5ft 4000/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	121,74
86800	PERUN SLIM 1.5ft 5500/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	122,74
86810	PERUN SLIM 1.5ft 8000/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	54	6410	128,16
86820	PERUN SLIM 1.2ft 1300/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	240	IP 65	10	1140	98,39
86830	PERUN SLIM 1.2ft 1600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	240	IP 65	12	1360	98,39
86840	PERUN SLIM 1.2ft 2200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	240	IP 65	15	1760	98,82

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
86850	PERUN SLIM 1.4ft 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	126,59
86860	PERUN SLIM 1.4ft 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	126,59
86870	PERUN SLIM 1.4ft 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	127,36
86880	PERUN SLIM 1.4ft 6400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	43	5100	130,19
86890	PERUN SLIM 1.5ft 3250/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	144,29
86900	PERUN SLIM 1.5ft 4000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	144,29
86910	PERUN SLIM 1.5ft 5500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	145,32
86920	PERUN SLIM 1.5ft 8000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	54	6410	148,91
86711	PERUN SLIM 1.2ft 1F 1300/840	Non-dimmable driver, diffuser made of translucent tempered glass	240	IP 65	10	1140	83,60
86721	PERUN SLIM 1.2ft 1F 1600/840	Non-dimmable driver, diffuser made of translucent tempered glass	240	IP 65	12	1360	83,60
86731	PERUN SLIM 1.2ft 1F 2200/840	Non-dimmable driver, diffuser made of translucent tempered glass	240	IP 65	15	1760	83,95
86741	PERUN SLIM 1.4ft 1F 2600/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	109,09
86751	PERUN SLIM 1.4ft 1F 3200/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	109,09
86761	PERUN SLIM 1.4ft 1F 4400/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	109,89
86771	PERUN SLIM 1.4ft 1F 6400/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	43	5100	114,12
86781	PERUN SLIM 1.5ft 1F 3250/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	127,48
86791	PERUN SLIM 1.5ft 1F 4000/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	127,48
86801	PERUN SLIM 1.5ft 1F 5500/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	128,50
86811	PERUN SLIM 1.5ft 1F 8000/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	54	6410	134,10
86821	PERUN SLIM 1.2ft 1F 1300/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	240	IP 65	10	1140	105,75
86831	PERUN SLIM 1.2ft 1F 1600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	240	IP 65	12	1360	105,75
86841	PERUN SLIM 1.2ft 1F 2200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	240	IP 65	15	1760	106,10
86851	PERUN SLIM 1.4ft 1F 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	131,10
86861	PERUN SLIM 1.4ft 1F 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	131,10
86871	PERUN SLIM 1.4ft 1F 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	131,90
86881	PERUN SLIM 1.4ft 1F 6400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	43	5100	134,70
86891	PERUN SLIM 1.5ft 1F 3250/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	150,05
86901	PERUN SLIM 1.5ft 1F 4000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	150,05
86911	PERUN SLIM 1.5ft 1F 5500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	151,05
86921	PERUN SLIM 1.5ft 1F 8000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	54	6410	154,68
86713	PERUN SLIM 1.2ft 3F 1300/840	Non-dimmable driver, diffuser made of translucent tempered glass	240	IP 65	10	1140	85,40
86723	PERUN SLIM 1.2ft 3F 1600/840	Non-dimmable driver, diffuser made of translucent tempered glass	240	IP 65	12	1360	85,40
86733	PERUN SLIM 1.2ft 3F 2200/840	Non-dimmable driver, diffuser made of translucent tempered glass	240	IP 65	15	1760	85,75
86743	PERUN SLIM 1.4ft 3F 2600/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	111,58
86753	PERUN SLIM 1.4ft 3F 3200/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	111,58
86763	PERUN SLIM 1.4ft 3F 4400/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	112,38
86773	PERUN SLIM 1.4ft 3F 6400/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	43	5100	116,66

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
86783	PERUN SLIM 1.5ft 3F 3250/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	129,96
86793	PERUN SLIM 1.5ft 3F 4000/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	129,96
86803	PERUN SLIM 1.5ft 3F 5500/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	130,99
86813	PERUN SLIM 1.5ft 3F 8000/840	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	54	6410	136,67
86823	PERUN SLIM 1.2ft 3F 1300/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	240	IP 65	10	1140	107,61
86833	PERUN SLIM 1.2ft 3F 1600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	240	IP 65	12	1360	107,61
86843	PERUN SLIM 1.2ft 3F 2200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	240	IP 65	15	1760	107,95
86853	PERUN SLIM 1.4ft 3F 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	133,58
86863	PERUN SLIM 1.4ft 3F 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	133,58
86873	PERUN SLIM 1.4ft 3F 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	134,38
86883	PERUN SLIM 1.4ft 3F 6400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	43	5100	137,18
86893	PERUN SLIM 1.5ft 3F 3250/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	152,54
86903	PERUN SLIM 1.5ft 3F 4000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	152,54
86913	PERUN SLIM 1.5ft 3F 5500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	153,54
86923	PERUN SLIM 1.5ft 3F 8000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	54	6410	157,16
86744	PERUN SLIM 1.4ft 2600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	149,60
86754	PERUN SLIM 1.4ft 3200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	149,60
86764	PERUN SLIM 1.4ft 4400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	150,40
86784	PERUN SLIM 1.5ft 3250/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	167,67
86794	PERUN SLIM 1.5ft 4000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	167,67
86804	PERUN SLIM 1.5ft 5500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	168,69
86854	PERUN SLIM 1.4ft 2600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	172,03
86864	PERUN SLIM 1.4ft 3200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	172,03
86874	PERUN SLIM 1.4ft 4400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	172,83
86894	PERUN SLIM 1.5ft 3250/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	190,67
86904	PERUN SLIM 1.5ft 4000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	190,67
86914	PERUN SLIM 1.5ft 5500/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	191,73
86745	PERUN SLIM 1.4ft 2600/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	183,11
86755	PERUN SLIM 1.4ft 3200/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	183,11
86765	PERUN SLIM 1.4ft 4400/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	183,91
86785	PERUN SLIM 1.5ft 3250/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	200,83
86795	PERUN SLIM 1.5ft 4000/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	200,83
86805	PERUN SLIM 1.5ft 5500/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	201,83
86855	PERUN SLIM 1.4ft 2600/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	205,11
86865	PERUN SLIM 1.4ft 3200/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	205,11
86875	PERUN SLIM 1.4ft 4400/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	205,89
86895	PERUN SLIM 1.5ft 3250/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	223,38

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
86905	PERUN SLIM 1.5ft 4000/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	223,38
86915	PERUN SLIM 1.5ft 5500/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	224,41
86746	PERUN SLIM 1.4ft 3F 2600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	159,05
86756	PERUN SLIM 1.4ft 3F 3200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	159,05
86766	PERUN SLIM 1.4ft 3F 4400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	159,84
86786	PERUN SLIM 1.5ft 3F 3250/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	178,37
86796	PERUN SLIM 1.5ft 3F 4000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	178,37
86806	PERUN SLIM 1.5ft 3F 5500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	179,40
86856	PERUN SLIM 1.4ft 3F 2600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	181,48
86866	PERUN SLIM 1.4ft 3F 3200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	181,48
86876	PERUN SLIM 1.4ft 3F 4400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	182,28
86896	PERUN SLIM 1.5ft 3F 3250/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	201,38
86906	PERUN SLIM 1.5ft 3F 4000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	201,38
86916	PERUN SLIM 1.5ft 3F 5500/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	202,43
86747	PERUN SLIM 1.4ft 3F 2600/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	192,36
86757	PERUN SLIM 1.4ft 3F 3200/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	192,36
86767	PERUN SLIM 1.4ft 3F 4400/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	193,16
86787	PERUN SLIM 1.5ft 3F 3250/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	211,31
86797	PERUN SLIM 1.5ft 3F 4000/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	211,31
86807	PERUN SLIM 1.5ft 3F 5500/840 M3hAt	Non-dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	212,34
86857	PERUN SLIM 1.4ft 3F 2600/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	18	2090	214,36
86867	PERUN SLIM 1.4ft 3F 3200/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2580	214,36
86877	PERUN SLIM 1.4ft 3F 4400/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	30	3540	215,16
86897	PERUN SLIM 1.5ft 3F 3250/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	22	2540	233,89
86907	PERUN SLIM 1.5ft 3F 4000/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	27	3190	233,89
86917	PERUN SLIM 1.5ft 3F 5500/840 DALI M3hAt	Digital dimmable driver, diffuser made of translucent tempered glass	120	IP 65	37	4460	234,89
68700	PERUN 1.4ft HORTI DALI	For stimulation of plant growth, plastic clips	33	IP 65	56		286,35
68701	PERUN 1.4ft HORTI DALI 1F	For stimulation of plant growth, plastic clips	33	IP 65	56		290,86
68702	PERUN 1.4ft HORTI DALI 3F	For stimulation of plant growth, plastic clips	33	IP 65	56		293,34
50410	ALUMAX LED 1.2ft 1300/840	Non-dimmable driver, diffuser made of translucent tempered glass	100	IP 66	10	1080	79,90
50420	ALUMAX LED 1.2ft 1600/840	Non-dimmable driver, diffuser made of translucent tempered glass	100	IP 66	12	1300	79,90
50430	ALUMAX LED 1.2ft 2200/840	Non-dimmable driver, diffuser made of translucent tempered glass	100	IP 66	15	1670	80,23
50440	ALUMAX LED 1.4ft 2600/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	101,18
50450	ALUMAX LED 1.4ft 3200/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	101,18
50460	ALUMAX LED 1.4ft 4400/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	102,01
50470	ALUMAX LED 1.5ft 3250/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	121,78
50480	ALUMAX LED 1.5ft 4000/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	121,78

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
50490	ALUMAX LED 1.5ft 5500/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	122,81
50510	ALUMAX LED 2.2ft 2600/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	82,59
50520	ALUMAX LED 2.2ft 3200/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2420	82,59
50530	ALUMAX LED 2.2ft 4400/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3320	83,39
50540	ALUMAX LED 2.4ft 5200/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	107,96
50550	ALUMAX LED 2.4ft 6400/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	107,96
50560	ALUMAX LED 2.4ft 8800/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	58	6660	112,63
50570	ALUMAX LED 2.5ft 6500/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	130,77
50580	ALUMAX LED 2.5ft 8000/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	133,82
50590	ALUMAX LED 2.5ft 11000/840	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	71	8150	136,04
50610	ALUMAX LED 1.2ft 1300/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	100	IP 66	10	1080	99,20
50620	ALUMAX LED 1.2ft 1600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	100	IP 66	12	1300	99,20
50630	ALUMAX LED 1.2ft 2200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	100	IP 66	15	1670	99,67
50640	ALUMAX LED 1.4ft 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	124,35
50650	ALUMAX LED 1.4ft 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	124,35
50660	ALUMAX LED 1.4ft 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	125,15
50670	ALUMAX LED 1.5ft 3250/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	145,51
50680	ALUMAX LED 1.5ft 4000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	145,51
50690	ALUMAX LED 1.5ft 5500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	146,57
50710	ALUMAX LED 2.2ft 2600/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	103,99
50720	ALUMAX LED 2.2ft 3200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2420	103,99
50730	ALUMAX LED 2.2ft 4400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3320	104,82
50740	ALUMAX LED 2.4ft 5200/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	131,36
50750	ALUMAX LED 2.4ft 6400/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	131,36
50760	ALUMAX LED 2.4ft 8800/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	58	6660	133,11
50770	ALUMAX LED 2.5ft 6500/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	154,86
50780	ALUMAX LED 2.5ft 8000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	154,86
50790	ALUMAX LED 2.5ft 11000/840 DALI	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	71	8150	158,50
50441	ALUMAX LED 1.4ft 2600/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	104,11
50451	ALUMAX LED 1.4ft 3200/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	104,11
50461	ALUMAX LED 1.4ft 4400/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	104,91
50471	ALUMAX LED 1.5ft 3250/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	125,39
50481	ALUMAX LED 1.5ft 4000/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	125,39
50491	ALUMAX LED 1.5ft 5500/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	126,45
50541	ALUMAX LED 2.4ft 5200/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	110,89
50551	ALUMAX LED 2.4ft 6400/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	110,89
50561	ALUMAX LED 2.4ft 8800/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	58	6660	115,56

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
50571	ALUMAX LED 2.5ft 6500/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	134,41
50581	ALUMAX LED 2.5ft 8000/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	137,43
50591	ALUMAX LED 2.5ft 11000/840 1F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	71	8150	139,65
50641	ALUMAX LED 1.4ft 2600/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	132,04
50651	ALUMAX LED 1.4ft 3200/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	132,04
50661	ALUMAX LED 1.4ft 4400/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	132,87
50671	ALUMAX LED 1.5ft 3250/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	153,71
50681	ALUMAX LED 1.5ft 4000/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	153,71
50691	ALUMAX LED 1.5ft 5500/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	154,74
50741	ALUMAX LED 2.4ft 5200/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	139,09
50751	ALUMAX LED 2.4ft 6400/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	139,09
50761	ALUMAX LED 2.4ft 8800/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	58	6660	140,83
50771	ALUMAX LED 2.5ft 6500/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	163,06
50781	ALUMAX LED 2.5ft 8000/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	163,06
50791	ALUMAX LED 2.5ft 11000/840 DALI 1F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	71	8150	166,67
50443	ALUMAX LED 1.4ft 2600/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	108,90
50453	ALUMAX LED 1.4ft 3200/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	108,90
50463	ALUMAX LED 1.4ft 4400/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	109,73
50473	ALUMAX LED 1.5ft 3250/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	129,94
50483	ALUMAX LED 1.5ft 4000/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	129,94
50493	ALUMAX LED 1.5ft 5500/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	131,01
50543	ALUMAX LED 2.4ft 5200/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	115,68
50553	ALUMAX LED 2.4ft 6400/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	115,68
50563	ALUMAX LED 2.4ft 8800/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	58	6660	120,36
50573	ALUMAX LED 2.5ft 6500/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	138,97
50583	ALUMAX LED 2.5ft 8000/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	141,99
50593	ALUMAX LED 2.5ft 11000/840 3F	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	71	8150	144,24
50643	ALUMAX LED 1.4ft 2600/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	132,99
50653	ALUMAX LED 1.4ft 3200/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	132,99
50663	ALUMAX LED 1.4ft 4400/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	133,82
50673	ALUMAX LED 1.5ft 3250/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	154,62
50683	ALUMAX LED 1.5ft 4000/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	154,62
50693	ALUMAX LED 1.5ft 5500/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	155,69
50743	ALUMAX LED 2.4ft 5200/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	140,00
50753	ALUMAX LED 2.4ft 6400/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	140,00
50763	ALUMAX LED 2.4ft 8800/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	58	6660	141,78
50773	ALUMAX LED 2.5ft 6500/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	164,00

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
50783	ALUMAX LED 2.5ft 8000/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	164,00
50793	ALUMAX LED 2.5ft 11000/840 DALI 3F	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	71	8150	167,62
50414	ALUMAX LED 1.2ft 1300/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	100	IP 66	10	1080	130,89
50424	ALUMAX LED 1.2ft 1600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	100	IP 66	12	1300	130,89
50434	ALUMAX LED 1.2ft 2200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	100	IP 66	15	1670	131,25
50444	ALUMAX LED 1.4ft 2600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	153,56
50454	ALUMAX LED 1.4ft 3200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	153,56
50464	ALUMAX LED 1.4ft 4400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	154,39
50474	ALUMAX LED 1.5ft 3250/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	175,87
50484	ALUMAX LED 1.5ft 4000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	175,87
50494	ALUMAX LED 1.5ft 5500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	176,94
50514	ALUMAX LED 2.2ft 2600/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1950	133,61
50524	ALUMAX LED 2.2ft 3200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2420	133,61
50534	ALUMAX LED 2.2ft 4400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3320	134,47
50544	ALUMAX LED 2.4ft 5200/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	160,48
50554	ALUMAX LED 2.4ft 6400/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	160,48
50574	ALUMAX LED 2.5ft 6500/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	185,05
50584	ALUMAX LED 2.5ft 8000/840 M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	188,15
50614	ALUMAX LED 1.2ft 1300/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	100	IP 66	10	1080	150,57
50624	ALUMAX LED 1.2ft 1600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	100	IP 66	12	1300	150,57
50634	ALUMAX LED 1.2ft 2200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	100	IP 66	15	1670	151,04
50644	ALUMAX LED 1.4ft 2600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	177,17
50654	ALUMAX LED 1.4ft 3200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	177,17
50664	ALUMAX LED 1.4ft 4400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	178,00
50674	ALUMAX LED 1.5ft 3250/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	200,08
50684	ALUMAX LED 1.5ft 4000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	200,08
50694	ALUMAX LED 1.5ft 5500/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	201,14
50714	ALUMAX LED 2.2ft 2600/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1950	155,45
50724	ALUMAX LED 2.2ft 3200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2420	155,45
50734	ALUMAX LED 2.2ft 4400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3320	156,28
50744	ALUMAX LED 2.4ft 5200/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	184,34
50754	ALUMAX LED 2.4ft 6400/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	184,34
50774	ALUMAX LED 2.5ft 6500/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	209,64
50784	ALUMAX LED 2.5ft 8000/840 DALI M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	209,64
50445	ALUMAX LED 1.4ft 2600/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	263,44
50455	ALUMAX LED 1.4ft 3200/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	263,44
50465	ALUMAX LED 1.4ft 4400/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	264,27

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
50475	ALUMAX LED 1.5ft 3250/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	285,75
50485	ALUMAX LED 1.5ft 4000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	285,75
50495	ALUMAX LED 1.5ft 5500/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	286,82
50545	ALUMAX LED 2.4ft 5200/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	270,36
50555	ALUMAX LED 2.4ft 6400/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	270,36
50575	ALUMAX LED 2.5ft 6500/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	294,92
50585	ALUMAX LED 2.5ft 8000/840 M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	298,03
50645	ALUMAX LED 1.4ft 2600/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	287,05
50655	ALUMAX LED 1.4ft 3200/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	287,05
50665	ALUMAX LED 1.4ft 4400/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	287,88
50675	ALUMAX LED 1.5ft 3250/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	309,96
50685	ALUMAX LED 1.5ft 4000/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	309,96
50695	ALUMAX LED 1.5ft 5500/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	311,02
50745	ALUMAX LED 2.4ft 5200/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	294,21
50755	ALUMAX LED 2.4ft 6400/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	294,21
50775	ALUMAX LED 2.5ft 6500/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	319,52
50785	ALUMAX LED 2.5ft 8000/840 DALI M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	319,52
50447	ALUMAX LED 1.4ft 2600/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	162,61
50457	ALUMAX LED 1.4ft 3200/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	162,61
50467	ALUMAX LED 1.4ft 4400/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	163,44
50477	ALUMAX LED 1.5ft 3250/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	185,40
50487	ALUMAX LED 1.5ft 4000/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	185,40
50497	ALUMAX LED 1.5ft 5500/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	186,47
50547	ALUMAX LED 2.4ft 5200/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	169,54
50557	ALUMAX LED 2.4ft 6400/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	169,54
50577	ALUMAX LED 2.5ft 6500/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	194,60
50587	ALUMAX LED 2.5ft 8000/840 3F M1h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	197,68
50647	ALUMAX LED 1.4ft 2600/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	187,21
50657	ALUMAX LED 1.4ft 3200/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	187,21
50667	ALUMAX LED 1.4ft 4400/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	188,03
50677	ALUMAX LED 1.5ft 3250/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	210,58
50687	ALUMAX LED 1.5ft 4000/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	210,58
50697	ALUMAX LED 1.5ft 5500/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	211,65
50747	ALUMAX LED 2.4ft 5200/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	194,37
50757	ALUMAX LED 2.4ft 6400/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	194,37
50777	ALUMAX LED 2.5ft 6500/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	220,11
50787	ALUMAX LED 2.5ft 8000/840 DALI 3F M1h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	220,11

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
50448	ALUMAX LED 1.4ft 2600/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	272,49
50458	ALUMAX LED 1.4ft 3200/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	272,49
50468	ALUMAX LED 1.4ft 4400/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	273,32
50478	ALUMAX LED 1.5ft 3250/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	295,28
50488	ALUMAX LED 1.5ft 4000/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	295,28
50498	ALUMAX LED 1.5ft 5500/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	296,37
50548	ALUMAX LED 2.4ft 5200/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	279,42
50558	ALUMAX LED 2.4ft 6400/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	279,42
50578	ALUMAX LED 2.5ft 6500/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	304,48
50588	ALUMAX LED 2.5ft 8000/840 3F M3h	Non-dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	307,59
50648	ALUMAX LED 1.4ft 2600/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	18	1990	297,08
50658	ALUMAX LED 1.4ft 3200/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2450	297,08
50668	ALUMAX LED 1.4ft 4400/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	30	3370	297,91
50678	ALUMAX LED 1.5ft 3250/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	22	2410	319,28
50688	ALUMAX LED 1.5ft 4000/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	27	3030	319,28
50698	ALUMAX LED 1.5ft 5500/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	37	4240	320,35
50748	ALUMAX LED 2.4ft 5200/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	35	3870	304,25
50758	ALUMAX LED 2.4ft 6400/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	42	4760	304,25
50778	ALUMAX LED 2.5ft 6500/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	44	4880	328,81
50788	ALUMAX LED 2.5ft 8000/840 DALI 3F M3h	Digital dimmable driver, diffuser made of translucent tempered glass	60	IP 66	53	5960	328,81
60010	TITAN LED 5.4ft 22000/840	Diffuser made of translucent tempered glass	7	IP 54	146	16860	#VALUE!
60020	TITAN LED 6.4ft 26400/840	Diffuser made of translucent tempered glass	7	IP 54	174	20280	#VALUE!
60030	TITAN LED 7.4ft 30800/840	Diffuser made of translucent tempered glass	7	IP 54	204	23620	#VALUE!
60210	TITAN LED 5.4ft SF 22000/840	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	146	15750	#VALUE!
60220	TITAN LED 6.4ft SF 26400/840	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	174	18940	#VALUE!
60230	TITAN LED 7.4ft SF 30800/840	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	204	22060	#VALUE!
60410	TITAN LED 5.4ft TR 22000/840	Diffuser made of transparent tempered glass (TR)	7	IP 54	146	18630	#VALUE!
60420	TITAN LED 6.4ft TR 26400/840	Diffuser made of transparent tempered glass (TR)	7	IP 54	174	22410	#VALUE!
60430	TITAN LED 7.4ft TR 30800/840	Diffuser made of transparent tempered glass (TR)	7	IP 54	204	26100	#VALUE!
60710	TITAN LED 5.4ft TR SF 22000/840	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	146	17520	#VALUE!
60720	TITAN LED 6.4ft TR SF 26400/840	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	174	21080	#VALUE!
60730	TITAN LED 7.4ft TR SF 30800/840	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	204	24550	#VALUE!
60014	TITAN LED 5.4ft 22000/840 M1h	Diffuser made of translucent tempered glass	7	IP 54	146	16860	#VALUE!
60024	TITAN LED 6.4ft 26400/840 M1h	Diffuser made of translucent tempered glass	7	IP 54	174	20280	#VALUE!
60214	TITAN LED 5.4ft SF 22000/840 M1h	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	146	15750	#VALUE!
60224	TITAN LED 6.4ft SF 26400/840 M1h	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	174	18940	#VALUE!
60414	TITAN LED 5.4ft TR 22000/840 M1h	Diffuser made of transparent tempered glass (TR)	7	IP 54	146	18630	#VALUE!

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
60424	TITAN LED 6.4ft TR 26400/840 M1h	Diffuser made of transparent tempered glass (TR)	7	IP 54	174	22410	#VALUE!
60714	TITAN LED 5.4ft TR SF 22000/840 M1h	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	146	17520	#VALUE!
60724	TITAN LED 6.4ft TR SF 26400/840 M1h	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	174	21080	#VALUE!
60015	TITAN LED 5.4ft 22000/840 M3h	Diffuser made of translucent tempered glass	7	IP 54	146	16860	#VALUE!
60025	TITAN LED 6.4ft 26400/840 M3h	Diffuser made of translucent tempered glass	7	IP 54	174	20280	#VALUE!
60215	TITAN LED 5.4ft SF 22000/840 M3h	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	146	15750	#VALUE!
60225	TITAN LED 6.4ft SF 26400/840 M3h	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	174	18940	#VALUE!
60415	TITAN LED 5.4ft TR 22000/840 M3h	Diffuser made of transparent tempered glass (TR)	7	IP 54	146	18630	#VALUE!
60425	TITAN LED 6.4ft TR 26400/840 M3h	Diffuser made of transparent tempered glass (TR)	7	IP 54	174	22410	#VALUE!
60715	TITAN LED 5.4ft TR SF 22000/840 M3h	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	146	17520	#VALUE!
60725	TITAN LED 6.4ft TR SF 26400/840 M3h	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	174	21080	#VALUE!
60013	TITAN LED 5.4ft 22000/840 DALI	Diffuser made of translucent tempered glass	7	IP 54	146	16860	#VALUE!
60023	TITAN LED 6.4ft 26400/840 DALI	Diffuser made of translucent tempered glass	7	IP 54	174	20280	#VALUE!
60033	TITAN LED 7.4ft 30800/840 DALI	Diffuser made of translucent tempered glass	7	IP 54	204	23620	#VALUE!
60213	TITAN LED 5.4ft SF 22000/840 DALI	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	146	15750	#VALUE!
60223	TITAN LED 6.4ft SF 26400/840 DALI	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	174	18940	#VALUE!
60233	TITAN LED 7.4ft SF 30800/840 DALI	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	204	22060	#VALUE!
60413	TITAN LED 5.4ft TR 22000/840 DALI	Diffuser made of transparent tempered glass (TR)	7	IP 54	146	18630	#VALUE!
60423	TITAN LED 6.4ft TR 26400/840 DALI	Diffuser made of transparent tempered glass (TR)	7	IP 54	174	22410	#VALUE!
60433	TITAN LED 7.4ft TR 30800/840 DALI	Diffuser made of transparent tempered glass (TR)	7	IP 54	204	26100	#VALUE!
60713	TITAN LED 5.4ft TR SF 22000/840 DALI	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	146	17520	#VALUE!
60723	TITAN LED 6.4ft TR SF 26400/840 DALI	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	174	21080	#VALUE!
60733	TITAN LED 7.4ft TR SF 30800/840 DALI	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	204	24550	#VALUE!
60017	TITAN LED 5.4ft 22000/840 DALI M1h	Diffuser made of translucent tempered glass	7	IP 54	146	16860	#VALUE!
60027	TITAN LED 6.4ft 26400/840 DALI M1h	Diffuser made of translucent tempered glass	7	IP 54	174	20280	#VALUE!
60217	TITAN LED 5.4ft SF 22000/840 DALI M1h	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	146	15750	#VALUE!
60227	TITAN LED 6.4ft SF 26400/840 DALI M1h	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	174	18940	#VALUE!
60417	TITAN LED 5.4ft TR 22000/840 DALI M1h	Diffuser made of transparent tempered glass (TR)	7	IP 54	146	18630	#VALUE!
60427	TITAN LED 6.4ft TR 26400/840 DALI M1h	Diffuser made of transparent tempered glass (TR)	7	IP 54	174	22410	#VALUE!
60717	TITAN LED 5.4ft TR SF 22000/840 DALI M1h	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	146	17520	#VALUE!
60727	TITAN LED 6.4ft TR SF 26400/840 DALI M1h	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	174	21080	#VALUE!
60019	TITAN LED 5.4ft 22000/840 DALI M3h	Diffuser made of translucent tempered glass	7	IP 54	146	16860	#VALUE!
60029	TITAN LED 6.4ft 26400/840 DALI M3h	Diffuser made of translucent tempered glass	7	IP 54	174	20280	#VALUE!
60219	TITAN LED 5.4ft SF 22000/840 DALI M3h	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	146	15750	#VALUE!
60229	TITAN LED 6.4ft SF 26400/840 DALI M3h	Diffuser made of translucent tempered glass with safety film (SF)	7	IP 54	174	18940	#VALUE!
60419	TITAN LED 5.4ft TR 22000/840 DALI M3h	Diffuser made of transparent tempered glass (TR)	7	IP 54	146	18630	#VALUE!
60429	TITAN LED 6.4ft TR 26400/840 DALI M3h	Diffuser made of transparent tempered glass (TR)	7	IP 54	174	22410	#VALUE!

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
60719	TITAN LED 5.4ft TR SF 22000/840 DALI M3h	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	146	17520	#VALUE!
60729	TITAN LED 6.4ft TR SF 26400/840 DALI M3h	Diffuser made of transparent tempered glass with safety film (TR SF)	7	IP 54	174	21080	#VALUE!
54090	BELTR LED 1.1ft 650/840	Diffuser made of translucent polycarbonate	441	IP 40	5	470	31,23
54100	BELTR LED 1.1ft 800/840	Diffuser made of translucent polycarbonate	441	IP 40	6	580	31,23
54110	BELTR LED 1.2ft 1300/840	Diffuser made of translucent polycarbonate	252	IP 40	10	1040	32,62
54120	BELTR LED 1.2ft 1600/840	Diffuser made of translucent polycarbonate	252	IP 40	12	1250	32,62
54180	BELTR LED 1.4ft 2600/840	Diffuser made of translucent polycarbonate	147	IP 40	18	1910	41,93
54140	BELTR LED 1.4ft 3200/840	Diffuser made of translucent polycarbonate	147	IP 40	22	2360	41,93
54190	BELTR LED 1.5ft 3250/840	Diffuser made of translucent polycarbonate	147	IP 40	22	2310	47,03
54150	BELTR LED 1.5ft 4000/840	Diffuser made of translucent polycarbonate	147	IP 40	27	2910	47,03
54160	BELTR LED 2.1ft 1300/840	Diffuser made of translucent polycarbonate	375	IP 40	10	1040	35,45
54200	BELTR LED 2.1ft 1600/840	Diffuser made of translucent polycarbonate	375	IP 40	12	1250	35,45
54210	BELTR LED 2.2ft 2600/840	Diffuser made of translucent polycarbonate	240	IP 40	18	1890	37,84
54220	BELTR LED 2.2ft 3200/840	Diffuser made of translucent polycarbonate	240	IP 40	22	2350	37,84
54280	BELTR LED 2.4ft 5200/840	Diffuser made of translucent polycarbonate	150	IP 40	35	3770	52,01
54240	BELTR LED 2.4ft 6400/840	Diffuser made of translucent polycarbonate	150	IP 40	42	4640	52,01
54290	BELTR LED 2.5ft 6500/840	Diffuser made of translucent polycarbonate	150	IP 40	44	4750	60,60
54250	BELTR LED 2.5ft 8000/840	Diffuser made of translucent polycarbonate	150	IP 40	53	5800	60,60
54410	BELTR LED 2.2ft S3F 2600/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	240	IP 40	18	1890	#VALUE!
54420	BELTR LED 2.2ft S3F 3200/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	240	IP 40	22	2340	#VALUE!
54480	BELTR LED 2.4ft S3F 5200/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	35	3770	#VALUE!
54440	BELTR LED 2.4ft S3F 6400/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	42	4640	#VALUE!
54490	BELTR LED 2.5ft S3F 6500/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	44	4750	#VALUE!
54450	BELTR LED 2.5ft S3F 8000/840	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	53	5800	#VALUE!
54184	BELTR LED 1.4ft 2600/840 M1h	Diffuser made of translucent polycarbonate	147	IP 40	18	1910	179,23
54144	BELTR LED 1.4ft 3200/840 M1h	Diffuser made of translucent polycarbonate	147	IP 40	22	2360	179,23
54194	BELTR LED 1.5ft 3250/840 M1h	Diffuser made of translucent polycarbonate	147	IP 40	22	2310	185,05
54154	BELTR LED 1.5ft 4000/840 M1h	Diffuser made of translucent polycarbonate	147	IP 40	27	2910	185,05
54284	BELTR LED 2.4ft 5200/840 M1h	Diffuser made of translucent polycarbonate	150	IP 40	35	3770	106,35
54244	BELTR LED 2.4ft 6400/840 M1h	Diffuser made of translucent polycarbonate	150	IP 40	42	4640	106,35
54294	BELTR LED 2.5ft 6500/840 M1h	Diffuser made of translucent polycarbonate	150	IP 40	44	4750	116,39
54254	BELTR LED 2.5ft 8000/840 M1h	Diffuser made of translucent polycarbonate	150	IP 40	53	5800	116,39
54484	BELTR LED 2.4ft S3F 5200/840 M1h	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	35	3770	#VALUE!
54444	BELTR LED 2.4ft S3F 6400/840 M1h	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	42	4640	#VALUE!
54494	BELTR LED 2.5ft S3F 6500/840 M1h	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	44	4750	#VALUE!
54454	BELTR LED 2.5ft S3F 8000/840 M1h	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	53	5800	#VALUE!
54113	BELTR LED 1.2ft 1300/840 DALI	Diffuser made of translucent polycarbonate	252	IP 40	10	1040	53,39

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
54123	BELTR LED 1.2ft 1600/840 DALI	Diffuser made of translucent polycarbonate	252	IP 40	12	1250	53,39
54183	BELTR LED 1.4ft 2600/840 DALI	Diffuser made of translucent polycarbonate	147	IP 40	18	1910	64,73
54143	BELTR LED 1.4ft 3200/840 DALI	Diffuser made of translucent polycarbonate	147	IP 40	22	2360	64,73
54193	BELTR LED 1.5ft 3250/840 DALI	Diffuser made of translucent polycarbonate	147	IP 40	22	2310	69,32
54153	BELTR LED 1.5ft 4000/840 DALI	Diffuser made of translucent polycarbonate	147	IP 40	27	2910	69,32
54213	BELTR LED 2.2ft 2600/840 DALI	Diffuser made of translucent polycarbonate	240	IP 40	18	1890	60,85
54223	BELTR LED 2.2ft 3200/840 DALI	Diffuser made of translucent polycarbonate	240	IP 40	22	2350	60,85
54283	BELTR LED 2.4ft 5200/840 DALI	Diffuser made of translucent polycarbonate	150	IP 40	35	3770	74,33
54243	BELTR LED 2.4ft 6400/840 DALI	Diffuser made of translucent polycarbonate	150	IP 40	42	4640	74,33
54293	BELTR LED 2.5ft 6500/840 DALI	Diffuser made of translucent polycarbonate	150	IP 40	44	4750	83,99
54253	BELTR LED 2.5ft 8000/840 DALI	Diffuser made of translucent polycarbonate	150	IP 40	53	5800	83,99
54413	BELTR LED 2.2ft S3F 2600/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	240	IP 40	18	1890	#VALUE!
54423	BELTR LED 2.2ft S3F 3200/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	240	IP 40	22	2350	#VALUE!
54483	BELTR LED 2.4ft S3F 5200/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	35	3770	#VALUE!
54443	BELTR LED 2.4ft S3F 6400/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	42	4640	#VALUE!
54493	BELTR LED 2.5ft S3F 6500/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	44	4750	#VALUE!
54453	BELTR LED 2.5ft S3F 8000/840 DALI	Diffuser made of translucent polycarbonate, through-wiring with the use of external term	150	IP 40	53	5800	#VALUE!
54187	BELTR LED 1.4ft 2600/840 DALI M1h	Diffuser made of translucent polycarbonate	147	IP 40	18	1910	202,68
54147	BELTR LED 1.4ft 3200/840 DALI M1h	Diffuser made of translucent polycarbonate	147	IP 40	22	2360	202,68
54197	BELTR LED 1.5ft 3250/840 DALI M1h	Diffuser made of translucent polycarbonate	147	IP 40	22	2310	208,54
54157	BELTR LED 1.5ft 4000/840 DALI M1h	Diffuser made of translucent polycarbonate	147	IP 40	27	2910	208,54
54287	BELTR LED 2.4ft 5200/840 DALI M1h	Diffuser made of translucent polycarbonate	150	IP 40	35	3770	130,08
54247	BELTR LED 2.4ft 6400/840 DALI M1h	Diffuser made of translucent polycarbonate	150	IP 40	42	4640	130,08
54297	BELTR LED 2.5ft 6500/840 DALI M1h	Diffuser made of translucent polycarbonate	150	IP 40	44	4750	140,25
54257	BELTR LED 2.5ft 8000/840 DALI M1h	Diffuser made of translucent polycarbonate	150	IP 40	53	5800	140,25
54510	BELTR LED 2.1ft NM1h	Diffuser made of translucent polycarbonate	375	IP 40	4,5	360	65,95
54520	BELTR LED 2.1ft NM3h	Diffuser made of translucent polycarbonate	375	IP 40	4,5	360	82,14
54530	BELTR LED 2.1ft NM1h At	Diffuser made of translucent polycarbonate	375	IP 40	3,3	360	87,74
54540	BELTR LED 2.1ft NM3h At	Diffuser made of translucent polycarbonate	375	IP 40	3,3	360	105,78
95010	NAOS 1.2ft 1300/840	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	10	1150	70,85
95020	NAOS 1.2ft 1600/840	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	12	1380	70,85
95040	NAOS 1.4ft 2600/840	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	18	2120	91,17
95050	NAOS 1.4ft 3200/840	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2620	91,17
95070	NAOS 1.5ft 3250/840	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2570	100,42
95080	NAOS 1.5ft 4000/840	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	27	3230	100,42
95100	NAOS 2.2ft 2600/840	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	18	2150	78,30
95110	NAOS 2.2ft 3200/840	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	22	2670	78,30

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
95130	NAOS 2.4ft 5200/840	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	35	4280	107,07
95140	NAOS 2.4ft 6400/840	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	42	5270	107,07
95160	NAOS 2.5ft 6500/840	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	44	5400	119,03
95170	NAOS 2.5ft 8000/840	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	53	6590	119,03
95013	NAOS 1.2ft 1300/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	10	1150	199,78
95023	NAOS 1.2ft 1600/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	12	1380	199,78
95043	NAOS 1.4ft 2600/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	18	2120	220,50
95053	NAOS 1.4ft 3200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2620	220,50
95073	NAOS 1.5ft 3250/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2570	229,92
95083	NAOS 1.5ft 4000/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	27	3230	229,92
95103	NAOS 2.2ft 2600/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	18	2150	207,37
95113	NAOS 2.2ft 3200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	22	2670	207,37
95133	NAOS 2.4ft 5200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	35	4280	236,71
95143	NAOS 2.4ft 6400/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	42	5270	236,71
95163	NAOS 2.5ft 6500/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	44	5400	248,90
95173	NAOS 2.5ft 8000/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	53	6590	248,90
95014	NAOS 1.2ft 1300/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	10	1150	224,18
95024	NAOS 1.2ft 1600/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	12	1380	224,18
95044	NAOS 1.4ft 2600/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	18	2120	244,88
95054	NAOS 1.4ft 3200/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2620	244,88
95074	NAOS 1.5ft 3250/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2570	254,32
95084	NAOS 1.5ft 4000/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	27	3230	254,32
95104	NAOS 2.2ft 2600/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	18	2150	231,77
95114	NAOS 2.2ft 3200/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	22	2670	231,77
95134	NAOS 2.4ft 5200/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	35	4280	261,12
95144	NAOS 2.4ft 6400/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	42	5270	261,12
95164	NAOS 2.5ft 6500/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	44	5400	273,31
95174	NAOS 2.5ft 8000/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	53	6590	273,31
95015	NAOS 1.2ft 1300/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	10	1150	89,46
95025	NAOS 1.2ft 1600/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	12	1380	89,46
95045	NAOS 1.4ft 2600/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	18	2120	111,81
95055	NAOS 1.4ft 3200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2620	111,81
95075	NAOS 1.5ft 3250/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2570	121,05
95085	NAOS 1.5ft 4000/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	27	3230	121,05
95105	NAOS 2.2ft 2600/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	18	2150	98,93
95115	NAOS 2.2ft 3200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	22	2670	66,59
95135	NAOS 2.4ft 5200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	35	4280	127,93

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
95145	NAOS 2.4ft 6400/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	42	5270	127,93
95165	NAOS 2.5ft 6500/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	44	5400	140,01
95175	NAOS 2.5ft 8000/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	53	6590	140,01
95016	NAOS 1.2ft 1300/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	10	1150	218,76
95026	NAOS 1.2ft 1600/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	12	1380	218,76
95046	NAOS 1.4ft 2600/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	18	2120	241,54
95056	NAOS 1.4ft 3200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2620	241,54
95076	NAOS 1.5ft 3250/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2570	250,98
95086	NAOS 1.5ft 4000/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	27	3230	250,98
95106	NAOS 2.2ft 2600/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	18	2150	228,44
95116	NAOS 2.2ft 3200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	22	2670	228,44
95136	NAOS 2.4ft 5200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	35	4280	258,01
95146	NAOS 2.4ft 6400/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	42	5270	258,01
95166	NAOS 2.5ft 6500/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	44	5400	270,31
95176	NAOS 2.5ft 8000/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	53	6590	270,31
95017	NAOS 1.2ft 1300/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	10	1150	243,16
95027	NAOS 1.2ft 1600/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	240	IP 20	12	1380	243,16
95047	NAOS 1.4ft 2600/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	18	2120	265,94
95057	NAOS 1.4ft 3200/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2620	265,94
95077	NAOS 1.5ft 3250/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	22	2570	275,39
95087	NAOS 1.5ft 4000/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	150	IP 20	27	3230	275,39
95107	NAOS 2.2ft 2600/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	18	2150	252,81
95117	NAOS 2.2ft 3200/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	180	IP 20	22	2670	252,81
95137	NAOS 2.4ft 5200/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	35	4280	282,41
95147	NAOS 2.4ft 6400/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	42	5270	282,41
95167	NAOS 2.5ft 6500/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	44	5400	294,71
95177	NAOS 2.5ft 8000/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	90	IP 20	53	6590	294,71
14810	PRIMA LED Ex 1.4ft PCc 3200/840	Non-dimmable - stainless steel clips (c)	85	IP 66	22	2620	81,77
14820	PRIMA LED Ex 1.4ft PCc 4400/840	Non-dimmable - stainless steel clips (c)	85	IP 66	30	3590	81,77
14830	PRIMA LED Ex 1.5ft PCc 4000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	27	3230	90,18
14840	PRIMA LED Ex 1.5ft PCc 5500/840	Non-dimmable - stainless steel clips (c)	85	IP 66	37	4520	92,46
14850	PRIMA LED Ex 2.4ft PCc 6400/840	Non-dimmable - stainless steel clips (c)	85	IP 66	42	5150	91,48
14860	PRIMA LED Ex 2.4ft PCc 8800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	58	7190	95,02
14870	PRIMA LED Ex 2.5ft PCc 8000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	53	6430	105,33
14880	PRIMA LED Ex 2.5ft PCc 11000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	71	8800	110,02
14811	PRIMA LED Ex 1.4ft PCc 3200/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	22	2620	84,61
14821	PRIMA LED Ex 1.4ft PCc 4400/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	30	3590	84,61

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net lm output	Baashind
14831	PRIMA LED Ex 1.5ft PCc 4000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	27	3230	93,90
14841	PRIMA LED Ex 1.5ft PCc 5500/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	37	4520	96,18
14851	PRIMA LED Ex 2.4ft PCc 6400/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	42	5150	94,46
14861	PRIMA LED Ex 2.4ft PCc 8800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	58	7190	98,03
14871	PRIMA LED Ex 2.5ft PCc 8000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	53	6430	109,01
14881	PRIMA LED Ex 2.5ft PCc 11000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	71	8800	113,74
14813	PRIMA LED Ex 1.4ft PCc 3200/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	22	2620	85,63
14823	PRIMA LED Ex 1.4ft PCc 4400/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	30	3590	85,63
14833	PRIMA LED Ex 1.5ft PCc 4000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	27	3230	95,02
14843	PRIMA LED Ex 1.5ft PCc 5500/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	37	4520	97,33
14853	PRIMA LED Ex 2.4ft PCc 6400/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	42	5150	96,74
14863	PRIMA LED Ex 2.4ft PCc 8800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	58	7190	100,31
14873	PRIMA LED Ex 2.5ft PCc 8000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	53	6430	112,30
14883	PRIMA LED Ex 2.5ft PCc 11000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	71	8800	117,00
14814	PRIMA LED Ex 1.4ft PCc 3200/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	22	2620	207,11
14824	PRIMA LED Ex 1.4ft PCc 4400/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	30	3590	207,11
14834	PRIMA LED Ex 1.5ft PCc 4000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	27	3230	215,70
14844	PRIMA LED Ex 1.5ft PCc 5500/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	37	4520	218,05
14854	PRIMA LED Ex 2.4ft PCc 6400/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42	5150	212,19
14864	PRIMA LED Ex 2.4ft PCc 8800/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58	7190	215,84
14874	PRIMA LED Ex 2.5ft PCc 8000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53	6430	226,32
14884	PRIMA LED Ex 2.5ft PCc 11000/840 M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71	8800	231,12
14815	PRIMA LED Ex 1.4ft PCc 3200/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	22	2620	233,15
14825	PRIMA LED Ex 1.4ft PCc 4400/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	30	3590	233,15
14835	PRIMA LED Ex 1.5ft PCc 4000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	27	3230	243,35
14845	PRIMA LED Ex 1.5ft PCc 5500/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	37	4520	245,70
14855	PRIMA LED Ex 2.4ft PCc 6400/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42	5150	243,07
14865	PRIMA LED Ex 2.4ft PCc 8800/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58	7190	246,72
14875	PRIMA LED Ex 2.5ft PCc 8000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53	6430	258,77
14885	PRIMA LED Ex 2.5ft PCc 11000/840 M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71	8800	263,58
14817	PRIMA LED Ex 1.4ft PCc 3200/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	22	2620	210,30
14827	PRIMA LED Ex 1.4ft PCc 4400/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	30	3590	210,30
14837	PRIMA LED Ex 1.5ft PCc 4000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	27	3230	219,94
14847	PRIMA LED Ex 1.5ft PCc 5500/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	37	4520	222,25
14857	PRIMA LED Ex 2.4ft PCc 6400/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	42	5150	217,59
14867	PRIMA LED Ex 2.4ft PCc 8800/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	58	7190	221,24
14877	PRIMA LED Ex 2.5ft PCc 8000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	53	6430	233,47

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
14887	PRIMA LED Ex 2.5ft PCc 11000/840 3F M1h	Non-dimmable - stainless steel clips (c)	85	IP 66	71	8800	238,27
14818	PRIMA LED Ex 1.4ft PCc 3200/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	22	2620	237,11
14828	PRIMA LED Ex 1.4ft PCc 4400/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	30	3590	237,11
14838	PRIMA LED Ex 1.5ft PCc 4000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	27	3230	248,29
14848	PRIMA LED Ex 1.5ft PCc 5500/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	37	4520	250,64
14858	PRIMA LED Ex 2.4ft PCc 6400/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	42	5150	248,43
14868	PRIMA LED Ex 2.4ft PCc 8800/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	58	7190	252,08
14878	PRIMA LED Ex 2.5ft PCc 8000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	53	6430	265,92
14888	PRIMA LED Ex 2.5ft PCc 11000/840 3F M3h	Non-dimmable - stainless steel clips (c)	85	IP 66	71	8800	270,73
14910	PRIMA LED Ex 1.4ft PCc 3200/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	22	2620	102,03
14920	PRIMA LED Ex 1.4ft PCc 4400/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	30	3590	103,89
14930	PRIMA LED Ex 1.5ft PCc 4000/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	27	3230	112,30
14940	PRIMA LED Ex 1.5ft PCc 5500/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	37	4520	114,58
14950	PRIMA LED Ex 2.4ft PCc 6400/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	42	5150	113,60
14960	PRIMA LED Ex 2.4ft PCc 8800/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	58	7190	117,14
14970	PRIMA LED Ex 2.5ft PCc 8000/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	53	6430	127,58
14980	PRIMA LED Ex 2.5ft PCc 11000/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	71	8800	132,14
14911	PRIMA LED Ex 1.4ft PCc 3200/840 DALI 1F	DALI dimmable - stainless steel clips (c)	85	IP 66	22	2620	104,87
14921	PRIMA LED Ex 1.4ft PCc 4400/840 DALI 1F	DALI dimmable - stainless steel clips (c)	85	IP 66	30	3590	106,73
14931	PRIMA LED Ex 1.5ft PCc 4000/840 DALI 1F	DALI dimmable - stainless steel clips (c)	85	IP 66	27	3230	116,02
14941	PRIMA LED Ex 1.5ft PCc 5500/840 DALI 1F	DALI dimmable - stainless steel clips (c)	85	IP 66	37	4520	118,29
14951	PRIMA LED Ex 2.4ft PCc 6400/840 DALI 1F	DALI dimmable - stainless steel clips (c)	85	IP 66	42	5150	116,58
14961	PRIMA LED Ex 2.4ft PCc 8800/840 DALI 1F	DALI dimmable - stainless steel clips (c)	85	IP 66	58	7190	120,15
14971	PRIMA LED Ex 2.5ft PCc 8000/840 DALI 1F	DALI dimmable - stainless steel clips (c)	85	IP 66	53	6430	131,26
14981	PRIMA LED Ex 2.5ft PCc 11000/840 DALI 1F	DALI dimmable - stainless steel clips (c)	85	IP 66	71	8800	135,85
14913	PRIMA LED Ex 1.4ft PCc 3200/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	22	2620	105,89
14923	PRIMA LED Ex 1.4ft PCc 4400/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	30	3590	107,74
14933	PRIMA LED Ex 1.5ft PCc 4000/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	27	3230	117,14
14943	PRIMA LED Ex 1.5ft PCc 5500/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	37	4520	119,45
14953	PRIMA LED Ex 2.4ft PCc 6400/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	42	5150	118,85
14963	PRIMA LED Ex 2.4ft PCc 8800/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	58	7190	122,43
14973	PRIMA LED Ex 2.5ft PCc 8000/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	53	6430	134,56
14983	PRIMA LED Ex 2.5ft PCc 11000/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	71	8800	139,11
14914	PRIMA LED Ex 1.4ft PCc 3200/840 DALI M1h	DALI dimmable - stainless steel clips (c)	85	IP 66	22	2620	227,79
14924	PRIMA LED Ex 1.4ft PCc 4400/840 DALI M1h	DALI dimmable - stainless steel clips (c)	85	IP 66	30	3590	229,68
14934	PRIMA LED Ex 1.5ft PCc 4000/840 DALI M1h	DALI dimmable - stainless steel clips (c)	85	IP 66	27	3230	238,27
14944	PRIMA LED Ex 1.5ft PCc 5500/840 DALI M1h	DALI dimmable - stainless steel clips (c)	85	IP 66	37	4520	240,58

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
14954	PRIMA LED Ex 2.4ft PCc 6400/840 DALI M1h	DALI dimmable - stainless steel clips (c)	85	IP 66	42	5150	234,76
14964	PRIMA LED Ex 2.4ft PCc 8800/840 DALI M1h	DALI dimmable - stainless steel clips (c)	85	IP 66	58	7190	238,41
14974	PRIMA LED Ex 2.5ft PCc 8000/840 DALI M1h	DALI dimmable - stainless steel clips (c)	85	IP 66	53	6430	249,03
14984	PRIMA LED Ex 2.5ft PCc 11000/840 DALI M1h	DALI dimmable - stainless steel clips (c)	85	IP 66	71	8800	253,69
14915	PRIMA LED Ex 1.4ft PCc 3200/840 DALI M3h	DALI dimmable - stainless steel clips (c)	85	IP 66	22	2620	253,83
14925	PRIMA LED Ex 1.4ft PCc 4400/840 DALI M3h	DALI dimmable - stainless steel clips (c)	85	IP 66	30	3590	255,72
14935	PRIMA LED Ex 1.5ft PCc 4000/840 DALI M3h	DALI dimmable - stainless steel clips (c)	85	IP 66	27	3230	265,92
14945	PRIMA LED Ex 1.5ft PCc 5500/840 DALI M3h	DALI dimmable - stainless steel clips (c)	85	IP 66	37	4520	268,24
14955	PRIMA LED Ex 2.4ft PCc 6400/840 DALI M3h	DALI dimmable - stainless steel clips (c)	85	IP 66	42	5150	265,61
14965	PRIMA LED Ex 2.4ft PCc 8800/840 DALI M3h	DALI dimmable - stainless steel clips (c)	85	IP 66	58	7190	269,25
14975	PRIMA LED Ex 2.5ft PCc 8000/840 DALI M3h	DALI dimmable - stainless steel clips (c)	85	IP 66	53	6430	281,49
14985	PRIMA LED Ex 2.5ft PCc 11000/840 DALI M3h	DALI dimmable - stainless steel clips (c)	85	IP 66	71	8800	286,15
14917	PRIMA LED Ex 1.4ft PCc 3200/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	22	2620	230,98
14927	PRIMA LED Ex 1.4ft PCc 4400/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	30	3590	232,87
14937	PRIMA LED Ex 1.5ft PCc 4000/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	27	3230	242,48
14947	PRIMA LED Ex 1.5ft PCc 5500/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	37	4520	244,82
14957	PRIMA LED Ex 2.4ft PCc 6400/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	42	5150	240,16
14967	PRIMA LED Ex 2.4ft PCc 8800/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	58	7190	243,81
14977	PRIMA LED Ex 2.5ft PCc 8000/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	53	6430	256,18
14987	PRIMA LED Ex 2.5ft PCc 11000/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	71	8800	260,81
14918	PRIMA LED Ex 1.4ft PCc 3200/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	22	2620	257,76
14928	PRIMA LED Ex 1.4ft PCc 4400/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	30	3590	259,65
14938	PRIMA LED Ex 1.5ft PCc 4000/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	27	3230	270,87
14948	PRIMA LED Ex 1.5ft PCc 5500/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	37	4520	273,18
14958	PRIMA LED Ex 2.4ft PCc 6400/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	42	5150	271,01
14968	PRIMA LED Ex 2.4ft PCc 8800/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	58	7190	274,65
14978	PRIMA LED Ex 2.5ft PCc 8000/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	53	6430	288,64
14988	PRIMA LED Ex 2.5ft PCc 11000/840 DALI 3F M	DALI dimmable - stainless steel clips (c)	85	IP 66	71	8800	293,26
62610	TrEx 1.2ft 2500/840 DIS	Non-dimmable-with disconnecter-white steel	40	IP 66	24	2570	511,59
62620	TrEx 1.4ft 5000/840 DIS	Non-dimmable-with disconnecter-white steel	20	IP 66	48	5020	634,40
62630	TrEx 2.2ft 5000/840 DIS	Non-dimmable-with disconnecter-white steel	40	IP 66	48	5150	669,78
62640	TrEx 2.4ft 10000/840 DIS	Non-dimmable-with disconnecter-white steel	20	IP 66	96	10050	941,37
62611	TrEx 1.2ft 2500/840 DIS 1F	Non-dimmable-with disconnecter-white steel	40	IP 66	24	2570	511,59
62621	TrEx 1.4ft 5000/840 DIS 1F	Non-dimmable-with disconnecter-white steel	20	IP 66	48	5020	639,65
62631	TrEx 2.2ft 5000/840 DIS 1F	Non-dimmable-with disconnecter-white steel	40	IP 66	48	5150	669,78
62641	TrEx 2.4ft 10000/840 DIS 1F	Non-dimmable-with disconnecter-white steel	20	IP 66	96	10050	947,16
62613	TrEx 1.2ft 2500/840 DIS 3F	Non-dimmable-with disconnecter-white steel	40	IP 66	24	2570	513,95

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
62623	TrEx 1.4ft 5000/840 DIS 3F	Non-dimmable-with disconnecter-white steel	20	IP 66	48	5020	644,89
62633	TrEx 2.2ft 5000/840 DIS 3F	Non-dimmable-with disconnecter-white steel	40	IP 66	48	5150	672,41
62643	TrEx 2.4ft 10000/840 DIS 3F	Non-dimmable-with disconnecter-white steel	20	IP 66	96	10050	952,77
62614	TrEx 1.2ft 2500/840 DIS M1h	Non-dimmable-with disconnecter-white steel	40	IP 66	24	2570	896,13
62624	TrEx 1.4ft 5000/840 DIS M1h	Non-dimmable-with disconnecter-white steel	20	IP 66	48	5020	1021,39
62634	TrEx 2.2ft 5000/840 DIS M1h	Non-dimmable-with disconnecter-white steel	40	IP 66	48	5150	1057,47
62644	TrEx 2.4ft 10000/840 DIS M1h	Non-dimmable-with disconnecter-white steel	20	IP 66	96	10050	1334,49
62615	TrEx 1.2ft 2500/840 DIS M3h	Non-dimmable-with disconnecter-white steel	40	IP 66	24	2570	896,13
62625	TrEx 1.4ft 5000/840 DIS M3h	Non-dimmable-with disconnecter-white steel	20	IP 66	48	5020	1021,39
62635	TrEx 2.2ft 5000/840 DIS M3h	Non-dimmable-with disconnecter-white steel	40	IP 66	48	5150	1057,47
62645	TrEx 2.4ft 10000/840 DIS M3h	Non-dimmable-with disconnecter-white steel	20	IP 66	96	10050	1334,49
62616	TrEx 1.2ft 2500/840 DIS 3F M1h	Non-dimmable-with disconnecter-white steel	40	IP 66	24	2570	898,90
62626	TrEx 1.4ft 5000/840 DIS 3F M1h	Non-dimmable-with disconnecter-white steel	20	IP 66	48	5020	1032,47
62636	TrEx 2.2ft 5000/840 DIS 3F M1h	Non-dimmable-with disconnecter-white steel	40	IP 66	48	5150	1060,25
62646	TrEx 2.4ft 10000/840 DIS 3F M1h	Non-dimmable-with disconnecter-white steel	20	IP 66	96	10050	1345,58
62617	TrEx 1.2ft 2500/840 DIS 3F M3h	Non-dimmable-with disconnecter-white steel	40	IP 66	24	2570	898,90
62627	TrEx 1.4ft 5000/840 DIS 3F M3h	Non-dimmable-with disconnecter-white steel	20	IP 66	48	5020	1032,47
62637	TrEx 2.2ft 5000/840 DIS 3F M3h	Non-dimmable-with disconnecter-white steel	40	IP 66	48	5150	1060,25
62647	TrEx 2.4ft 10000/840 DIS 3F M3h	Non-dimmable-with disconnecter-white steel	20	IP 66	96	10050	1345,58
62650	TrEx 1.2ft 2500/840	Non-dimmable-without disconnecter-white steel	40	IP 66	24	2570	421,54
62660	TrEx 1.4ft 5000/840	Non-dimmable-without disconnecter-white steel	20	IP 66	48	5020	544,35
62670	TrEx 2.2ft 5000/840	Non-dimmable-without disconnecter-white steel	40	IP 66	48	5150	579,73
62680	TrEx 2.4ft 10000/840	Non-dimmable-without disconnecter-white steel	20	IP 66	96	10050	851,32
62651	TrEx 1.2ft 2500/840 1F	Non-dimmable-without disconnecter-white steel	40	IP 66	24	2570	421,54
62661	TrEx 1.4ft 5000/840 1F	Non-dimmable-without disconnecter-white steel	20	IP 66	48	5020	549,60
62671	TrEx 2.2ft 5000/840 1F	Non-dimmable-without disconnecter-white steel	40	IP 66	48	5150	579,73
62681	TrEx 2.4ft 10000/840 1F	Non-dimmable-without disconnecter-white steel	20	IP 66	96	10050	857,11
62653	TrEx 1.2ft 2500/840 3F	Non-dimmable-without disconnecter-white steel	40	IP 66	24	2570	423,90
62663	TrEx 1.4ft 5000/840 3F	Non-dimmable-without disconnecter-white steel	20	IP 66	48	5020	554,84
62673	TrEx 2.2ft 5000/840 3F	Non-dimmable-without disconnecter-white steel	40	IP 66	48	5150	582,36
62683	TrEx 2.4ft 10000/840 3F	Non-dimmable-without disconnecter-white steel	20	IP 66	96	10050	862,72
62654	TrEx 1.2ft 2500/840 M1h	Non-dimmable-without disconnecter-white steel	40	IP 66	24	2570	712,43
62664	TrEx 1.4ft 5000/840 M1h	Non-dimmable-without disconnecter-white steel	20	IP 66	48	5020	837,70
62674	TrEx 2.2ft 5000/840 M1h	Non-dimmable-without disconnecter-white steel	40	IP 66	48	5150	873,78
62684	TrEx 2.4ft 10000/840 M1h	Non-dimmable-without disconnecter-white steel	20	IP 66	96	10050	1150,80
62655	TrEx 1.2ft 2500/840 M3h	Non-dimmable-without disconnecter-white steel	40	IP 66	24	2570	712,43
62665	TrEx 1.4ft 5000/840 M3h	Non-dimmable-without disconnecter-white steel	20	IP 66	48	5020	837,70

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
62675	TrEx 2.2ft 5000/840 M3h	Non-dimmable-without disconnecter-white steel	40	IP 66	48	5150	873,78
62685	TrEx 2.4ft 10000/840 M3h	Non-dimmable-without disconnecter-white steel	20	IP 66	96	10050	1150,80
62656	TrEx 1.2ft 2500/840 3F M1h	Non-dimmable-without disconnecter-white steel	40	IP 66	24	2570	715,20
62666	TrEx 1.4ft 5000/840 3F M1h	Non-dimmable-without disconnecter-white steel	20	IP 66	48	5020	848,78
62676	TrEx 2.2ft 5000/840 3F M1h	Non-dimmable-without disconnecter-white steel	40	IP 66	48	5150	876,55
62686	TrEx 2.4ft 10000/840 3F M1h	Non-dimmable-without disconnecter-white steel	20	IP 66	96	10050	1161,88
62657	TrEx 1.2ft 2500/840 3F M3h	Non-dimmable-without disconnecter-white steel	40	IP 66	24	2570	715,20
62667	TrEx 1.4ft 5000/840 3F M3h	Non-dimmable-without disconnecter-white steel	20	IP 66	48	5020	848,78
62677	TrEx 2.2ft 5000/840 3F M3h	Non-dimmable-without disconnecter-white steel	40	IP 66	48	5150	876,55
62687	TrEx 2.4ft 10000/840 3F M3h	Non-dimmable-without disconnecter-white steel	20	IP 66	96	10050	1161,88
62510	TrEx 1.2ft 2500/840 DIS INOX	Non-dimmable - with disconnecter - INOX	40	IP 66	24	2570	602,53
62520	TrEx 1.4ft 5000/840 DIS INOX	Non-dimmable - with disconnecter - INOX	20	IP 66	48	5020	725,35
62530	TrEx 2.2ft 5000/840 DIS INOX	Non-dimmable - with disconnecter - INOX	40	IP 66	48	5150	760,72
62540	TrEx 2.4ft 10000/840 DIS INOX	Non-dimmable - with disconnecter - INOX	20	IP 66	96	10050	1032,31
62511	TrEx 1.2ft 2500/840 DIS INOX 1F	Non-dimmable - with disconnecter - INOX	40	IP 66	24	2570	602,53
62521	TrEx 1.4ft 5000/840 DIS INOX 1F	Non-dimmable - with disconnecter - INOX	20	IP 66	48	5020	730,59
62531	TrEx 2.2ft 5000/840 DIS INOX 1F	Non-dimmable - with disconnecter - INOX	40	IP 66	48	5150	760,72
62541	TrEx 2.4ft 10000/840 DIS INOX 1F	Non-dimmable - with disconnecter - INOX	20	IP 66	96	10050	1038,10
62513	TrEx 1.2ft 2500/840 DIS INOX 3F	Non-dimmable - with disconnecter - INOX	40	IP 66	24	2570	604,89
62523	TrEx 1.4ft 5000/840 DIS INOX 3F	Non-dimmable - with disconnecter - INOX	20	IP 66	48	5020	735,83
62533	TrEx 2.2ft 5000/840 DIS INOX 3F	Non-dimmable - with disconnecter - INOX	40	IP 66	48	5150	763,35
62543	TrEx 2.4ft 10000/840 DIS INOX 3F	Non-dimmable - with disconnecter - INOX	20	IP 66	96	10050	1043,71
62515	TrEx 1.2ft 2500/840 DIS INOX M3h	Non-dimmable - with disconnecter - INOX	40	IP 66	24	2570	988,90
62525	TrEx 1.4ft 5000/840 DIS INOX M3h	Non-dimmable - with disconnecter - INOX	20	IP 66	48	5020	1114,17
62535	TrEx 2.2ft 5000/840 DIS INOX M3h	Non-dimmable - with disconnecter - INOX	40	IP 66	48	5150	1150,25
62545	TrEx 2.4ft 10000/840 DIS INOX M3h	Non-dimmable - with disconnecter - INOX	20	IP 66	96	10050	1427,27
62516	TrEx 1.2ft 2500/840 DIS INOX 3F M1h	Non-dimmable - with disconnecter - INOX	40	IP 66	24	2570	991,67
62526	TrEx 1.4ft 5000/840 DIS INOX 3F M1h	Non-dimmable - with disconnecter - INOX	20	IP 66	48	5020	1125,22
62536	TrEx 2.2ft 5000/840 DIS INOX 3F M1h	Non-dimmable - with disconnecter - INOX	40	IP 66	48	5150	1153,02
62546	TrEx 2.4ft 10000/840 DIS INOX 3F M1h	Non-dimmable - with disconnecter - INOX	20	IP 66	96	10050	1438,35
62517	TrEx 1.2ft 2500/840 DIS INOX 3F M3h	Non-dimmable - with disconnecter - INOX	40	IP 66	24	2570	991,67
62527	TrEx 1.4ft 5000/840 DIS INOX 3F M3h	Non-dimmable - with disconnecter - INOX	20	IP 66	48	5020	1125,22
62537	TrEx 2.2ft 5000/840 DIS INOX 3F M3h	Non-dimmable - with disconnecter - INOX	40	IP 66	48	5150	1153,02
62547	TrEx 2.4ft 10000/840 DIS INOX 3F M3h	Non-dimmable - with disconnecter - INOX	20	IP 66	96	10050	1438,35
62550	TrEx 1.2ft 2500/840 INOX	Non-dimmable - without disconnecter - INOX	40	IP 66	24	2570	512,48
62560	TrEx 1.4ft 5000/840 INOX	Non-dimmable - without disconnecter - INOX	20	IP 66	48	5020	635,30
62570	TrEx 2.2ft 5000/840 INOX	Non-dimmable - without disconnecter - INOX	40	IP 66	48	5150	670,67

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
62580	TrEx 2.4ft 10000/840 INOX	Non-dimmable - without disconnecter - INOX	20	IP 66	96	10050	942,26
62551	TrEx 1.2ft 2500/840 INOX 1F	Non-dimmable - without disconnecter - INOX	40	IP 66	24	2570	512,48
62561	TrEx 1.4ft 5000/840 INOX 1F	Non-dimmable - without disconnecter - INOX	20	IP 66	48	5020	640,54
62571	TrEx 2.2ft 5000/840 INOX 1F	Non-dimmable - without disconnecter - INOX	40	IP 66	48	5150	670,67
62581	TrEx 2.4ft 10000/840 INOX 1F	Non-dimmable - without disconnecter - INOX	20	IP 66	96	10050	948,05
62553	TrEx 1.2ft 2500/840 INOX 3F	Non-dimmable - without disconnecter - INOX	40	IP 66	24	2570	514,84
62563	TrEx 1.4ft 5000/840 INOX 3F	Non-dimmable - without disconnecter - INOX	20	IP 66	48	5020	645,80
62573	TrEx 2.2ft 5000/840 INOX 3F	Non-dimmable - without disconnecter - INOX	40	IP 66	48	5150	673,30
62583	TrEx 2.4ft 10000/840 INOX 3F	Non-dimmable - without disconnecter - INOX	20	IP 66	96	10050	953,66
62554	TrEx 1.2ft 2500/840 INOX M1h	Non-dimmable - without disconnecter - INOX	40	IP 66	24	2570	805,21
62564	TrEx 1.4ft 5000/840 INOX M1h	Non-dimmable - without disconnecter - INOX	20	IP 66	48	5020	930,47
62574	TrEx 2.2ft 5000/840 INOX M1h	Non-dimmable - without disconnecter - INOX	40	IP 66	48	5150	966,55
62584	TrEx 2.4ft 10000/840 INOX M1h	Non-dimmable - without disconnecter - INOX	20	IP 66	96	10050	1243,57
62555	TrEx 1.2ft 2500/840 INOX M3h	Non-dimmable - without disconnecter - INOX	40	IP 66	24	2570	805,21
62565	TrEx 1.4ft 5000/840 INOX M3h	Non-dimmable - without disconnecter - INOX	20	IP 66	48	5020	930,47
62575	TrEx 2.2ft 5000/840 INOX M3h	Non-dimmable - without disconnecter - INOX	40	IP 66	48	5150	966,55
62585	TrEx 2.4ft 10000/840 INOX M3h	Non-dimmable - without disconnecter - INOX	20	IP 66	96	10050	1243,57
62556	TrEx 1.2ft 2500/840 INOX 3F M1h	Non-dimmable - without disconnecter - INOX	40	IP 66	24	2570	807,98
62566	TrEx 1.4ft 5000/840 INOX 3F M1h	Non-dimmable - without disconnecter - INOX	20	IP 66	48	5020	941,55
62576	TrEx 2.2ft 5000/840 INOX 3F M1h	Non-dimmable - without disconnecter - INOX	40	IP 66	48	5150	969,33
62586	TrEx 2.4ft 10000/840 INOX 3F M1h	Non-dimmable - without disconnecter - INOX	20	IP 66	96	10050	1254,66
62557	TrEx 1.2ft 2500/840 INOX 3F M3h	Non-dimmable - without disconnecter - INOX	40	IP 66	24	2570	807,98
62567	TrEx 1.4ft 5000/840 INOX 3F M3h	Non-dimmable - without disconnecter - INOX	20	IP 66	48	5020	941,55
62577	TrEx 2.2ft 5000/840 INOX 3F M3h	Non-dimmable - without disconnecter - INOX	40	IP 66	48	5150	969,33
62587	TrEx 2.4ft 10000/840 INOX 3F M3h	Non-dimmable - without disconnecter - INOX	20	IP 66	96	10050	1254,66
62690	TrEx suspension 1	Metal holder for direct suspension on the wall					20,90
62691	TrEx inox suspension 1	Inox holder for direct suspension on the wall					
62692	TrEx suspension 2	Adjustable metal holder for suspension on the wall or ceiling					35,56
62693	TrEx inox suspension 2	Adjustable inox holder for suspension on the wall or ceiling					
62694	TrEx suspension 3	Metal holder for direct suspending on the ceiling					18,18
62695	TrEx inox suspension 3	Inox holder for direct suspending on the ceiling					
62696	TrEx holder	Metal holder for suspending on the tube					18,27
62697	TrEx inox holder	Inox holder for suspending on the tube					
62698	TrEx frame	Frame for the installation into the false ceiling					
79910	PRIMA LED MAX 1.5ft PCc 4000/840	Non-dimmable - stainless steel clips (c)	119	IP 66	24	3550	92,95
79900	PRIMA LED MAX 1.5ft PCc 5500/840	Non-dimmable - stainless steel clips (c)	119	IP 66	33	4780	92,95
79911	PRIMA LED MAX 1.5ft PCc 4000/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	24	3550	97,73

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
79901	PRIMA LED MAX 1.5ft PCc 5500/840 1F	Non-dimmable - stainless steel clips (c)	119	IP 66	33	4780	97,73
79913	PRIMA LED MAX 1.5ft PCc 4000/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	24	3550	98,83
79903	PRIMA LED MAX 1.5ft PCc 5500/840 3F	Non-dimmable - stainless steel clips (c)	119	IP 66	33	4780	98,83
79915	PRIMA LED MAX 1.5ft PCc 4000/840 DALI	DALI dimmable - stainless steel clips (c)	119	IP 66	24	3550	127,44
79905	PRIMA LED MAX 1.5ft PCc 5500/840 DALI	DALI dimmable - stainless steel clips (c)	119	IP 66	33	4780	127,44
79916	PRIMA LED MAX 1.5ft PCc 4000/840 3F DALI	DALI dimmable - stainless steel clips (c)	119	IP 66	24	3550	133,33
79906	PRIMA LED MAX 1.5ft PCc 5500/840 3F DALI	DALI dimmable - stainless steel clips (c)	119	IP 66	33	4780	133,33
79820	FUTURA MAX 1.5ft PCc AI 4000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	24	3550	106,63
79830	FUTURA MAX 1.5ft PCc AI 5500/840	Non-dimmable - stainless steel clips (c)	85	IP 66	33	4780	106,63
79840	FUTURA MAX 2.4ft PCc AI 6400/840	Non-dimmable - stainless steel clips (c)	85	IP 66	38	5730	120,72
79800	FUTURA MAX 2.4ft PCc AI 8800/840	Non-dimmable - stainless steel clips (c)	85	IP 66	52	7640	120,72
79850	FUTURA MAX 2.5ft PCc AI 8000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	48	7110	133,33
79810	FUTURA MAX 2.5ft PCc AI 11000/840	Non-dimmable - stainless steel clips (c)	85	IP 66	65	9550	133,33
79821	FUTURA MAX 1.5ft PCc AI 4000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	24	3550	110,19
79831	FUTURA MAX 1.5ft PCc AI 5500/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	33	4780	110,19
79841	FUTURA MAX 2.4ft PCc AI 6400/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	38	5730	123,73
79801	FUTURA MAX 2.4ft PCc AI 8800/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	52	7640	123,73
79851	FUTURA MAX 2.5ft PCc AI 8000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	48	7110	136,89
79811	FUTURA MAX 2.5ft PCc AI 11000/840 1F	Non-dimmable - stainless steel clips (c)	85	IP 66	68	10070	136,89
79823	FUTURA MAX 1.5ft PCc AI 4000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	24	3550	113,76
79833	FUTURA MAX 1.5ft PCc AI 5500/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	33	4780	113,76
79843	FUTURA MAX 2.4ft PCc AI 6400/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	38	5730	126,33
79803	FUTURA MAX 2.4ft PCc AI 8800/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	52	7640	126,33
79853	FUTURA MAX 2.5ft PCc AI 8000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	48	7110	140,43
79813	FUTURA MAX 2.5ft PCc AI 11000/840 3F	Non-dimmable - stainless steel clips (c)	85	IP 66	68	10070	140,43
79825	FUTURA MAX 1.5ft PCc AI 4000/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	24	3550	141,12
79835	FUTURA MAX 1.5ft PCc AI 5500/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	33	4780	141,12
79845	FUTURA MAX 2.4ft PCc AI 6400/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	38	5730	155,21
79805	FUTURA MAX 2.4ft PCc AI 8800/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	52	7640	155,21
79855	FUTURA MAX 2.5ft PCc AI 8000/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	48	7110	167,82
79815	FUTURA MAX 2.5ft PCc AI 11000/840 DALI	DALI dimmable - stainless steel clips (c)	85	IP 66	68	10070	167,82
79826	FUTURA MAX 1.5ft PCc AI 4000/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	24	3550	148,25
79836	FUTURA MAX 1.5ft PCc AI 5500/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	33	4780	148,25
79846	FUTURA MAX 2.4ft PCc AI 6400/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	38	5730	160,82
79806	FUTURA MAX 2.4ft PCc AI 8800/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	52	7640	160,82
79856	FUTURA MAX 2.5ft PCc AI 8000/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	48	7110	174,92
79816	FUTURA MAX 2.5ft PCc AI 11000/840 DALI 3F	DALI dimmable - stainless steel clips (c)	85	IP 66	68	10070	174,92

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
79730	ALUMAX LED MAX 1.5ft 4000/840	Non-dimmable - stainless steel clips (c)	60	IP 66	24	3050	200,79
79700	ALUMAX LED MAX 1.5ft 5500/840	Non-dimmable - stainless steel clips (c)	60	IP 66	33	4100	200,79
79740	ALUMAX LED MAX 2.4ft 6400/840	Non-dimmable - stainless steel clips (c)	60	IP 66	38	4920	193,41
79710	ALUMAX LED MAX 2.4ft 8800/840	Non-dimmable - stainless steel clips (c)	60	IP 66	52	6480	193,41
79750	ALUMAX LED MAX 2.5ft 8000/840	Non-dimmable - stainless steel clips (c)	60	IP 66	48	6020	227,49
79720	ALUMAX LED MAX 2.5ft 11000/840	Non-dimmable - stainless steel clips (c)	60	IP 66	65	8100	227,49
79731	ALUMAX LED MAX 1.5ft 4000/840 1F	Non-dimmable - stainless steel clips (c)	60	IP 66	24	3050	205,05
79701	ALUMAX LED MAX 1.5ft 5500/840 1F	Non-dimmable - stainless steel clips (c)	60	IP 66	33	4100	205,05
79741	ALUMAX LED MAX 2.4ft 6400/840 1F	Non-dimmable - stainless steel clips (c)	60	IP 66	38	4920	196,84
79711	ALUMAX LED MAX 2.4ft 8800/840 1F	Non-dimmable - stainless steel clips (c)	60	IP 66	52	6480	196,84
79751	ALUMAX LED MAX 2.5ft 8000/840 1F	Non-dimmable - stainless steel clips (c)	60	IP 66	48	6020	231,75
79721	ALUMAX LED MAX 2.5ft 11000/840 1F	Non-dimmable - stainless steel clips (c)	60	IP 66	65	8100	231,75
79733	ALUMAX LED MAX 1.5ft 4000/840 3F	Non-dimmable - stainless steel clips (c)	60	IP 66	24	3050	210,38
79703	ALUMAX LED MAX 1.5ft 5500/840 3F	Non-dimmable - stainless steel clips (c)	60	IP 66	33	4100	210,38
79743	ALUMAX LED MAX 2.4ft 6400/840 3F	Non-dimmable - stainless steel clips (c)	60	IP 66	38	4920	202,45
79713	ALUMAX LED MAX 2.4ft 8800/840 3F	Non-dimmable - stainless steel clips (c)	60	IP 66	52	6480	202,45
79753	ALUMAX LED MAX 2.5ft 8000/840 3F	Non-dimmable - stainless steel clips (c)	60	IP 66	48	6020	237,08
79723	ALUMAX LED MAX 2.5ft 11000/840 3F	Non-dimmable - stainless steel clips (c)	60	IP 66	65	8100	237,08
79735	ALUMAX LED MAX 1.5ft 4000/840 DALI	DALI dimmable - stainless steel clips (c)	60	IP 66	24	3050	235,28
79705	ALUMAX LED MAX 1.5ft 5500/840 DALI	DALI dimmable - stainless steel clips (c)	60	IP 66	33	4100	235,28
79745	ALUMAX LED MAX 2.4ft 6400/840 DALI	DALI dimmable - stainless steel clips (c)	60	IP 66	38	4920	227,90
79715	ALUMAX LED MAX 2.4ft 8800/840 DALI	DALI dimmable - stainless steel clips (c)	60	IP 66	52	6480	227,90
79755	ALUMAX LED MAX 2.5ft 8000/840 DALI	DALI dimmable - stainless steel clips (c)	60	IP 66	48	6020	261,98
79725	ALUMAX LED MAX 2.5ft 11000/840 DALI	DALI dimmable - stainless steel clips (c)	60	IP 66	65	8100	261,98
79736	ALUMAX LED MAX 1.5ft 4000/840 DALI 3F	DALI dimmable - stainless steel clips (c)	60	IP 66	24	3050	244,87
79706	ALUMAX LED MAX 1.5ft 5500/840 DALI 3F	DALI dimmable - stainless steel clips (c)	60	IP 66	33	4100	244,87
79746	ALUMAX LED MAX 2.4ft 6400/840 DALI 3F	DALI dimmable - stainless steel clips (c)	60	IP 66	38	4920	236,94
79716	ALUMAX LED MAX 2.4ft 8800/840 DALI 3F	DALI dimmable - stainless steel clips (c)	60	IP 66	52	6480	236,94
79756	ALUMAX LED MAX 2.5ft 8000/840 DALI 3F	DALI dimmable - stainless steel clips (c)	60	IP 66	48	6020	271,57
79726	ALUMAX LED MAX 2.5ft 11000/840 DALI 3F	DALI dimmable - stainless steel clips (c)	60	IP 66	65	8100	271,57
74610	CANOPUS MAX 22000/840	Non-dimmable, satinized glass	60	IP 65	132	18250	287,35
74600	CANOPUS MAX 26000/840	Non-dimmable, satinized glass	60	IP 65	153	20750	287,85
74620	CANOPUS MAX 30000/840	Non-dimmable, satinized glass	60	IP 65	186	24600	287,85
74611	CANOPUS MAX 22000/840 M1h At	Non-dimmable, satinized glass	60	IP 65	132	18250	444,91
74601	CANOPUS MAX 26000/840 M1h At	Non-dimmable, satinized glass	60	IP 65	153	20750	445,41
74621	CANOPUS MAX 30000/840 M1h At	Non-dimmable, satinized glass	60	IP 65	186	24600	445,41
74612	CANOPUS MAX 22000/840 M3h At	Non-dimmable, satinized glass	60	IP 65	132	18250	459,99

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
74602	CANOPUS MAX 26000/840 M3h At	Non-dimmable, satinized glass	60	IP 65	153	20750	460,49
74622	CANOPUS MAX 30000/840 M3h At	Non-dimmable, satinized glass	60	IP 65	186	24600	460,49
74615	CANOPUS MAX 22000/840 DALI	DALI dimmable, satinized glass	60	IP 65	132	18250	323,15
74605	CANOPUS MAX 26000/840 DALI	DALI dimmable, satinized glass	60	IP 65	153	20750	323,62
74625	CANOPUS MAX 30000/840 DALI	DALI dimmable, satinized glass	60	IP 65	186	24600	323,62
74616	CANOPUS MAX 22000/840 DALI M1h At	DALI dimmable, satinized glass	60	IP 65	132	18250	480,68
74606	CANOPUS MAX 26000/840 DALI M1h At	DALI dimmable, satinized glass	60	IP 65	153	20750	481,17
74626	CANOPUS MAX 30000/840 DALI M1h At	DALI dimmable, satinized glass	60	IP 65	186	24600	481,17
74617	CANOPUS MAX 22000/840 DALI M3h At	DALI dimmable, satinized glass	60	IP 65	132	18250	495,78
74607	CANOPUS MAX 26000/840 DALI M3h At	DALI dimmable, satinized glass	60	IP 65	153	20750	496,28
74627	CANOPUS MAX 30000/840 DALI M3h At	DALI dimmable, satinized glass	60	IP 65	186	24600	496,28
74640	CANOPUS MAX NB 22000/840	Non-dimmable, satinized glass, narrow beam	60	IP 65	132	17900	331,48
74630	CANOPUS MAX NB 26000/840	Non-dimmable, satinized glass, narrow beam	60	IP 65	153	20350	331,95
74650	CANOPUS MAX NB 30000/840	Non-dimmable, satinized glass, narrow beam	60	IP 65	186	24100	331,95
74641	CANOPUS MAX NB 22000/840 M1h At	Non-dimmable, satinized glass, narrow beam	60	IP 65	132	17900	489,01
74631	CANOPUS MAX NB 26000/840 M1h At	Non-dimmable, satinized glass, narrow beam	60	IP 65	153	20350	489,51
74651	CANOPUS MAX NB 30000/840 M1h At	Non-dimmable, satinized glass, narrow beam	60	IP 65	186	24100	489,51
74642	CANOPUS MAX NB 22000/840 M3h At	Non-dimmable, satinized glass, narrow beam	60	IP 65	132	17900	504,12
74632	CANOPUS MAX NB 26000/840 M3h At	Non-dimmable, satinized glass, narrow beam	60	IP 65	153	20350	504,61
74652	CANOPUS MAX NB 30000/840 M3h At	Non-dimmable, satinized glass, narrow beam	60	IP 65	186	24100	504,61
74645	CANOPUS MAX NB 22000/840 DALI	DALI dimmable, satinized glass, narrow beam	60	IP 65	132	17900	367,25
74635	CANOPUS MAX NB 26000/840 DALI	DALI dimmable, satinized glass, narrow beam	60	IP 65	153	20350	367,74
74655	CANOPUS MAX NB 30000/840 DALI	DALI dimmable, satinized glass, narrow beam	60	IP 65	186	24100	367,74
74646	CANOPUS MAX NB 22000/840 DALI M1h At	DALI dimmable, satinized glass, narrow beam	60	IP 65	132	17900	524,80
74636	CANOPUS MAX NB 26000/840 DALI M1h At	DALI dimmable, satinized glass, narrow beam	60	IP 65	153	20350	525,30
74656	CANOPUS MAX NB 30000/840 DALI M1h At	DALI dimmable, satinized glass, narrow beam	60	IP 65	186	24100	525,30
74647	CANOPUS MAX NB 22000/840 DALI M3h At	DALI dimmable, satinized glass, narrow beam	60	IP 65	132	17900	539,91
74637	CANOPUS MAX NB 26000/840 DALI M3h At	DALI dimmable, satinized glass, narrow beam	60	IP 65	153	20350	540,40
74657	CANOPUS MAX NB 30000/840 DALI M3h At	DALI dimmable, satinized glass, narrow beam	60	IP 65	186	24100	540,40
74670	CANOPUS MAX NB TR 22000/840	Non-dimmable, transparent glass, narrow beam	60	IP 65	132	18650	321,66
74660	CANOPUS MAX NB TR 26000/840	Non-dimmable, transparent glass, narrow beam	60	IP 65	153	21200	322,15
74680	CANOPUS MAX NB TR 30000/840	Non-dimmable, transparent glass, narrow beam	60	IP 65	186	25150	322,15
74671	CANOPUS MAX NB TR 22000/840 M1h At	Non-dimmable, transparent glass, narrow beam	60	IP 65	132	18650	479,21
74661	CANOPUS MAX NB TR 26000/840 M1h At	Non-dimmable, transparent glass, narrow beam	60	IP 65	153	21200	479,71
84681	CANOPUS MAX NB TR 30000/840 M1h At	Non-dimmable, transparent glass, narrow beam	60	IP 65	186	25150	479,71
74672	CANOPUS MAX NB TR 22000/840 M3h At	Non-dimmable, transparent glass, narrow beam	60	IP 65	132	18650	494,32
74662	CANOPUS MAX NB TR 26000/840 M3h At	Non-dimmable, transparent glass, narrow beam	60	IP 65	153	21200	494,81

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
74682	CANOPUS MAX NB TR 30000/840 M3h At	Non-dimmable, transparent glass, narrow beam	60	IP 65	186	25150	494,81
74675	CANOPUS MAX NB TR 22000/840 DALI	DALI dimmable, transparent glass, narrow beam	60	IP 65	132	18650	357,45
74665	CANOPUS MAX NB TR 26000/840 DALI	DALI dimmable, transparent glass, narrow beam	60	IP 65	153	21200	357,95
74685	CANOPUS MAX NB TR 30000/840 DALI	DALI dimmable, transparent glass, narrow beam	60	IP 65	186	25150	357,95
74676	CANOPUS MAX NB TR 22000/840 DALI M1h	DALI dimmable, transparent glass, narrow beam	60	IP 65	132	18650	515,01
74666	CANOPUS MAX NB TR 26000/840 DALI M1h	DALI dimmable, transparent glass, narrow beam	60	IP 65	153	21200	515,50
74686	CANOPUS MAX NB TR 30000/840 DALI M1h	DALI dimmable, transparent glass, narrow beam	60	IP 65	186	25150	515,50
74677	CANOPUS MAX NB TR 22000/840 DALI M3h	DALI dimmable, transparent glass, narrow beam	60	IP 65	132	18650	530,11
74667	CANOPUS MAX NB TR 26000/840 DALI M3h	DALI dimmable, transparent glass, narrow beam	60	IP 65	153	21200	530,58
74687	CANOPUS MAX NB TR 30000/840 DALI M3h	DALI dimmable, transparent glass, narrow beam	60	IP 65	186	25150	530,58
74740	CANOPUS MAX NB 22000/840 INOX	Non-dimmable, inox body, satinized glass, narrow beam	60	IP 65	132	17900	390,49
74730	CANOPUS MAX NB 26000/840 INOX	Non-dimmable, inox body, satinized glass, narrow beam	60	IP 65	153	20350	390,99
74750	CANOPUS MAX NB 30000/840 INOX	Non-dimmable, inox body, satinized glass, narrow beam	60	IP 65	186	24100	390,99
74741	CANOPUS MAX NB 22000/840 INOX M1h At	Non-dimmable, inox body, satinized glass, narrow beam	60	IP 65	132	17900	548,04
74731	CANOPUS MAX NB 26000/840 INOX M1h At	Non-dimmable, inox body, satinized glass, narrow beam	60	IP 65	153	20350	548,54
74751	CANOPUS MAX NB 30000/840 INOX M1h At	Non-dimmable, inox body, satinized glass, narrow beam	60	IP 65	186	24100	548,54
74742	CANOPUS MAX NB 22000/840 INOX M3h At	Non-dimmable, inox body, satinized glass, narrow beam	60	IP 65	132	17900	563,15
74732	CANOPUS MAX NB 26000/840 INOX M3h At	Non-dimmable, inox body, satinized glass, narrow beam	60	IP 65	153	20350	563,62
74752	CANOPUS MAX NB 30000/840 INOX M3h At	Non-dimmable, inox body, satinized glass, narrow beam	60	IP 65	186	24100	563,62
74745	CANOPUS MAX NB 22000/840 INOX DALI	DALI dimmable, inox body, satinized glass, narrow beam	60	IP 65	132	17900	426,28
74735	CANOPUS MAX NB 26000/840 INOX DALI	DALI dimmable, inox body, satinized glass, narrow beam	60	IP 65	153	20350	426,78
74755	CANOPUS MAX NB 30000/840 INOX DALI	DALI dimmable, inox body, satinized glass, narrow beam	60	IP 65	186	24100	426,78
74746	CANOPUS MAX NB 22000/840 INOX DALI M	DALI dimmable, inox body, satinized glass, narrow beam	60	IP 65	132	17900	583,84
74736	CANOPUS MAX NB 26000/840 INOX DALI M	DALI dimmable, inox body, satinized glass, narrow beam	60	IP 65	153	20350	584,31
74756	CANOPUS MAX NB 30000/840 INOX DALI M	DALI dimmable, inox body, satinized glass, narrow beam	60	IP 65	186	24100	584,31
74747	CANOPUS MAX NB 22000/840 INOX DALI M	DALI dimmable, inox body, satinized glass, narrow beam	60	IP 65	132	17900	598,92
74737	CANOPUS MAX NB 26000/840 INOX DALI M	DALI dimmable, inox body, satinized glass, narrow beam	60	IP 65	153	20350	599,41
74757	CANOPUS MAX NB 30000/840 INOX DALI M	DALI dimmable, inox body, satinized glass, narrow beam	60	IP 65	186	24100	599,41
74770	CANOPUS MAX NB TR 22000/840 INOX	Non-dimmable, inox body, transparent glass, narrow beam	60	IP 65	132	18650	380,69
74760	CANOPUS MAX NB TR 26000/840 INOX	Non-dimmable, inox body, transparent glass, narrow beam	60	IP 65	153	21200	381,19
74780	CANOPUS MAX NB TR 30000/840 INOX	Non-dimmable, inox body, transparent glass, narrow beam	60	IP 65	186	25150	381,19
74771	CANOPUS MAX NB TR 22000/840 INOX M1h	Non-dimmable, inox body, transparent glass, narrow beam	60	IP 65	132	18650	538,25
74761	CANOPUS MAX NB TR 26000/840 INOX M1h	Non-dimmable, inox body, transparent glass, narrow beam	60	IP 65	153	21200	538,72
74781	CANOPUS MAX NB TR 30000/840 INOX M1h	Non-dimmable, inox body, transparent glass, narrow beam	60	IP 65	186	25150	538,72
74772	CANOPUS MAX NB TR 22000/840 INOX M3h	Non-dimmable, inox body, transparent glass, narrow beam	60	IP 65	132	18650	553,33
74762	CANOPUS MAX NB TR 26000/840 INOX M3h	Non-dimmable, inox body, transparent glass, narrow beam	60	IP 65	153	21200	553,82
74782	CANOPUS MAX NB TR 30000/840 INOX M3h	Non-dimmable, inox body, transparent glass, narrow beam	60	IP 65	186	25150	553,82

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
74775	CANOPUS MAX NB TR 22000/840 INOX DAL	DALI dimmable, inox body, transparent glass, narrow beam	60	IP 65	132	18650	416,48
74765	CANOPUS MAX NB TR 26000/840 INOX DAL	DALI dimmable, inox body, transparent glass, narrow beam	60	IP 65	153	21200	416,96
74785	CANOPUS MAX NB TR 30000/840 INOX DAL	DALI dimmable, inox body, transparent glass, narrow beam	60	IP 65	186	25150	416,96
74776	CANOPUS MAX NB TR 22000/840 INOX DAL	DALI dimmable, inox body, transparent glass, narrow beam	60	IP 65	132	18650	574,01
74766	CANOPUS MAX NB TR 26000/840 INOX DAL	DALI dimmable, inox body, transparent glass, narrow beam	60	IP 65	153	21200	574,51
74786	CANOPUS MAX NB TR 30000/840 INOX DAL	DALI dimmable, inox body, transparent glass, narrow beam	60	IP 65	186	25150	574,51
74777	CANOPUS MAX NB TR 22000/840 INOX DAL	DALI dimmable, inox body, transparent glass, narrow beam	60	IP 65	132	18650	589,12
74767	CANOPUS MAX NB TR 26000/840 INOX DAL	DALI dimmable, inox body, transparent glass, narrow beam	60	IP 65	153	21200	589,62
74787	CANOPUS MAX NB TR 30000/840 INOX DAL	DALI dimmable, inox body, transparent glass, narrow beam	60	IP 65	186	25150	589,62
95310	NAOS 1.2ft 1300/840 s	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	10	1150	71,07
95320	NAOS 1.2ft 1600/840 s	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	12	1380	71,07
95340	NAOS 1.4ft 2600/840 s	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	18	2120	92,51
95350	NAOS 1.4ft 3200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2620	92,51
95370	NAOS 1.5ft 3250/840 s	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2570	102,21
95380	NAOS 1.5ft 4000/840 s	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	27	3230	102,21
95400	NAOS 2.2ft 2600/840 s	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	80,32
95410	NAOS 2.2ft 3200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	80,32
95430	NAOS 2.4ft 5200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	35	4280	108,98
95440	NAOS 2.4ft 6400/840 s	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	42	5270	108,98
95460	NAOS 2.5ft 6500/840 s	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	44	5400	121,85
95470	NAOS 2.5ft 8000/840 s	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	53	6590	121,85
95313	NAOS 1.2ft 1300/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	10	1150	200,01
95323	NAOS 1.2ft 1600/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	12	1380	200,01
95343	NAOS 1.4ft 2600/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	18	2120	221,87
95353	NAOS 1.4ft 3200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2620	221,87
95373	NAOS 1.5ft 3250/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2570	231,77
95383	NAOS 1.5ft 4000/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	27	3230	231,77
95403	NAOS 2.2ft 2600/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	209,45
95413	NAOS 2.2ft 3200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	209,45
95433	NAOS 2.4ft 5200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	35	4280	238,68
95443	NAOS 2.4ft 6400/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	42	5270	238,68
95463	NAOS 2.5ft 6500/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	44	5400	251,78
95473	NAOS 2.5ft 8000/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	53	6590	251,78
95314	NAOS 1.2ft 1300/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	10	1150	224,41
95324	NAOS 1.2ft 1600/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	12	1380	224,41
95344	NAOS 1.4ft 2600/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	18	2120	246,27
95354	NAOS 1.4ft 3200/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2620	246,27

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
95374	NAOS 1.5ft 3250/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2570	256,15
95384	NAOS 1.5ft 4000/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	27	3230	256,15
95404	NAOS 2.2ft 2600/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	233,83
95414	NAOS 2.2ft 3200/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	233,83
95434	NAOS 2.4ft 5200/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	35	4280	263,06
95444	NAOS 2.4ft 6400/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	42	5270	263,06
95464	NAOS 2.5ft 6500/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	44	5400	276,19
95474	NAOS 2.5ft 8000/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	53	6590	276,19
95315	NAOS 1.2ft 1300/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	10	1150	89,68
95325	NAOS 1.2ft 1600/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	12	1380	89,68
95345	NAOS 1.4ft 2600/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	18	2120	113,15
95355	NAOS 1.4ft 3200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2620	113,15
95375	NAOS 1.5ft 3250/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2570	122,85
95385	NAOS 1.5ft 4000/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	27	3230	122,85
95405	NAOS 2.2ft 2600/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	100,99
95415	NAOS 2.2ft 3200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	100,99
95435	NAOS 2.4ft 5200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	35	4280	129,85
95445	NAOS 2.4ft 6400/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	42	5270	129,85
95465	NAOS 2.5ft 6500/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	44	5400	142,83
95475	NAOS 2.5ft 8000/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	53	6590	142,83
95316	NAOS 1.2ft 1300/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	10	1150	218,99
95326	NAOS 1.2ft 1600/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	12	1380	218,99
95346	NAOS 1.4ft 2600/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	18	2120	242,94
95356	NAOS 1.4ft 3200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2620	242,94
95376	NAOS 1.5ft 3250/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2570	252,81
95386	NAOS 1.5ft 4000/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	27	3230	252,81
95406	NAOS 2.2ft 2600/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	230,49
95416	NAOS 2.2ft 3200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	230,49
95436	NAOS 2.4ft 5200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	35	4280	259,95
95446	NAOS 2.4ft 6400/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	42	5270	259,95
95466	NAOS 2.5ft 6500/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	44	5400	273,19
95476	NAOS 2.5ft 8000/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	53	6590	273,19
95317	NAOS 1.2ft 1300/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	10	1150	243,39
95327	NAOS 1.2ft 1600/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	240	IP 20	12	1380	243,39
95347	NAOS 1.4ft 2600/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	18	2120	267,31
95357	NAOS 1.4ft 3200/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2620	267,31
95377	NAOS 1.5ft 3250/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	22	2570	277,22

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
95387	NAOS 1.5ft 4000/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	150	IP 20	27	3230	277,22
95407	NAOS 2.2ft 2600/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	254,90
95417	NAOS 2.2ft 3200/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	180	IP 20	22	2670	254,90
95437	NAOS 2.4ft 5200/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	35	4280	284,35
95447	NAOS 2.4ft 6400/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	42	5270	284,35
95467	NAOS 2.5ft 6500/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	44	5400	297,60
95477	NAOS 2.5ft 8000/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	90	IP 20	53	6590	297,60
95510	NAOS MPR 2.4ft 5200/840	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4020	129,65
95520	NAOS MPR 2.5ft 6500/840	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	44	5070	147,00
95513	NAOS MPR 2.4ft 5200/840 M1h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4020	259,72
95523	NAOS MPR 2.5ft 6500/840 M1h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	44	5070	277,44
95514	NAOS MPR 2.4ft 5200/840 M3h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4020	284,12
95524	NAOS MPR 2.5ft 6500/840 M3h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	44	5070	301,85
95515	NAOS MPR 2.4ft 5200/840 DALI	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4020	150,62
95525	NAOS MPR 2.5ft 6500/840 DALI	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	44	5070	167,98
95516	NAOS MPR 2.4ft 5200/840 DALI M1h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4020	281,13
95526	NAOS MPR 2.5ft 6500/840 DALI M1h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	44	5070	298,85
95517	NAOS MPR 2.4ft 5200/840 DALI M3h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4020	305,53
95527	NAOS MPR 2.5ft 6500/840 DALI M3h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	44	5070	323,26
95610	NAOS MPR 2.4ft 5200/840 s	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	35	4020	136,64
95620	NAOS MPR 2.5ft 6500/840 s	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	44	5070	155,71
95613	NAOS MPR 2.4ft 5200/840 s M1h	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	35	4020	266,85
95623	NAOS MPR 2.5ft 6500/840 s M1h	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	44	5070	286,32
95614	NAOS MPR 2.4ft 5200/840 s M3h	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	35	4020	291,26
95624	NAOS MPR 2.5ft 6500/840 s M3h	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	44	5070	310,70
95615	NAOS MPR 2.4ft 5200/840 s DALI	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	35	4020	157,62
95625	NAOS MPR 2.5ft 6500/840 s DALI	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	44	5070	176,69
95616	NAOS MPR 2.4ft 5200/840 s DALI M1h	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	35	4020	288,26
95626	NAOS MPR 2.5ft 6500/840 s DALI M1h	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	44	5070	307,73
95617	NAOS MPR 2.4ft 5200/840 s DALI M3h	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	35	4020	312,67
95627	NAOS MPR 2.5ft 6500/840 s DALI M3h	Diffusor with multilayer micro pyramid optics, silver colour (s)	40	IP 20	44	5070	332,11
95710	NAOS SQUARE 5200/840	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	35	4280	142,38
95720	NAOS SQUARE 6400/840	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	42	5270	142,38
95713	NAOS SQUARE 5200/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	35	4280	272,73
95723	NAOS SQUARE 6400/840 M1h	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	42	5270	272,73
95714	NAOS SQUARE 5200/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	35	4280	297,14
95724	NAOS SQUARE 6400/840 M3h	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	42	5270	297,14

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
95715	NAOS SQUARE 5200/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	35	4280	163,24
95725	NAOS SQUARE 6400/840 DALI	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	42	5270	163,24
95716	NAOS SQUARE 5200/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	35	4280	294,03
95726	NAOS SQUARE 6400/840 DALI M1h	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	42	5270	294,03
95717	NAOS SQUARE 5200/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	35	4280	318,40
95727	NAOS SQUARE 6400/840 DALI M3h	Diffuser made from sandblasted opalised acryl, white colour	40	IP 20	42	5270	318,40
95750	NAOS SQUARE 5200/840 s	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	35	4280	148,68
95760	NAOS SQUARE 6400/840 s	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	42	5270	148,68
95753	NAOS SQUARE 5200/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	35	4280	279,19
95763	NAOS SQUARE 6400/840 s M1h	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	42	5270	279,19
95754	NAOS SQUARE 5200/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	35	4280	303,56
95764	NAOS SQUARE 6400/840 s M3h	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	42	5270	303,56
95755	NAOS SQUARE 5200/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	35	4280	169,58
95765	NAOS SQUARE 6400/840 s DALI	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	42	5270	169,58
95756	NAOS SQUARE 5200/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	35	4280	300,48
95766	NAOS SQUARE 6400/840 s DALI M1h	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	42	5270	300,48
95757	NAOS SQUARE 5200/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	35	4280	324,86
95767	NAOS SQUARE 6400/840 s DALI M3h	Diffuser made from sandblasted opalised acryl, silver colour	40	IP 20	42	5270	324,86
95810	NAOS SQUARE MPR 5200/840	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4280	141,03
95813	NAOS SQUARE MPR 5200/840 M1h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4280	271,36
95814	NAOS SQUARE MPR 5200/840 M3h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4280	295,74
95815	NAOS SQUARE MPR 5200/840 DALI	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4280	162,01
95816	NAOS SQUARE MPR 5200/840 DALI M1h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4280	292,74
95817	NAOS SQUARE MPR 5200/840 DALI M3h	Diffusor with multilayer micro pyramid optics, white colour	40	IP 20	35	4280	317,15
95850	NAOS SQUARE MPR 5200/840 s	Diffusor with multilayer micro pyramid optics, silver colour	40	IP 20	35	4280	146,77
95853	NAOS SQUARE MPR 5200/840 s M1h	Diffusor with multilayer micro pyramid optics, silver colour	40	IP 20	35	4280	277,22
95854	NAOS SQUARE MPR 5200/840 s M3h	Diffusor with multilayer micro pyramid optics, silver colour	40	IP 20	35	4280	301,62
95855	NAOS SQUARE MPR 5200/840 s DALI	Diffusor with multilayer micro pyramid optics, silver colour	40	IP 20	35	4280	167,75
95856	NAOS SQUARE MPR 5200/840 s DALI M1h	Diffusor with multilayer micro pyramid optics, silver colour	40	IP 20	35	4280	186,22
95857	NAOS SQUARE MPR 5200/840 s DALI M3h	Diffusor with multilayer micro pyramid optics, silver colour	40	IP 20	35	4280	211,34
95910	NAOS 1 - S3	Cord suspension, with 3-wire cable (1.2ft, 1.4ft, 1.5ft)		x	x	X	49,52
95920	NAOS 1 - S5	Cord suspension, with 5-wire cable (1.2ft, 1.4ft, 1.5ft)		x	x	X	51,21
95930	NAOS 2 - S3	Cord suspension, with 3-wire cable (2.2ft, 2.4ft, 2.5ft)		x	x	X	49,87
95940	NAOS 2 - S5	Cord suspension, with 5-wire cable (2.2ft, 2.4ft, 2.5ft)		x	x	X	51,55
95950	NAOS 3 - S3	Cord suspension for NAOS MPR, with 3-wire cable (2.4ft, 2.5ft)		x	x	X	52,69
95960	NAOS 3 - S5	Cord suspension for NAOS MPR, with 5-wire cable (2.4ft, 2.5ft)		x	x	X	54,38
74010	CANOPUS 10.2ft 22000/840	Non-dimmable, satinized glass	20	IP 65	146	18110	227,11

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
74110	CANOPUS 10.2ft NB 22000/840	Non-dimmable, satinized glass, narrow beam	20	IP 65	146	17570	272,55
74016	CANOPUS 10.2ft 22000/840 DALI	DALI dimmable, satinized glass	20	IP 65	146	18110	271,03
74116	CANOPUS 10.2ft NB 22000/840 DALI	DALI dimmable, satinized glass, narrow beam	20	IP 65	146	17570	316,47
74020	CANOPUS 10.2ft 26000/840	Non-dimmable, satinized glass	20	IP 65	171	21370	242,76
74120	CANOPUS 10.2ft NB 26000/840	Non-dimmable, satinized glass, narrow beam	20	IP 65	171	20730	288,20
74026	CANOPUS 10.2ft 26000/840 DALI	DALI dimmable, satinized glass	20	IP 65	171	21370	303,85
74126	CANOPUS 10.2ft NB 26000/840 DALI	DALI dimmable, satinized glass, narrow beam	20	IP 65	171	20730	349,29
74030	CANOPUS 10.2ft 30000/840	Non-dimmable, satinized glass	20	IP 65	201	24500	242,76
74130	CANOPUS 10.2ft NB 30000/840	Non-dimmable, satinized glass, narrow beam	20	IP 65	201	23710	288,20
74036	CANOPUS 10.2ft 30000/840 DALI	DALI dimmable, satinized glass	20	IP 65	201	24500	303,85
74136	CANOPUS 10.2ft NB 30000/840 DALI	DALI dimmable, satinized glass, narrow beam	20	IP 65	201	23710	349,29
74310	CANOPUS 10.2ft SF 22000/840	Non-dimmable, satinized glass, safety film	20	IP 65	138	16380	
74410	CANOPUS 10.2ft NB SF 22000/840	Non-dimmable, satinized glass, narrow beam, safety film	20	IP 65	138	16190	
74316	CANOPUS 10.2ft SF 22000/840 DALI	DALI dimmable, satinized glass, safety film	20	IP 65	138	16380	
74416	CANOPUS 10.2ft NB SF 22000/840 DALI	DALI dimmable, satinized glass, narrow beam, safety film	20	IP 65	138	16190	
74320	CANOPUS 10.2ft SF 26000/840	Non-dimmable, satinized glass, safety film	20	IP 65	171	20080	
74420	CANOPUS 10.2ft NB SF 26000/840	Non-dimmable, satinized glass, narrow beam, safety film	20	IP 65	171	19830	
74326	CANOPUS 10.2ft SF 26000/840 DALI	DALI dimmable, satinized glass, safety film	20	IP 65	171	20080	
74426	CANOPUS 10.2ft NB SF 26000/840 DALI	DALI dimmable, satinized glass, narrow beam, safety film	20	IP 65	171	19830	
74330	CANOPUS 10.2ft SF 30000/840	Non-dimmable, satinized glass, safety film	20	IP 65	198	22520	
74430	CANOPUS 10.2ft NB SF 30000/840	Non-dimmable, satinized glass, narrow beam, safety film	20	IP 65	198	22260	
74336	CANOPUS 10.2ft SF 30000/840 DALI	DALI dimmable, satinized glass, safety film	20	IP 65	198	22520	
74436	CANOPUS 10.2ft NB SF 30000/840 DALI	DALI dimmable, satinized glass, narrow beam, safety film	20	IP 65	198	22260	
74210	CANOPUS 10.2ft NB TR 22000/840	Non-dimmable, transparent glass, narrow beam	20	IP 65	146	18540	262,45
74216	CANOPUS 10.2ft NB TR 22000/840 DALI	DALI dimmable, transparent glass, narrow beam	20	IP 65	146	18540	306,38
74220	CANOPUS 10.2ft NB TR 26000/840	Non-dimmable, transparent glass, narrow beam	20	IP 65	171	21880	278,10
74226	CANOPUS 10.2ft NB TR 26000/840 DALI	DALI dimmable, transparent glass, narrow beam	20	IP 65	171	21880	339,19
74230	CANOPUS 10.2ft NB TR 30000/840	Non-dimmable, transparent glass, narrow beam	20	IP 65	201	25140	278,10
74236	CANOPUS 10.2ft NB TR 30000/840 DALI	DALI dimmable, transparent glass, narrow beam	20	IP 65	201	25140	339,19
74510	CANOPUS 10.2ft NB TR SF 22000/840	Non-dimmable, transparent glass, narrow beam, safety film	20	IP 65	138	17920	
74516	CANOPUS 10.2ft NB TR SF 22000/840 DALI	DALI dimmable, transparent glass, narrow beam, safety film	20	IP 65	138	17920	
74520	CANOPUS 10.2ft NB TR SF 26000/840	Non-dimmable, transparent glass, narrow beam, safety film	20	IP 65	171	21970	
74526	CANOPUS 10.2ft NB TR SF 26000/840 DALI	DALI dimmable, transparent glass, narrow beam, safety film	20	IP 65	171	21970	
74530	CANOPUS 10.2ft NB TR SF 30000/840	Non-dimmable, transparent glass, narrow beam, safety film	20	IP 65	198	24650	
74536	CANOPUS 10.2ft NB TR SF 30000/840 DALI	DALI dimmable, transparent glass, narrow beam, safety film	20	IP 65	198	24650	
74011	CANOPUS 22000/840 M1h At	Non-dimmable, satinized glass	20	IP 65	146	18110	389,37
74013	CANOPUS 22000/840 M3h At	Non-dimmable, satinized glass	20	IP 65	146	18110	404,93

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
74017	CANOPUS 22000/840 DALI M1h At	DALI dimmable, satinized glass	20	IP 65	146	18110	433,30
74018	CANOPUS 22000/840 DALI M3h At	DALI dimmable, satinized glass	20	IP 65	146	18110	448,85
74021	CANOPUS 26000/840 M1h At	Non-dimmable, satinized glass	20	IP 65	171	21370	405,02
74023	CANOPUS 26000/840 M3h At	Non-dimmable, satinized glass	20	IP 65	171	21370	420,58
74027	CANOPUS 26000/840 DALI M1h At	DALI dimmable, satinized glass	20	IP 65	171	21370	466,12
74028	CANOPUS 26000/840 DALI M3h At	DALI dimmable, satinized glass	20	IP 65	171	21370	481,67
74031	CANOPUS 30000/840 M1h At	Non-dimmable, satinized glass	20	IP 65	201	24500	405,02
74033	CANOPUS 30000/840 M3h At	Non-dimmable, satinized glass	20	IP 65	201	24500	420,58
74037	CANOPUS 30000/840 DALI M1h At	DALI dimmable, satinized glass	20	IP 65	201	24500	466,12
74038	CANOPUS 30000/840 DALI M3h At	DALI dimmable, satinized glass	20	IP 65	201	24500	481,67
74111	CANOPUS NB 22000/840 M1h At	Non-dimmable, satinized glass, narrow beam	20	IP 65	146	17570	434,81
74113	CANOPUS NB 22000/840 M3h At	Non-dimmable, satinized glass, narrow beam	20	IP 65	146	17570	450,37
74117	CANOPUS NB 22000/840 DALI M1h At	DALI dimmable, satinized glass, narrow beam	20	IP 65	146	17570	478,74
74118	CANOPUS NB 22000/840 DALI M3h At	DALI dimmable, satinized glass, narrow beam	20	IP 65	146	17570	494,29
74121	CANOPUS NB 26000/840 M1h At	Non-dimmable, satinized glass, narrow beam	20	IP 65	171	20730	450,47
74123	CANOPUS NB 26000/840 M3h At	Non-dimmable, satinized glass, narrow beam	20	IP 65	171	20730	466,02
74127	CANOPUS NB 26000/840 DALI M1h At	DALI dimmable, satinized glass, narrow beam	20	IP 65	171	20730	511,56
74128	CANOPUS NB 26000/840 DALI M3h At	DALI dimmable, satinized glass, narrow beam	20	IP 65	171	20730	527,11
74131	CANOPUS NB 30000/840 M1h At	Non-dimmable, satinized glass, narrow beam	20	IP 65	201	23710	450,47
74133	CANOPUS NB 30000/840 M3h At	Non-dimmable, satinized glass, narrow beam	20	IP 65	201	23710	466,02
74137	CANOPUS NB 30000/840 DALI M1h At	DALI dimmable, satinized glass, narrow beam	20	IP 65	201	23710	511,56
74138	CANOPUS NB 30000/840 DALI M3h At	DALI dimmable, satinized glass, narrow beam	20	IP 65	201	23710	527,11
74211	CANOPUS NB TR 22000/840 M1h At	Non-dimmable, transparent glass, narrow beam	20	IP 65	146	18540	424,72
74213	CANOPUS NB TR 22000/840 M3h At	Non-dimmable, transparent glass, narrow beam	20	IP 65	146	18540	440,27
74217	CANOPUS NB TR 22000/840 DALI M1h At	DALI dimmable, transparent glass, narrow beam	20	IP 65	146	18540	468,65
74218	CANOPUS NB TR 22000/840 DALI M3h At	DALI dimmable, transparent glass, narrow beam	20	IP 65	146	18540	484,20
74221	CANOPUS NB TR 26000/840 M1h At	Non-dimmable, transparent glass, narrow beam	20	IP 65	171	21880	440,37
74223	CANOPUS NB TR 26000/840 M3h At	Non-dimmable, transparent glass, narrow beam	20	IP 65	171	21880	455,92
74227	CANOPUS NB TR 26000/840 DALI M1h At	DALI dimmable, transparent glass, narrow beam	20	IP 65	171	21880	501,46
74228	CANOPUS NB TR 26000/840 DALI M3h At	DALI dimmable, transparent glass, narrow beam	20	IP 65	171	21880	517,01
74231	CANOPUS NB TR 30000/840 M1h At	Non-dimmable, transparent glass, narrow beam	20	IP 65	201	25140	440,37
74233	CANOPUS NB TR 30000/840 M3h At	Non-dimmable, transparent glass, narrow beam	20	IP 65	201	25140	455,92
74237	CANOPUS NB TR 30000/840 DALI M1h At	DALI dimmable, transparent glass, narrow beam	20	IP 65	201	25140	501,46
74238	CANOPUS NB TR 30000/840 DALI M3h At	DALI dimmable, transparent glass, narrow beam	20	IP 65	201	25140	517,01
74810	CANOPUS HE 22000/840	High efficiency, non-dimmable, satinized glass	20	IP 65	116	17360	323,44
74820	CANOPUS HE 26000/840	High efficiency, non-dimmable, satinized glass	20	IP 65	140	21300	353,63
74830	CANOPUS HE 30000/840	High efficiency, non-dimmable, satinized glass	20	IP 65	162	24240	353,63

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
74811	CANOPUS HE 22000/840 M1h At	High efficiency, non-dimmable, satinized glass	20	IP 65	116	17360	485,71
74821	CANOPUS HE 26000/840 M1h At	High efficiency, non-dimmable, satinized glass	20	IP 65	140	21300	515,90
74831	CANOPUS HE 30000/840 M1h At	High efficiency, non-dimmable, satinized glass	20	IP 65	162	24240	515,90
74812	CANOPUS HE 22000/840 M3h At	High efficiency, non-dimmable, satinized glass	20	IP 65	116	17360	501,26
74822	CANOPUS HE 26000/840 M3h At	High efficiency, non-dimmable, satinized glass	20	IP 65	140	21300	531,45
74832	CANOPUS HE 30000/840 M3h At	High efficiency, non-dimmable, satinized glass	20	IP 65	162	24240	531,45
74813	CANOPUS HE 22000/840 DALI	High efficiency, DALI dimmable, satinized glass	20	IP 65	116	17360	367,37
74823	CANOPUS HE 26000/840 DALI	High efficiency, DALI dimmable, satinized glass	20	IP 65	140	21300	414,72
74833	CANOPUS HE 30000/840 DALI	High efficiency, DALI dimmable, satinized glass	20	IP 65	162	24240	414,72
74814	CANOPUS HE 22000/840 DALI M1h At	High efficiency, DALI dimmable, satinized glass	20	IP 65	116	17360	529,64
74824	CANOPUS HE 26000/840 DALI M1h At	High efficiency, DALI dimmable, satinized glass	20	IP 65	140	21300	577,02
74834	CANOPUS HE 30000/840 DALI M1h At	High efficiency, DALI dimmable, satinized glass	20	IP 65	162	24240	577,02
74815	CANOPUS HE 22000/840 DALI M3h At	High efficiency, DALI dimmable, satinized glass	20	IP 65	116	17360	545,19
74825	CANOPUS HE 26000/840 DALI M3h At	High efficiency, DALI dimmable, satinized glass	20	IP 65	140	21300	592,54
74835	CANOPUS HE 30000/840 DALI M3h At	High efficiency, DALI dimmable, satinized glass	20	IP 65	162	24240	592,54
74710	CANOPUS HORTI DALI	For stimulation of plant growth	20	IP 65	224		748,24
50080	CANOPUS holder 1	Ceiling holder					27,66
50081	CANOPUS holder 2	Adjustable ceiling and wall holder					32,84
50082	CANOPUS suspender	Chain suspender					6,57
50083	CANOPUS	Protecting grid - Canopus					36,09
50085	CANOPUS Mxh	Protecting grid - Canopus with emergeny module					50,00
50086	CANOPUS holder 1 INOX	Ceiling holder					69,03
50087	CANOPUS holder 2 INOX	Adjustable ceiling and wall holder					82,35
50088	CANOPUS suspender INOX	Chain suspender					19,12
74550	CANOPUS MINI 4400/840	Non-dimmable, satinized glass	72	IP 65	30	3610	120,30
74560	CANOPUS MINI 5200/840	Non-dimmable, satinized glass	72	IP 65	36	4210	120,30
74570	CANOPUS MINI 6400/840	Non-dimmable, satinized glass	72	IP 65	44	4990	116,28
74580	CANOPUS MINI 8800/840	Non-dimmable, satinized glass	72	IP 65	60	6860	120,40
74554	CANOPUS MINI 4400/840 DALI	DALI dimmable, satinized glass	72	IP 65	30	3610	134,51
74564	CANOPUS MINI 5200/840 DALI	DALI dimmable, satinized glass	72	IP 65	36	4210	134,51
74574	CANOPUS MINI 6400/840 DALI	DALI dimmable, satinized glass	72	IP 65	44	4990	134,91
74584	CANOPUS MINI 8800/840 DALI	DALI dimmable, satinized glass	72	IP 65	60	6860	136,37
74555	CANOPUS MINI 4400/840 INOX 304	Non-dimmable, satinized glass	72	IP 65	30	3610	194,12
74565	CANOPUS MINI 5200/840 INOX 304	Non-dimmable, satinized glass	72	IP 65	36	4210	194,12
74575	CANOPUS MINI 6400/840 INOX 304	Non-dimmable, satinized glass	72	IP 65	44	4990	190,10
74585	CANOPUS MINI 8800/840 INOX 304	Non-dimmable, satinized glass	72	IP 65	60	6860	194,22
74556	CANOPUS MINI 4400/840 INOX 304 DALI	DALI dimmable, satinized glass	72	IP 65	30	3610	208,33

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
74566	CANOPUS MINI 5200/840 INOX 304 DALI	DALI dimmable, satinized glass	72	IP 65	36	4210	208,33
74576	CANOPUS MINI 6400/840 INOX 304 DALI	DALI dimmable, satinized glass	72	IP 65	44	4990	208,73
74586	CANOPUS MINI 8800/840 INOX 304 DALI	DALI dimmable, satinized glass	72	IP 65	60	6860	209,89
74557	CANOPUS MINI 4400/840 INOX 316	Non-dimmable, satinized glass	72	IP 65	30	3610	207,36
74567	CANOPUS MINI 5200/840 INOX 316	Non-dimmable, satinized glass	72	IP 65	36	4210	207,36
74577	CANOPUS MINI 6400/840 INOX 316	Non-dimmable, satinized glass	72	IP 65	44	4990	203,34
74587	CANOPUS MINI 8800/840 INOX 316	Non-dimmable, satinized glass	72	IP 65	60	6860	207,46
74558	CANOPUS MINI 4400/840 INOX 316 DALI	DALI dimmable, satinized glass	72	IP 65	30	3610	221,57
74568	CANOPUS MINI 5200/840 INOX 316 DALI	DALI dimmable, satinized glass	72	IP 65	36	4210	221,57
74578	CANOPUS MINI 6400/840 INOX 316 DALI	DALI dimmable, satinized glass	72	IP 65	44	4990	221,97
74588	CANOPUS MINI 8800/840 INOX 316 DALI	DALI dimmable, satinized glass	72	IP 65	60	6860	223,14
62910	TUNNEL STAR 10000/740 INOX 304 MR	Non-dimmable, Main road	68	IP 65	71	8100	267,33
62920	TUNNEL STAR 15000/740 INOX 304 MR	Non-dimmable, Main road	68	IP 65	107	12150	288,27
62930	TUNNEL STAR 20000/740 INOX 304 MR	Non-dimmable, Main road	68	IP 65	142	16200	308,68
62911	TUNNEL STAR 10000/740 INOX 304 TE	Non-dimmable, Tunnel entrance	68	IP 65	71	8100	267,33
62921	TUNNEL STAR 15000/740 INOX 304 TE	Non-dimmable, Tunnel entrance	68	IP 65	107	12150	288,27
62931	TUNNEL STAR 20000/740 INOX 304 TE	Non-dimmable, Tunnel entrance	68	IP 65	142	16200	308,68
62912	TUNNEL STAR 10000/740 INOX 304 WS	Non-dimmable, Wide street	68	IP 65	71	8100	267,33
62922	TUNNEL STAR 15000/740 INOX 304 WS	Non-dimmable, Wide street	68	IP 65	107	12150	288,27
62932	TUNNEL STAR 20000/740 INOX 304 WS	Non-dimmable, Wide street	68	IP 65	142	16200	308,68
62913	TUNNEL STAR 10000/740 INOX 304 WR	Non-dimmable, Wide road	68	IP 65	71	8100	267,33
62923	TUNNEL STAR 15000/740 INOX 304 WR	Non-dimmable, Wide road	68	IP 65	107	12150	288,27
62933	TUNNEL STAR 20000/740 INOX 304 WR	Non-dimmable, Wide road	68	IP 65	142	16200	308,68
62950	TUNNEL STAR 10000/740 INOX 316 MR	Non-dimmable, Main road	68	IP 65	71	8100	282,08
62960	TUNNEL STAR 15000/740 INOX 316 MR	Non-dimmable, Main road	68	IP 65	107	12150	303,01
62970	TUNNEL STAR 20000/740 INOX 316 MR	Non-dimmable, Main road	68	IP 65	142	16200	323,40
62951	TUNNEL STAR 10000/740 INOX 316 TE	Non-dimmable, Tunnel entrance	68	IP 65	71	8100	282,08
62961	TUNNEL STAR 15000/740 INOX 316 TE	Non-dimmable, Tunnel entrance	68	IP 65	107	12150	303,01
62971	TUNNEL STAR 20000/740 INOX 316 TE	Non-dimmable, Tunnel entrance	68	IP 65	142	16200	323,40
62952	TUNNEL STAR 10000/740 INOX 316 WS	Non-dimmable, Wide street	68	IP 65	71	8100	282,08
62962	TUNNEL STAR 15000/740 INOX 316 WS	Non-dimmable, Wide street	68	IP 65	107	12150	303,01
62972	TUNNEL STAR 20000/740 INOX 316 WS	Non-dimmable, Wide street	68	IP 65	142	16200	323,40
62953	TUNNEL STAR 10000/740 INOX 316 WR	Non-dimmable, Wide road	68	IP 65	71	8100	282,08
62963	TUNNEL STAR 15000/740 INOX 316 WR	Non-dimmable, Wide road	68	IP 65	107	12150	303,01
62973	TUNNEL STAR 20000/740 INOX 316 WR	Non-dimmable, Wide road	68	IP 65	142	16200	323,40
62990	TUNNEL BOX 1 INOX 304	Driver box for luminaires 3x10000, incl. 2m cables with connectors		IP 65			372,27
62991	TUNNEL BOX 2 INOX 304	Driver box for luminaires 3x15000, incl. 2m cables with connectors		IP 65			383,48

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
62992	TUNNEL BOX 3 INOX 304	Driver box for luminaires 2x20000, incl. 2m cables with connectors		IP 65			350,08
62996	TUNNEL BOX 1 INOX 316	Driver box for luminaires 3x10000, incl. 2m cables with connectors		IP 65			36,07
62997	TUNNEL BOX 2 INOX 316	Driver box for luminaires 3x15000, incl. 2m cables with connectors		IP 65			41,90
62998	TUNNEL BOX 3 INOX 316	Driver box for luminaires 2x20000, incl. 2m cables with connectors		IP 65			52,05
62993	TUNNEL BOX 1 INOX 304 DALI	Driver box for luminaires 3x10000, incl. 2m cables with connectors		IP 65			395,91
62994	TUNNEL BOX 2 INOX 304 DALI	Driver box for luminaires 3x15000, incl. 2m cables with connectors		IP 65			409,19
62995	TUNNEL BOX 3 INOX 304 DALI	Driver box for luminaires 2x20000, incl. 2m cables with connectors		IP 65			360,44
62999	TUNNEL BOX 1 INOX 316 DALI	Driver box for luminaires 3x10000, incl. 2m cables with connectors		IP 65			46,78
62980	TUNNEL BOX 2 INOX 316 DALI	Driver box for luminaires 3x15000, incl. 2m cables with connectors		IP 65			420,07
62981	TUNNEL BOX 3 INOX 316 DALI	Driver box for luminaires 2x20000, incl. 2m cables with connectors		IP 65			371,33
62985	TUNNEL STAR holder 1 Inox 316	ceiling suspension set for 1 luminaire		IP 65			41,16
62986	TUNNEL STAR holder 2 Inox 316	wall suspension set for 1 luminaire		IP 65			47,80
62987	TUNNEL STAR holder 3 Inox 316	adjustable wall or ceiling suspension set for 1 luminaire		IP 65			55,17
62988	TUNNEL STAR holder 4 Inox 316	Pipeline holder suspension set for 1 luminaire		IP 65			50,19
11989	MNB 2.4	Antigliare louvre for Futura 2.4ft NB					16,12
11990	MNB 2.5	Antigliare louvre for Futura 2.5ft NB					21,49
86410	MO LED 1.2ft 1600/840	Non-dimmable, white	60	IP 20	12	1280	62,75
86420	MO LED 1.2ft 2200/840	Non-dimmable, white	60	IP 20	15	1760	62,75
86430	MO LED 1.4ft 3200/840	Non-dimmable, white	60	IP 20	23	2560	88,07
86440	MO LED 1.4ft 4400/840	Non-dimmable, white	60	IP 20	31	3520	96,31
86450	MO LED 1.5ft 4000/840	Non-dimmable, white	60	IP 20	28	3200	113,31
86460	MO LED 1.5ft 5500/840	Non-dimmable, white	60	IP 20	38	4400	113,31
86470	MO LED 2.2ft 3200/840	Non-dimmable, white	60	IP 20	23	2560	68,76
86480	MO LED 2.2ft 4400/840	Non-dimmable, white	60	IP 20	31	3520	76,86
86490	MO LED 2.4ft 6400/840	Non-dimmable, white	60	IP 20	43	5120	102,18
86500	MO LED 2.4ft 8800/840	Non-dimmable, white	60	IP 20	59	7040	108,76
86510	MO LED 2.5ft 8000/840	Non-dimmable, white	60	IP 20	54	6400	129,74
86520	MO LED 2.5ft 11000/840	Non-dimmable, white	60	IP 20	73	8800	129,74
86530	MO LED 1.2ft 1600/840 s	Non-dimmable, silver	60	IP 20	12	1280	69,41
86540	MO LED 1.2ft 2200/840 s	Non-dimmable, silver	60	IP 20	15	1760	69,41
86550	MO LED 1.4ft 3200/840 s	Non-dimmable, silver	60	IP 20	23	2560	98,63
86560	MO LED 1.4ft 4400/840 s	Non-dimmable, silver	60	IP 20	31	3520	106,85
86570	MO LED 1.5ft 4000/840 s	Non-dimmable, silver	60	IP 20	28	3200	124,96
86580	MO LED 1.5ft 5500/840 s	Non-dimmable, silver	60	IP 20	38	4400	124,96
86590	MO LED 2.2ft 3200/840 s	Non-dimmable, silver	60	IP 20	23	2560	75,41
86600	MO LED 2.2ft 4400/840 s	Non-dimmable, silver	60	IP 20	31	3520	83,54
86610	MO LED 2.4ft 6400/840 s	Non-dimmable, silver	60	IP 20	43	5120	112,74

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
86620	MO LED 2.4ft 8800/840 s	Non-dimmable, silver	60	IP 20	59	7040	119,29
86630	MO LED 2.5ft 8000/840 s	Non-dimmable, silver	60	IP 20	54	6400	141,42
86640	MO LED 2.5ft 11000/840 s	Non-dimmable, silver	60	IP 20	73	8800	141,42
86434	MO LED 1.4ft 3200/840 M1h	Non-dimmable, white	60	IP 20	23	2560	137,79
86444	MO LED 1.4ft 4400/840 M1h	Non-dimmable, white	60	IP 20	31	3520	146,16
86454	MO LED 1.5ft 4000/840 M1h	Non-dimmable, white	60	IP 20	28	3200	164,52
86464	MO LED 1.5ft 5500/840 M1h	Non-dimmable, white	60	IP 20	38	4400	164,52
86494	MO LED 2.4ft 6400/840 M1h	Non-dimmable, white	60	IP 20	43	5120	152,17
86504	MO LED 2.4ft 8800/840 M1h	Non-dimmable, white	60	IP 20	59	7040	158,85
86514	MO LED 2.5ft 8000/840 M1h	Non-dimmable, white	60	IP 20	54	6400	181,28
86524	MO LED 2.5ft 11000/840 M1h	Non-dimmable, white	60	IP 20	73	8800	181,28
86554	MO LED 1.4ft 3200/840 s M1h	Non-dimmable, silver	60	IP 20	23	2560	148,54
86564	MO LED 1.4ft 4400/840 s M1h	Non-dimmable, silver	60	IP 20	31	3520	156,91
86574	MO LED 1.5ft 4000/840 s M1h	Non-dimmable, silver	60	IP 20	28	3200	176,42
86584	MO LED 1.5ft 5500/840 s M1h	Non-dimmable, silver	60	IP 20	38	4400	176,42
86614	MO LED 2.4ft 6400/840 s M1h	Non-dimmable, silver	60	IP 20	43	5120	162,92
86624	MO LED 2.4ft 8800/840 s M1h	Non-dimmable, silver	60	IP 20	59	7040	169,60
86634	MO LED 2.5ft 8000/840 s M1h	Non-dimmable, silver	60	IP 20	54	6400	193,17
86644	MO LED 2.5ft 11000/840 s M1h	Non-dimmable, silver	60	IP 20	73	8800	193,17
86435	MO LED 1.4ft 3200/840 M3h At	Non-dimmable, white	60	IP 20	23	2560	170,50
86445	MO LED 1.4ft 4400/840 M3h At	Non-dimmable, white	60	IP 20	31	3520	178,71
86455	MO LED 1.5ft 4000/840 M3h At	Non-dimmable, white	60	IP 20	28	3200	196,72
86465	MO LED 1.5ft 5500/840 M3h At	Non-dimmable, white	60	IP 20	38	4400	196,72
86495	MO LED 2.4ft 6400/840 M3h At	Non-dimmable, white	60	IP 20	43	5120	184,61
86505	MO LED 2.4ft 8800/840 M3h At	Non-dimmable, white	60	IP 20	59	7040	191,15
86515	MO LED 2.5ft 8000/840 M3h At	Non-dimmable, white	60	IP 20	54	6400	213,17
86525	MO LED 2.5ft 11000/840 M3h At	Non-dimmable, white	60	IP 20	73	8800	213,17
86555	MO LED 1.4ft 3200/840 s M3h At	Non-dimmable, silver	60	IP 20	23	2560	181,06
86565	MO LED 1.4ft 4400/840 s M3h At	Non-dimmable, silver	60	IP 20	31	3520	189,27
86575	MO LED 1.5ft 4000/840 s M3h At	Non-dimmable, silver	60	IP 20	28	3200	208,37
86585	MO LED 1.5ft 5500/840 s M3h At	Non-dimmable, silver	60	IP 20	38	4400	208,37
86615	MO LED 2.4ft 6400/840 s M3h At	Non-dimmable, silver	60	IP 20	43	5120	195,17
86625	MO LED 2.4ft 8800/840 s M3h At	Non-dimmable, silver	60	IP 20	59	7040	201,71
86535	MO LED 2.5ft 8000/840 s M3h At	Non-dimmable, silver	60	IP 20	54	6400	224,82
86545	MO LED 2.5ft 11000/840 s M3h At	Non-dimmable, silver	60	IP 20	73	8800	224,82
86419	MO LED 1.2ft 1600/840 DALI	Non-dimmable, white	60	IP 20	12	1280	93,86
86429	MO LED 1.2ft 2200/840 DALI	Non-dimmable, white	60	IP 20	15	1760	93,86

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
86439	MO LED 1.4ft 3200/840 DALI	Non-dimmable, white	60	IP 20	23	2560	119,18
86449	MO LED 1.4ft 4400/840 DALI	Non-dimmable, white	60	IP 20	31	3520	124,64
86459	MO LED 1.5ft 4000/840 DALI	Non-dimmable, white	60	IP 20	28	3200	141,63
86469	MO LED 1.5ft 5500/840 DALI	Non-dimmable, white	60	IP 20	38	4400	141,63
86479	MO LED 2.2ft 3200/840 DALI	Non-dimmable, white	60	IP 20	23	2560	99,86
86489	MO LED 2.2ft 4400/840 DALI	Non-dimmable, white	60	IP 20	31	3520	105,18
86499	MO LED 2.4ft 6400/840 DALI	Non-dimmable, white	60	IP 20	43	5120	130,53
86509	MO LED 2.4ft 8800/840 DALI	Non-dimmable, white	60	IP 20	59	7040	140,08
86519	MO LED 2.5ft 8000/840 DALI	Non-dimmable, white	60	IP 20	54	6400	161,06
86529	MO LED 2.5ft 11000/840 DALI	Non-dimmable, white	60	IP 20	73	8800	161,06
86539	MO LED 1.2ft 1600/840 DALI s	Non-dimmable, silver	60	IP 20	12	1280	100,52
86549	MO LED 1.2ft 2200/840 DALI s	Non-dimmable, silver	60	IP 20	15	1760	100,52
86559	MO LED 1.4ft 3200/840 DALI s	Non-dimmable, silver	60	IP 20	23	2560	129,74
86569	MO LED 1.4ft 4400/840 DALI s	Non-dimmable, silver	60	IP 20	31	3520	135,19
86579	MO LED 1.5ft 4000/840 DALI s	Non-dimmable, silver	60	IP 20	28	3200	153,28
86589	MO LED 1.5ft 5500/840 DALI s	Non-dimmable, silver	60	IP 20	38	4400	153,28
86599	MO LED 2.2ft 3200/840 DALI s	Non-dimmable, silver	60	IP 20	23	2560	106,52
86609	MO LED 2.2ft 4400/840 DALI s	Non-dimmable, silver	60	IP 20	31	3520	111,87
86619	MO LED 2.4ft 6400/840 DALI s	Non-dimmable, silver	60	IP 20	43	5120	141,06
86629	MO LED 2.4ft 8800/840 DALI s	Non-dimmable, silver	60	IP 20	59	7040	150,61
86639	MO LED 2.5ft 8000/840 DALI s	Non-dimmable, silver	60	IP 20	54	6400	172,74
86649	MO LED 2.5ft 11000/840 DALI s	Non-dimmable, silver	60	IP 20	73	8800	172,74
86438	MO LED 1.4ft 3200/840 DALI M1h	Non-dimmable, white	60	IP 20	23	2560	169,49
86448	MO LED 1.4ft 4400/840 DALI M1h	Non-dimmable, white	60	IP 20	31	3520	175,06
86458	MO LED 1.5ft 4000/840 DALI M1h	Non-dimmable, white	60	IP 20	28	3200	193,39
86468	MO LED 1.5ft 5500/840 DALI M1h	Non-dimmable, white	60	IP 20	38	4400	193,39
86498	MO LED 2.4ft 6400/840 DALI M1h	Non-dimmable, white	60	IP 20	43	5120	181,06
86508	MO LED 2.4ft 8800/840 DALI M1h	Non-dimmable, white	60	IP 20	59	7040	190,80
86518	MO LED 2.5ft 8000/840 DALI M1h	Non-dimmable, white	60	IP 20	54	6400	213,23
86528	MO LED 2.5ft 11000/840 DALI M1h	Non-dimmable, white	60	IP 20	73	8800	213,23
86558	MO LED 1.4ft 3200/840 DALI s M1h	Non-dimmable, silver	60	IP 20	23	2560	180,27
86568	MO LED 1.4ft 4400/840 DALI s M1h	Non-dimmable, silver	60	IP 20	31	3520	185,81
86578	MO LED 1.5ft 4000/840 DALI s M1h	Non-dimmable, silver	60	IP 20	28	3200	205,29
86588	MO LED 1.5ft 5500/840 DALI s M1h	Non-dimmable, silver	60	IP 20	38	4400	205,29
86618	MO LED 2.4ft 6400/840 DALI s M1h	Non-dimmable, silver	60	IP 20	43	5120	191,81
86628	MO LED 2.4ft 8800/840 DALI s M1h	Non-dimmable, silver	60	IP 20	59	7040	201,55
86638	MO LED 2.5ft 8000/840 DALI s M1h	Non-dimmable, silver	60	IP 20	54	6400	225,12

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
86648	MO LED 2.5ft 11000/840 DALI s M1h	Non-dimmable, silver	60	IP 20	73	8800	225,12
86437	MO LED 1.4ft 3200/840 DALI M3h At	Non-dimmable, white	60	IP 20	23	2560	201,60
86447	MO LED 1.4ft 4400/840 DALI M3h At	Non-dimmable, white	60	IP 20	31	3520	207,06
86457	MO LED 1.5ft 4000/840 DALI M3h At	Non-dimmable, white	60	IP 20	28	3200	225,04
86467	MO LED 1.5ft 5500/840 DALI M3h At	Non-dimmable, white	60	IP 20	38	4400	225,04
86497	MO LED 2.4ft 6400/840 DALI M3h At	Non-dimmable, white	60	IP 20	43	5120	212,93
86507	MO LED 2.4ft 8800/840 DALI M3h At	Non-dimmable, white	60	IP 20	59	7040	222,50
86517	MO LED 2.5ft 8000/840 DALI M3h At	Non-dimmable, white	60	IP 20	54	6400	244,50
86527	MO LED 2.5ft 11000/840 DALI M3h At	Non-dimmable, white	60	IP 20	73	8800	244,50
86557	MO LED 1.4ft 3200/840 DALI s M3h At	Non-dimmable, silver	60	IP 20	23	2560	212,16
86567	MO LED 1.4ft 4400/840 DALI s M3h At	Non-dimmable, silver	60	IP 20	31	3520	217,59
86577	MO LED 1.5ft 4000/840 DALI s M3h At	Non-dimmable, silver	60	IP 20	28	3200	236,72
86587	MO LED 1.5ft 5500/840 DALI s M3h At	Non-dimmable, silver	60	IP 20	38	4400	236,72
86617	MO LED 2.4ft 6400/840 DALI s M3h At	Non-dimmable, silver	60	IP 20	43	5120	223,49
86627	MO LED 2.4ft 8800/840 DALI s M3h At	Non-dimmable, silver	60	IP 20	59	7040	233,04
86637	MO LED 2.5ft 8000/840 DALI s M3h At	Non-dimmable, silver	60	IP 20	54	6400	256,15
86647	MO LED 2.5ft 11000/840 DALI s M3h At	Non-dimmable, silver	60	IP 20	73	8800	256,15
16190	MO-S	direct connection into row, white					3,77
16192	MO-S s	direct connection into row, silver					5,40
16111	MO-I	direct connection into row (200 mm), white					12,41
16112	MO-I s	direct connection into row (200 mm), silver					18,77
16121	MO-L	connection in "L" shape, white					19,40
16122	MO-L s	connection in "L" shape, silver					26,30
16131	MO-T	connection in "T" shape, white					25,78
16132	MO-T s	connection in "T" shape, silver					35,25
16141	MO-U	connection in "U" shape, white					26,52
16142	MO-U s	connection in "U" shape, silver					35,47
16151	MO-V	connection in "V" shape, white					26,30
16152	MO-V s	connection in "V" shape, silver					33,97
16161	MO-X	connection in "X" shape, white					31,38
16162	MO-X s	connection in "X" shape, silver					45,51
16171	MO-Y	connection in "Y" shape, white					27,50
16172	MO-Y s	connection in "Y" shape, silver					37,11
16181	MO-K	plastic end cap, white					3,25
16182	MO-K s	plastic end cap, silver					4,75
16002	MO tube body	empty tube - body, white (price per 1 m) (opened profile)					11,32
16003	MO tube cover	empty tube - cover, white (price per 1 m)					10,15

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
16202	MO tube body s	empty tube - body, silver (price per 1 m) (opened profile)					16,83
16203	MO tube cover s	empty tube - cover, silver (price per 1 m)					11,43
16101	Z4-F1	ceiling suspension, white					3,87
16102	Z4-F1 s	ceiling suspension, silver					5,81
13401	KPK 3x0.5 KR	Supply cable, lenth 30-80 cm, short, white					3,36
13402	KPK 3x0.5 DL	Supply cable, lenth 80-160 cm, long, white					5,40
13403	KPK 3x0.75 KR	Supply cable, lenth 30-80 cm, short, white					3,55
13404	KPK 3x0.75 DL	Supply cable, lenth 80-160 cm, long, white					5,92
13405	KPK 3x1 KR	Supply cable, lenth 30-60 cm, short, white					4,20
13406	KPK 3x1 DL	Supply cable, lenth 60-120 cm, long, white					6,47
13408	KPK 3x1.5 DL	Supply cable, lenth 60-120 cm, long, white					8,08
13415	KPK 4x1.0 KR	Supply cable, lenth 30-60 cm, short, white					4,75
13416	KPK 4x1.0 DL	Supply cable, lenth 60-120 cm, long, white					7,12
13426	KPK 5x1.0 DL	Supply cable, lenth 60-120 cm, long, white					7,56
13434	KPK 3x0.75 DL cr	Supply cable, lenth 80-160 cm, long, black					5,92
22410	SB LED 1.1ft 1200/840	non-dimmable, with a switch	600	IP20	9	1020	#VALUE!
22420	SB LED 1.2ft 1600/840	non-dimmable, with a switch	500	IP20	12	1360	#VALUE!
22430	SB LED 1.3ft 2400/840	non-dimmable, with a switch	400	IP20	18	2040	#VALUE!
22440	SB LED 1.4ft 3200/840	non-dimmable, with a switch	400	IP20	23	2720	#VALUE!
22450	SB LED 1.5ft 4000/840	non-dimmable, with a switch	320	IP20	29	3400	#VALUE!
22415	SB LED 1.1ft 1200/840 DALI	DALI dimmable, with a switch	600	IP20	9	1020	#VALUE!
22425	SB LED 1.2ft 1600/840 DALI	DALI dimmable, with a switch	500	IP20	12	1360	#VALUE!
22435	SB LED 1.3ft 2400/840 DALI	DALI dimmable, with a switch	400	IP20	18	2040	#VALUE!
22445	SB LED 1.4ft 3200/840 DALI	DALI dimmable, with a switch	400	IP20	23	2720	#VALUE!
22455	SB LED 1.5ft 4000/840 DALI	DALI dimmable, with a switch	320	IP20	29	3400	#VALUE!
72111	INNOVA 1.4ft PC 2600/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	18	2470	43,89
72121	INNOVA 1.4ft PC 3200/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	22	3050	43,89
72131	INNOVA 1.4ft PC 4400/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	30	4180	44,81
72141	INNOVA 1.4ft PC 6400/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	43	6030	47,22
72101	INNOVA 1.4ft PC 8800/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	58	8110	58,88
72151	INNOVA 1.5ft PC 3250/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	22	3000	49,76
72161	INNOVA 1.5ft PC 4000/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	27	3770	49,76
72171	INNOVA 1.5ft PC 5500/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	37	5270	50,91
72181	INNOVA 1.5ft PC 8000/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	54	5750	54,47
72191	INNOVA 1.5ft PC 11000/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	71	9950	66,66
72112	INNOVA 1.4ft PC 2600/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	18	2470	43,89
72122	INNOVA 1.4ft PC 3200/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	22	3050	43,89

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72132	INNOVA 1.4ft PC 4400/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	30	4180	44,81
72142	INNOVA 1.4ft PC 6400/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	43	6030	47,22
72102	INNOVA 1.4ft PC 8800/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	58	8110	58,88
72152	INNOVA 1.5ft PC 3250/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	22	3000	50,28
72162	INNOVA 1.5ft PC 4000/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	27	3770	50,28
72172	INNOVA 1.5ft PC 5500/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	37	5270	51,44
72182	INNOVA 1.5ft PC 8000/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	54	5750	55,00
72192	INNOVA 1.5ft PC 11000/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	71	9950	67,22
72113	INNOVA 1.4ft PC 2600/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	18	2470	67,35
72123	INNOVA 1.4ft PC 3200/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	22	3050	67,35
72133	INNOVA 1.4ft PC 4400/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	30	4180	68,01
72143	INNOVA 1.4ft PC 6400/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	43	6030	69,23
72103	INNOVA 1.4ft PC 8800/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	58	8110	79,97
72153	INNOVA 1.5ft PC 3250/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	22	3000	75,13
72163	INNOVA 1.5ft PC 4000/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	27	3770	75,13
72173	INNOVA 1.5ft PC 5500/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	37	5270	76,05
72183	INNOVA 1.5ft PC 8000/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	54	5750	81,13
72193	INNOVA 1.5ft PC 11000/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	71	9950	92,56
72114	INNOVA 1.4ft PC 2600/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	18	2340	87,52
72124	INNOVA 1.4ft PC 3200/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	22	2890	87,52
72134	INNOVA 1.4ft PC 4400/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	30	3960	88,44
72144	INNOVA 1.4ft PC 6400/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	43	6030	89,76
72104	INNOVA 1.4ft PC 8800/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	58	8110	99,91
72154	INNOVA 1.5ft PC 3250/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	22	2840	92,43
72164	INNOVA 1.5ft PC 4000/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	27	3570	92,43
72174	INNOVA 1.5ft PC 5500/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	37	4990	93,38
72184	INNOVA 1.5ft PC 8000/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	54	5750	97,93
72194	INNOVA 1.5ft PC 11000/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	71	9950	109,66
72115	INNOVA 1.4ft PC 2600/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	18	2340	50,55
72125	INNOVA 1.4ft PC 3200/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	22	2890	50,55
72135	INNOVA 1.4ft PC 4400/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	30	3960	51,44
72145	INNOVA 1.4ft PC 6400/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	43	6030	54,07
72105	INNOVA 1.4ft PC 8800/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	58	8110	65,74
72155	INNOVA 1.5ft PC 3250/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	22	2840	57,30
72165	INNOVA 1.5ft PC 4000/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	27	3570	57,30
72175	INNOVA 1.5ft PC 5500/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	37	4990	58,49
72185	INNOVA 1.4ft PC 8000/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	54	5750	62,24

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72195	INNOVA 1.4ft PC 11000/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	71	9950	74,44
72116	INNOVA 1.4ft PC 2600/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	18	2340	53,55
72126	INNOVA 1.4ft PC 3200/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	22	2890	53,55
72136	INNOVA 1.4ft PC 4400/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	30	3960	54,44
72146	INNOVA 1.4ft PC 6400/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	43	6030	57,14
72106	INNOVA 1.4ft PC 8800/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	58	8110	68,80
72156	INNOVA 1.5ft PC 3250/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	22	2840	60,43
72166	INNOVA 1.5ft PC 4000/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	27	3570	60,43
72176	INNOVA 1.5ft PC 5500/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	37	4990	61,62
72186	INNOVA 1.4ft PC 8000/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	54	5750	65,47
72196	INNOVA 1.4ft PC 11000/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	71	9950	77,67
72117	INNOVA 1.4ft PC 2600/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	18	2340	77,37
72127	INNOVA 1.4ft PC 3200/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	22	2890	77,37
72137	INNOVA 1.4ft PC 4400/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	30	3960	78,06
72147	INNOVA 1.4ft PC 6400/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	43	6030	79,28
72107	INNOVA 1.4ft PC 8800/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	58	8110	89,73
72157	INNOVA 1.5ft PC 3250/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	22	2840	83,99
72167	INNOVA 1.5ft PC 4000/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	27	3570	83,99
72177	INNOVA 1.5ft PC 5500/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	37	4990	84,92
72187	INNOVA 1.5ft PC 8000/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	54	5750	89,73
72197	INNOVA 1.5ft PC 11000/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	71	9950	101,42
72118	INNOVA 1.4ft PC 2600/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	18	2340	125,94
72128	INNOVA 1.4ft PC 3200/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	22	2890	125,94
72138	INNOVA 1.4ft PC 4400/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	30	3960	126,86
72148	INNOVA 1.4ft PC 6400/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	43	6030	129,33
72108	INNOVA 1.4ft PC 8800/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	58	8110	138,33
72158	INNOVA 1.5ft PC 3250/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	22	2840	132,99
72168	INNOVA 1.5ft PC 4000/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	27	3570	132,99
72178	INNOVA 1.5ft PC 5500/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	37	4990	134,14
72188	INNOVA 1.5ft PC 8000/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	54	5750	138,33
72198	INNOVA 1.5ft PC 11000/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	71	9950	150,03
72211	INNOVA 1.4ft NB PC 4400/840 1x3P	Non-dimmable, narrow beam	133	IP66/IP	30	3850	50,91
72221	INNOVA 1.4ft NB PC 6400/840 1x3P	Non-dimmable, narrow beam	133	IP66/IP	43	5540	53,51
72231	INNOVA 1.5ft NB PC 5500/840 1x3P	Non-dimmable, narrow beam	133	IP66/IP	37	4850	57,96
72241	INNOVA 1.5ft NB PC 8000/840 1x3P	Non-dimmable, narrow beam	133	IP66/IP	54	6960	61,72
72212	INNOVA 1.4ft NB PC 4400/840 1x5P	Non-dimmable, narrow beam	133	IP66/IP	30	3850	50,91
72222	INNOVA 1.4ft NB PC 6400/840 1x5P	Non-dimmable, narrow beam	133	IP66/IP	43	5540	53,51

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72232	INNOVA 1.5ft NB PC 5500/840 1x5P	Non-dimmable, narrow beam	133	IP66/IP	37	4850	58,49
72242	INNOVA 1.5ft NB PC 8000/840 1x5P	Non-dimmable, narrow beam	133	IP66/IP	54	6960	62,24
72213	INNOVA 1.4ft NB PC 4400/840 1x5P DALI	Dimmable, narrow beam	133	IP66/IP	30	3850	74,30
72223	INNOVA 1.4ft NB PC 6400/840 1x5P DALI	Dimmable, narrow beam	133	IP66/IP	43	5540	75,52
72233	INNOVA 1.5ft NB PC 5500/840 1x5P DALI	Dimmable, narrow beam	133	IP66/IP	37	4850	83,30
72243	INNOVA 1.5ft NB PC 8000/840 1x5P DALI	Dimmable, narrow beam	133	IP66/IP	54	6960	88,18
72214	INNOVA 1.4ft NB PC 4400/840 1x7P DALI	Dimmable, narrow beam	133	IP66/IP	30	3850	94,57
72224	INNOVA 1.4ft NB PC 6400/840 1x7P DALI	Dimmable, narrow beam	133	IP66/IP	43	5540	96,05
72234	INNOVA 1.5ft NB PC 5500/840 1x7P DALI	Dimmable, narrow beam	133	IP66/IP	37	4850	100,60
72244	INNOVA 1.5ft NB PC 8000/840 1x7P DALI	Dimmable, narrow beam	133	IP66/IP	54	6960	104,98
72215	INNOVA 1.4ft NB PC 4400/840 2x3P	Non-dimmable, narrow beam	133	IP66/IP	30	3850	57,57
72225	INNOVA 1.4ft NB PC 6400/840 2x3P	Non-dimmable, narrow beam	133	IP66/IP	43	5540	60,37
72235	INNOVA 1.5ft NB PC 5500/840 2x3P	Non-dimmable, narrow beam	133	IP66/IP	37	4850	65,51
72245	INNOVA 1.5ft NB PC 8000/840 2x3P	Non-dimmable, narrow beam	133	IP66/IP	54	6960	69,49
72216	INNOVA 1.4ft NB PC 4400/840 2x5P	Non-dimmable, narrow beam	133	IP66/IP	30	3850	60,56
72226	INNOVA 1.4ft NB PC 6400/840 2x5P	Non-dimmable, narrow beam	133	IP66/IP	43	5540	63,46
72236	INNOVA 1.5ft NB PC 5500/840 2x5P	Non-dimmable, narrow beam	133	IP66/IP	37	4850	68,64
72246	INNOVA 1.5ft NB PC 8000/840 2x5P	Non-dimmable, narrow beam	133	IP66/IP	54	6960	72,72
72217	INNOVA 1.4ft NB PC 4400/840 2x5P DALI	Dimmable, narrow beam	133	IP66/IP	30	3850	84,39
72227	INNOVA 1.4ft NB PC 6400/840 2x5P DALI	Dimmable, narrow beam	133	IP66/IP	43	5540	85,57
72237	INNOVA 1.5ft NB PC 5500/840 2x5P DALI	Dimmable, narrow beam	133	IP66/IP	37	4850	92,16
72247	INNOVA 1.5ft NB PC 8000/840 2x5P DALI	Dimmable, narrow beam	133	IP66/IP	54	6960	96,78
72218	INNOVA 1.4ft NB PC 4400/840 2x7P DALI	Dimmable, narrow beam	133	IP66/IP	30	3850	132,99
72228	INNOVA 1.4ft NB PC 6400/840 2x7P DALI	Dimmable, narrow beam	133	IP66/IP	43	5540	135,63
72238	INNOVA 1.5ft NB PC 5500/840 2x7P DALI	Dimmable, narrow beam	133	IP66/IP	37	4850	141,20
72248	INNOVA 1.5ft NB PC 8000/840 2x7P DALI	Dimmable, narrow beam	133	IP66/IP	54	6960	145,35
72311	INNOVA 1.4ft WB PC 2600/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	18	2270	50,15
72321	INNOVA 1.4ft WB PC 3200/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	22	2810	50,15
72331	INNOVA 1.4ft WB PC 4400/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	30	3850	51,04
72341	INNOVA 1.4ft WB PC 6400/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	43	5540	53,64
72351	INNOVA 1.5ft WB PC 3250/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	22	2750	56,77
72361	INNOVA 1.5ft WB PC 4000/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	27	3470	56,77
72371	INNOVA 1.5ft WB PC 5500/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	37	4850	57,96
72381	INNOVA 1.5ft WB PC 8000/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	54	6960	61,72
72312	INNOVA 1.4ft WB PC 2600/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	18	2270	50,15
72322	INNOVA 1.4ft WB PC 3200/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	22	2810	50,15
72332	INNOVA 1.4ft WB PC 4400/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	30	3850	51,04

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
72342	INNOVA 1.4ft WB PC 6400/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	43	5540	53,64
72352	INNOVA 1.5ft WB PC 3250/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	22	2750	57,30
72362	INNOVA 1.5ft WB PC 4000/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	27	3470	57,30
72372	INNOVA 1.5ft WB PC 5500/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	37	4850	58,49
72382	INNOVA 1.5ft WB PC 8000/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	54	6960	62,24
72313	INNOVA 1.4ft WB PC 2600/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	18	2270	73,78
72323	INNOVA 1.4ft WB PC 3200/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	22	2810	73,78
72333	INNOVA 1.4ft WB PC 4400/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	30	3850	74,44
72343	INNOVA 1.4ft WB PC 6400/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	43	5540	75,66
72353	INNOVA 1.5ft WB PC 3250/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	22	2750	82,38
72363	INNOVA 1.5ft WB PC 4000/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	27	3470	82,38
72373	INNOVA 1.5ft WB PC 5500/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	37	4850	83,30
72383	INNOVA 1.5ft WB PC 8000/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	54	6960	88,18
72314	INNOVA 1.4ft WB PC 2600/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	18	2270	93,78
72324	INNOVA 1.4ft WB PC 3200/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	22	2810	93,78
72334	INNOVA 1.4ft WB PC 4400/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	30	3850	94,70
72344	INNOVA 1.4ft WB PC 6400/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	43	5540	96,18
72354	INNOVA 1.5ft WB PC 3250/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	22	2750	99,64
72364	INNOVA 1.5ft WB PC 4000/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	27	3470	99,64
72374	INNOVA 1.5ft WB PC 5500/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	37	4850	100,60
72384	INNOVA 1.5ft WB PC 8000/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	54	6960	104,98
72315	INNOVA 1.4ft WB PC 2600/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	18	2270	56,77
72325	INNOVA 1.4ft WB PC 3200/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	22	2810	56,77
72335	INNOVA 1.4ft WB PC 4400/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	30	3850	57,70
72345	INNOVA 1.4ft WB PC 6400/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	43	5540	60,50
72355	INNOVA 1.5ft WB PC 3250/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	22	2750	64,35
72365	INNOVA 1.5ft WB PC 4000/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	27	3470	64,35
72375	INNOVA 1.5ft WB PC 5500/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	37	4850	65,51
72385	INNOVA 1.5ft WB PC 8000/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	54	6960	69,49
72316	INNOVA 1.4ft WB PC 2600/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	18	2270	59,77
72326	INNOVA 1.4ft WB PC 3200/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	22	2810	59,77
72336	INNOVA 1.4ft WB PC 4400/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	30	3850	60,70
72346	INNOVA 1.4ft WB PC 6400/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	43	5540	63,60
72356	INNOVA 1.5ft WB PC 3250/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	22	2750	67,45
72366	INNOVA 1.5ft WB PC 4000/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	27	3470	67,45
72376	INNOVA 1.5ft WB PC 5500/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	37	4850	68,64
72386	INNOVA 1.5ft WB PC 8000/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	54	6960	72,72

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72317	INNOVA 1.4ft WB PC 2600/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	18	2270	83,63
72327	INNOVA 1.4ft WB PC 3200/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	22	2810	83,63
72337	INNOVA 1.4ft WB PC 4400/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	30	3850	84,52
72347	INNOVA 1.4ft WB PC 6400/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	43	5540	85,71
72357	INNOVA 1.5ft WB PC 3250/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	22	2750	91,21
72367	INNOVA 1.5ft WB PC 4000/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	27	3470	91,21
72377	INNOVA 1.5ft WB PC 5500/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	37	4850	92,16
72387	INNOVA 1.5ft WB PC 8000/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	54	6960	96,78
72318	INNOVA 1.4ft WB PC 2600/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	18	2270	132,20
72328	INNOVA 1.4ft WB PC 3200/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	22	2810	132,20
72338	INNOVA 1.4ft WB PC 4400/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	30	3850	133,12
72348	INNOVA 1.4ft WB PC 6400/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	43	5540	135,76
72358	INNOVA 1.5ft WB PC 3250/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	22	2750	140,01
72368	INNOVA 1.5ft WB PC 4000/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	27	3470	140,01
72378	INNOVA 1.5ft WB PC 5500/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	37	4850	141,20
72388	INNOVA 1.5ft WB PC 8000/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	54	6960	145,35
72411	INNOVA 1.4ft ABS 2600/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	18	2340	41,82
72421	INNOVA 1.4ft ABS 3200/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	22	2890	41,82
72431	INNOVA 1.4ft ABS 4400/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	30	3960	42,70
72441	INNOVA 1.4ft ABS 6400/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	43	6030	45,08
72401	INNOVA 1.4ft ABS 8800/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	58	8110	56,74
72451	INNOVA 1.5ft ABS 3250/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	22	2840	47,02
72461	INNOVA 1.5ft ABS 4000/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	27	3570	47,02
72471	INNOVA 1.5ft ABS 5500/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	37	4990	48,17
72481	INNOVA 1.5ft ABS 8000/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	54	5750	51,63
72491	INNOVA 1.5ft ABS 11000/840 1x3P	Non-dimmable, standard optics	133	IP66/IP	71	9950	63,86
72412	INNOVA 1.4ft ABS 2600/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	18	2340	41,82
72422	INNOVA 1.4ft ABS 3200/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	22	2890	41,82
72432	INNOVA 1.4ft ABS 4400/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	30	3960	42,70
72442	INNOVA 1.4ft ABS 6400/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	43	6030	45,08
72402	INNOVA 1.4ft ABS 8800/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	58	8110	56,74
72452	INNOVA 1.5ft ABS 3250/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	22	2840	47,55
72462	INNOVA 1.5ft ABS 4000/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	27	3570	47,55
72472	INNOVA 1.5ft ABS 5500/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	37	4990	48,70
72482	INNOVA 1.5ft ABS 8000/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	54	5750	52,19
72492	INNOVA 1.5ft ABS 11000/840 1x5P	Non-dimmable, standard optics	133	IP66/IP	71	9950	64,39
72413	INNOVA 1.4ft ABS 2600/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	18	2340	65,21

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72423	INNOVA 1.4ft ABS 3200/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	22	2890	65,21
72433	INNOVA 1.4ft ABS 4400/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	30	3960	65,87
72443	INNOVA 1.4ft ABS 6400/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	43	6030	67,09
72453	INNOVA 1.4ft ABS 8800/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	58	8110	72,29
72463	INNOVA 1.5ft ABS 4000/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	27	3570	72,29
72473	INNOVA 1.5ft ABS 5500/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	37	4990	73,25
72483	INNOVA 1.5ft ABS 8000/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	54	5750	78,39
72493	INNOVA 1.5ft ABS 11000/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	71	9950	89,76
72414	INNOVA 1.4ft ABS 2600/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	18	2340	85,44
72424	INNOVA 1.4ft ABS 3200/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	22	2890	85,44
72434	INNOVA 1.4ft ABS 4400/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	30	3960	86,36
72444	INNOVA 1.4ft ABS 6400/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	43	6030	87,58
72404	INNOVA 1.4ft ABS 8800/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	58	8110	97,80
72454	INNOVA 1.5ft ABS 3250/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	22	2840	89,63
72464	INNOVA 1.5ft ABS 4000/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	27	3570	89,63
72474	INNOVA 1.5ft ABS 5500/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	37	4990	90,55
72484	INNOVA 1.5ft ABS 8000/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	54	5750	95,20
72494	INNOVA 1.5ft ABS 11000/840 1x7P DALI	Dimmable, standard optics	133	IP66/IP	71	9950	94,44
72415	INNOVA 1.4ft ABS 2600/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	18	2340	48,44
72425	INNOVA 1.4ft ABS 3200/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	22	2890	48,44
72435	INNOVA 1.4ft ABS 4400/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	30	3960	49,36
72445	INNOVA 1.4ft ABS 6400/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	43	6030	51,93
72405	INNOVA 1.4ft ABS 8800/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	58	8110	63,60
72455	INNOVA 1.5ft ABS 3250/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	22	2840	54,57
72465	INNOVA 1.5ft ABS 4000/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	27	3570	54,57
72475	INNOVA 1.5ft ABS 5500/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	37	4990	55,75
72485	INNOVA 1.5ft ABS 8000/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	54	5750	59,44
72495	INNOVA 1.5ft ABS 11000/840 2x3P	Non-dimmable, standard optics	133	IP66/IP	71	9950	71,64
72416	INNOVA 1.4ft ABS 2600/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	18	2340	51,44
72426	INNOVA 1.4ft ABS 3200/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	22	2890	51,44
72436	INNOVA 1.4ft ABS 4400/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	30	3960	52,36
72446	INNOVA 1.4ft ABS 6400/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	43	6030	55,00
72406	INNOVA 1.4ft ABS 8800/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	58	8110	66,66
72456	INNOVA 1.5ft ABS 3250/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	22	2840	57,70
72466	INNOVA 1.5ft ABS 4000/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	27	3570	57,70
72476	INNOVA 1.5ft ABS 5500/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	37	4990	58,88
72486	INNOVA 1.5ft ABS 8000/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	54	5750	62,64

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72496	INNOVA 1.5ft ABS 11000/840 2x5P	Non-dimmable, standard optics	133	IP66/IP	71	9950	74,87
56420	INNOVA 1.4ft ABS 2600/840 1x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	18+12	2340+550	84,78
56422	INNOVA 1.4ft ABS 3200/840 1x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2890+550	84,78
56424	INNOVA 1.4ft ABS 4400/840 1x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	30+12	3960+550	85,71
56426	INNOVA 1.4ft ABS 6400/840 1x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	43+12	5710+550	89,33
56430	INNOVA 1.5ft ABS 3250/840 1x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2840+550	90,52
56432	INNOVA 1.5ft ABS 4000/840 1x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	27+12	3570+550	90,52
56434	INNOVA 1.5ft ABS 5500/840 1x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	37+12	4990+550	91,70
56436	INNOVA 1.5ft ABS 8000/840 1x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	54+12	7170+550	96,45
56421	INNOVA 1.4ft ABS 2600/840 2x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	18+12	2340+550	94,44
56423	INNOVA 1.4ft ABS 3200/840 2x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2890+550	94,44
56425	INNOVA 1.4ft ABS 4400/840 2x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	30+12	3960+550	95,33
56427	INNOVA 1.4ft ABS 6400/840 2x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	43+12	5710+550	99,28
56431	INNOVA 1.5ft ABS 3250/840 2x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2840+550	100,67
56433	INNOVA 1.5ft ABS 4000/840 2x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	27+12	3570+550	100,67
56435	INNOVA 1.5ft ABS 5500/840 2x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	37+12	4990+550	101,85
56437	INNOVA 1.5ft ABS 8000/840 2x5P RED	Non-dimmable, standard optics, with red LED module	133	IP66/IP	54+12	7170+550	106,93
72417	INNOVA 1.4ft ABS 2600/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	18	2340	75,26
72427	INNOVA 1.4ft ABS 3200/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	22	2890	75,26
72437	INNOVA 1.4ft ABS 4400/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	30	3960	75,92
72447	INNOVA 1.4ft ABS 6400/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	43	6030	77,14
72407	INNOVA 1.4ft ABS 8800/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	58	8110	87,65
72457	INNOVA 1.5ft ABS 3250/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	22	2840	81,16
72467	INNOVA 1.5ft ABS 4000/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	27	3570	81,16
72477	INNOVA 1.5ft ABS 5500/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	37	4990	82,11
72487	INNOVA 1.5ft ABS 8000/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	54	5750	86,99
72497	INNOVA 1.5ft ABS 11000/840 2x5P DALI	Dimmable, standard optics	133	IP66/IP	71	9950	98,59
56440	INNOVA 1.4ft ABS 2600/840 1x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	18+12	2340+550	129,47
56443	INNOVA 1.4ft ABS 3200/840 1x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2890+550	129,47
56446	INNOVA 1.4ft ABS 4400/840 1x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	30+12	3960+550	130,39
56449	INNOVA 1.4ft ABS 6400/840 1x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	43+12	5710+550	132,96
56455	INNOVA 1.5ft ABS 3250/840 1x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2840+550	137,01
56458	INNOVA 1.5ft ABS 4000/840 1x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	27+12	3570+550	137,01
56461	INNOVA 1.5ft ABS 5500/840 1x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	37+12	4990+550	138,20
56464	INNOVA 1.5ft ABS 8000/840 1x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	54+12	7170+550	142,35
56441	INNOVA 1.4ft ABS 2600/840 2x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	18+12	2340+550	139,22
56444	INNOVA 1.4ft ABS 3200/840 2x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2890+550	139,22

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
56447	INNOVA 1.4ft ABS 4400/840 2x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	30+12	3960+550	140,14
56450	INNOVA 1.4ft ABS 6400/840 2x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	43+12	5710+550	143,01
56456	INNOVA 1.5ft ABS 3250/840 2x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2840+550	145,61
56459	INNOVA 1.5ft ABS 4000/840 2x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	27+12	3570+550	145,61
56462	INNOVA 1.5ft ABS 5500/840 2x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	37+12	4990+550	146,80
56465	INNOVA 1.5ft ABS 8000/840 2x5P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	54+12	7170+550	150,95
72418	INNOVA 1.4ft ABS 2600/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	18	2340	123,86
72428	INNOVA 1.4ft ABS 3200/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	22	2890	123,86
72438	INNOVA 1.4ft ABS 4400/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	30	3960	124,79
72448	INNOVA 1.4ft ABS 6400/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	43	6030	127,16
72408	INNOVA 1.4ft ABS 8800/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	58	8110	136,22
72458	INNOVA 1.5ft ABS 3250/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	22	2840	130,26
72468	INNOVA 1.5ft ABS 4000/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	27	3570	130,26
72478	INNOVA 1.5ft ABS 5500/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	37	4990	131,41
72488	INNOVA 1.5ft ABS 8000/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	54	5750	135,59
72498	INNOVA 1.5ft ABS 11000/840 2x7P DALI	Dimmable, standard optics	133	IP66/IP	71	9950	147,29
56442	INNOVA 1.4ft ABS 2600/840 2x7P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	18+12	2340+550	179,48
56445	INNOVA 1.4ft ABS 3200/840 2x7P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2890+550	179,48
56448	INNOVA 1.4ft ABS 4400/840 2x7P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	30+12	3960+550	180,37
56451	INNOVA 1.4ft ABS 6400/840 2x7P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	43+12	5710+550	183,64
56457	INNOVA 1.5ft ABS 3250/840 2x7P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	22+12	2840+550	185,84
56460	INNOVA 1.5ft ABS 4000/840 2x7P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	27+12	3570+550	185,84
56463	INNOVA 1.5ft ABS 5500/840 2x7P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	37+12	4990+550	187,03
56466	INNOVA 1.5ft ABS 8000/840 2x7P DALI RED	Dimmable, standard optics, with red LED module	133	IP66/IP	54+12	7170+550	191,18
72511	INNOVA 1.4ft NB ABS 4400/840 1x3P	Non-dimmable, narrow beam	133	IP66/IP	30	3850	49,36
72521	INNOVA 1.4ft NB ABS 6400/840 1x3P	Non-dimmable, narrow beam	133	IP66/IP	43	5540	51,93
72531	INNOVA 1.5ft NB ABS 5500/840 1x3P	Non-dimmable, narrow beam	133	IP66/IP	37	4850	56,02
72541	INNOVA 1.5ft NB ABS 8000/840 1x3P	Non-dimmable, narrow beam	133	IP66/IP	54	6960	59,71
72512	INNOVA 1.4ft NB ABS 4400/840 1x5P	Non-dimmable, narrow beam	133	IP66/IP	30	3850	49,36
72522	INNOVA 1.4ft NB ABS 6400/840 1x5P	Non-dimmable, narrow beam	133	IP66/IP	43	5540	51,93
72532	INNOVA 1.5ft NB ABS 5500/840 1x5P	Non-dimmable, narrow beam	133	IP66/IP	37	4850	56,51
72542	INNOVA 1.5ft NB ABS 8000/840 1x5P	Non-dimmable, narrow beam	133	IP66/IP	54	6960	60,23
72513	INNOVA 1.4ft NB ABS 4400/840 1x5P DALI	Dimmable, narrow beam	133	IP66/IP	30	3850	72,72
72523	INNOVA 1.4ft NB ABS 6400/840 1x5P DALI	Dimmable, narrow beam	133	IP66/IP	43	5540	73,91
72533	INNOVA 1.5ft NB ABS 5500/840 1x5P DALI	Dimmable, narrow beam	133	IP66/IP	37	4850	81,29
72543	INNOVA 1.5ft NB ABS 8000/840 1x5P DALI	Dimmable, narrow beam	133	IP66/IP	54	6960	86,23
72514	INNOVA 1.4ft NB ABS 4400/840 1x7P DALI	Dimmable, narrow beam	133	IP66/IP	30	3850	92,99

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72524	INNOVA 1.4ft NB ABS 6400/840 1x7P DALI	Dimmable, narrow beam	133	IP66/IP	43	5540	94,44
72534	INNOVA 1.5ft NB ABS 5500/840 1x7P DALI	Dimmable, narrow beam	133	IP66/IP	37	4850	98,59
72544	INNOVA 1.5ft NB ABS 8000/840 1x7P DALI	Dimmable, narrow beam	133	IP66/IP	54	6960	103,01
72515	INNOVA 1.4ft NB ABS 4400/840 2x3P	Non-dimmable, narrow beam	133	IP66/IP	30	3850	56,02
72525	INNOVA 1.4ft NB ABS 6400/840 2x3P	Non-dimmable, narrow beam	133	IP66/IP	43	5540	58,75
72535	INNOVA 1.5ft NB ABS 5500/840 2x3P	Non-dimmable, narrow beam	133	IP66/IP	37	4850	63,56
72545	INNOVA 1.5ft NB ABS 8000/840 2x3P	Non-dimmable, narrow beam	133	IP66/IP	54	6960	67,48
72516	INNOVA 1.4ft NB ABS 4400/840 2x5P	Non-dimmable, narrow beam	133	IP66/IP	30	3850	59,02
72526	INNOVA 1.4ft NB ABS 6400/840 2x5P	Non-dimmable, narrow beam	133	IP66/IP	43	5540	61,85
72536	INNOVA 1.5ft NB ABS 5500/840 2x5P	Non-dimmable, narrow beam	133	IP66/IP	37	4850	66,69
72546	INNOVA 1.5ft NB ABS 8000/840 2x5P	Non-dimmable, narrow beam	133	IP66/IP	54	6960	70,68
72517	INNOVA 1.4ft NB ABS 4400/840 2x5P DALI	Dimmable, narrow beam	133	IP66/IP	30	3850	82,77
72527	INNOVA 1.4ft NB ABS 6400/840 2x5P DALI	Dimmable, narrow beam	133	IP66/IP	43	5540	83,99
72537	INNOVA 1.5ft NB ABS 5500/840 2x5P DALI	Dimmable, narrow beam	133	IP66/IP	37	4850	90,15
72547	INNOVA 1.5ft NB ABS 8000/840 2x5P DALI	Dimmable, narrow beam	133	IP66/IP	54	6960	94,80
72518	INNOVA 1.4ft NB ABS 4400/840 2x7P DALI	Dimmable, narrow beam	133	IP66/IP	30	3850	131,41
72528	INNOVA 1.4ft NB ABS 6400/840 2x7P DALI	Dimmable, narrow beam	133	IP66/IP	43	5540	134,01
72538	INNOVA 1.5ft NB ABS 5500/840 2x7P DALI	Dimmable, narrow beam	133	IP66/IP	37	4850	139,22
72548	INNOVA 1.5ft NB ABS 8000/840 2x7P DALI	Dimmable, narrow beam	133	IP66/IP	54	6960	143,40
72611	INNOVA 1.4ft WB ABS 2600/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	18	2270	48,70
72621	INNOVA 1.4ft WB ABS 3200/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	22	2810	48,70
72631	INNOVA 1.4ft WB ABS 4400/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	30	3850	49,62
72641	INNOVA 1.4ft WB ABS 6400/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	43	5540	52,19
72651	INNOVA 1.5ft WB ABS 3250/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	22	2750	54,96
72661	INNOVA 1.5ft WB ABS 4000/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	27	3470	54,96
72671	INNOVA 1.5ft WB ABS 5500/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	37	4850	56,15
72681	INNOVA 1.5ft WB ABS 8000/840 1x3P	Non-dimmable, wide beam	133	IP66/IP	54	6960	59,84
72612	INNOVA 1.4ft WB ABS 2600/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	18	2270	48,70
72622	INNOVA 1.4ft WB ABS 3200/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	22	2810	48,70
72632	INNOVA 1.4ft WB ABS 4400/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	30	3850	49,62
72642	INNOVA 1.4ft WB ABS 6400/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	43	5540	52,19
72652	INNOVA 1.5ft WB ABS 3250/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	22	2750	55,49
72662	INNOVA 1.5ft WB ABS 4000/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	27	3470	55,49
72672	INNOVA 1.5ft WB ABS 5500/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	37	4850	56,64
72682	INNOVA 1.5ft WB ABS 8000/840 1x5P	Non-dimmable, wide beam	133	IP66/IP	54	6960	60,37
72613	INNOVA 1.4ft WB ABS 2600/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	18	2270	72,29
72623	INNOVA 1.4ft WB ABS 3200/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	22	2810	72,29

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72633	INNOVA 1.4ft WB ABS 4400/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	30	3850	72,99
72643	INNOVA 1.4ft WB ABS 6400/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	43	5540	74,17
72653	INNOVA 1.5ft WB ABS 3250/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	22	2750	80,50
72663	INNOVA 1.5ft WB ABS 4000/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	27	3470	80,50
72673	INNOVA 1.5ft WB ABS 5500/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	37	4850	81,42
72683	INNOVA 1.5ft WB ABS 8000/840 1x5P DALI	Dimmable, wide beam	133	IP66/IP	54	6960	86,36
72614	INNOVA 1.4ft WB ABS 2600/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	18	2270	92,33
72624	INNOVA 1.4ft WB ABS 3200/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	22	2810	92,33
72634	INNOVA 1.4ft WB ABS 4400/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	30	3850	93,25
72644	INNOVA 1.4ft WB ABS 6400/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	43	5540	94,70
72654	INNOVA 1.5ft WB ABS 3250/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	22	2750	97,80
72664	INNOVA 1.5ft WB ABS 4000/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	27	3470	97,80
72674	INNOVA 1.5ft WB ABS 5500/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	37	4850	98,72
72684	INNOVA 1.5ft WB ABS 8000/840 1x7P DALI	Dimmable, wide beam	133	IP66/IP	54	6960	103,14
72615	INNOVA 1.4ft WB ABS 2600/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	18	2270	55,36
72625	INNOVA 1.4ft WB ABS 3200/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	22	2810	55,36
72635	INNOVA 1.4ft WB ABS 4400/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	30	3850	56,28
72645	INNOVA 1.4ft WB ABS 6400/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	43	5540	59,02
72655	INNOVA 1.5ft WB ABS 3250/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	22	2750	62,51
72665	INNOVA 1.5ft WB ABS 4000/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	27	3470	62,51
72675	INNOVA 1.5ft WB ABS 5500/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	37	4850	63,69
72685	INNOVA 1.5ft WB ABS 8000/840 2x3P	Non-dimmable, wide beam	133	IP66/IP	54	6960	67,62
72616	INNOVA 1.4ft WB ABS 2600/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	18	2270	58,36
72626	INNOVA 1.4ft WB ABS 3200/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	22	2810	58,36
72636	INNOVA 1.4ft WB ABS 4400/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	30	3850	59,25
72646	INNOVA 1.4ft WB ABS 6400/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	43	5540	62,11
72656	INNOVA 1.5ft WB ABS 3250/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	22	2750	65,64
72666	INNOVA 1.5ft WB ABS 4000/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	27	3470	65,64
72676	INNOVA 1.5ft WB ABS 5500/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	37	4850	66,82
72686	INNOVA 1.5ft WB ABS 8000/840 2x5P	Non-dimmable, wide beam	133	IP66/IP	54	6960	70,84
72617	INNOVA 1.4ft WB ABS 2600/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	18	2270	82,18
72627	INNOVA 1.4ft WB ABS 3200/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	22	2810	82,18
72637	INNOVA 1.4ft WB ABS 4400/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	30	3850	83,04
72647	INNOVA 1.4ft WB ABS 6400/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	43	5540	84,26
72657	INNOVA 1.5ft WB ABS 3250/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	22	2750	89,33
72667	INNOVA 1.5ft WB ABS 4000/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	27	3470	89,33
72677	INNOVA 1.5ft WB ABS 5500/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	37	4850	90,29

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72687	INNOVA 1.5ft WB ABS 8000/840 2x5P DALI	Dimmable, wide beam	133	IP66/IP	54	6960	94,93
72618	INNOVA 1.4ft WB ABS 2600/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	18	2270	130,75
72628	INNOVA 1.4ft WB ABS 3200/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	22	2810	130,75
72638	INNOVA 1.4ft WB ABS 4400/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	30	3850	131,67
72648	INNOVA 1.4ft WB ABS 6400/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	43	5540	134,28
72658	INNOVA 1.5ft WB ABS 3250/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	22	2750	138,20
72668	INNOVA 1.5ft WB ABS 4000/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	27	3470	138,20
72678	INNOVA 1.5ft WB ABS 5500/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	37	4850	139,35
72688	INNOVA 1.5ft WB ABS 8000/840 2x7P DALI	Dimmable, wide beam	133	IP66/IP	54	6960	143,54
72403	INNOVA 1.4ft ABS 8800/840 1x5P DALI	Dimmable, standard optics	133	IP66/IP	58	7860	80,24
72901	FrF-1x3P-1,5-1m	Connection cable 3x1,5mm2 - Free end/Female					7,35
72902	FrF-1x3P-1,5-3m	Connection cable 3x1,5mm2 - Free end/Female					9,17
72903	FrF-1x3P-2,5-1m	Connection cable 3x2,5mm2 - Free end/Female					9,07
72904	FrF-1x3P-2,5-3m	Connection cable 3x2,5mm2 - Free end/Female					12,34
72905	FrF-1x5P-1,5-1m	Connection cable 5x1,5mm2 - Free end/Female					9,17
72906	FrF-1x5P-1,5-3m	Connection cable 5x1,5mm2 - Free end/Female					12,34
72907	FrF-1x5P-2,5-1m	Connection cable 5x2,5mm2 - Free end/Female					10,15
72908	FrF-1x5P-2,5-3m	Connection cable 5x2,5mm2 - Free end/Female					14,94
72909	FrF-1x7P-1,5-1m	Connection cable 7x1,5mm2 - Free end/Female					24,78
72910	FrF-1x7P-1,5-3m	Connection cable 7x1,5mm2 - Free end/Female					29,47
72911	FrF-1x7P-2,5-1m	Connection cable 7x2,5mm2 - Free end/Female					25,89
72912	FrF-1x7P-2,5-3m	Connection cable 7x2,5mm2 - Free end/Female					33,04
72921	MF-2x3P-1,5-0m	Interconnection cable 3x1,5mm2 - Male/Female					8,97
72922	MF-2x3P-1,5-1m	Interconnection cable 3x1,5mm2 - Male/Female					9,44
72923	MF-2x3P-1,5-3m	Interconnection cable 3x1,5mm2 - Male/Female					11,26
72924	MF-2x3P-2,5-0m	Interconnection cable 3x2,5mm2 - Male/Female					9,17
72925	MF-2x3P-2,5-1m	Interconnection cable 3x2,5mm2 - Male/Female					10,85
72926	MF-2x3P-2,5-3m	Interconnection cable 3x2,5mm2 - Male/Female					14,13
72931	MF1-2x5P-1,5-0m	Interconnection cable 5x1,5mm2 - Male/Female					12,14
72932	MF1-2x5P-1,5-1m	Interconnection cable 5x1,5mm2 - Male/Female					13,55
72933	MF1-2x5P-1,5-3m	Interconnection cable 5x1,5mm2 - Male/Female					17,33
72934	MF1-2x5P-2,5-0m	Interconnection cable 5x2,5mm2 - Male/Female					13,65
72935	MF1-2x5P-2,5-1m	Interconnection cable 5x2,5mm2 - Male/Female					16,12
72936	MF1-2x5P-2,5-3m	Interconnection cable 5x2,5mm2 - Male/Female					21,00
72941	MF2-2x5P-1,5-0m	Interconnection cable 5x1,5mm2 - Male/Female					12,64
72942	MF2-2x5P-1,5-1m	Interconnection cable 5x1,5mm2 - Male/Female					14,03
72943	MF2-2x5P-1,5-3m	Interconnection cable 5x1,5mm2 - Male/Female					17,03

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72944	MF2-2x5P-2,5-0m	Interconnection cable 5x2,5mm2 - Male/Female					12,74
72945	MF2-2x5P-2,5-1m	Interconnection cable 5x2,5mm2 - Male/Female					15,82
72946	MF2-2x5P-2,5-3m	Interconnection cable 5x2,5mm2 - Male/Female					20,80
72951	MF3-2x5P-1,5-0m	Interconnection cable 5x1,5mm2 - Male/Female					12,64
72952	MF3-2x5P-1,5-1m	Interconnection cable 5x1,5mm2 - Male/Female					14,03
72953	MF3-2x5P-1,5-3m	Interconnection cable 5x1,5mm2 - Male/Female					17,03
72954	MF3-2x5P-2,5-0m	Interconnection cable 5x2,5mm2 - Male/Female					12,74
72955	MF3-2x5P-2,5-1m	Interconnection cable 5x2,5mm2 - Male/Female					15,82
72956	MF3-2x5P-2,5-3m	Interconnection cable 5x2,5mm2 - Male/Female					19,12
72961	MF-2x7P-1,5-0m	Interconnection cable 7x1,5mm2 - Male/Female					39,52
72962	MF-2x7P-1,5-1m	Interconnection cable 7x1,5mm2 - Male/Female					42,01
72963	MF-2x7P-1,5-3m	Interconnection cable 7x1,5mm2 - Male/Female					47,88
72964	MF-2x7P-2,5-0m	Interconnection cable 7x2,5mm2 - Male/Female					40,83
72965	MF-2x7P-2,5-1m	Interconnection cable 7x2,5mm2 - Male/Female					44,00
72966	MF-2x7P-2,5-3m	Interconnection cable 7x2,5mm2 - Male/Female					51,18
72995	M 1x3P	Connector for cable 3x1,5 - 2,5mm2 - Male					1,99
72996	M 1x5P	Connector for cable 5x1,5 - 2,5mm2 - Male					2,49
72990	M 1x3P	Connector for cable 3x1,5 - 2,5mm2 - Male					1,89
72991	M 1x5P	Connector for cable 5x1,5 - 2,5mm2 - Male					4,18
72992	M 1x7P	Connector for cable 7x1,5 - 2,5mm2 - Male					16,82
72997	F 1x3P	Connector for cable 3x1,5 - 2,5mm2 - Female					1,99
72998	F 1x5P	Connector for cable 5x1,5 - 2,5mm2 - Female					2,49
72980	F 1x3P	Connector for cable 3x1,5 - 2,5mm2 - Female					1,89
72981	F 1x5P	Connector for cable 5x1,5 - 2,5mm2 - Female					4,68
72982	F 1x7P	Connector for cable 7x1,5 - 2,5mm2 - Female					16,82
72993	M 1x3P	Connector for cable 3x1,5mm2 - Male					5,26
72994	M 1x5P	Connector for cable 5x1,5mm2 - Male					6,07
72986	F 1x3P	Connector for cable 3x1,5mm2 - Female					4,99
72987	F 1x5P	Connector for cable 5x1,5mm2 - Female					6,07
47550	FUTURA II 2.2ft PC AI 2600/840	Non-dimmable - plastic clips; class II	136	IP 66	18	2490	49,90
47560	FUTURA II 2.2ft PC AI 3200/840	Non-dimmable - plastic clips; class II	136	IP 66	22	3050	49,90
47570	FUTURA II 2.2ft PC AI 4400/840	Non-dimmable - plastic clips; class II	136	IP 66	30	4230	50,91
47580	FUTURA II 2.4ft PC AI 5200/840	Non-dimmable - plastic clips; class II	85	IP 66	35	4910	61,23
47590	FUTURA II 2.4ft PC AI 6400/840	Non-dimmable - plastic clips; class II	85	IP 66	42	5880	61,23
47600	FUTURA II 2.4ft PC AI 8800/840	Non-dimmable - plastic clips; class II	85	IP 66	58	8110	64,22
47620	FUTURA II 2.5ft PC AI 6500/840	Non-dimmable - plastic clips; class II	85	IP 66	44	6190	76,03
47630	FUTURA II 2.5ft PC AI 8000/840	Non-dimmable - plastic clips; class II	85	IP 66	53	7440	76,03

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
47640	FUTURA II 2.5ft PC AI 11000/840	Non-dimmable - plastic clips; class II	85	IP 66	71	9950	78,77
47660	FUTURA II 2.2ft PCc AI 2600/840	Non-dimmable - inox clips; class II	136	IP 66	18	2490	51,25
47670	FUTURA II 2.2ft PCc AI 3200/840	Non-dimmable - inox clips; class II	136	IP 66	22	3050	51,25
47680	FUTURA II 2.2ft PCc AI 4400/840	Non-dimmable - inox clips; class II	136	IP 66	30	4230	52,26
47690	FUTURA II 2.4ft PCc AI 5200/840	Non-dimmable - inox clips; class II	85	IP 66	35	4910	63,47
47700	FUTURA II 2.4ft PCc AI 6400/840	Non-dimmable - inox clips; class II	85	IP 66	42	5880	63,47
47710	FUTURA II 2.4ft PCc AI 8800/840	Non-dimmable - inox clips; class II	85	IP 66	58	8110	66,46
47730	FUTURA II 2.5ft PCc AI 6500/840	Non-dimmable - inox clips; class II	85	IP 66	44	6190	78,77
47740	FUTURA II 2.5ft PCc AI 8000/840	Non-dimmable - inox clips; class II	85	IP 66	53	7440	78,77
47750	FUTURA II 2.5ft PCc AI 11000/840	Non-dimmable - inox clips; class II	85	IP 66	71	9950	81,51
47770	FUTURA II 2.2ft PC AI 2600/840 DALI	DALI dimmable - plastic clips; class II	136	IP 66	18	2490	112,36
47780	FUTURA II 2.2ft PC AI 3200/840 DALI	DALI dimmable - plastic clips; class II	136	IP 66	22	3050	112,36
47790	FUTURA II 2.2ft PC AI 4400/840 DALI	DALI dimmable - plastic clips; class II	136	IP 66	30	4230	113,37
47800	FUTURA II 2.4ft PC AI 5200/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	35	4910	126,05
47810	FUTURA II 2.4ft PC AI 6400/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	42	5880	126,05
47820	FUTURA II 2.4ft PC AI 8800/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	58	8110	129,04
47840	FUTURA II 2.5ft PC AI 6500/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	44	6190	139,12
47850	FUTURA II 2.5ft PC AI 8000/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	53	7440	139,12
47860	FUTURA II 2.5ft PC AI 11000/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	71	9950	141,86
47880	FUTURA II 2.2ft PCc AI 2600/840 DALI	DALI dimmable - inox clips; class II	136	IP 66	18	2490	113,74
47890	FUTURA II 2.2ft PCc AI 3200/840 DALI	DALI dimmable - inox clips; class II	136	IP 66	22	3050	113,74
47900	FUTURA II 2.2ft PCc AI 4400/840 DALI	DALI dimmable - inox clips; class II	136	IP 66	30	4230	114,72
47910	FUTURA II 2.4ft PCc AI 5200/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	35	4910	128,29
47920	FUTURA II 2.4ft PCc AI 6400/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	42	5880	128,29
47930	FUTURA II 2.4ft PCc AI 8800/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	58	8110	131,28
47950	FUTURA II 2.5ft PCc AI 6500/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	44	6190	141,86
47960	FUTURA II 2.5ft PCc AI 8000/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	53	7440	141,86
47970	FUTURA II 2.5ft PCc AI 11000/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	71	9950	144,60
47581	FUTURA II 2.4ft PC AI 5200/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	35	4910	70,17
47591	FUTURA II 2.4ft PC AI 6400/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	42	5880	70,17
47601	FUTURA II 2.4ft PC AI 8800/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	58	8110	73,16
47621	FUTURA II 2.5ft PC AI 6500/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	44	6190	83,87
47631	FUTURA II 2.5ft PC AI 8000/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	53	7440	83,87
47641	FUTURA II 2.5ft PC AI 11000/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	71	9950	86,61
47691	FUTURA II 2.4ft PCc AI 5200/840 1F	Non-dimmable - inox clips; class II	85	IP 66	35	4910	72,41
47701	FUTURA II 2.4ft PCc AI 6400/840 1F	Non-dimmable - inox clips; class II	85	IP 66	42	5880	72,41
47711	FUTURA II 2.4ft PCc AI 8800/840 1F	Non-dimmable - inox clips; class II	85	IP 66	58	8110	75,40

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
47731	FUTURA II 2.5ft PCc AI 6500/840 1F	Non-dimmable - inox clips; class II	85	IP 66	44	6190	86,61
47741	FUTURA II 2.5ft PCc AI 8000/840 1F	Non-dimmable - inox clips; class II	85	IP 66	53	7440	86,61
47751	FUTURA II 2.5ft PCc AI 11000/840 1F	Non-dimmable - inox clips; class II	85	IP 66	71	9950	89,35
47801	FUTURA II 2.4ft PC AI 5200/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	35	4910	169,34
47811	FUTURA II 2.4ft PC AI 6400/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	42	5880	169,34
47821	FUTURA II 2.4ft PC AI 8800/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	58	8110	172,33
47841	FUTURA II 2.5ft PC AI 6500/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	44	6190	182,19
47851	FUTURA II 2.5ft PC AI 8000/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	53	7440	182,19
47861	FUTURA II 2.5ft PC AI 11000/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	71	9950	184,93
47911	FUTURA II 2.4ft PCc AI 5200/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	35	4910	171,61
47921	FUTURA II 2.4ft PCc AI 6400/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	42	5880	171,61
47931	FUTURA II 2.4ft PCc AI 8800/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	58	8110	174,57
47951	FUTURA II 2.5ft PCc AI 6500/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	44	6190	184,93
47961	FUTURA II 2.5ft PCc AI 8000/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	53	7440	184,93
47971	FUTURA II 2.5ft PCc AI 11000/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	71	9950	187,63
47583	FUTURA II 2.4ft PC AI 5200/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	35	4910	142,61
47593	FUTURA II 2.4ft PC AI 6400/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	42	5880	142,61
47603	FUTURA II 2.4ft PC AI 8800/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	58	8110	145,60
47623	FUTURA II 2.5ft PC AI 6500/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	44	6190	155,93
47633	FUTURA II 2.5ft PC AI 8000/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	53	7440	155,93
47643	FUTURA II 2.5ft PC AI 11000/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	71	9950	158,67
47693	FUTURA II 2.4ft PCc AI 5200/840 3F	Non-dimmable - inox clips; class II	85	IP 66	35	4910	144,85
47703	FUTURA II 2.4ft PCc AI 6400/840 3F	Non-dimmable - inox clips; class II	85	IP 66	42	5880	144,85
47713	FUTURA II 2.4ft PCc AI 8800/840 3F	Non-dimmable - inox clips; class II	85	IP 66	58	8110	147,84
47733	FUTURA II 2.5ft PCc AI 6500/840 3F	Non-dimmable - inox clips; class II	85	IP 66	44	6190	158,67
47743	FUTURA II 2.5ft PCc AI 8000/840 3F	Non-dimmable - inox clips; class II	85	IP 66	53	7440	158,67
47753	FUTURA II 2.5ft PCc AI 11000/840 3F	Non-dimmable - inox clips; class II	85	IP 66	71	9950	161,38
47803	FUTURA II 2.4ft PC AI 5200/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	35	4910	176,96
47813	FUTURA II 2.4ft PC AI 6400/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	42	5880	176,96
47823	FUTURA II 2.4ft PC AI 8800/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	58	8110	179,92
47843	FUTURA II 2.5ft PC AI 6500/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	44	6190	190,15
47853	FUTURA II 2.5ft PC AI 8000/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	53	7440	190,15
47863	FUTURA II 2.5ft PC AI 11000/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	71	9950	192,86
47913	FUTURA II 2.4ft PCc AI 5200/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	35	4910	179,20
47923	FUTURA II 2.4ft PCc AI 6400/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	42	5880	179,20
47933	FUTURA II 2.4ft PCc AI 8800/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	58	8110	182,19
47953	FUTURA II 2.5ft PCc AI 6500/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	44	6190	192,86

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
47963	FUTURA II 2.5ft PCc AI 8000/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	53	7440	192,86
47973	FUTURA II 2.5ft PCc AI 11000/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	71	9950	195,60
47554	FUTURA II 2.2ft PC AI 2600/840 M1h	Non-dimmable - plastic clips; class II	136	IP 66	18	2490	140,76
47564	FUTURA II 2.2ft PC AI 3200/840 M1h	Non-dimmable - plastic clips; class II	136	IP 66	22	3050	140,76
47574	FUTURA II 2.2ft PC AI 4400/840 M1h	Non-dimmable - plastic clips; class II	136	IP 66	30	4230	141,76
47584	FUTURA II 2.4ft PC AI 5200/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	35	4910	151,43
47594	FUTURA II 2.4ft PC AI 6400/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	42	5880	151,43
47604	FUTURA II 2.4ft PC AI 8800/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	58	8110	154,45
47624	FUTURA II 2.5ft PC AI 6500/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	44	6190	165,00
47634	FUTURA II 2.5ft PC AI 8000/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	53	7440	165,00
47644	FUTURA II 2.5ft PC AI 11000/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	71	9950	167,80
47664	FUTURA II 2.2ft PCc AI 2600/840 M1h	Non-dimmable - inox clips; class II	136	IP 66	18	2490	142,14
47674	FUTURA II 2.2ft PCc AI 3200/840 M1h	Non-dimmable - inox clips; class II	136	IP 66	22	3050	142,14
47684	FUTURA II 2.2ft PCc AI 4400/840 M1h	Non-dimmable - inox clips; class II	136	IP 66	30	4230	143,18
47694	FUTURA II 2.4ft PCc AI 5200/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	35	4910	153,70
47704	FUTURA II 2.4ft PCc AI 6400/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	42	5880	153,70
47714	FUTURA II 2.4ft PCc AI 8800/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	58	8110	156,75
47734	FUTURA II 2.5ft PCc AI 6500/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	44	6190	167,80
47744	FUTURA II 2.5ft PCc AI 8000/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	53	7440	167,80
47754	FUTURA II 2.5ft PCc AI 11000/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	71	9950	170,57
47774	FUTURA II 2.2ft PC AI 2600/840 DALI M1h	DALI dimmable - plastic clips; class II	136	IP 66	18	2490	167,55
47784	FUTURA II 2.2ft PC AI 3200/840 DALI M1h	DALI dimmable - plastic clips; class II	136	IP 66	22	3050	167,55
47794	FUTURA II 2.2ft PC AI 4400/840 DALI M1h	DALI dimmable - plastic clips; class II	136	IP 66	30	4230	168,55
47804	FUTURA II 2.4ft PC AI 5200/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	35	4910	179,35
47814	FUTURA II 2.4ft PC AI 6400/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	42	5880	179,35
47824	FUTURA II 2.4ft PC AI 8800/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	58	8110	182,38
47844	FUTURA II 2.5ft PC AI 6500/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	44	6190	192,04
47854	FUTURA II 2.5ft PC AI 8000/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	53	7440	192,04
47864	FUTURA II 2.5ft PC AI 11000/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	71	9950	194,84
47884	FUTURA II 2.2ft PCc AI 2600/840 DALI M1h	DALI dimmable - inox clips; class II	136	IP 66	18	2490	168,93
47894	FUTURA II 2.2ft PCc AI 3200/840 DALI M1h	DALI dimmable - inox clips; class II	136	IP 66	22	3050	168,93
47904	FUTURA II 2.2ft PCc AI 4400/840 DALI M1h	DALI dimmable - inox clips; class II	136	IP 66	30	4230	169,94
47914	FUTURA II 2.4ft PCc AI 5200/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	35	4910	181,62
47924	FUTURA II 2.4ft PCc AI 6400/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	42	5880	181,62
47934	FUTURA II 2.4ft PCc AI 8800/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	58	8110	184,67
47954	FUTURA II 2.5ft PCc AI 6500/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	44	6190	194,84
47964	FUTURA II 2.5ft PCc AI 8000/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	53	7440	194,84

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
47974	FUTURA II 2.5ft PCc AI 11000/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	71	9950	197,61
47555	FUTURA II 2.2ft PC AI 2600/840 M3h	Non-dimmable - plastic clips; class II	136	IP 66	18	2490	158,39
47565	FUTURA II 2.2ft PC AI 3200/840 M3h	Non-dimmable - plastic clips; class II	136	IP 66	22	3050	158,39
47575	FUTURA II 2.2ft PC AI 4400/840 M3h	Non-dimmable - plastic clips; class II	136	IP 66	30	4230	159,42
47585	FUTURA II 2.4ft PC AI 5200/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	35	4910	176,05
47595	FUTURA II 2.4ft PC AI 6400/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	42	5880	176,05
47605	FUTURA II 2.4ft PC AI 8800/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	58	8110	179,10
47625	FUTURA II 2.5ft PC AI 6500/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	44	6190	183,16
47635	FUTURA II 2.5ft PC AI 8000/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	53	7440	183,16
47645	FUTURA II 2.5ft PC AI 11000/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	71	9950	185,93
47665	FUTURA II 2.2ft PCc AI 2600/840 M3h	Non-dimmable - inox clips; class II	136	IP 66	18	2490	159,80
47675	FUTURA II 2.2ft PCc AI 3200/840 M3h	Non-dimmable - inox clips; class II	136	IP 66	22	3050	159,80
47685	FUTURA II 2.2ft PCc AI 4400/840 M3h	Non-dimmable - inox clips; class II	136	IP 66	30	4230	160,81
47695	FUTURA II 2.4ft PCc AI 5200/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	35	4910	178,31
47705	FUTURA II 2.4ft PCc AI 6400/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	42	5880	178,31
47715	FUTURA II 2.4ft PCc AI 8800/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	58	8110	181,37
47735	FUTURA II 2.5ft PCc AI 6500/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	44	6190	185,93
47745	FUTURA II 2.5ft PCc AI 8000/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	53	7440	185,93
47755	FUTURA II 2.5ft PCc AI 11000/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	71	9950	188,73
47775	FUTURA II 2.2ft PC AI 2600/840 DALI M3h	DALI dimmable - plastic clips; class II	136	IP 66	18	2490	185,05
47785	FUTURA II 2.2ft PC AI 3200/840 DALI M3h	DALI dimmable - plastic clips; class II	136	IP 66	22	3050	185,05
47795	FUTURA II 2.2ft PC AI 4400/840 DALI M3h	DALI dimmable - plastic clips; class II	136	IP 66	30	4230	186,06
47805	FUTURA II 2.2ft PC AI 5200/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	35	4910	203,72
47815	FUTURA II 2.4ft PC AI 6400/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	42	5880	203,72
47825	FUTURA II 2.4ft PC AI 8800/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	58	8110	206,77
47845	FUTURA II 2.5ft PC AI 6500/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	44	6190	210,68
47855	FUTURA II 2.5ft PC AI 8000/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	53	7440	210,68
47865	FUTURA II 2.5ft PC AI 11000/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	71	9950	213,48
47885	FUTURA II 2.2ft PCc AI 2600/840 DALI M3h	DALI dimmable - inox clips; class II	136	IP 66	18	2490	186,44
47895	FUTURA II 2.2ft PCc AI 3200/840 DALI M3h	DALI dimmable - inox clips; class II	136	IP 66	22	3050	186,44
47905	FUTURA II 2.2ft PCc AI 4400/840 DALI M3h	DALI dimmable - inox clips; class II	136	IP 66	30	4230	187,48
47915	FUTURA II 2.4ft PCc AI 5200/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	35	4910	205,99
47925	FUTURA II 2.4ft PCc AI 6400/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	42	5880	205,99
47935	FUTURA II 2.4ft PCc AI 8800/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	58	8110	209,04
47955	FUTURA II 2.5ft PCc AI 6500/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	44	6190	213,48
47965	FUTURA II 2.5ft PCc AI 8000/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	53	7440	213,48
47975	FUTURA II 2.5ft PCc AI 11000/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	71	9950	216,28

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
47586	FUTURA II 2.4ft PC AI 5200/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	35	4910	197,86
47596	FUTURA II 2.4ft PC AI 6400/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	42	5880	197,86
47606	FUTURA II 2.4ft PC AI 8800/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	58	8110	200,92
47626	FUTURA II 2.5ft PC AI 6500/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	44	6190	210,55
47636	FUTURA II 2.5ft PC AI 8000/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	53	7440	210,55
47646	FUTURA II 2.5ft PC AI 11000/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	71	9950	213,35
47696	FUTURA II 2.4ft PCc AI 5200/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	35	4910	200,16
47706	FUTURA II 2.4ft PCc AI 6400/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	42	5880	200,16
47716	FUTURA II 2.4ft PCc AI 8800/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	58	8110	203,22
47736	FUTURA II 2.5ft PCc AI 6500/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	44	6190	213,35
47746	FUTURA II 2.5ft PCc AI 8000/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	53	7440	213,35
47756	FUTURA II 2.5ft PCc AI 11000/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	71	9950	216,16
47806	FUTURA II 2.4ft PC AI 5200/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	85	IP 66	35	4910	232,53
47816	FUTURA II 2.4ft PC AI 6400/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	85	IP 66	42	5880	232,53
47826	FUTURA II 2.4ft PC AI 8800/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	85	IP 66	58	8110	235,58
47846	FUTURA II 2.5ft PC AI 6500/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	85	IP 66	44	6190	245,21
47856	FUTURA II 2.5ft PC AI 8000/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	85	IP 66	53	7440	245,21
47866	FUTURA II 2.5ft PC AI 11000/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	85	IP 66	71	9950	248,02
47916	FUTURA II 2.4ft PCc AI 5200/840 DALI 3F M1h	DALI dimmable - inox clips; class II	85	IP 66	35	4910	234,79
47926	FUTURA II 2.4ft PCc AI 6400/840 DALI 3F M1h	DALI dimmable - inox clips; class II	85	IP 66	42	5880	234,79
47936	FUTURA II 2.4ft PCc AI 8800/840 DALI 3F M1h	DALI dimmable - inox clips; class II	85	IP 66	58	8110	237,85
47956	FUTURA II 2.5ft PCc AI 6500/840 DALI 3F M1h	DALI dimmable - inox clips; class II	85	IP 66	44	6190	248,02
47966	FUTURA II 2.5ft PCc AI 8000/840 DALI 3F M1h	DALI dimmable - inox clips; class II	85	IP 66	53	7440	248,02
47976	FUTURA II 2.5ft PCc AI 11000/840 DALI 3F M1h	DALI dimmable - inox clips; class II	85	IP 66	71	9950	250,79
47587	FUTURA II 2.4ft PC AI 5200/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	35	4910	222,61
47597	FUTURA II 2.4ft PC AI 6400/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	42	5880	222,61
47607	FUTURA II 2.4ft PC AI 8800/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	58	8110	225,66
47627	FUTURA II 2.5ft PC AI 6500/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	44	6190	229,35
47637	FUTURA II 2.5ft PC AI 8000/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	53	7440	229,35
47647	FUTURA II 2.5ft PC AI 11000/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	71	9950	232,15
47697	FUTURA II 2.4ft PCc AI 5200/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	35	4910	224,91
47707	FUTURA II 2.4ft PCc AI 6400/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	42	5880	224,91
47717	FUTURA II 2.4ft PCc AI 8800/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	58	8110	227,96
47737	FUTURA II 2.5ft PCc AI 6500/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	44	6190	232,15
47747	FUTURA II 2.5ft PCc AI 8000/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	53	7440	232,15
47757	FUTURA II 2.5ft PCc AI 11000/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	71	9950	234,95
47807	FUTURA II 2.4ft PC AI 5200/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	85	IP 66	35	4910	258,15

Order code	Type	Modification	Valgusteid alusel	Prot.	Light source	Net Im output	Baashind
47817	FUTURA II 2.4ft PC AI 6400/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	85	IP 66	42	5880	258,15
47827	FUTURA II 2.4ft PC AI 8800/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	85	IP 66	58	8110	261,21
47847	FUTURA II 2.5ft PC AI 6500/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	85	IP 66	44	6190	264,01
47857	FUTURA II 2.5ft PC AI 8000/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	85	IP 66	53	7440	264,01
47867	FUTURA II 2.5ft PC AI 11000/840 DALI 3F M3	DALI dimmable - plastic clips; class II	85	IP 66	71	9950	266,78
47917	FUTURA II 2.4ft PCc AI 5200/840 DALI 3F M3	DALI dimmable - inox clips; class II	85	IP 66	35	4910	260,45
47927	FUTURA II 2.4ft PCc AI 6400/840 DALI 3F M3	DALI dimmable - inox clips; class II	85	IP 66	42	5880	260,45
47937	FUTURA II 2.4ft PCc AI 8800/840 DALI 3F M3	DALI dimmable - inox clips; class II	85	IP 66	58	8110	263,50
47957	FUTURA II 2.5ft PCc AI 6500/840 DALI 3F M3	DALI dimmable - inox clips; class II	85	IP 66	44	6190	266,78
47967	FUTURA II 2.5ft PCc AI 8000/840 DALI 3F M3	DALI dimmable - inox clips; class II	85	IP 66	53	7440	266,78
47977	FUTURA II 2.5ft PCc AI 11000/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	71	9950	269,58
56470	FUTURA II 2.2ft ABS AI 2600/840	Non-dimmable - plastic clips; class II	136	IP 66	18	2300	48,55
56480	FUTURA II 2.2ft ABS AI 3200/840	Non-dimmable - plastic clips; class II	136	IP 66	22	2850	48,55
56490	FUTURA II 2.2ft ABS AI 4400/840	Non-dimmable - plastic clips; class II	136	IP 66	30	3920	49,52
56500	FUTURA II 2.4ft ABS AI 5200/840	Non-dimmable - plastic clips; class II	85	IP 66	35	4570	59,34
56510	FUTURA II 2.4ft ABS AI 6400/840	Non-dimmable - plastic clips; class II	85	IP 66	42	5620	59,34
56520	FUTURA II 2.4ft ABS AI 8800/840	Non-dimmable - plastic clips; class II	85	IP 66	58	7860	62,33
56530	FUTURA II 2.5ft ABS AI 6500/840	Non-dimmable - plastic clips; class II	85	IP 66	44	5750	73,42
56540	FUTURA II 2.5ft ABS AI 8000/840	Non-dimmable - plastic clips; class II	85	IP 66	53	7030	73,42
56550	FUTURA II 2.5ft ABS AI 11000/840	Non-dimmable - plastic clips; class II	85	IP 66	71	9620	76,15
56560	FUTURA II 2.2ft ABS AI 2600/840	Non-dimmable - inox clips; class II	136	IP 66	18	2300	49,90
56570	FUTURA II 2.2ft ABS AI 3200/840	Non-dimmable - inox clips; class II	136	IP 66	22	2850	49,90
56580	FUTURA II 2.2ft ABS AI 4400/840	Non-dimmable - inox clips; class II	136	IP 66	30	3920	50,91
56590	FUTURA II 2.4ft ABS AI 5200/840	Non-dimmable - inox clips; class II	85	IP 66	35	4570	61,61
56600	FUTURA II 2.4ft ABS AI 6400/840	Non-dimmable - inox clips; class II	85	IP 66	42	5620	61,61
56610	FUTURA II 2.4ft ABS AI 8800/840	Non-dimmable - inox clips; class II	85	IP 66	58	7860	64,57
56620	FUTURA II 2.5ft ABS AI 6500/840	Non-dimmable - inox clips; class II	85	IP 66	44	5750	76,15
56630	FUTURA II 2.5ft ABS AI 8000/840	Non-dimmable - inox clips; class II	85	IP 66	53	7030	76,15
56640	FUTURA II 2.5ft ABS AI 11000/840	Non-dimmable - inox clips; class II	85	IP 66	71	9620	78,89
56650	FUTURA II 2.2ft ABS AI 2600/840 DALI	DALI dimmable - plastic clips; class II	136	IP 66	18	2300	111,01
56660	FUTURA II 2.2ft ABS AI 3200/840 DALI	DALI dimmable - plastic clips; class II	136	IP 66	22	2850	111,01
56670	FUTURA II 2.2ft ABS AI 4400/840 DALI	DALI dimmable - plastic clips; class II	136	IP 66	30	3920	111,98
56680	FUTURA II 2.4ft ABS AI 5200/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	35	4570	124,20
56690	FUTURA II 2.4ft ABS AI 6400/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	42	5620	124,20
56700	FUTURA II 2.4ft ABS AI 8800/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	58	7860	127,19
56710	FUTURA II 2.5ft ABS AI 6500/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	44	5750	136,51
56720	FUTURA II 2.5ft ABS AI 8000/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	53	7030	136,51

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
56730	FUTURA II 2.5ft ABS AI 11000/840 DALI	DALI dimmable - plastic clips; class II	85	IP 66	71	9620	139,24
56740	FUTURA II 2.2ft ABS AI 2600/840 DALI	DALI dimmable - inox clips; class II	136	IP 66	18	2300	112,36
56750	FUTURA II 2.2ft ABS AI 3200/840 DALI	DALI dimmable - inox clips; class II	136	IP 66	22	2850	112,36
56760	FUTURA II 2.2ft ABS AI 4400/840 DALI	DALI dimmable - inox clips; class II	136	IP 66	30	3920	113,37
56770	FUTURA II 2.4ft ABS AI 5200/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	35	4570	126,43
56780	FUTURA II 2.4ft ABS AI 6400/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	42	5620	126,43
56790	FUTURA II 2.4ft ABS AI 8800/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	58	7860	129,42
56800	FUTURA II 2.5ft ABS AI 6500/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	44	5750	139,24
56810	FUTURA II 2.5ft ABS AI 8000/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	53	7030	139,24
56820	FUTURA II 2.5ft ABS AI 11000/840 DALI	DALI dimmable - inox clips; class II	85	IP 66	71	9620	141,98
56501	FUTURA II 2.4ft ABS AI 5200/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	35	4570	68,32
56511	FUTURA II 2.4ft ABS AI 6400/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	42	5620	68,32
56521	FUTURA II 2.4ft ABS AI 8800/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	58	7860	71,31
56531	FUTURA II 2.5ft ABS AI 6500/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	44	5750	81,26
56541	FUTURA II 2.5ft ABS AI 8000/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	53	7030	81,26
56551	FUTURA II 2.5ft ABS AI 11000/840 1F	Non-dimmable - plastic clips; class II	85	IP 66	71	9620	83,99
56591	FUTURA II 2.4ft ABS AI 5200/840 1F	Non-dimmable - inox clips; class II	85	IP 66	35	4570	70,55
56601	FUTURA II 2.4ft ABS AI 6400/840 1F	Non-dimmable - inox clips; class II	85	IP 66	42	5620	70,55
56611	FUTURA II 2.4ft ABS AI 8800/840 1F	Non-dimmable - inox clips; class II	85	IP 66	58	7860	73,54
56621	FUTURA II 2.5ft ABS AI 6500/840 1F	Non-dimmable - inox clips; class II	85	IP 66	44	5750	83,99
56631	FUTURA II 2.5ft ABS AI 8000/840 1F	Non-dimmable - inox clips; class II	85	IP 66	53	7030	83,99
56641	FUTURA II 2.5ft ABS AI 11000/840 1F	Non-dimmable - inox clips; class II	85	IP 66	71	9620	86,73
56681	FUTURA II 2.4ft ABS AI 5200/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	35	4570	167,48
56691	FUTURA II 2.4ft ABS AI 6400/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	42	5620	167,48
56701	FUTURA II 2.4ft ABS AI 8800/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	58	7860	170,48
56711	FUTURA II 2.5ft ABS AI 6500/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	44	5750	179,57
56721	FUTURA II 2.5ft ABS AI 8000/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	53	7030	179,57
56731	FUTURA II 2.5ft ABS AI 11000/840 DALI 1F	DALI dimmable - plastic clips; class II	85	IP 66	71	9620	182,31
56771	FUTURA II 2.4ft ABS AI 5200/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	35	4570	169,72
56781	FUTURA II 2.4ft ABS AI 6400/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	42	5620	169,72
56791	FUTURA II 2.4ft ABS AI 8800/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	58	7860	172,71
56801	FUTURA II 2.5ft ABS AI 6500/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	44	5750	182,31
56811	FUTURA II 2.5ft ABS AI 8000/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	53	7030	182,31
56821	FUTURA II 2.5ft ABS AI 11000/840 DALI 1F	DALI dimmable - inox clips; class II	85	IP 66	71	9620	185,02
56503	FUTURA II 2.4ft ABS AI 5200/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	35	4570	140,72
56513	FUTURA II 2.4ft ABS AI 6400/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	42	5620	140,72
56523	FUTURA II 2.4ft ABS AI 8800/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	58	7860	143,72

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
56533	FUTURA II 2.5ft ABS AI 6500/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	44	5750	153,32
56543	FUTURA II 2.5ft ABS AI 8000/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	53	7030	153,32
56553	FUTURA II 2.5ft ABS AI 11000/840 3F	Non-dimmable - plastic clips; class II	85	IP 66	71	9620	156,06
56593	FUTURA II 2.4ft ABSc AI 5200/840 3F	Non-dimmable - inox clips; class II	85	IP 66	35	4570	142,99
56603	FUTURA II 2.4ft ABSc AI 6400/840 3F	Non-dimmable - inox clips; class II	85	IP 66	42	5620	142,99
56613	FUTURA II 2.4ft ABSc AI 8800/840 3F	Non-dimmable - inox clips; class II	85	IP 66	58	7860	145,95
56623	FUTURA II 2.5ft ABSc AI 6500/840 3F	Non-dimmable - inox clips; class II	85	IP 66	44	5750	156,06
56633	FUTURA II 2.5ft ABSc AI 8000/840 3F	Non-dimmable - inox clips; class II	85	IP 66	53	7030	156,06
56643	FUTURA II 2.5ft ABSc AI 11000/840 3F	Non-dimmable - inox clips; class II	85	IP 66	71	9620	158,76
56683	FUTURA II 2.4ft ABS AI 5200/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	35	4570	175,07
56693	FUTURA II 2.4ft ABS AI 6400/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	42	5620	175,07
56703	FUTURA II 2.4ft ABS AI 8800/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	58	7860	178,06
56713	FUTURA II 2.5ft ABS AI 6500/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	44	5750	187,54
56723	FUTURA II 2.5ft ABS AI 8000/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	53	7030	187,54
56733	FUTURA II 2.5ft ABS AI 11000/840 DALI 3F	DALI dimmable - plastic clips; class II	85	IP 66	71	9620	190,25
56773	FUTURA II 2.4ft ABSc AI 5200/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	35	4570	177,31
56783	FUTURA II 2.4ft ABSc AI 6400/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	42	5620	177,31
56793	FUTURA II 2.4ft ABSc AI 8800/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	58	7860	180,30
56803	FUTURA II 2.5ft ABSc AI 6500/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	44	5750	190,25
56813	FUTURA II 2.5ft ABSc AI 8000/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	53	7030	190,25
56823	FUTURA II 2.5ft ABSc AI 11000/840 DALI 3F	DALI dimmable - inox clips; class II	85	IP 66	71	9620	192,98
56474	FUTURA II 2.2ft ABS AI 2600/840 M1h	Non-dimmable - plastic clips; class II	136	IP 66	18	2300	139,37
56484	FUTURA II 2.2ft ABS AI 3200/840 M1h	Non-dimmable - plastic clips; class II	136	IP 66	22	2850	139,37
56494	FUTURA II 2.2ft ABS AI 4400/840 M1h	Non-dimmable - plastic clips; class II	136	IP 66	30	3920	140,38
56504	FUTURA II 2.4ft ABS AI 5200/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	35	4570	149,51
56514	FUTURA II 2.4ft ABS AI 6400/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	42	5620	149,51
56524	FUTURA II 2.4ft ABS AI 8800/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	58	7860	152,56
56534	FUTURA II 2.5ft ABS AI 6500/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	44	5750	162,32
56544	FUTURA II 2.5ft ABS AI 8000/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	53	7030	162,32
56554	FUTURA II 2.5ft ABS AI 11000/840 M1h	Non-dimmable - plastic clips; class II	85	IP 66	71	9620	165,12
56564	FUTURA II 2.2ft ABSc AI 2600/840 M1h	Non-dimmable - inox clips; class II	136	IP 66	18	2300	140,76
56574	FUTURA II 2.2ft ABSc AI 3200/840 M1h	Non-dimmable - inox clips; class II	136	IP 66	22	2850	140,76
56584	FUTURA II 2.2ft ABSc AI 4400/840 M1h	Non-dimmable - inox clips; class II	136	IP 66	30	3920	141,76
56594	FUTURA II 2.4ft ABSc AI 5200/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	35	4570	151,81
56604	FUTURA II 2.4ft ABSc AI 6400/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	42	5620	151,81
56614	FUTURA II 2.4ft ABSc AI 8800/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	58	7860	154,86
56624	FUTURA II 2.5ft ABSc AI 6500/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	44	5750	165,12

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
56634	FUTURA II 2.5ft ABSc AI 8000/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	53	7030	165,12
56644	FUTURA II 2.5ft ABSc AI 11000/840 M1h	Non-dimmable - inox clips; class II	85	IP 66	71	9620	167,92
56654	FUTURA II 2.2ft ABS AI 2600/840 DALI M1h	DALI dimmable - plastic clips; class II	136	IP 66	18	2300	166,13
56664	FUTURA II 2.2ft ABS AI 3200/840 DALI M1h	DALI dimmable - plastic clips; class II	136	IP 66	22	2850	166,13
56674	FUTURA II 2.2ft ABS AI 4400/840 DALI M1h	DALI dimmable - plastic clips; class II	136	IP 66	30	3920	167,17
56684	FUTURA II 2.4ft ABS AI 5200/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	35	4570	177,43
56694	FUTURA II 2.4ft ABS AI 6400/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	42	5620	177,43
56704	FUTURA II 2.4ft ABS AI 8800/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	58	7860	180,49
56714	FUTURA II 2.5ft ABS AI 6500/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	44	5750	189,36
56724	FUTURA II 2.5ft ABS AI 8000/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	53	7030	189,36
56734	FUTURA II 2.5ft ABS AI 11000/840 DALI M1h	DALI dimmable - plastic clips; class II	85	IP 66	71	9620	192,17
56744	FUTURA II 2.2ft ABSc AI 2600/840 DALI M1h	DALI dimmable - inox clips; class II	136	IP 66	18	2300	167,55
56754	FUTURA II 2.2ft ABSc AI 3200/840 DALI M1h	DALI dimmable - inox clips; class II	136	IP 66	22	2850	167,55
56764	FUTURA II 2.2ft ABSc AI 4400/840 DALI M1h	DALI dimmable - inox clips; class II	136	IP 66	30	3920	168,55
56774	FUTURA II 2.4ft ABSc AI 5200/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	35	4570	179,73
56784	FUTURA II 2.4ft ABSc AI 6400/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	42	5620	179,73
56794	FUTURA II 2.4ft ABSc AI 8800/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	58	7860	182,78
56804	FUTURA II 2.5ft ABSc AI 6500/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	44	5750	192,17
56814	FUTURA II 2.5ft ABSc AI 8000/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	53	7030	192,17
56824	FUTURA II 2.5ft ABSc AI 11000/840 DALI M1h	DALI dimmable - inox clips; class II	85	IP 66	71	9620	194,97
56475	FUTURA II 2.2ft ABS AI 2600/840 M3h	Non-dimmable - plastic clips; class II	136	IP 66	18	2300	157,00
56485	FUTURA II 2.2ft ABS AI 3200/840 M3h	Non-dimmable - plastic clips; class II	136	IP 66	22	2850	157,00
56495	FUTURA II 2.2ft ABS AI 4400/840 M3h	Non-dimmable - plastic clips; class II	136	IP 66	30	3920	158,01
56505	FUTURA II 2.4ft ABS AI 5200/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	35	4570	174,13
56515	FUTURA II 2.4ft ABS AI 6400/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	42	5620	174,13
56525	FUTURA II 2.4ft ABS AI 8800/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	58	7860	177,18
56535	FUTURA II 2.5ft ABS AI 6500/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	44	5750	180,49
56545	FUTURA II 2.5ft ABS AI 8000/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	53	7030	180,49
56555	FUTURA II 2.5ft ABS AI 11000/840 M3h	Non-dimmable - plastic clips; class II	85	IP 66	71	9620	183,29
56565	FUTURA II 2.2ft ABSc AI 2600/840 M3h	Non-dimmable - inox clips; class II	136	IP 66	18	2300	158,39
56575	FUTURA II 2.2ft ABSc AI 3200/840 M3h	Non-dimmable - inox clips; class II	136	IP 66	22	2850	158,39
56585	FUTURA II 2.2ft ABSc AI 4400/840 M3h	Non-dimmable - inox clips; class II	136	IP 66	30	3920	159,42
56595	FUTURA II 2.4ft ABSc AI 5200/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	35	4570	176,43
56605	FUTURA II 2.4ft ABSc AI 6400/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	42	5620	176,43
56615	FUTURA II 2.4ft ABSc AI 8800/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	58	7860	179,48
56625	FUTURA II 2.5ft ABSc AI 6500/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	44	5750	183,29
56635	FUTURA II 2.5ft ABSc AI 8000/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	53	7030	183,29

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
56645	FUTURA II 2.5ft ABSc AI 11000/840 M3h	Non-dimmable - inox clips; class II	85	IP 66	71	9620	186,06
56655	FUTURA II 2.2ft ABS AI 2600/840 DALI M3h	DALI dimmable - plastic clips; class II	136	IP 66	18	2300	183,67
56665	FUTURA II 2.2ft ABS AI 3200/840 DALI M3h	DALI dimmable - plastic clips; class II	136	IP 66	22	2850	183,67
56675	FUTURA II 2.2ft ABS AI 4400/840 DALI M3h	DALI dimmable - plastic clips; class II	136	IP 66	30	3920	184,67
56685	FUTURA II 2.4ft ABS AI 5200/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	35	4570	201,80
56695	FUTURA II 2.4ft ABS AI 6400/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	42	5620	201,80
56705	FUTURA II 2.4ft ABS AI 8800/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	58	7860	204,85
56715	FUTURA II 2.5ft ABS AI 6500/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	44	5750	208,03
56725	FUTURA II 2.5ft ABS AI 8000/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	53	7030	208,03
56735	FUTURA II 2.5ft ABS AI 11000/840 DALI M3h	DALI dimmable - plastic clips; class II	85	IP 66	71	9620	210,83
56745	FUTURA II 2.2ft ABSc AI 2600/840 DALI M3h	DALI dimmable - inox clips; class II	136	IP 66	18	2300	185,05
56755	FUTURA II 2.2ft ABSc AI 3200/840 DALI M3h	DALI dimmable - inox clips; class II	136	IP 66	22	2850	185,05
56765	FUTURA II 2.2ft ABSc AI 4400/840 DALI M3h	DALI dimmable - inox clips; class II	136	IP 66	30	3920	186,06
56775	FUTURA II 2.4ft ABSc AI 5200/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	35	4570	204,10
56785	FUTURA II 2.4ft ABSc AI 6400/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	42	5620	204,10
56795	FUTURA II 2.4ft ABSc AI 8800/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	58	7860	207,15
56805	FUTURA II 2.5ft ABSc AI 6500/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	44	5750	210,83
56815	FUTURA II 2.5ft ABSc AI 8000/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	53	7030	210,83
56825	FUTURA II 2.5ft ABSc AI 11000/840 DALI M3h	DALI dimmable - inox clips; class II	85	IP 66	71	9620	213,61
56506	FUTURA II 2.4ft ABS AI 5200/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	35	4570	195,98
56516	FUTURA II 2.4ft ABS AI 6400/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	42	5620	195,98
56526	FUTURA II 2.4ft ABS AI 8800/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	58	7860	199,03
56536	FUTURA II 2.5ft ABS AI 6500/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	44	5750	207,91
56546	FUTURA II 2.5ft ABS AI 8000/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	53	7030	207,91
56556	FUTURA II 2.5ft ABS AI 11000/840 3F M1h	Non-dimmable - plastic clips; class II	85	IP 66	71	9620	210,68
56596	FUTURA II 2.4ft ABSc AI 5200/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	35	4570	198,24
56606	FUTURA II 2.4ft ABSc AI 6400/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	42	5620	198,24
56616	FUTURA II 2.4ft ABSc AI 8800/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	58	7860	201,30
56626	FUTURA II 2.5ft ABSc AI 6500/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	44	5750	210,68
56636	FUTURA II 2.5ft ABSc AI 8000/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	53	7030	210,68
56646	FUTURA II 2.5ft ABSc AI 11000/840 3F M1h	Non-dimmable - inox clips; class II	85	IP 66	71	9620	213,48
56686	FUTURA II 2.4ft ABS AI 5200/840 DALI 3F M1	DALI dimmable - plastic clips; class II	85	IP 66	35	4570	230,61
56696	FUTURA II 2.4ft ABS AI 6400/840 DALI 3F M1	DALI dimmable - plastic clips; class II	85	IP 66	42	5620	230,61
56706	FUTURA II 2.4ft ABS AI 8800/840 DALI 3F M1	DALI dimmable - plastic clips; class II	85	IP 66	58	7860	233,66
56716	FUTURA II 2.5ft ABS AI 6500/840 DALI 3F M1	DALI dimmable - plastic clips; class II	85	IP 66	44	5750	242,54
56726	FUTURA II 2.5ft ABS AI 8000/840 DALI 3F M1	DALI dimmable - plastic clips; class II	85	IP 66	53	7030	242,54
56736	FUTURA II 2.5ft ABS AI 11000/840 DALI 3F M1	DALI dimmable - plastic clips; class II	85	IP 66	71	9620	245,34

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
56776	FUTURA II 2.4ft ABSc AI 5200/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	35	4570	232,90
56786	FUTURA II 2.4ft ABSc AI 6400/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	42	5620	232,90
56796	FUTURA II 2.4ft ABSc AI 8800/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	58	7860	235,96
56806	FUTURA II 2.5ft ABSc AI 6500/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	44	5750	245,34
56816	FUTURA II 2.5ft ABSc AI 8000/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	53	7030	245,34
56826	FUTURA II 2.5ft ABSc AI 11000/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	71	9620	248,14
56507	FUTURA II 2.4ft ABS AI 5200/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	35	4570	220,72
56517	FUTURA II 2.4ft ABS AI 6400/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	42	5620	220,72
56527	FUTURA II 2.4ft ABS AI 8800/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	58	7860	223,77
56537	FUTURA II 2.5ft ABS AI 6500/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	44	5750	226,67
56547	FUTURA II 2.5ft ABS AI 8000/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	53	7030	226,67
56557	FUTURA II 2.5ft ABS AI 11000/840 3F M3h	Non-dimmable - plastic clips; class II	85	IP 66	71	9620	229,47
56597	FUTURA II 2.4ft ABSc AI 5200/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	35	4570	223,02
56607	FUTURA II 2.4ft ABSc AI 6400/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	42	5620	223,02
56617	FUTURA II 2.4ft ABSc AI 8800/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	58	7860	226,04
56627	FUTURA II 2.5ft ABSc AI 6500/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	44	5750	229,47
56637	FUTURA II 2.5ft ABSc AI 8000/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	53	7030	229,47
56647	FUTURA II 2.5ft ABSc AI 11000/840 3F M3h	Non-dimmable - inox clips; class II	85	IP 66	71	9620	232,27
56687	FUTURA II 2.4ft ABS AI 5200/840 DALI 3F M3	DALI dimmable - plastic clips; class II	85	IP 66	35	4570	256,26
56697	FUTURA II 2.4ft ABS AI 6400/840 DALI 3F M3	DALI dimmable - plastic clips; class II	85	IP 66	42	5620	256,26
56707	FUTURA II 2.4ft ABS AI 8800/840 DALI 3F M3	DALI dimmable - plastic clips; class II	85	IP 66	58	7860	259,32
56717	FUTURA II 2.5ft ABS AI 6500/840 DALI 3F M3	DALI dimmable - plastic clips; class II	85	IP 66	44	5750	261,33
56727	FUTURA II 2.5ft ABS AI 8000/840 DALI 3F M3	DALI dimmable - plastic clips; class II	85	IP 66	53	7030	261,33
56737	FUTURA II 2.5ft ABS AI 11000/840 DALI 3F M	DALI dimmable - plastic clips; class II	85	IP 66	71	9620	264,13
56777	FUTURA II 2.4ft ABSc AI 5200/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	35	4570	258,53
56787	FUTURA II 2.4ft ABSc AI 6400/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	42	5620	258,53
56797	FUTURA II 2.4ft ABSc AI 8800/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	58	7860	261,58
56807	FUTURA II 2.5ft ABSc AI 6500/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	44	5750	264,13
56817	FUTURA II 2.5ft ABSc AI 8000/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	53	7030	264,13
56827	FUTURA II 2.5ft ABSc AI 11000/840 DALI 3F M	DALI dimmable - inox clips; class II	85	IP 66	71	9620	266,90
71200	Prima LED II 1.2ft PC 1300/840	Non-dimmable - plastic clips; class II	204	IP 66	10	1260	56,28
71210	Prima LED II 1.2ft PC 1600/840	Non-dimmable - plastic clips; class II	204	IP 66	12	1510	56,28
71220	Prima LED II 1.2ft PC 2200/840	Non-dimmable - plastic clips; class II	204	IP 66	15	1950	56,64
71230	Prima LED II 1.4ft PC 2600/840	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	53,15
71240	Prima LED II 1.4ft PC 3200/840	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	53,15
71250	Prima LED II 1.4ft PC 4400/840	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	54,30
71260	Prima LED II 1.4ft PC 6400/840	Non-dimmable - plastic clips; class II	119	IP 66	43	5650	56,77

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
71270	Prima LED II 1.5ft PC 3250/840	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	60,56
71280	Prima LED II 1.5ft PC 4000/840	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	60,56
71290	Prima LED II 1.5ft PC 5500/840	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	61,98
71300	Prima LED II 1.5ft PC 8000/840	Non-dimmable - plastic clips; class II	119	IP 66	54	7090	64,98
71320	Prima LED II 1.2ft PCc 1600/840	Non-dimmable - inox clips; class II	204	IP 66	12	1510	57,70
71330	Prima LED II 1.2ft PCc 2200/840	Non-dimmable - inox clips; class II	204	IP 66	15	1950	58,09
71340	Prima LED II 1.4ft PCc 2600/840	Non-dimmable - inox clips; class II	119	IP 66	18	2320	55,49
71350	Prima LED II 1.4ft PCc 3200/840	Non-dimmable - inox clips; class II	119	IP 66	22	2860	55,49
71360	Prima LED II 1.4ft PCc 4400/840	Non-dimmable - inox clips; class II	119	IP 66	30	3920	56,64
71370	Prima LED II 1.4ft PCc 6400/840	Non-dimmable - inox clips; class II	119	IP 66	43	5650	59,11
71380	Prima LED II 1.5ft PCc 3250/840	Non-dimmable - inox clips; class II	119	IP 66	22	2810	63,43
71390	Prima LED II 1.5ft PCc 4000/840	Non-dimmable - inox clips; class II	119	IP 66	27	3530	63,43
71400	Prima LED II 1.5ft PCc 5500/840	Non-dimmable - inox clips; class II	119	IP 66	37	4940	64,85
71410	Prima LED II 1.5ft PCc 8000/840	Non-dimmable - inox clips; class II	119	IP 66	54	7090	67,85
71420	Prima LED II 1.2ft PC 1300/840 DALI	DALI dimmable - plastic clips; class II	204	IP 66	10	1260	121,52
71430	Prima LED II 1.2ft PC 1600/840 DALI	DALI dimmable - plastic clips; class II	204	IP 66	12	1510	121,52
71440	Prima LED II 1.2ft PC 2200/840 DALI	DALI dimmable - plastic clips; class II	204	IP 66	15	1950	122,05
71450	Prima LED II 1.4ft PC 2600/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	118,00
71460	Prima LED II 1.4ft PC 3200/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	118,00
71470	Prima LED II 1.4ft PC 4400/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	119,18
71480	Prima LED II 1.4ft PC 6400/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	43	5650	121,00
71490	Prima LED II 1.5ft PC 3250/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	125,68
71500	Prima LED II 1.5ft PC 4000/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	125,68
71510	Prima LED II 1.5ft PC 5500/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	127,13
71520	Prima LED II 1.5ft PC 8000/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	54	7090	130,12
71530	Prima LED II 1.2ft PCc 1300/840 DALI	DALI dimmable - inox clips; class II	204	IP 66	10	1260	122,94
71540	Prima LED II 1.2ft PCc 1600/840 DALI	DALI dimmable - inox clips; class II	204	IP 66	12	1510	122,94
71550	Prima LED II 1.2ft PCc 2200/840 DALI	DALI dimmable - inox clips; class II	204	IP 66	15	1950	123,47
71560	Prima LED II 1.4ft PCc 2600/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	18	2320	120,34
71570	Prima LED II 1.4ft PCc 3200/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	22	2860	120,34
71580	Prima LED II 1.4ft PCc 4400/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	30	3920	121,52
71590	Prima LED II 1.4ft PCc 6400/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	43	5650	123,34
71600	Prima LED II 1.5ft PCc 3250/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	22	2810	128,54
71610	Prima LED II 1.5ft PCc 4000/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	27	3530	128,54
71620	Prima LED II 1.5ft PCc 5500/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	37	4940	129,99
71630	Prima LED II 1.5ft PCc 8000/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	54	7090	132,99
71231	Prima LED II 1.4ft PC 2600/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	59,25

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
71241	Prima LED II 1.4ft PC 3200/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	59,25
71251	Prima LED II 1.4ft PC 4400/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	60,43
71261	Prima LED II 1.4ft PC 6400/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	43	5650	62,90
71271	Prima LED II 1.5ft PC 3250/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	67,58
71281	Prima LED II 1.5ft PC 4000/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	67,58
71291	Prima LED II 1.5ft PC 5500/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	69,03
71301	Prima LED II 1.5ft PC 8000/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	54	7090	72,03
71341	Prima LED II 1.4ft PCc 2600/840 1F	Non-dimmable - inox clips; class II	119	IP 66	18	2320	61,62
41351	Prima LED II 1.4ft PCc 3200/840 1F	Non-dimmable - inox clips; class II	119	IP 66	22	2860	61,62
71361	Prima LED II 1.4ft PCc 4400/840 1F	Non-dimmable - inox clips; class II	119	IP 66	30	3920	62,77
71371	Prima LED II 1.4ft PCc 6400/840 1F	Non-dimmable - inox clips; class II	119	IP 66	43	5650	65,24
71381	Prima LED II 1.5ft PCc 3250/840 1F	Non-dimmable - inox clips; class II	119	IP 66	22	2810	70,45
71391	Prima LED II 1.5ft PCc 4000/840 1F	Non-dimmable - inox clips; class II	119	IP 66	27	3530	70,45
71401	Prima LED II 1.5ft PCc 5500/840 1F	Non-dimmable - inox clips; class II	119	IP 66	37	4940	71,90
71411	Prima LED II 1.5ft PCc 8000/840 1F	Non-dimmable - inox clips; class II	119	IP 66	54	7090	74,90
71451	Prima LED II 1.4ft PC 2600/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	163,83
71461	Prima LED II 1.4ft PC 3200/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	163,83
71471	Prima LED II 1.4ft PC 4400/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	165,02
71481	Prima LED II 1.4ft PC 6400/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	43	5650	166,83
71491	Prima LED II 1.5ft PC 3250/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	171,28
71501	Prima LED II 1.5ft PC 4000/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	171,28
71511	Prima LED II 1.5ft PC 5500/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	172,70
71521	Prima LED II 1.5ft PC 8000/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	54	7090	175,70
71561	Prima LED II 1.4ft PCc 2600/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	18	2320	166,17
71571	Prima LED II 1.4ft PCc 3200/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	22	2860	166,17
71581	Prima LED II 1.4ft PCc 4400/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	30	3920	167,36
71591	Prima LED II 1.4ft PCc 6400/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	43	5650	169,17
71601	Prima LED II 1.5ft PCc 3250/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	22	2810	174,15
71611	Prima LED II 1.5ft PCc 4000/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	27	3530	174,15
71621	Prima LED II 1.5ft PCc 5500/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	37	4940	175,56
71631	Prima LED II 1.5ft PCc 8000/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	54	7090	178,56
71233	Prima LED II 1.4ft PC 2600/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	136,48
71243	Prima LED II 1.4ft PC 3200/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	136,48
71253	Prima LED II 1.4ft PC 4400/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	137,67
71263	Prima LED II 1.4ft PC 6400/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	43	5650	140,14
71273	Prima LED II 1.5ft PC 3250/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	143,14
71283	Prima LED II 1.5ft PC 4000/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	143,14

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
71293	Prima LED II 1.5ft PC 5500/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	144,56
71303	Prima LED II 1.5ft PC 8000/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	54	7090	147,56
71343	Prima LED II 1.4ft PCc 2600/840 3F	Non-dimmable - inox clips; class II	119	IP 66	18	2320	138,82
71353	Prima LED II 1.4ft PCc 3200/840 3F	Non-dimmable - inox clips; class II	119	IP 66	22	2860	138,82
71363	Prima LED II 1.4ft PCc 4400/840 3F	Non-dimmable - inox clips; class II	119	IP 66	30	3920	140,01
71373	Prima LED II 1.4ft PCc 6400/840 3F	Non-dimmable - inox clips; class II	119	IP 66	43	5650	142,48
71383	Prima LED II 1.5ft PCc 3250/840 3F	Non-dimmable - inox clips; class II	119	IP 66	22	2810	146,01
71393	Prima LED II 1.5ft PCc 4000/840 3F	Non-dimmable - inox clips; class II	119	IP 66	27	3530	146,01
71403	Prima LED II 1.5ft PCc 5500/840 3F	Non-dimmable - inox clips; class II	119	IP 66	37	4940	147,42
71413	Prima LED II 1.5ft PCc 8000/840 3F	Non-dimmable - inox clips; class II	119	IP 66	54	7090	150,42
71453	Prima LED II 1.4ft PC 2600/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	171,77
71463	Prima LED II 1.4ft PC 3200/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	171,77
71473	Prima LED II 1.4ft PC 4400/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	172,96
71483	Prima LED II 1.4ft PC 6400/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	43	5650	174,77
71493	Prima LED II 1.5ft PC 3250/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	180,51
71503	Prima LED II 1.5ft PC 4000/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	180,51
71513	Prima LED II 1.5ft PC 5500/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	181,96
71523	Prima LED II 1.5ft PC 8000/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	54	7090	184,95
71563	Prima LED II 1.4ft PCc 2600/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	18	2320	174,15
71573	Prima LED II 1.4ft PCc 3200/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	22	2860	174,15
71583	Prima LED II 1.4ft PCc 4400/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	30	3920	175,30
71593	Prima LED II 1.4ft PCc 6400/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	43	5650	177,11
71603	Prima LED II 1.5ft PCc 3250/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	22	2810	183,37
71613	Prima LED II 1.5ft PCc 4000/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	27	3530	183,37
71623	Prima LED II 1.5ft PCc 5500/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	37	4940	184,82
71633	Prima LED II 1.5ft PCc 8000/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	54	7090	187,82
71234	Prima LED II 1.4ft PC 2600/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	154,11
71244	Prima LED II 1.4ft PC 3200/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	154,11
71254	Prima LED II 1.4ft PC 4400/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	155,30
71274	Prima LED II 1.5ft PC 3250/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	161,26
71284	Prima LED II 1.5ft PC 4000/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	161,26
71294	Prima LED II 1.5ft PC 5500/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	162,75
71344	Prima LED II 1.4ft PCc 2600/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	18	2320	156,49
71354	Prima LED II 1.4ft PCc 3200/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	22	2860	156,49
71364	Prima LED II 1.4ft PCc 4400/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	30	3920	157,70
71384	Prima LED II 1.5ft PCc 3250/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	22	2810	164,20
71394	Prima LED II 1.5ft PCc 4000/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	27	3530	164,20

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
71404	Prima LED II 1.5ft PCc 5500/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	37	4940	165,65
71454	Prima LED II 1.4ft PC 2600/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	181,59
71464	Prima LED II 1.4ft PC 3200/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	181,59
71474	Prima LED II 1.4ft PC 4400/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	182,81
71494	Prima LED II 1.5ft PC 3250/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	188,65
71504	Prima LED II 1.5ft PC 4000/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	188,65
71514	Prima LED II 1.5ft PC 5500/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	190,10
71564	Prima LED II 1.4ft PCc 2600/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	18	2320	184,00
71574	Prima LED II 1.4ft PCc 3200/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	22	2860	184,00
71584	Prima LED II 1.4ft PCc 4400/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	30	3920	185,19
71604	Prima LED II 1.5ft PCc 3250/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	22	2810	191,58
71614	Prima LED II 1.5ft PCc 4000/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	27	3530	191,58
71624	Prima LED II 1.5ft PCc 5500/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	37	4940	193,03
71235	Prima LED II 1.4ft PC 2600/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	172,57
71245	Prima LED II 1.4ft PC 3200/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	172,57
71255	Prima LED II 1.4ft PC 4400/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	173,75
71275	Prima LED II 1.5ft PC 3250/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	179,75
71285	Prima LED II 1.5ft PC 4000/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	179,75
71295	Prima LED II 1.5ft PC 5500/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	181,20
71345	Prima LED II 1.4ft PCc 2600/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	18	2320	174,97
71355	Prima LED II 1.4ft PCc 3200/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	22	2860	174,97
71365	Prima LED II 1.4ft PCc 4400/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	30	3920	176,16
71385	Prima LED II 1.5ft PCc 3250/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	22	2810	182,65
71395	Prima LED II 1.5ft PCc 4000/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	27	3530	182,65
71405	Prima LED II 1.5ft PCc 5500/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	37	4940	184,13
71455	Prima LED II 1.4ft PC 2600/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	200,74
71465	Prima LED II 1.4ft PC 3200/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	200,74
71475	Prima LED II 1.4ft PC 4400/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	201,92
71495	Prima LED II 1.5ft PC 3250/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	207,49
71505	Prima LED II 1.5ft PC 4000/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	207,49
71515	Prima LED II 1.5ft PC 5500/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	208,98
71565	Prima LED II 1.4ft PCc 2600/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	18	2320	203,11
71575	Prima LED II 1.4ft PCc 3200/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	22	2860	203,11
71585	Prima LED II 1.4ft PCc 4400/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	30	3920	204,33
71605	Prima LED II 1.5ft PCc 3250/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	22	2810	210,43
71615	Prima LED II 1.5ft PCc 4000/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	27	3530	210,43
71625	Prima LED II 1.5ft PCc 5500/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	37	4940	211,88

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
71236	Prima LED II 1.4ft PC 2600/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	201,13
71246	Prima LED II 1.4ft PC 3200/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	201,13
71256	Prima LED II 1.4ft PC 4400/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	202,32
71276	Prima LED II 1.5ft PC 3250/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	210,16
71286	Prima LED II 1.5ft PC 4000/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	210,16
71296	Prima LED II 1.5ft PC 5500/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	211,61
71346	Prima LED II 1.4ft PCc 2600/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	18	2320	203,51
71356	Prima LED II 1.4ft PCc 3200/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	22	2860	203,51
71366	Prima LED II 1.4ft PCc 4400/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	30	3920	204,73
71386	Prima LED II 1.5ft PCc 3250/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	22	2810	213,10
71396	Prima LED II 1.5ft PCc 4000/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	27	3530	213,10
71406	Prima LED II 1.5ft PCc 5500/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	37	4940	214,55
71456	Prima LED II 1.4ft PC 2600/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	238,86
71466	Prima LED II 1.4ft PC 3200/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	238,86
71476	Prima LED II 1.4ft PC 4400/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	240,05
71496	Prima LED II 1.5ft PC 3250/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	246,71
71506	Prima LED II 1.5ft PC 4000/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	246,71
71516	Prima LED II 1.5ft PC 5500/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	248,16
71566	Prima LED II 1.4ft PCc 2600/840 DALI 3F M1h	DALI dimmable - inox clips; class II	119	IP 66	18	2320	241,24
71576	Prima LED II 1.4ft PCc 3200/840 DALI 3F M1h	DALI dimmable - inox clips; class II	119	IP 66	22	2860	241,24
71586	Prima LED II 1.4ft PCc 4400/840 DALI 3F M1h	DALI dimmable - inox clips; class II	119	IP 66	30	3920	242,45
71606	Prima LED II 1.5ft PCc 3250/840 DALI 3F M1h	DALI dimmable - inox clips; class II	119	IP 66	22	2810	249,61
71616	Prima LED II 1.5ft PCc 4000/840 DALI 3F M1h	DALI dimmable - inox clips; class II	119	IP 66	27	3530	249,61
71626	Prima LED II 1.5ft PCc 5500/840 DALI 3F M1h	DALI dimmable - inox clips; class II	119	IP 66	37	4940	251,09
71237	Prima LED II 1.4ft PC 2600/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	220,81
71247	Prima LED II 1.4ft PC 3200/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	220,81
71257	Prima LED II 1.4ft PC 4400/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	221,99
71277	Prima LED II 1.5ft PC 3250/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	229,83
71287	Prima LED II 1.5ft PC 4000/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	229,83
71297	Prima LED II 1.5ft PC 5500/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	231,28
71347	Prima LED II 1.4ft PCc 2600/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	18	2320	223,18
71357	Prima LED II 1.4ft PCc 3200/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	22	2860	223,18
71367	Prima LED II 1.4ft PCc 4400/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	30	3920	224,36
71387	Prima LED II 1.5ft PCc 3250/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	22	2810	232,73
71397	Prima LED II 1.5ft PCc 4000/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	27	3530	232,73
71407	Prima LED II 1.5ft PCc 5500/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	37	4940	234,22
71457	Prima LED II 1.4ft PC 2600/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	257,45

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
71467	Prima LED II 1.4ft PC 3200/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	257,45
71477	Prima LED II 1.4ft PC 4400/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	258,67
71497	Prima LED II 1.5ft PC 3250/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	265,16
71507	Prima LED II 1.5ft PC 4000/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	265,16
71517	Prima LED II 1.5ft PC 5500/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	266,61
71567	Prima LED II 1.4ft PCc 2600/840 DALI 3F M3h	DALI dimmable - inox clips; class II	119	IP 66	18	2320	259,85
71577	Prima LED II 1.4ft PCc 3200/840 DALI 3F M3h	DALI dimmable - inox clips; class II	119	IP 66	22	2860	259,85
71587	Prima LED II 1.4ft PCc 4400/840 DALI 3F M3h	DALI dimmable - inox clips; class II	119	IP 66	30	3920	261,04
71607	Prima LED II 1.5ft PCc 3250/840 DALI 3F M3h	DALI dimmable - inox clips; class II	119	IP 66	22	2810	268,09
71617	Prima LED II 1.5ft PCc 4000/840 DALI 3F M3h	DALI dimmable - inox clips; class II	119	IP 66	27	3530	268,09
71627	Prima LED II 1.5ft PCc 5500/840 DALI 3F M3h	DALI dimmable - inox clips; class II	119	IP 66	37	4940	269,54
71640	Prima LED II 1.2ft ABS 1300/840	Non-dimmable - plastic clips; class II	204	IP 66	10	1260	56,91
71650	Prima LED II 1.2ft ABS 1600/840	Non-dimmable - plastic clips; class II	204	IP 66	12	1510	56,91
71660	Prima LED II 1.2ft ABS 2200/840	Non-dimmable - plastic clips; class II	204	IP 66	15	1950	57,30
71670	Prima LED II 1.4ft ABS 2600/840	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	54,04
71680	Prima LED II 1.4ft ABS 3200/840	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	54,04
71690	Prima LED II 1.4ft ABS 4400/840	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	55,23
71700	Prima LED II 1.4ft ABS 6400/840	Non-dimmable - plastic clips; class II	119	IP 66	43	5650	57,70
71710	Prima LED II 1.5ft ABS 3250/840	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	61,85
71720	Prima LED II 1.5ft ABS 4000/840	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	61,85
71730	Prima LED II 1.5ft ABS 5500/840	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	63,30
71740	Prima LED II 1.5ft ABS 8000/840	Non-dimmable - plastic clips; class II	119	IP 66	54	7090	66,30
71750	Prima LED II 1.2ft ABSc 1300/840	Non-dimmable - inox clips; class II	204	IP 66	10	1260	58,36
71760	Prima LED II 1.2ft ABSc 1600/840	Non-dimmable - inox clips; class II	204	IP 66	12	1510	58,36
71770	Prima LED II 1.2ft ABSc 2200/840	Non-dimmable - inox clips; class II	204	IP 66	15	1950	58,75
71780	Prima LED II 1.4ft ABSc 2600/840	Non-dimmable - inox clips; class II	119	IP 66	18	2320	56,38
71790	Prima LED II 1.4ft ABSc 3200/840	Non-dimmable - inox clips; class II	119	IP 66	22	2860	56,38
71800	Prima LED II 1.4ft ABSc 4400/840	Non-dimmable - inox clips; class II	119	IP 66	30	3920	57,57
71810	Prima LED II 1.4ft ABSc 6400/840	Non-dimmable - inox clips; class II	119	IP 66	43	5650	60,04
71820	Prima LED II 1.5ft ABSc 3250/840	Non-dimmable - inox clips; class II	119	IP 66	22	2810	64,72
71830	Prima LED II 1.5ft ABSc 4000/840	Non-dimmable - inox clips; class II	119	IP 66	27	3530	64,72
71840	Prima LED II 1.5ft ABSc 5500/840	Non-dimmable - inox clips; class II	119	IP 66	37	4940	66,17
71850	Prima LED II 1.5ft ABSc 8000/840	Non-dimmable - inox clips; class II	119	IP 66	54	7090	69,16
71860	Prima LED II 1.2ft ABS 1300/840 DALI	DALI dimmable - plastic clips; class II	204	IP 66	10	1260	122,18
71870	Prima LED II 1.2ft ABS 1600/840 DALI	DALI dimmable - plastic clips; class II	204	IP 66	12	1510	122,18
71880	Prima LED II 1.2ft ABS 2200/840 DALI	DALI dimmable - plastic clips; class II	204	IP 66	15	1950	122,68
71890	Prima LED II 1.4ft ABS 2600/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	118,92

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
71900	Prima LED II 1.4ft ABS 3200/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	118,92
71910	Prima LED II 1.4ft ABS 4400/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	120,07
71920	Prima LED II 1.4ft ABS 6400/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	43	5650	121,92
71930	Prima LED II 1.5ft ABS 3250/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	126,99
71940	Prima LED II 1.5ft ABS 4000/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	126,99
71950	Prima LED II 1.5ft ABS 5500/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	128,41
71960	Prima LED II 1.5ft ABS 8000/840 DALI	DALI dimmable - plastic clips; class II	119	IP 66	54	7090	131,41
71970	Prima LED II 1.2ft ABS 1300/840 DALI	DALI dimmable - inox clips; class II	204	IP 66	10	1260	123,60
71980	Prima LED II 1.2ft ABS 1600/840 DALI	DALI dimmable - inox clips; class II	204	IP 66	12	1510	123,60
71990	Prima LED II 1.2ft ABS 2200/840 DALI	DALI dimmable - inox clips; class II	204	IP 66	15	1950	124,13
72000	Prima LED II 1.4ft ABS 2600/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	18	2320	121,26
72010	Prima LED II 1.4ft ABS 3200/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	22	2860	121,26
72020	Prima LED II 1.4ft ABS 4400/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	30	3920	122,41
72030	Prima LED II 1.4ft ABS 6400/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	43	5650	124,26
72040	Prima LED II 1.5ft ABS 3250/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	22	2810	129,86
72050	Prima LED II 1.5ft ABS 4000/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	27	3530	129,86
72060	Prima LED II 1.5ft ABS 5500/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	37	4940	131,28
72070	Prima LED II 1.5ft ABS 8000/840 DALI	DALI dimmable - inox clips; class II	119	IP 66	54	7090	134,28
71671	Prima LED II 1.4ft ABS 2600/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	60,17
71681	Prima LED II 1.4ft ABS 3200/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	60,17
71691	Prima LED II 1.4ft ABS 4400/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	61,36
71701	Prima LED II 1.4ft ABS 6400/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	43	5650	63,83
71711	Prima LED II 1.5ft ABS 3250/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	68,90
71721	Prima LED II 1.5ft ABS 4000/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	68,90
71731	Prima LED II 1.5ft ABS 5500/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	70,32
71741	Prima LED II 1.5ft ABS 8000/840 1F	Non-dimmable - plastic clips; class II	119	IP 66	54	7090	73,32
71781	Prima LED II 1.4ft ABS 2600/840 1F	Non-dimmable - inox clips; class II	119	IP 66	18	2320	62,51
71791	Prima LED II 1.4ft ABS 3200/840 1F	Non-dimmable - inox clips; class II	119	IP 66	22	2860	62,51
71801	Prima LED II 1.4ft ABS 4400/840 1F	Non-dimmable - inox clips; class II	119	IP 66	30	3920	63,69
71811	Prima LED II 1.4ft ABS 6400/840 1F	Non-dimmable - inox clips; class II	119	IP 66	43	5650	66,17
71821	Prima LED II 1.5ft ABS 3250/840 1F	Non-dimmable - inox clips; class II	119	IP 66	22	2810	71,77
71831	Prima LED II 1.5ft ABS 4000/840 1F	Non-dimmable - inox clips; class II	119	IP 66	27	3530	71,77
71841	Prima LED II 1.5ft ABS 5500/840 1F	Non-dimmable - inox clips; class II	119	IP 66	37	4940	73,18
71851	Prima LED II 1.5ft ABS 8000/840 1F	Non-dimmable - inox clips; class II	119	IP 66	54	7090	76,18
71891	Prima LED II 1.4ft ABS 2600/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	164,76
71901	Prima LED II 1.4ft ABS 3200/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	164,76
71911	Prima LED II 1.4ft ABS 4400/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	165,94

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
71921	Prima LED II 1.4ft ABS 6400/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	43	5650	167,75
71931	Prima LED II 1.5ft ABS 3250/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	172,57
71941	Prima LED II 1.5ft ABS 4000/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	172,57
71951	Prima LED II 1.5ft ABS 5500/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	174,02
71961	Prima LED II 1.5ft ABS 8000/840 DALI 1F	DALI dimmable - plastic clips; class II	119	IP 66	54	7090	177,01
72001	Prima LED II 1.4ft ABSc 2600/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	18	2320	167,10
72011	Prima LED II 1.4ft ABSc 3200/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	22	2860	167,10
72021	Prima LED II 1.4ft ABSc 4400/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	30	3920	168,28
72031	Prima LED II 1.4ft ABSc 6400/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	43	5650	170,09
72041	Prima LED II 1.5ft ABSc 3250/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	22	2810	175,43
72051	Prima LED II 1.5ft ABSc 4000/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	27	3530	175,43
72061	Prima LED II 1.5ft ABSc 5500/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	37	4940	176,88
72071	Prima LED II 1.5ft ABSc 8000/840 DALI 1F	DALI dimmable - inox clips; class II	119	IP 66	54	7090	179,85
71673	Prima LED II 1.4ft ABS 2600/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	137,41
71683	Prima LED II 1.4ft ABS 3200/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	137,41
71693	Prima LED II 1.4ft ABS 4400/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	138,59
71703	Prima LED II 1.4ft ABS 6400/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	43	5650	141,06
71713	Prima LED II 1.5ft ABS 3250/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	144,42
71723	Prima LED II 1.5ft ABS 4000/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	144,42
71733	Prima LED II 1.5ft ABS 5500/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	145,87
71743	Prima LED II 1.5ft ABS 8000/840 3F	Non-dimmable - plastic clips; class II	119	IP 66	54	7090	148,87
71783	Prima LED II 1.4ft ABSc 2600/840 3F	Non-dimmable - inox clips; class II	119	IP 66	18	2320	139,75
71793	Prima LED II 1.4ft ABSc 3200/840 3F	Non-dimmable - inox clips; class II	119	IP 66	22	2860	139,75
71803	Prima LED II 1.4ft ABSc 4400/840 3F	Non-dimmable - inox clips; class II	119	IP 66	30	3920	140,93
71813	Prima LED II 1.4ft ABSc 6400/840 3F	Non-dimmable - inox clips; class II	119	IP 66	43	5650	143,40
71823	Prima LED II 1.5ft ABSc 3250/840 3F	Non-dimmable - inox clips; class II	119	IP 66	22	2810	147,29
71833	Prima LED II 1.5ft ABSc 4000/840 3F	Non-dimmable - inox clips; class II	119	IP 66	27	3530	147,29
71843	Prima LED II 1.5ft ABSc 5500/840 3F	Non-dimmable - inox clips; class II	119	IP 66	37	4940	148,74
71853	Prima LED II 1.5ft ABSc 8000/840 3F	Non-dimmable - inox clips; class II	119	IP 66	54	7090	151,74
71893	Prima LED II 1.4ft ABS 2600/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	172,70
71903	Prima LED II 1.4ft ABS 3200/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	172,70
71913	Prima LED II 1.4ft ABS 4400/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	173,88
71923	Prima LED II 1.4ft ABS 6400/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	43	5650	175,70
71933	Prima LED II 1.5ft ABS 3250/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	181,82
71943	Prima LED II 1.5ft ABS 4000/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	181,82
71953	Prima LED II 1.5ft ABS 5500/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	183,24
71963	Prima LED II 1.5ft ABS 8000/840 DALI 3F	DALI dimmable - plastic clips; class II	119	IP 66	54	7090	186,24

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72003	Prima LED II 1.4ft ABSc 2600/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	18	2320	175,04
72013	Prima LED II 1.4ft ABSc 3200/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	22	2860	175,04
72023	Prima LED II 1.4ft ABSc 4400/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	30	3920	176,22
72033	Prima LED II 1.4ft ABSc 6400/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	43	5650	178,04
72043	Prima LED II 1.5ft ABSc 3250/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	22	2810	184,69
72053	Prima LED II 1.5ft ABSc 4000/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	27	3530	184,69
72063	Prima LED II 1.5ft ABSc 5500/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	37	4940	186,11
72073	Prima LED II 1.5ft ABSc 8000/840 DALI 3F	DALI dimmable - inox clips; class II	119	IP 66	54	7090	189,11
71674	Prima LED II 1.4ft ABS 2600/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	155,04
71684	Prima LED II 1.4ft ABS 3200/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	155,04
71694	Prima LED II 1.4ft ABS 4400/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	156,22
71714	Prima LED II 1.5ft ABS 3250/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	162,61
71724	Prima LED II 1.5ft ABS 4000/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	162,61
71734	Prima LED II 1.5ft ABS 5500/840 M1h	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	164,06
71784	Prima LED II 1.4ft ABSc 2600/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	18	2320	157,41
71794	Prima LED II 1.4ft ABSc 3200/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	22	2860	157,41
71804	Prima LED II 1.4ft ABSc 4400/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	30	3920	158,63
71824	Prima LED II 1.5ft ABSc 3250/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	22	2810	165,51
71834	Prima LED II 1.5ft ABSc 4000/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	27	3530	165,51
71844	Prima LED II 1.5ft ABSc 5500/840 M1h	Non-dimmable - inox clips; class II	119	IP 66	37	4940	167,00
71894	Prima LED II 1.4ft ABS 2600/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	182,52
71904	Prima LED II 1.4ft ABS 3200/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	182,52
71914	Prima LED II 1.4ft ABS 4400/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	183,74
71934	Prima LED II 1.5ft ABS 3250/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	189,96
71944	Prima LED II 1.5ft ABS 4000/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	189,96
71954	Prima LED II 1.5ft ABS 5500/840 DALI M1h	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	191,45
72004	Prima LED II 1.4ft ABSc 2600/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	18	2320	184,92
72014	Prima LED II 1.4ft ABSc 3200/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	22	2860	184,92
72024	Prima LED II 1.4ft ABSc 4400/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	30	3920	186,11
72044	Prima LED II 1.5ft ABSc 3250/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	22	2810	192,90
72054	Prima LED II 1.5ft ABSc 4000/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	27	3530	192,90
72064	Prima LED II 1.5ft ABSc 5500/840 DALI M1h	DALI dimmable - inox clips; class II	119	IP 66	37	4940	194,35
71675	Prima LED II 1.4ft ABS 2600/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	173,49
71685	Prima LED II 1.4ft ABS 3200/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	173,49
71695	Prima LED II 1.4ft ABS 4400/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	174,71
71715	Prima LED II 1.5ft ABS 3250/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	181,07
71725	Prima LED II 1.5ft ABS 4000/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	181,07

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
71735	Prima LED II 1.5ft ABS 5500/840 M3h	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	182,52
71785	Prima LED II 1.4ft ABS 2600/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	18	2320	175,89
71795	Prima LED II 1.4ft ABS 3200/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	22	2860	175,89
71805	Prima LED II 1.4ft ABS 4400/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	30	3920	177,08
71825	Prima LED II 1.5ft ABS 3250/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	22	2810	184,00
71835	Prima LED II 1.5ft ABS 4000/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	27	3530	184,00
71845	Prima LED II 1.5ft ABS 5500/840 M3h	Non-dimmable - inox clips; class II	119	IP 66	37	4940	185,45
71895	Prima LED II 1.4ft ABS 2600/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	201,66
71905	Prima LED II 1.4ft ABS 3200/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	201,66
71915	Prima LED II 1.4ft ABS 4400/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	202,85
71935	Prima LED II 1.5ft ABS 3250/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	208,84
71945	Prima LED II 1.5ft ABS 4000/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	208,84
71955	Prima LED II 1.5ft ABS 5500/840 DALI M3h	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	210,29
72005	Prima LED II 1.4ft ABS 2600/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	18	2320	204,07
72015	Prima LED II 1.4ft ABS 3200/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	22	2860	204,07
72025	Prima LED II 1.4ft ABS 4400/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	30	3920	205,25
72045	Prima LED II 1.5ft ABS 3250/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	22	2810	211,74
72055	Prima LED II 1.5ft ABS 4000/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	27	3530	211,74
72065	Prima LED II 1.5ft ABS 5500/840 DALI M3h	DALI dimmable - inox clips; class II	119	IP 66	37	4940	213,23
71676	Prima LED II 1.4ft ABS 2600/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	202,06
71686	Prima LED II 1.4ft ABS 3200/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	202,06
71696	Prima LED II 1.4ft ABS 4400/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	203,24
71716	Prima LED II 1.5ft ABS 3250/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	211,48
71726	Prima LED II 1.5ft ABS 4000/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	211,48
71736	Prima LED II 1.5ft ABS 5500/840 3F M1h	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	212,96
71786	Prima LED II 1.4ft ABS 2600/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	18	2320	204,46
71796	Prima LED II 1.4ft ABS 3200/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	22	2860	204,46
71806	Prima LED II 1.4ft ABS 4400/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	30	3920	205,65
71826	Prima LED II 1.5ft ABS 3250/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	22	2810	214,41
71836	Prima LED II 1.5ft ABS 4000/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	27	3530	214,41
71846	Prima LED II 1.5ft ABS 5500/840 3F M1h	Non-dimmable - inox clips; class II	119	IP 66	37	4940	215,86
71896	Prima LED II 1.4ft ABS 2600/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	239,79
71906	Prima LED II 1.4ft ABS 3200/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	239,79
71916	Prima LED II 1.4ft ABS 4400/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	240,97
71936	Prima LED II 1.5ft ABS 3250/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	248,02
71946	Prima LED II 1.5ft ABS 4000/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	248,02
71956	Prima LED II 1.5ft ABS 5500/840 DALI 3F M1h	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	249,47

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72006	Prima LED II 1.4ft ABSc 2600/840 DALI 3F M1	DALI dimmable - inox clips; class II	119	IP 66	18	2320	242,19
72016	Prima LED II 1.4ft ABSc 3200/840 DALI 3F M1	DALI dimmable - inox clips; class II	119	IP 66	22	2860	242,19
72026	Prima LED II 1.4ft ABSc 4400/840 DALI 3F M1	DALI dimmable - inox clips; class II	119	IP 66	30	3920	243,38
72046	Prima LED II 1.5ft ABSc 3250/840 DALI 3F M1	DALI dimmable - inox clips; class II	119	IP 66	22	2810	250,96
72056	Prima LED II 1.5ft ABSc 4000/840 DALI 3F M1	DALI dimmable - inox clips; class II	119	IP 66	27	3530	250,96
72066	Prima LED II 1.5ft ABSc 5500/840 DALI 3F M1	DALI dimmable - inox clips; class II	119	IP 66	37	4940	252,41
71677	Prima LED II 1.4ft ABS 2600/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	18	2320	221,73
71687	Prima LED II 1.4ft ABS 3200/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	22	2860	221,73
71697	Prima LED II 1.4ft ABS 4400/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	30	3920	222,91
71717	Prima LED II 1.5ft ABS 3250/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	22	2810	231,15
71727	Prima LED II 1.5ft ABS 4000/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	27	3530	231,15
71737	Prima LED II 1.5ft ABS 5500/840 3F M3h	Non-dimmable - plastic clips; class II	119	IP 66	37	4940	232,60
71787	Prima LED II 1.4ft ABSc 2600/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	18	2320	224,10
71797	Prima LED II 1.4ft ABSc 3200/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	22	2860	224,10
71807	Prima LED II 1.4ft ABSc 4400/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	30	3920	225,32
71827	Prima LED II 1.5ft ABSc 3250/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	22	2810	234,09
71837	Prima LED II 1.5ft ABSc 4000/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	27	3530	234,09
71847	Prima LED II 1.5ft ABSc 5500/840 3F M3h	Non-dimmable - inox clips; class II	119	IP 66	37	4940	235,53
71897	Prima LED II 1.4ft ABS 2600/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	18	2320	258,40
71907	Prima LED II 1.4ft ABS 3200/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	22	2860	258,40
71917	Prima LED II 1.4ft ABS 4400/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	30	3920	259,59
71937	Prima LED II 1.5ft ABS 3250/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	22	2810	266,48
71947	Prima LED II 1.5ft ABS 4000/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	27	3530	266,48
71957	Prima LED II 1.5ft ABS 5500/840 DALI 3F M3h	DALI dimmable - plastic clips; class II	119	IP 66	37	4940	267,96
72007	Prima LED II 1.4ft ABSc 2600/840 DALI 3F M3	DALI dimmable - inox clips; class II	119	IP 66	18	2320	260,78
72017	Prima LED II 1.4ft ABSc 3200/840 DALI 3F M3	DALI dimmable - inox clips; class II	119	IP 66	22	2860	260,78
72027	Prima LED II 1.4ft ABSc 4400/840 DALI 3F M3	DALI dimmable - inox clips; class II	119	IP 66	30	3920	261,96
72047	Prima LED II 1.5ft ABSc 3250/840 DALI 3F M3	DALI dimmable - inox clips; class II	119	IP 66	22	2810	269,41
72057	Prima LED II 1.5ft ABSc 4000/840 DALI 3F M3	DALI dimmable - inox clips; class II	119	IP 66	27	3530	269,41
72067	Prima LED II 1.5ft ABSc 5500/840 DALI 3F M3	DALI dimmable - inox clips; class II	119	IP 66	37	4940	270,86
72700	INNOVA II 1.4ft PC 2600/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	18	2470	53,91
72710	INNOVA II 1.4ft PC 3200/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	22	3050	53,91
72720	INNOVA II 1.4ft PC 4400/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	30	4180	55,09
72730	INNOVA II 1.4ft PC 6400/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	43	6030	57,57
72740	INNOVA II 1.4ft PC 8800/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	58	8110	65,90
72750	INNOVA II 1.5ft PC 3250/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	22	3000	61,85
72760	INNOVA II 1.5ft PC 4000/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	27	3770	61,85

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72770	INNOVA II 1.5ft PC 5500/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	37	5270	63,30
72780	INNOVA II 1.5ft PC 8000/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	54	7570	66,30
72790	INNOVA II 1.5ft PC 11000/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	71	9950	78,92
72701	INNOVA II 1.4ft PC 2600/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	18	2470	89,73
72711	INNOVA II 1.4ft PC 3200/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	22	3050	89,73
72721	INNOVA II 1.4ft PC 4400/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	30	4180	90,91
72731	INNOVA II 1.4ft PC 6400/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	43	6030	93,38
72741	INNOVA II 1.4ft PC 8800/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	58	8110	101,72
72751	INNOVA II 1.5ft PC 3250/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	22	3000	96,12
72761	INNOVA II 1.5ft PC 4000/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	27	3770	96,12
72771	INNOVA II 1.5ft PC 5500/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	37	5270	97,54
72781	INNOVA II 1.5ft PC 8000/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	54	7570	100,53
72791	INNOVA II 1.5ft PC 11000/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	71	9950	113,19
72702	INNOVA II 1.4ft PC 2600/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	18	2470	116,81
72712	INNOVA II 1.4ft PC 3200/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3050	116,81
72722	INNOVA II 1.4ft PC 4400/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	30	4180	118,00
72732	INNOVA II 1.4ft PC 6400/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	43	6030	119,81
72742	INNOVA II 1.4ft PC 8800/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	58	8110	128,94
72752	INNOVA II 1.5ft PC 3250/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3000	124,92
72762	INNOVA II 1.5ft PC 4000/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	27	3770	124,92
72772	INNOVA II 1.5ft PC 5500/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	37	5270	126,33
72782	INNOVA II 1.5ft PC 8000/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	54	7570	129,33
72792	INNOVA II 1.5ft PC 11000/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	71	9950	141,95
72703	INNOVA II 1.4ft PC 2600/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	18	2470	121,39
72713	INNOVA II 1.4ft PC 3200/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3050	121,39
72723	INNOVA II 1.4ft PC 4400/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	30	4180	122,55
72733	INNOVA II 1.4ft PC 6400/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	43	6030	124,39
72743	INNOVA II 1.4ft PC 8800/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	58	8110	133,49
72753	INNOVA II 1.5ft PC 3250/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3000	128,94
72763	INNOVA II 1.5ft PC 4000/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	27	3770	128,94
72773	INNOVA II 1.5ft PC 5500/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	37	5270	130,39
72783	INNOVA II 1.5ft PC 8000/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	54	7570	133,35
72793	INNOVA II 1.5ft PC 11000/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	71	9950	146,01
72704	INNOVA II 1.4ft PC 2600/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	18	2470	63,30
72714	INNOVA II 1.4ft PC 3200/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	22	3050	63,30
72724	INNOVA II 1.4ft PC 4400/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	30	4180	64,49
72734	INNOVA II 1.4ft PC 6400/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	43	6030	66,96

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72744	INNOVA II 1.4ft PC 8800/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	58	8110	75,29
72754	INNOVA II 1.5ft PC 3250/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	22	3000	72,16
72764	INNOVA II 1.5ft PC 4000/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	27	3770	72,16
72774	INNOVA II 1.5ft PC 5500/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	37	5270	73,58
72784	INNOVA II 1.5ft PC 8000/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	54	7570	76,58
72794	INNOVA II 1.5ft PC 11000/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	71	9950	89,23
72705	INNOVA II 1.4ft PC 2600/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	18	2470	138,46
72715	INNOVA II 1.4ft PC 3200/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	22	3050	138,46
72725	INNOVA II 1.4ft PC 4400/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	30	4180	139,61
72735	INNOVA II 1.4ft PC 6400/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	43	6030	142,09
72745	INNOVA II 1.4ft PC 8800/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	58	8110	150,42
72755	INNOVA II 1.5ft PC 3250/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	22	3000	147,16
72765	INNOVA II 1.5ft PC 4000/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	27	3770	147,16
72775	INNOVA II 1.5ft PC 5500/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	37	5270	148,61
72785	INNOVA II 1.5ft PC 8000/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	54	7570	151,61
72795	INNOVA II 1.5ft PC 11000/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	71	9950	164,23
72706	INNOVA II 1.4ft PC 2600/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	18	2470	165,55
72716	INNOVA II 1.4ft PC 3200/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3050	165,55
72726	INNOVA II 1.4ft PC 4400/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	30	4180	166,70
72736	INNOVA II 1.4ft PC 6400/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	43	6030	168,55
72746	INNOVA II 1.4ft PC 8800/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	58	8110	177,64
72756	INNOVA II 1.5ft PC 3250/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3000	174,90
72766	INNOVA II 1.5ft PC 4000/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	27	3770	174,90
72776	INNOVA II 1.5ft PC 5500/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	37	5270	176,35
72786	INNOVA II 1.5ft PC 8000/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	54	7570	179,35
72796	INNOVA II 1.5ft PC 11000/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	71	9950	191,97
72707	INNOVA II 1.4ft PC 2600/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	18	2470	176,35
72717	INNOVA II 1.4ft PC 3200/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3050	176,35
72727	INNOVA II 1.4ft PC 4400/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	30	4180	177,51
72737	INNOVA II 1.4ft PC 6400/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	43	6030	179,35
72747	INNOVA II 1.4ft PC 8800/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	58	8110	188,45
72757	INNOVA II 1.5ft PC 3250/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3000	186,11
72767	INNOVA II 1.5ft PC 4000/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	27	3770	186,11
72777	INNOVA II 1.5ft PC 5500/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	37	5270	187,56
72787	INNOVA II 1.5ft PC 8000/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	54	7570	190,56
72797	INNOVA II 1.5ft PC 11000/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	71	9950	203,18
72800	INNOVA II 1.4ft ABS 2600/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	18	2470	54,57

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72810	INNOVA II 1.4ft ABS 3200/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	22	3050	54,57
72820	INNOVA II 1.4ft ABS 4400/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	30	4180	55,75
72830	INNOVA II 1.4ft ABS 6400/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	43	6030	58,22
72840	INNOVA II 1.4ft ABS 8800/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	58	8110	66,56
72850	INNOVA II 1.5ft ABS 3250/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	22	3000	63,43
72860	INNOVA II 1.5ft ABS 4000/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	27	3770	63,43
72870	INNOVA II 1.5ft ABS 5500/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	37	5270	64,85
72880	INNOVA II 1.5ft ABS 8000/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	54	7570	67,85
72890	INNOVA II 1.5ft ABS 11000/840 1x2P	Non-dimmable, standard optics; class II	133	IP 66	71	9950	80,50
72801	INNOVA II 1.4ft ABS 2600/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	18	2470	90,39
72811	INNOVA II 1.4ft ABS 3200/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	22	3050	90,39
72821	INNOVA II 1.4ft ABS 4400/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	30	4180	91,57
72831	INNOVA II 1.4ft ABS 6400/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	43	6030	94,04
72841	INNOVA II 1.4ft ABS 8800/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	58	8110	102,38
72851	INNOVA II 1.5ft ABS 3250/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	22	3000	97,67
72861	INNOVA II 1.5ft ABS 4000/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	27	3770	97,67
72871	INNOVA II 1.5ft ABS 5500/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	37	5270	99,12
72881	INNOVA II 1.5ft ABS 8000/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	54	7570	102,12
72891	INNOVA II 1.5ft ABS 11000/840 1x4P	Non-dimmable, standard optics; class II	133	IP 66	71	9950	114,74
72802	INNOVA II 1.4ft ABS 2600/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	18	2470	117,47
72812	INNOVA II 1.4ft ABS 3200/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3050	117,47
72822	INNOVA II 1.4ft ABS 4400/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	30	4180	118,66
72832	INNOVA II 1.4ft ABS 6400/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	43	6030	120,47
72842	INNOVA II 1.4ft ABS 8800/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	58	8110	129,60
72852	INNOVA II 1.5ft ABS 3250/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3000	126,47
72862	INNOVA II 1.5ft ABS 4000/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	27	3770	126,47
72872	INNOVA II 1.5ft ABS 5500/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	37	5270	127,88
72882	INNOVA II 1.5ft ABS 8000/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	54	7570	130,88
72892	INNOVA II 1.5ft ABS 11000/840 1x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	71	9950	143,54
72803	INNOVA II 1.4ft ABS 2600/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	18	2470	122,05
72813	INNOVA II 1.4ft ABS 3200/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3050	122,05
72823	INNOVA II 1.4ft ABS 4400/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	30	4180	123,20
72833	INNOVA II 1.4ft ABS 6400/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	43	6030	125,02
72843	INNOVA II 1.4ft ABS 8800/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	58	8110	134,14
72853	INNOVA II 1.5ft ABS 3250/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3000	130,49
72863	INNOVA II 1.5ft ABS 4000/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	27	3770	130,49
72873	INNOVA II 1.5ft ABS 5500/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	37	5270	131,94

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72883	INNOVA II 1.5ft ABS 8000/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	54	7570	134,94
72893	INNOVA II 1.5ft ABS 11000/840 1x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	71	9950	147,56
72804	INNOVA II 1.4ft ABS 2600/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	18	2470	63,96
72814	INNOVA II 1.4ft ABS 3200/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	22	3050	63,96
72824	INNOVA II 1.4ft ABS 4400/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	30	4180	65,11
72834	INNOVA II 1.4ft ABS 6400/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	43	6030	67,58
72844	INNOVA II 1.4ft ABS 8800/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	58	8110	75,92
72854	INNOVA II 1.5ft ABS 3250/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	22	3000	73,71
72864	INNOVA II 1.5ft ABS 4000/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	27	3770	73,71
72874	INNOVA II 1.5ft ABS 5500/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	37	5270	75,16
72884	INNOVA II 1.5ft ABS 8000/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	54	7570	78,16
72894	INNOVA II 1.5ft ABS 11000/840 2x2P	Non-dimmable, standard optics; class II	133	IP 66	71	9950	90,78
72805	INNOVA II 1.4ft ABS 2600/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	18	2470	139,09
72815	INNOVA II 1.4ft ABS 3200/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	22	3050	139,09
72825	INNOVA II 1.4ft ABS 4400/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	30	4180	140,27
72835	INNOVA II 1.4ft ABS 6400/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	43	6030	142,74
72845	INNOVA II 1.4ft ABS 8800/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	58	8110	151,08
72855	INNOVA II 1.5ft ABS 3250/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	22	3000	148,74
72865	INNOVA II 1.5ft ABS 4000/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	27	3770	148,74
72875	INNOVA II 1.5ft ABS 5500/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	37	5270	150,16
72885	INNOVA II 1.5ft ABS 8000/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	54	7570	153,16
72895	INNOVA II 1.5ft ABS 11000/840 2x4P	Non-dimmable, standard optics; class II	133	IP 66	71	9950	165,81
72806	INNOVA II 1.4ft ABS 2600/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	18	2470	166,17
72816	INNOVA II 1.4ft ABS 3200/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3050	166,17
72826	INNOVA II 1.4ft ABS 4400/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	30	4180	167,36
72836	INNOVA II 1.4ft ABS 6400/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	43	6030	169,17
72846	INNOVA II 1.4ft ABS 8800/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	58	8110	178,30
72856	INNOVA II 1.5ft ABS 3250/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3000	176,49
72866	INNOVA II 1.5ft ABS 4000/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	27	3770	176,49
72876	INNOVA II 1.5ft ABS 5500/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	37	5270	177,90
72886	INNOVA II 1.5ft ABS 8000/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	54	7570	180,90
72896	INNOVA II 1.5ft ABS 11000/840 2x4P DALI	DALI dimmable, standard optics; class II	133	IP 66	71	9950	193,56
72807	INNOVA II 1.4ft ABS 2600/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	18	2470	177,01
72817	INNOVA II 1.4ft ABS 3200/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3050	177,01
72827	INNOVA II 1.4ft ABS 4400/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	30	4180	178,17
72837	INNOVA II 1.4ft ABS 6400/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	43	6030	179,98
72847	INNOVA II 1.4ft ABS 8800/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	58	8110	189,11

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
72857	INNOVA II 1.5ft ABS 3250/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	22	3000	187,69
72867	INNOVA II 1.5ft ABS 4000/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	27	3770	187,69
72877	INNOVA II 1.5ft ABS 5500/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	37	5270	189,11
72887	INNOVA II 1.5ft ABS 8000/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	54	7570	192,11
72897	INNOVA II 1.5ft ABS 11000/840 2x6P DALI	DALI dimmable, standard optics; class II	133	IP 66	71	9950	204,73
16201	INNOVA 1.4ft TRS PC 2600/840 1x3P	Non-dimmable, standard optics; transparent body	133	IP 66	18	2270	60,56
16211	INNOVA 1.4ft TRS PC 3200/840 1x3P	Non-dimmable, standard optics; transparent body	133	IP 66	22	2810	60,56
16221	INNOVA 1.4ft TRS PC 4400/840 1x3P	Non-dimmable, standard optics; transparent body	133	IP 66	30	3850	61,49
16231	INNOVA 1.4ft TRS PC 6400/840 1x3P	Non-dimmable, standard optics; transparent body	133	IP 66	43	5540	64,39
16241	INNOVA 1.5ft TRS PC 3250/840 1x3P	Non-dimmable, standard optics; transparent body	133	IP 66	22	2750	68,11
16251	INNOVA 1.5ft TRS PC 4000/840 1x3P	Non-dimmable, standard optics; transparent body	133	IP 66	27	3470	68,11
16261	INNOVA 1.5ft TRS PC 5500/840 1x3P	Non-dimmable, standard optics; transparent body	133	IP 66	37	4850	69,30
16271	INNOVA 1.5ft TRS PC 8000/840 1x3P	Non-dimmable, standard optics; transparent body	133	IP 66	54	6960	73,38
16212	INNOVA 1.4ft TRS PC 3200/840 1x5P	Non-dimmable, standard optics; transparent body	133	IP 66	22	2810	60,56
16222	INNOVA 1.4ft TRS PC 4400/840 1x5P	Non-dimmable, standard optics; transparent body	133	IP 66	30	3850	61,49
16232	INNOVA 1.4ft TRS PC 6400/840 1x5P	Non-dimmable, standard optics; transparent body	133	IP 66	43	5540	64,39
16242	INNOVA 1.5ft TRS PC 3250/840 1x5P	Non-dimmable, standard optics; transparent body	133	IP 66	22	2750	68,64
16252	INNOVA 1.5ft TRS PC 4000/840 1x5P	Non-dimmable, standard optics; transparent body	133	IP 66	27	3470	68,64
16262	INNOVA 1.5ft TRS PC 5500/840 1x5P	Non-dimmable, standard optics; transparent body	133	IP 66	37	4850	69,82
16272	INNOVA 1.5ft TRS PC 8000/840 1x5P	Non-dimmable, standard optics; transparent body	133	IP 66	54	6960	73,91
16213	INNOVA 1.4ft TRS PC 3200/840 1x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	22	2810	84,26
16223	INNOVA 1.4ft TRS PC 4400/840 1x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	30	3850	85,18
16233	INNOVA 1.4ft TRS PC 6400/840 1x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	43	5540	86,40
16243	INNOVA 1.5ft TRS PC 3250/840 1x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	22	2750	94,04
16253	INNOVA 1.5ft TRS PC 4000/840 1x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	27	3470	94,04
16263	INNOVA 1.5ft TRS PC 5500/840 1x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	37	4850	94,97
16273	INNOVA 1.5ft TRS PC 8000/840 1x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	54	6960	99,51
16204	INNOVA 1.4ft TRS PC 2600/840 1x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	18	2270	104,19
16214	INNOVA 1.4ft TRS PC 3200/840 1x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	22	2810	104,19
16224	INNOVA 1.4ft TRS PC 4400/840 1x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	30	3850	105,11
16234	INNOVA 1.4ft TRS PC 6400/840 1x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	43	5540	106,93
16244	INNOVA 1.5ft TRS PC 3250/840 1x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	22	2750	110,98
16254	INNOVA 1.5ft TRS PC 4000/840 1x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	27	3470	110,98
16264	INNOVA 1.5ft TRS PC 5500/840 1x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	37	4850	112,13
16274	INNOVA 1.5ft TRS PC 8000/840 1x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	54	6960	116,32
16205	INNOVA 1.4ft TRS PC 2600/840 2x3P	Non-dimmable, standard optics; transparent body	133	IP 66	18	2270	67,22
16215	INNOVA 1.4ft TRS PC 3200/840 2x3P	Non-dimmable, standard optics; transparent body	133	IP 66	22	2810	67,22

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
16225	INNOVA 1.4ft TRS PC 4400/840 2x3P	Non-dimmable, standard optics; transparent body	133	IP 66	30	3850	68,11
16235	INNOVA 1.4ft TRS PC 6400/840 2x3P	Non-dimmable, standard optics; transparent body	133	IP 66	43	5540	71,24
16245	INNOVA 1.5ft TRS PC 3250/840 2x3P	Non-dimmable, standard optics; transparent body	133	IP 66	22	2750	75,66
16255	INNOVA 1.5ft TRS PC 4000/840 2x3P	Non-dimmable, standard optics; transparent body	133	IP 66	27	3470	75,66
16265	INNOVA 1.5ft TRS PC 5500/840 2x3P	Non-dimmable, standard optics; transparent body	133	IP 66	37	4850	76,84
16275	INNOVA 1.5ft TRS PC 8000/840 2x3P	Non-dimmable, standard optics; transparent body	133	IP 66	54	6960	81,16
16206	INNOVA 1.4ft TRS PC 2600/840 2x5P	Non-dimmable, standard optics; transparent body	133	IP 66	18	2270	70,19
16216	INNOVA 1.4ft TRS PC 3200/840 2x5P	Non-dimmable, standard optics; transparent body	133	IP 66	22	2810	70,19
16226	INNOVA 1.4ft TRS PC 4400/840 2x5P	Non-dimmable, standard optics; transparent body	133	IP 66	30	3850	71,11
16236	INNOVA 1.4ft TRS PC 6400/840 2x5P	Non-dimmable, standard optics; transparent body	133	IP 66	43	5540	74,30
16246	INNOVA 1.5ft TRS PC 3250/840 2x5P	Non-dimmable, standard optics; transparent body	133	IP 66	22	2750	78,79
16256	INNOVA 1.5ft TRS PC 4000/840 2x5P	Non-dimmable, standard optics; transparent body	133	IP 66	27	3470	78,79
16266	INNOVA 1.5ft TRS PC 5500/840 2x5P	Non-dimmable, standard optics; transparent body	133	IP 66	37	4850	79,97
16276	INNOVA 1.5ft TRS PC 8000/840 2x5P	Non-dimmable, standard optics; transparent body	133	IP 66	54	6960	84,39
16207	INNOVA 1.4ft TRS PC 2600/840 2x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	18	2270	94,04
16217	INNOVA 1.4ft TRS PC 3200/840 2x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	22	2810	94,04
16227	INNOVA 1.4ft TRS PC 4400/840 2x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	30	3850	94,93
16237	INNOVA 1.4ft TRS PC 6400/840 2x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	43	5540	96,45
16247	INNOVA 1.5ft TRS PC 3250/840 2x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	22	2750	102,77
16257	INNOVA 1.5ft TRS PC 4000/840 2x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	27	3470	102,77
16267	INNOVA 1.5ft TRS PC 5500/840 2x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	37	4850	103,83
16277	INNOVA 1.5ft TRS PC 8000/840 2x5P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	54	6960	108,11
16208	INNOVA 1.4ft TRS PC 2600/840 2x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	18	2270	142,61
16218	INNOVA 1.4ft TRS PC 3200/840 2x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	22	2810	142,61
16228	INNOVA 1.4ft TRS PC 4400/840 2x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	30	3850	143,54
16238	INNOVA 1.4ft TRS PC 6400/840 2x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	43	5540	146,50
16248	INNOVA 1.5ft TRS PC 3250/840 2x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	22	2750	151,34
16258	INNOVA 1.5ft TRS PC 4000/840 2x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	27	3470	151,34
16268	INNOVA 1.5ft TRS PC 5500/840 2x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	37	4850	152,50
16278	INNOVA 1.5ft TRS PC 8000/840 2x7P DALI	DALI dimmable, standard optics; transparent body	133	IP 66	54	6960	156,68
88000	PRIMA LED 1.2ft TRS PC 1300/840	Non-dimmable - plastic clips; transparent body	204	IP 66	10	1260	40,76
88010	PRIMA LED 1.2ft TRS PC 1600/840	Non-dimmable - plastic clips; transparent body	204	IP 66	12	1510	40,76
88020	PRIMA LED 1.2ft TRS PC 2200/840	Non-dimmable - plastic clips; transparent body	204	IP 66	15	1950	41,16
88030	PRIMA LED 1.4ft TRS PC 2600/840	Non-dimmable - plastic clips; transparent body	119	IP 66	18	2320	49,89
88040	PRIMA LED 1.4ft TRS PC 3200/840	Non-dimmable - plastic clips; transparent body	119	IP 66	22	2860	49,89
88050	PRIMA LED 1.4ft TRS PC 4400/840	Non-dimmable - plastic clips; transparent body	119	IP 66	30	3920	50,81
88060	PRIMA LED 1.4ft TRS PC 6400/840	Non-dimmable - plastic clips; transparent body	119	IP 66	43	5650	53,38

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
88070	PRIMA LED 1.5ft TRS PC 3250/840	Non-dimmable - plastic clips; transparent body	119	IP 66	22	2810	57,57
88080	PRIMA LED 1.5ft TRS PC 4000/840	Non-dimmable - plastic clips; transparent body	119	IP 66	27	3530	57,57
88090	PRIMA LED 1.5ft TRS PC 5500/840	Non-dimmable - plastic clips; transparent body	119	IP 66	37	4940	58,75
88100	PRIMA LED 1.5ft TRS PC 8000/840	Non-dimmable - plastic clips; transparent body	119	IP 66	54	7090	62,51
88110	PRIMA LED 1.2ft TRS PCc 1300/840	Non-dimmable - inox clips; transparent body	204	IP 66	10	1260	42,21
88120	PRIMA LED 1.2ft TRS PCc 1600/840	Non-dimmable - inox clips; transparent body	204	IP 66	12	1510	42,21
88130	PRIMA LED 1.2ft TRS PCc 2200/840	Non-dimmable - inox clips; transparent body	204	IP 66	15	1950	42,57
88140	PRIMA LED 1.4ft TRS PCc 2600/840	Non-dimmable - inox clips; transparent body	119	IP 66	18	2320	52,23
88150	PRIMA LED 1.4ft TRS PCc 3200/840	Non-dimmable - inox clips; transparent body	119	IP 66	22	2860	52,23
88160	PRIMA LED 1.4ft TRS PCc 4400/840	Non-dimmable - inox clips; transparent body	119	IP 66	30	3920	53,15
88170	PRIMA LED 1.4ft TRS PCc 6400/840	Non-dimmable - inox clips; transparent body	119	IP 66	43	5650	55,82
88180	PRIMA LED 1.5ft TRS PCc 3250/840	Non-dimmable - inox clips; transparent body	119	IP 66	22	2810	60,43
88190	PRIMA LED 1.5ft TRS PCc 4000/840	Non-dimmable - inox clips; transparent body	119	IP 66	27	3530	60,43
88200	PRIMA LED 1.5ft TRS PCc 5500/840	Non-dimmable - inox clips; transparent body	119	IP 66	37	4940	61,62
88210	PRIMA LED 1.5ft TRS PCc 8000/840	Non-dimmable - inox clips; transparent body	119	IP 66	54	7090	65,47
88031	PRIMA LED 1.4ft TRS PC 2600/840 1F	Non-dimmable - plastic clips; transparent body	119	IP 66	18	2320	53,91
88041	PRIMA LED 1.4ft TRS PC 3200/840 1F	Non-dimmable - plastic clips; transparent body	119	IP 66	22	2860	53,91
88051	PRIMA LED 1.4ft TRS PC 4400/840 1F	Non-dimmable - plastic clips; transparent body	119	IP 66	30	3920	54,83
88061	PRIMA LED 1.4ft TRS PC 6400/840 1F	Non-dimmable - plastic clips; transparent body	119	IP 66	43	5650	58,62
88071	PRIMA LED 1.5ft TRS PC 3250/840 1F	Non-dimmable - plastic clips; transparent body	119	IP 66	22	2810	62,11
88081	PRIMA LED 1.5ft TRS PC 4000/840 1F	Non-dimmable - plastic clips; transparent body	119	IP 66	27	3530	62,11
88091	PRIMA LED 1.5ft TRS PC 5500/840 1F	Non-dimmable - plastic clips; transparent body	119	IP 66	37	4940	63,30
88101	PRIMA LED 1.5ft TRS PC 8000/840 1F	Non-dimmable - plastic clips; transparent body	119	IP 66	54	7090	67,62
88141	PRIMA LED 1.4ft TRS PCc 2600/840 1F	Non-dimmable - inox clips; transparent body	119	IP 66	18	2320	56,28
88151	PRIMA LED 1.4ft TRS PCc 3200/840 1F	Non-dimmable - inox clips; transparent body	119	IP 66	22	2860	56,28
88161	PRIMA LED 1.4ft TRS PCc 4400/840 1F	Non-dimmable - inox clips; transparent body	119	IP 66	30	3920	57,17
88171	PRIMA LED 1.4ft TRS PCc 6400/840 1F	Non-dimmable - inox clips; transparent body	119	IP 66	43	5650	61,03
88181	PRIMA LED 1.5ft TRS PCc 3250/840 1F	Non-dimmable - inox clips; transparent body	119	IP 66	22	2810	64,98
88191	PRIMA LED 1.5ft TRS PCc 4000/840 1F	Non-dimmable - inox clips; transparent body	119	IP 66	27	3530	64,98
88201	PRIMA LED 1.5ft TRS PCc 5500/840 1F	Non-dimmable - inox clips; transparent body	119	IP 66	37	4940	66,17
88211	PRIMA LED 1.5ft TRS PCc 8000/840 1F	Non-dimmable - inox clips; transparent body	119	IP 66	54	7090	70,55
88033	PRIMA LED 1.4ft TRS PC 2600/840 3F	Non-dimmable - plastic clips; transparent body	119	IP 66	18	2320	54,83
88043	PRIMA LED 1.4ft TRS PC 3200/840 3F	Non-dimmable - plastic clips; transparent body	119	IP 66	22	2860	54,83
88053	PRIMA LED 1.4ft TRS PC 4400/840 3F	Non-dimmable - plastic clips; transparent body	119	IP 66	30	3920	55,75
88063	PRIMA LED 1.4ft TRS PC 6400/840 3F	Non-dimmable - plastic clips; transparent body	119	IP 66	43	5650	59,97
88073	PRIMA LED 1.5ft TRS PC 3250/840 3F	Non-dimmable - plastic clips; transparent body	119	IP 66	22	2810	63,17
88083	PRIMA LED 1.5ft TRS PC 4000/840 3F	Non-dimmable - plastic clips; transparent body	119	IP 66	27	3530	63,17

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
88093	PRIMA LED 1.5ft TRS PC 5500/840 3F	Non-dimmable - plastic clips; transparent body	119	IP 66	37	4940	64,35
88103	PRIMA LED 1.5ft TRS PC 8000/840 3F	Non-dimmable - plastic clips; transparent body	119	IP 66	54	7090	69,10
88143	PRIMA LED 1.4ft TRS PCc 2600/840 3F	Non-dimmable - inox clips; transparent body	119	IP 66	18	2320	57,17
88153	PRIMA LED 1.4ft TRS PCc 3200/840 3F	Non-dimmable - inox clips; transparent body	119	IP 66	22	2860	57,17
88163	PRIMA LED 1.4ft TRS PCc 4400/840 3F	Non-dimmable - inox clips; transparent body	119	IP 66	30	3920	58,09
88173	PRIMA LED 1.4ft TRS PCc 6400/840 3F	Non-dimmable - inox clips; transparent body	119	IP 66	43	5650	62,38
88183	PRIMA LED 1.5ft TRS PCc 3250/840 3F	Non-dimmable - inox clips; transparent body	119	IP 66	22	2810	66,03
88193	PRIMA LED 1.5ft TRS PCc 4000/840 3F	Non-dimmable - inox clips; transparent body	119	IP 66	27	3530	66,03
88203	PRIMA LED 1.5ft TRS PCc 5500/840 3F	Non-dimmable - inox clips; transparent body	119	IP 66	37	4940	67,22
88213	PRIMA LED 1.5ft TRS PCc 8000/840 3F	Non-dimmable - inox clips; transparent body	119	IP 66	54	7090	72,03
88220	PRIMA LED 1.2ft TRS PC 1300/840 DALI	DALI dimmable - plastic clips; transparent body	204	IP 66	10	1260	61,22
88230	PRIMA LED 1.2ft TRS PC 1600/840 DALI	DALI dimmable - plastic clips; transparent body	204	IP 66	12	1510	61,22
88240	PRIMA LED 1.2ft TRS PC 2200/840 DALI	DALI dimmable - plastic clips; transparent body	204	IP 66	15	1950	61,75
88250	PRIMA LED 1.4ft TRS PC 2600/840 DALI	DALI dimmable - plastic clips; transparent body	119	IP 66	18	2320	72,56
88260	PRIMA LED 1.4ft TRS PC 3200/840 DALI	DALI dimmable - plastic clips; transparent body	119	IP 66	22	2860	72,56
88270	PRIMA LED 1.4ft TRS PC 4400/840 DALI	DALI dimmable - plastic clips; transparent body	119	IP 66	30	3920	73,25
88280	PRIMA LED 1.4ft TRS PC 6400/840 DALI	DALI dimmable - plastic clips; transparent body	119	IP 66	43	5650	74,44
88290	PRIMA LED 1.5ft TRS PC 3250/840 DALI	DALI dimmable - plastic clips; transparent body	119	IP 66	22	2810	79,81
88300	PRIMA LED 1.5ft TRS PC 4000/840 DALI	DALI dimmable - plastic clips; transparent body	119	IP 66	27	3530	79,81
88310	PRIMA LED 1.5ft TRS PC 5500/840 DALI	DALI dimmable - plastic clips; transparent body	119	IP 66	37	4940	80,76
88320	PRIMA LED 1.5ft TRS PC 8000/840 DALI	DALI dimmable - plastic clips; transparent body	119	IP 66	54	7090	85,71
88330	PRIMA LED 1.2ft TRS PCc 1300/840 DALI	DALI dimmable - inox clips; transparent body	204	IP 66	10	1260	62,64
88340	PRIMA LED 1.2ft TRS PCc 1600/840 DALI	DALI dimmable - inox clips; transparent body	204	IP 66	12	1510	62,64
88350	PRIMA LED 1.2ft TRS PCc 2200/840 DALI	DALI dimmable - inox clips; transparent body	204	IP 66	15	1950	63,17
88360	PRIMA LED 1.4ft TRS PCc 2600/840 DALI	DALI dimmable - inox clips; transparent body	119	IP 66	18	2320	75,00
88370	PRIMA LED 1.4ft TRS PCc 3200/840 DALI	DALI dimmable - inox clips; transparent body	119	IP 66	22	2860	75,00
88380	PRIMA LED 1.4ft TRS PCc 4400/840 DALI	DALI dimmable - inox clips; transparent body	119	IP 66	30	3920	75,66
88390	PRIMA LED 1.4ft TRS PCc 6400/840 DALI	DALI dimmable - inox clips; transparent body	119	IP 66	43	5650	76,88
88400	PRIMA LED 1.5ft TRS PCc 3250/840 DALI	DALI dimmable - inox clips; transparent body	119	IP 66	22	2810	82,25
88410	PRIMA LED 1.5ft TRS PCc 4000/840 DALI	DALI dimmable - inox clips; transparent body	119	IP 66	27	3530	82,77
88420	PRIMA LED 1.5ft TRS PCc 5500/840 DALI	DALI dimmable - inox clips; transparent body	119	IP 66	37	4940	83,70
88430	PRIMA LED 1.5ft TRS PCc 8000/840 DALI	DALI dimmable - inox clips; transparent body	119	IP 66	54	7090	88,57
88251	PRIMA LED 1.4ft TRS PC 2600/840 DALI 1F	DALI dimmable - plastic clips; transparent body	119	IP 66	18	2320	77,63
88261	PRIMA LED 1.4ft TRS PC 3200/840 DALI 1F	DALI dimmable - plastic clips; transparent body	119	IP 66	22	2860	77,63
88271	PRIMA LED 1.4ft TRS PC 4400/840 DALI 1F	DALI dimmable - plastic clips; transparent body	119	IP 66	30	3920	78,36
88281	PRIMA LED 1.4ft TRS PC 6400/840 DALI 1F	DALI dimmable - plastic clips; transparent body	119	IP 66	43	5650	79,54
88291	PRIMA LED 1.5ft TRS PC 3250/840 DALI 1F	DALI dimmable - plastic clips; transparent body	119	IP 66	22	2810	85,57

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
88301	PRIMA LED 1.5ft TRS PC 4000/840 DALI 1F	DALI dimmable - plastic clips; transparent body	119	IP 66	27	3530	85,57
88311	PRIMA LED 1.5ft TRS PC 5500/840 DALI 1F	DALI dimmable - plastic clips; transparent body	119	IP 66	37	4940	86,53
88321	PRIMA LED 1.5ft TRS PC 8000/840 DALI 1F	DALI dimmable - plastic clips; transparent body	119	IP 66	54	7090	91,31
88361	PRIMA LED 1.4ft TRS PCc 2600/840 DALI 1F	DALI dimmable - inox clips; transparent body	119	IP 66	18	2320	79,97
88371	PRIMA LED 1.4ft TRS PCc 3200/840 DALI 1F	DALI dimmable - inox clips; transparent body	119	IP 66	22	2860	79,97
88381	PRIMA LED 1.4ft TRS PCc 4400/840 DALI 1F	DALI dimmable - inox clips; transparent body	119	IP 66	30	3920	80,76
88391	PRIMA LED 1.4ft TRS PCc 6400/840 DALI 1F	DALI dimmable - inox clips; transparent body	119	IP 66	43	5650	81,95
88401	PRIMA LED 1.5ft TRS PCc 3250/840 DALI 1F	DALI dimmable - inox clips; transparent body	119	IP 66	22	2810	88,01
88411	PRIMA LED 1.5ft TRS PCc 4000/840 DALI 1F	DALI dimmable - inox clips; transparent body	119	IP 66	27	3530	88,54
88421	PRIMA LED 1.5ft TRS PCc 5500/840 DALI 1F	DALI dimmable - inox clips; transparent body	119	IP 66	37	4940	89,46
88431	PRIMA LED 1.5ft TRS PCc 8000/840 DALI 1F	DALI dimmable - inox clips; transparent body	119	IP 66	54	7090	94,17
88253	PRIMA LED 1.4ft TRS PC 2600/840 DALI 3F	DALI dimmable - plastic clips; transparent body	119	IP 66	18	2320	80,10
88263	PRIMA LED 1.4ft TRS PC 3200/840 DALI 3F	DALI dimmable - plastic clips; transparent body	119	IP 66	22	2860	80,10
88273	PRIMA LED 1.4ft TRS PC 4400/840 DALI 3F	DALI dimmable - plastic clips; transparent body	119	IP 66	30	3920	80,90
88283	PRIMA LED 1.4ft TRS PC 6400/840 DALI 3F	DALI dimmable - plastic clips; transparent body	119	IP 66	43	5650	82,11
88293	PRIMA LED 1.5ft TRS PC 3250/840 DALI 3F	DALI dimmable - plastic clips; transparent body	119	IP 66	22	2810	88,14
88303	PRIMA LED 1.5ft TRS PC 4000/840 DALI 3F	DALI dimmable - plastic clips; transparent body	119	IP 66	27	3530	88,14
88313	PRIMA LED 1.5ft TRS PC 5500/840 DALI 3F	DALI dimmable - plastic clips; transparent body	119	IP 66	37	4940	89,07
88323	PRIMA LED 1.5ft TRS PC 8000/840 DALI 3F	DALI dimmable - plastic clips; transparent body	119	IP 66	54	7090	93,78
88363	PRIMA LED 1.4ft TRS PCc 2600/840 DALI 3F	DALI dimmable - inox clips; transparent body	119	IP 66	18	2320	82,44
88373	PRIMA LED 1.4ft TRS PCc 3200/840 DALI 3F	DALI dimmable - inox clips; transparent body	119	IP 66	22	2860	82,44
88383	PRIMA LED 1.4ft TRS PCc 4400/840 DALI 3F	DALI dimmable - inox clips; transparent body	119	IP 66	30	3920	83,30
88393	PRIMA LED 1.4ft TRS PCc 6400/840 DALI 3F	DALI dimmable - inox clips; transparent body	119	IP 66	43	5650	84,52
88403	PRIMA LED 1.5ft TRS PCc 3250/840 DALI 3F	DALI dimmable - inox clips; transparent body	119	IP 66	22	2810	90,55
88413	PRIMA LED 1.5ft TRS PCc 4000/840 DALI 3F	DALI dimmable - inox clips; transparent body	119	IP 66	27	3530	91,08
88423	PRIMA LED 1.5ft TRS PCc 5500/840 DALI 3F	DALI dimmable - inox clips; transparent body	119	IP 66	37	4940	92,03
88433	PRIMA LED 1.5ft TRS PCc 8000/840 DALI 3F	DALI dimmable - inox clips; transparent body	119	IP 66	54	7090	96,65
76700	EVELUX S 16/35/730 MR	Non-dimmable, Main road; 3000K	60	IP 66	17	2230	156,53
76704	EVELUX S 24/35/730 MR	Non-dimmable, Main road; 3000K	60	IP 66	26	3350	170,41
76708	EVELUX S 24/52/730 MR	Non-dimmable, Main road; 3000K	60	IP 66	40	4750	170,41
76712	EVELUX S 24/70/730 MR	Non-dimmable, Main road; 3000K	60	IP 66	55	6150	170,41
76716	EVELUX M 32/35/730 MR	Non-dimmable, Main road; 3000K	36	IP 66	35	4471	196,33
76720	EVELUX M 48/35/730 MR	Non-dimmable, Main road; 3000K	36	IP 66	52	6700	218,94
76724	EVELUX M 48/52/730 MR	Non-dimmable, Main road; 3000K	36	IP 66	82	9490	218,94
76728	EVELUX M 48/70/730 MR	Non-dimmable, Main road; 3000K	36	IP 66	109	12290	218,94
76732	EVELUX S 16/35/740 MR	Non-dimmable, Main road; 4000K	60	IP 66	17	2370	156,53
76736	EVELUX S 24/35/740 MR	Non-dimmable, Main road; 4000K	60	IP 66	26	3560	170,41

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
76740	EVELUX S 24/52/740 MR	Non-dimmable, Main road; 4000K	60	IP 66	40	5050	170,41
76744	EVELUX S 24/70/740 MR	Non-dimmable, Main road; 4000K	60	IP 66	55	6530	170,41
76748	EVELUX M 32/35/740 MR	Non-dimmable, Main road; 4000K	36	IP 66	35	4740	196,33
76752	EVELUX M 48/35/740 MR	Non-dimmable, Main road; 4000K	36	IP 66	52	7120	218,94
76756	EVELUX M 48/52/740 MR	Non-dimmable, Main road; 4000K	36	IP 66	82	10080	218,94
76760	EVELUX M 48/70/740 MR	Non-dimmable, Main road; 4000K	36	IP 66	109	13060	218,94
76701	EVELUX S 16/35/730 NR	Non-dimmable, Narrow road; 3000K	60	IP 66	17	2230	156,53
76705	EVELUX S 24/35/730 NR	Non-dimmable, Narrow road; 3000K	60	IP 66	26	3350	170,41
76709	EVELUX S 24/52/730 NR	Non-dimmable, Narrow road; 3000K	60	IP 66	40	4750	170,41
76713	EVELUX S 24/70/730 NR	Non-dimmable, Narrow road; 3000K	60	IP 66	55	6150	170,41
76717	EVELUX M 32/35/730 NR	Non-dimmable, Narrow road; 3000K	36	IP 66	35	4471	196,33
76721	EVELUX M 48/35/730 NR	Non-dimmable, Narrow road; 3000K	36	IP 66	52	6700	218,94
76725	EVELUX M 48/52/730 NR	Non-dimmable, Narrow road; 3000K	36	IP 66	82	9490	218,94
76729	EVELUX M 48/70/730 NR	Non-dimmable, Narrow road; 3000K	36	IP 66	109	12290	218,94
76733	EVELUX S 16/35/740 NR	Non-dimmable, Narrow road; 4000K	60	IP 66	17	2370	156,53
76737	EVELUX S 24/35/740 NR	Non-dimmable, Narrow road; 4000K	60	IP 66	26	3560	170,41
76741	EVELUX S 24/52/740 NR	Non-dimmable, Narrow road; 4000K	60	IP 66	40	5050	170,41
76745	EVELUX S 24/70/740 NR	Non-dimmable, Narrow road; 4000K	60	IP 66	55	6530	170,41
76749	EVELUX M 32/35/740 NR	Non-dimmable, Narrow road; 4000K	36	IP 66	35	4740	196,33
76753	EVELUX M 48/35/740 NR	Non-dimmable, Narrow road; 4000K	36	IP 66	52	7120	218,94
76757	EVELUX M 48/52/740 NR	Non-dimmable, Narrow road; 4000K	36	IP 66	82	10080	218,85
76761	EVELUX M 48/70/740 NR	Non-dimmable, Narrow road; 4000K	36	IP 66	109	13060	218,94
76702	EVELUX S 16/35/730 WS	Non-dimmable, Wide street; 3000K	60	IP 66	17	2230	156,53
76706	EVELUX S 24/35/730 WS	Non-dimmable, Wide street; 3000K	60	IP 66	26	3350	170,41
76710	EVELUX S 24/52/730 WS	Non-dimmable, Wide street; 3000K	60	IP 66	40	4750	170,41
76714	EVELUX S 24/70/730 WS	Non-dimmable, Wide street; 3000K	60	IP 66	55	6150	170,41
76718	EVELUX M 32/35/730 WS	Non-dimmable, Wide street; 3000K	36	IP 66	35	4471	196,33
76722	EVELUX M 48/35/730 WS	Non-dimmable, Wide street; 3000K	36	IP 66	52	6700	218,94
76726	EVELUX M 48/52/730 WS	Non-dimmable, Wide street; 3000K	36	IP 66	82	9490	218,94
76730	EVELUX M 48/70/730 WS	Non-dimmable, Wide street; 3000K	36	IP 66	109	12290	218,94
76734	EVELUX S 16/35/740 WS	Non-dimmable, Wide street; 4000K	60	IP 66	17	2370	156,53
76738	EVELUX S 24/35/740 WS	Non-dimmable, Wide street; 4000K	60	IP 66	26	3560	170,41
76742	EVELUX S 24/52/740 WS	Non-dimmable, Wide street; 4000K	60	IP 66	40	5050	170,41
76746	EVELUX S 24/70/740 WS	Non-dimmable, Wide street; 4000K	60	IP 66	55	6530	170,41
76750	EVELUX M 32/35/740 WS	Non-dimmable, Wide street; 4000K	36	IP 66	35	4740	196,33
76754	EVELUX M 48/35/740 WS	Non-dimmable, Wide street; 4000K	36	IP 66	52	7120	218,94
76758	EVELUX M 48/52/740 WS	Non-dimmable, Wide street; 4000K	36	IP 66	82	10080	218,94

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
76762	EVELUX M 48/70/740 WS	Non-dimmable, Wide street; 4000K	36	IP 66	109	13060	218,94
76703	EVELUX S 16/35/730 WR	Non-dimmable, Wide road; 3000K	60	IP 66	17	2230	156,53
76707	EVELUX S 24/35/730 WR	Non-dimmable, Wide road; 3000K	60	IP 66	26	3350	170,41
76711	EVELUX S 24/52/730 WR	Non-dimmable, Wide road; 3000K	60	IP 66	40	4750	170,41
76715	EVELUX S 24/70/730 WR	Non-dimmable, Wide road; 3000K	60	IP 66	55	6150	170,41
76719	EVELUX M 32/35/730 WR	Non-dimmable, Wide road; 3000K	36	IP 66	35	4471	196,33
76723	EVELUX M 48/35/730 WR	Non-dimmable, Wide road; 3000K	36	IP 66	52	6700	218,94
76727	EVELUX M 48/52/730 WR	Non-dimmable, Wide road; 3000K	36	IP 66	82	9490	218,94
76731	EVELUX M 48/70/730 WR	Non-dimmable, Wide road; 3000K	36	IP 66	109	12290	218,94
76735	EVELUX S 16/35/740 WR	Non-dimmable, Wide road; 4000K	60	IP 66	17	2370	156,53
76739	EVELUX S 24/35/740 WR	Non-dimmable, Wide road; 4000K	60	IP 66	26	3560	170,41
76743	EVELUX S 24/52/740 WR	Non-dimmable, Wide road; 4000K	60	IP 66	40	5050	170,41
76747	EVELUX S 24/70/740 WR	Non-dimmable, Wide road; 4000K	60	IP 66	55	6530	170,41
76751	EVELUX M 32/35/740 WR	Non-dimmable, Wide road; 4000K	36	IP 66	35	4740	196,33
76755	EVELUX M 48/35/740 WR	Non-dimmable, Wide road; 4000K	36	IP 66	52	7120	218,94
76759	EVELUX M 48/52/740 WR	Non-dimmable, Wide road; 4000K	36	IP 66	82	10080	218,94
76763	EVELUX M 48/70/740 WR	Non-dimmable, Wide road; 4000K	36	IP 66	109	13060	218,94
76764	EVELUX S 16/35/730 DALI MR	Non-dimmable, Main road; 3000K	60	IP 66	17	2230	223,24
76768	EVELUX S 24/35/730 DALI MR	Non-dimmable, Main road; 3000K	60	IP 66	26	3350	238,19
76772	EVELUX S 24/52/730 DALI MR	Non-dimmable, Main road; 3000K	60	IP 66	40	4750	238,19
76776	EVELUX S 24/70/730 DALI MR	Non-dimmable, Main road; 3000K	60	IP 66	55	6150	238,19
76780	EVELUX M 32/35/730 DALI MR	Non-dimmable, Main road; 3000K	36	IP 66	35	4471	263,90
76784	EVELUX M 48/35/730 DALI MR	Non-dimmable, Main road; 3000K	36	IP 66	52	6700	287,11
76788	EVELUX M 48/52/730 DALI MR	Non-dimmable, Main road; 3000K	36	IP 66	82	9490	287,11
76792	EVELUX M 48/70/730 DALI MR	Non-dimmable, Main road; 3000K	36	IP 66	109	12290	287,11
76796	EVELUX S 16/35/740 DALI MR	Non-dimmable, Main road; 4000K	60	IP 66	17	2370	223,24
76800	EVELUX S 24/35/740 DALI MR	Non-dimmable, Main road; 4000K	60	IP 66	26	3560	238,19
76804	EVELUX S 24/52/740 DALI MR	Non-dimmable, Main road; 4000K	60	IP 66	40	5050	238,19
76808	EVELUX S 24/70/740 DALI MR	Non-dimmable, Main road; 4000K	60	IP 66	55	6530	238,19
76812	EVELUX M 32/35/740 DALI MR	Non-dimmable, Main road; 4000K	36	IP 66	35	4740	263,90
76816	EVELUX M 48/35/740 DALI MR	Non-dimmable, Main road; 4000K	36	IP 66	52	7120	287,11
76820	EVELUX M 48/52/740 DALI MR	Non-dimmable, Main road; 4000K	36	IP 66	82	10080	287,11
76824	EVELUX M 48/70/740 DALI MR	Non-dimmable, Main road; 4000K	36	IP 66	109	13060	287,11
76765	EVELUX S 16/35/730 DALI NR	Non-dimmable, Narrow road; 3000K	60	IP 66	17	2230	223,24
76769	EVELUX S 24/35/730 DALI NR	Non-dimmable, Narrow road; 3000K	60	IP 66	26	3350	238,19
76773	EVELUX S 24/52/730 DALI NR	Non-dimmable, Narrow road; 3000K	60	IP 66	40	4750	238,19
76777	EVELUX S 24/70/730 DALI NR	Non-dimmable, Narrow road; 3000K	60	IP 66	55	6150	238,19

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
76781	EVELUX M 32/35/730 DALI NR	Non-dimmable, Narrow road; 3000K	36	IP 66	35	4471	263,90
76785	EVELUX M 48/35/730 DALI NR	Non-dimmable, Narrow road; 3000K	36	IP 66	52	6700	287,11
76789	EVELUX M 48/52/730 DALI NR	Non-dimmable, Narrow road; 3000K	36	IP 66	82	9490	287,11
76793	EVELUX M 48/70/730 DALI NR	Non-dimmable, Narrow road; 3000K	36	IP 66	109	12290	287,11
76797	EVELUX S 16/35/740 DALI NR	Non-dimmable, Narrow road; 4000K	60	IP 66	17	2370	223,24
76801	EVELUX S 24/35/740 DALI NR	Non-dimmable, Narrow road; 4000K	60	IP 66	26	3560	238,19
76805	EVELUX S 24/52/740 DALI NR	Non-dimmable, Narrow road; 4000K	60	IP 66	40	5050	238,19
76809	EVELUX S 24/70/740 DALI NR	Non-dimmable, Narrow road; 4000K	60	IP 66	55	6530	238,19
76813	EVELUX M 32/35/740 DALI NR	Non-dimmable, Narrow road; 4000K	36	IP 66	35	4740	263,90
76817	EVELUX M 48/35/740 DALI NR	Non-dimmable, Narrow road; 4000K	36	IP 66	52	7120	287,11
76821	EVELUX M 48/52/740 DALI NR	Non-dimmable, Narrow road; 4000K	36	IP 66	82	10080	287,11
76825	EVELUX M 48/70/740 DALI NR	Non-dimmable, Narrow road; 4000K	36	IP 66	109	13060	287,11
76766	EVELUX S 16/35/730 DALI WS	Non-dimmable, Wide street; 3000K	60	IP 66	17	2230	223,24
76770	EVELUX S 24/35/730 DALI WS	Non-dimmable, Wide street; 3000K	60	IP 66	26	3350	238,19
76774	EVELUX S 24/52/730 DALI WS	Non-dimmable, Wide street; 3000K	60	IP 66	40	4750	238,19
76778	EVELUX S 24/70/730 DALI WS	Non-dimmable, Wide street; 3000K	60	IP 66	55	6150	238,19
76782	EVELUX M 32/35/730 DALI WS	Non-dimmable, Wide street; 3000K	36	IP 66	35	4471	263,90
76786	EVELUX M 48/35/730 DALI WS	Non-dimmable, Wide street; 3000K	36	IP 66	52	6700	287,11
76790	EVELUX M 48/52/730 DALI WS	Non-dimmable, Wide street; 3000K	36	IP 66	82	9490	287,11
76794	EVELUX M 48/70/730 DALI WS	Non-dimmable, Wide street; 3000K	36	IP 66	109	12290	287,11
76798	EVELUX S 16/35/740 DALI WS	Non-dimmable, Wide street; 4000K	60	IP 66	17	2370	223,24
76802	EVELUX S 24/35/740 DALI WS	Non-dimmable, Wide street; 4000K	60	IP 66	26	3560	238,19
76806	EVELUX S 24/52/740 DALI WS	Non-dimmable, Wide street; 4000K	60	IP 66	40	5050	238,19
76810	EVELUX S 24/70/740 DALI WS	Non-dimmable, Wide street; 4000K	60	IP 66	55	6530	238,19
76814	EVELUX M 32/35/740 DALI WS	Non-dimmable, Wide street; 4000K	36	IP 66	35	4740	263,90
76818	EVELUX M 48/35/740 DALI WS	Non-dimmable, Wide street; 4000K	36	IP 66	52	7120	287,11
76822	EVELUX M 48/52/740 DALI WS	Non-dimmable, Wide street; 4000K	36	IP 66	82	10080	287,11
76826	EVELUX M 48/70/740 DALI WS	Non-dimmable, Wide street; 4000K	36	IP 66	109	13060	287,11
76767	EVELUX S 16/35/730 DALI WR	Non-dimmable, Wide road; 3000K	60	IP 66	17	2230	223,24
76771	EVELUX S 24/35/730 DALI WR	Non-dimmable, Wide road; 3000K	60	IP 66	26	3350	238,19
76775	EVELUX S 24/52/730 DALI WR	Non-dimmable, Wide road; 3000K	60	IP 66	40	4750	238,19
76779	EVELUX S 24/70/730 DALI WR	Non-dimmable, Wide road; 3000K	60	IP 66	55	6150	238,19
76783	EVELUX M 32/35/730 DALI WR	Non-dimmable, Wide road; 3000K	36	IP 66	35	4471	263,90
76787	EVELUX M 48/35/730 DALI WR	Non-dimmable, Wide road; 3000K	36	IP 66	52	6700	287,11
76791	EVELUX M 48/52/730 DALI WR	Non-dimmable, Wide road; 3000K	36	IP 66	82	9490	287,11
76795	EVELUX M 48/70/730 DALI WR	Non-dimmable, Wide road; 3000K	36	IP 66	109	12290	287,11
76799	EVELUX S 16/35/740 DALI WR	Non-dimmable, Wide road; 4000K	60	IP 66	17	2370	223,24

Order code	Type	Modification	Valgustei d alusel	Prot.	Light source	Net Im output	Baashind
76803	EVELUX S 24/35/740 DALI WR	Non-dimmable, Wide road; 4000K	60	IP 66	26	3560	238,19
76807	EVELUX S 24/52/740 DALI WR	Non-dimmable, Wide road; 4000K	60	IP 66	40	5050	238,19
76811	EVELUX S 24/70/740 DALI WR	Non-dimmable, Wide road; 4000K	60	IP 66	55	6530	238,19
76815	EVELUX M 32/35/740 DALI WR	Non-dimmable, Wide road; 4000K	36	IP 66	35	4740	263,90
76819	EVELUX M 48/35/740 DALI WR	Non-dimmable, Wide road; 4000K	36	IP 66	52	7120	287,11
76823	EVELUX M 48/52/740 DALI WR	Non-dimmable, Wide road; 4000K	36	IP 66	82	10080	287,11
76827	EVELUX M 48/70/740 DALI WR	Non-dimmable, Wide road; 4000K	36	IP 66	109	13060	287,11